

## WINCHESTER® SHORT MAGNUMS: WHY IT'S GOOD TO COME UP SHORT.

SINCE ITS INCEPTION IN 2001, THE WINCHESTER SHORT MAGNUM HAS BECOME THE MOST POPULAR CALIBER CONCEPT IN DECADES. WHAT COULD BE BETTER THAN MAGNUM POWER AND BALLISTICS IN SHORT-ACTION CONFIGURATIONS? RIFLES ARE LIGHTER AND EASIER TO PACK IN THE FIELD, FAR MORE ACCURATE AND ARE QUICKER TO CYCLE. — AND WITH THE ADDITION OF THE NEW HARD-HITTING 325 WSM, THOSE WHO ACTIVELY PURSUE ELK, MOOSE, BEAR AND OTHER LARGE GAME HAVE A CALIBER TO MATCH THE CONDITIONS. THE WSM CONCEPT HAS SIMPLY CHANGED THE WAY MAGNUM CALIBERS ARE PERCEIVED. FOR THE ULTIMATE IN EFFICIENCY, ACCURACY AND FUNCTIONALITY, IT'S GOOD TO COME UP SHORT.




THE 2.86" OVERALL LENGTH

35° SHOULDER ANGLE ALLOWS FOR

MORE POWDER SURFACE AREA IS RESULTING IN A FASTER, MORE

#### THE NEW 325 WINCHESTER SHORT MAGNUM: BUILT FOR BIG GAME.

FINALLY, A WSM CALIBER BUILT TO TAKE ON THE THICK-SKINNED AND HEAVY-SHOULDERED BIG GAME ANIMALS FOUND FROM ALASKA TO AFRICA. THE NEW 325 WSM IS THE LATEST ADDITION TO THE WSM FAMILY. COMBINING THE VELOCITY OF THE 300 WIN. MAG. WITH THE KNOCKDOWN POWER OF THE 338 WIN. MAG., THE 325 WSM OFFERS ALL THE POWER NEEDED TO TAKE ON BIG GAME ANIMALS. THE 325 IS LOADED WITH 180, 200 OR 220 GRAIN BULLETS, FURTHER EXPANDING THE CAPABILITIES AND USEFULNESS OF THIS GREAT CALIBER. THOSE WHO HUNT ELK, MOOSE, CARIBOU. BEAR AND EVEN THE ROBUST ANIMALS OF AFRICA WILL APPRECIATE HAVING THE POWERFUL KNOCKDOWN ENERGY AND VELOCITY OF A LARGE MAGNUM CARTRIDGE, WITHOUT THE WEIGHT AND BULK OF STANDARD MAGNUM CALIBERS. AS WITH ALL WSM CALIBERS, THE 325 IS BUILT ON A SHORT-ACTION CONFIGURATION, MAKING THE RIFLE LIGHTER WEIGHT, EASIER TO CARRY AND WITH A SHORTER BOLT THROW FOR FASTER FOLLOW-UP SHOTS. AND DON'T FORGET THE EXCEPTIONAL ACCURACY YOU'LL FIND WITH THE 325. AFTER ALL IS SAID AND DONE, THE 325 WSM MIGHT JUST BE THE PERFECT ALL-AROUND CALIBER FOR BIG GAME ANIMALS.





MODE

# WINCHESTER® RIFLES AND SHOTGUNS, THE GUNS THAT WORK™.

FROM RICH TRADITION TO HIGH-TECH INNOVATION, WINCHESTER® RIFLES AND SHOTGUNS LEAD THE INDUSTRY IN BRINGING THE TRIED AND TRUE TO THE NEXT LEVEL. INNOVATIONS SUCH AS THE CONTROLLED ROUND PUSH FEED ACTION ON THE MODEL 70, THE SELF-REGULATED GAS-OPERATION SYSTEM OF THE SUPER X2 AND THE .410 BORE CHAMBERING IN THE MODEL 94 CONFIGURATION PROVE WINCHESTER FIREARMS ARE BUILT FOR THE DEMANDS OF TODAY'S HUNTERS. THE DURABILITY, RELIABILITY AND DEPENDABILITY OF THESE FINE FIREARMS REST ON THE IMPECCABLE REPUTATION THEY HAVE BUILT FOR THEMSELVES. THE GUNS THAT WON THE WEST YEARS AGO HAVE WON THE HEARTS OF THOSE IN THE PRESENT, AND WILL CONTINUE TO DO SO IN THE FUTURE.



#### MODEL 70

WSM, WSSM, Classics, CRF, CRPF

pg 2-13

Specification charts on pg 50 and 51.

#### **HISTORIC**

Model 1885 WSM Model 1885 17 Mach 2<sup>™</sup>

pg 14

Specification charts on pg 51.

#### MODEL 94

Cowboy Action, Hunting

pg 15-19

Specification charts on pg 51.

#### **MODEL 9422 TRIBUTE**

Traditional, Legacy

pg 20-21

Specification charts on pg 51.

#### **MODEL 9410 SHOTGUNS**

Packer, Packer Compact, Ranger®

pg 22-23

Specification charts begin on pg 51

#### **SELECT™ OVER AND UNDER**

Energy<sup>™</sup> Trap & Sporting, Elegance, Field

pg 24-27

Specification charts on pg 51.

#### SUPER X2™

Dura-Touch®, Field, Turkey, Deer, Target

pg 28-35

Specification charts on pg 51-52.

#### MODEL 1300 SPEED PUMP™

Field, Turkey, Deer, Target, Defender

pg 36-43

Specification charts on pg 52.

#### CUSTOM SHOP

Model 70, Model 94, Custom 9410 Custom Engravings

ng ///-//7

Specification charts on pg 53.

#### **COMPACT GUNS**


Model 70, Model 9410 Model 1300

pg 48-49

Specification charts on pg 50-52.

## MODEL 70 WSM & WSSM EVOLUTION

THE LEVEL TO WHICH THE SHORT MAGNUM CONCEPT HAS TAKEN THE FIREARMS INDUSTRY IS UNPRECEDENTED. WITH IMPROVED BALLISTICS, FLATTER TRAJECTORIES AND LIGHTER, FASTER HANDLING RIFLES, WSM AND WSSM CALIBERS ARE HERE TO STAY, AND HAVE RAISED THE STANDARD FOR MAGNUM CALIBER RIFLES. WHILE THE VELOCITY AND ENERGY SURPASSES THAT OF COMPARABLE STANDARD CALIBERS, THE UNDERLYING BEAUTY LIES WITHIN THE RIFLES CHAMBERED FOR THESE SHORTENED CASES. BUILT ON SHORT- AND SUPER SHORT-ACTION CONFIGURATIONS, THESE RIFLES ARE LIGHTER WEIGHT AND QUICKER TO CYCLE, MAKING A MODEL 70 WSM OR WSSM THE IDEAL MAGNUM RIFLE TO BE TAKEN AFIELD. WSM AND WSSM: THE NEW STANDARD OF CALIBERS.



#### WSM.

WSM calibers are the new standard of magnum performance. No other calibers offer the efficiency, accuracy or performance of a WSM. It has been proven that shorter can be better, faster, more accurate and carry as much, or more, down-range energy as the traditional magnums. And, WSM calibers do all this in a compact, lighter weight, short-action rifle. Now available in four different calibers, 300 WSM, 7mm WSM, 270 WSM and the new 325 WSM (see inside front cover), a Model 70 chambered for one of these soon-to-be classic calibers is a rifle you can count on. With magnum ballistics and performance in a short-action, lightweight rifle, WSM calibers offer everything a serious big game hunter desires.

#### WSSM.

With an overall cartridge length of just 2.36", WSSM calibers have taken the short magnum concept to a new level — a super-short level. These cartridges outperform their standard caliber counterparts and their acceptance in the industry is unprecedented. WSSM calibers have made their mark and are here to stay. These compact cartridges deliver high-velocity in an ultra-quick cycling and lightweight rifle. The incredibly short, fat cases make the 243 WSSM and 223 WSSM particularly effective for varmints and predators, while the velocity and knockdown power of the 25 WSSM make it perhaps the best whitetail cartridge ever developed.




## TIMELESS, PROVEN FEATURES. THE MODEL 70 LEAVES NOTHING TO CHANCE.




**CONTROLLED ROUND FEED BOLT.** If there were a single feature responsible for the Model 70 being labeled the "bolt-action rifle of the century," it would arguably be the classic, Controlled Round Feed (CRF) bolt design. The massive claw extractor secures approximately ½ of the cartridge base and fully controls the cartridge as it enters the chamber. This proven design also allows the cartridge to be extracted — even if it is not yet fully chambered.

**BLADE-TYPE EJECTOR.** A blade-type ejector allows full control of the ejection force; an advantage for target shooters and hunters alike.





**CONTROLLED ROUND PUSH FEED BOLT.** If you've ever wished for the sureness of classic, Controlled Round Feed (CRF) with the single shot loading convenience of push feed bolt designs, the Controlled Round Push Feed bolt (CRPF) on some Model 70 rifles could be your solution. Like the classic CRF bolt, this innovative design secures the base of the cartridge when chambering for a straight shot into the chamber, protecting the bullet point. It also allows for easy extraction, even if the cartridge is not fully chambered. However, like a push feed design, the CRPF extractor rides over the cartridge rim for direct-to-the-chamber single shot loading.





**THREE POSITION SAFETY.** The three position safety on the Model 70 has been proven effective and highly popular by hunters and shooters for more than fifty years. Not only is it a convenient reach with the trigger hand, but when the selector is in the middle position the action can still be operated.



ONE PIECE FLOORPLATE/TRIGGER GUARD. Look closely at most rifles and it's easy to pick out the details that matter. The one-piece floorplate and trigger guard design found on nearly all Model 70 rifles is one such detail. This touch adds a clean, finished look, while adding rigidity and strength to the action to ensure correct floorplate and latch alignment.



**PREMIUM RECOIL PAD.** You hardly notice the recoil from your rifle when taking a shot at a big buck. It's the rounds you fire from the bench while sighting-in and practicing that take their toll. Model 70 rifles place an emphasis on comfort and recoil reduction. Look for the finest energy-absorbing recoil pad designs on Winchester® rifles chambered in magnum calibers — where it matters most.

## **MODEL 70 STOCKS**

When it comes to forward thinking, modern stock designs, the Winchester® Model 70 Ultimate Shadow and Super Shadow lead the field. These stocks were designed from the ground up – not just to be different, but better, with materials and features hunters and shooters will appreciate as much as the great looks. Most importantly, these stocks retain the familiar, fast-handling, comfortable feel you expect from the Winchester Model 70: the rifle that has endeared itself to generations of hunters.



Great looks with the classic feel you recognize.

The Ultimate Shadow stock features a unique look and feel that begs to be picked up and handled. While the contoured, flowing lines offer the aesthetics you are looking for, it's how the Ultimate Shadow feels in your hands that will really grab your attention. The lightweight design is meant to be packed atop the highest mountain peaks and the comfortable, rubberized, overmolded gripping surfaces on the pistol grip and fore-end add the control and comfort needed in a durable reliable rifle

grip and fore-end add the control and comfort needed in a durable, reliable rifle. This stock design is rugged, strong, light and will stand up to weather and hard use afield. And you'll be impressed with the proprietary recoil pad which rivals the finest pads available. The Model 70 Ultimate Shadow is available in Stainless or Blued models, in your choice of seven WSM and WSSM calibers. WSSM rifles feature a slightly scaled-down fore-end to further reduce weight.



## THE CAMO ULTIMATE SHADOW STOCK CONCEPT

A standout — even in camouflage.

DURA-TOUCH®

No other stock has the look and feel of the Camo Ultimate Shadow. Effectively concealed by the most popular camo around, Mossy Oak® New Break-Up®, the Camo Ultimate Shadow stock features the unique lines and looks of the Ultimate Shadow — with a few extras. For starters, front and rear gripping surfaces are replaced with grip-enhancing oval-dot surfaces coated with the patented Dura-Touch® Armor Coating for improved grip and feel. Sleek stock contours look great and reduce weight while maintaining the sought after feel of a Model 70 rifle. A specially designed recoil pad handles heavy recoil. The Model 70 Camo Ultimate Shadow is available in

Stainless or new Blued models, in your choice of seven WSM and WSSM calibers. WSSM rifles feature a slightly scaled-down fore-end to further reduce weight.



## THE SUPER SHADOW STOCK CONCEPT

Flowing lines, fluid motion.

If you desire simplicity without sacrificing effectiveness or comfort, the Super Shadow stock is the only choice. The Model 70 Super Shadow stock has the same weight-conscious contours and great looks as the Ultimate Shadow, without the rubber overmoldings. Instead, the Super Shadow incorporates an oval-dot gripping surface that is integrated into the reinforced composite construction. A built-in blind magazine cover further reduces overall rifle weight. The Super Shadow includes a premium, proprietary recoil pad. Shoulder a Model 70 Super Shadow and you'll notice immediately that it is one of the rare rifles that feels as good in your hands as it looks. Available in all seven WSM and WSSM calibers — including the new 325 WSM. WSSM rifles feature a slightly scaled-down fore-end to further reduce weight.

## THE RIFLEMAN'S RIFLE

FEW THINGS SYMBOLIZE THE NOTION OF THE BIG GAME HUNT BETTER THAN A BOLT-ACTION RIFLE WITH A FINELY FITTED WOOD STOCK. TO THAT END, THERE IS THE MODEL 70 AND ITS WEALTH OF AVAILABLE WOOD STOCKS. CLASSICS LIKE THE FEATHERWEIGHT, THE NEW SPORTER III AND THE NEW SUPER GRADE III OFFER THE TRADITIONAL LOOK AND FEEL OF THE "RIFLEMAN'S RIFLE," AS DOES THE SAFARI EXPRESS WITH ITS STEEL STOCK CROSSBOLTS. MOST WOOD STOCK MODEL 70s FEATURE THE RECOIL-REDUCING PACHMAYR® DECELERATOR® RECOIL PAD TO REDUCE FLINCHING. DON'T OVERLOOK THE LAMINATED STOCKS OF THE LAMINATED WSM AND COYOTE. THESE STOCKS OFFER EXCEPTIONAL STABILITY AND EXTREME DURABILITY WITH THE ELEGANT LOOK OF WOOD. REGARDLESS OF THE STOCK YOU CHOOSE, ALL ARE FITTED WITH THE FINEST BOLT-ACTION AROUND.



#### THE FEATHERWEIGHT™ STOCK

What a rifle stock should be.

One look at the Model 70 Classic Featherweight<sup>11</sup> stock and you'll know what quality, beauty and functionality look like. The traditional, elegant scroll cut checkering sets the Featherweight apart from any other production rifle. Couple that with the classic looking Schnabel fore-end and you have a rifle stock that is fit for display. But looks are only a small part of the beauty of the Featherweight. Its thin, lightweight design makes the Featherweight point like a dream and a pleasure to carry in the field. The Pachmayr<sup>®</sup> Decelerator<sup>®</sup> recoil pad on WSM models makes it enjoyable to shoot. Throw the Featherweight stock to your shoulder and you'll find a perfectly balanced rifle with an angled comb that places your head in perfect alignment with your scope. The Featherweight is what a rifle stock should be.



#### THE SPORTER III STOCK

A true rifleman's stock.

The new Sporter III stock offers the look and feel of classic Model 70's, but with a lighter weight design to match the quick-handling short-action WSM and WSSM calibers. While the Sporter III maintains the classic look of the "Rifleman's Rifle," discriminating hunters will appreciate the improved fit and feel of this new stock. A thinner stock and fore-end will be the first thing you'll notice when shouldering the new Sporter III. You'll find your hand wraps comfortably around the trim new pistol grip with its more open feel. The

straight comb stock and perfectly angled cheekpiece help with eye alignment, making the Sporter III an extremely comfortable rifle to shoot. Add a Pachmayr® Decelerator® recoil pad for greater recoil reduction and you'll find a truly pleasant rifle to hunt with.






#### THE SUPER GRADE III STOCK

A classy rifle deserves a classy stock.

The classic lines and look of the traditional Model 70 are only enhanced by the beautifully checkered and marbled walnut on the new Super Grade III stock. This sporter-styled stock features a colored endcap and recoil-reducing Pachmayr® Decelerator® recoil pad. The etched steel stock crossbolt not only adds strength to the stock, it, along with inletted swivel studs and a metallic grip cap, add to its beauty. For comfort and functionality, the straighter comb and finely cut shadowline cheekpiece place your eye in perfect alignment with the scope, ensuring a consistent sight picture and ease of shooting. The new Super Grade III stock, with all of its beauty and functionality, is the epitome of classic sporting rifles.



both big game and varmint hunters alike. See chart on page 50.

THE WINCHESTER® MODEL 70 - NO OTHER RIFLE HAS SUCH A RICH HISTORY OF DEPENDABLE PERFORMANCE. IT SERVES AS A

TIMELESS EXAMPLE OF WHAT A BOLT-ACTION RIFLE SHOULD BE. THE THREE-POSITION SAFETY IS RENOWNED FOR EASY USE. THE

BARREL RIFLING ON MANY MODELS IS HAMMER-FORGED, MEANING EXCELLENT TOLERANCES FOR BETTER ACCURACY. THE CLASSIC, CONTROLLED ROUND FEED ACTION IS A MAINSTAY AND CONTINUES TO MAKE THE MODEL 70 LINE THE MOST RELIABLE AND SMOOTHEST CYCLING IN THE INDUSTRY. THE MASSIVE CLAW OF THE CONTROLLED ROUND FEED BOLT CAPTURES THE BASE OF THE CARTRIDGE SECURELY, WHISKING IT RIGHT TO THE CHAMBER AS FAST AS YOU CAN WORK THE BOLT. NEWLY DESIGNED STOCKS ARE VERY IMPRESSIVE, PROVIDING A SURE HOLD AND BALANCED HANDLING. THESE FEATURES ARE WHAT HAVE MADE THE MODEL 70 THE "RIFLEMAN'S RIFLE" FOR OVER 50 YEARS.



MODEL 70 CLASSIC

#### **ULTIMATE SHADOW, BLUED**

Available in all seven WSM and WSSM calibers.



While the flowing lines of the Ultimate Shadow stock are the first thing you'll notice when you cast your eyes upon this fine rifle, picking one up yields a different sensation. The Ultimate Shadow features integrated, rubberized, oval-dot gripping surfaces on the pistol grip and fore-end to ensure a comfortable, secure hold even when wet or cold. For all day trips, you'll appreciate its lightweight design. Traditional blued 24" barrel on WSM, and 22" barrel on WSSM, both with the classic, Controlled Round Feed action in your choice of the seven WSM and WSSM chamberings. See chart on page 50.



#### **ULTIMATE SHADOW, STAINLESS**

All-weather protection and control.



The Winchester® Ultimate Shadow is one of the most innovative rifles to roll out of the industry in many years. Feeling as good as it looks, the lightweight stock, with rubberized, overmolded gripping surfaces, comes to your shoulder naturally. The barrel, action, floorplate and most internal components are stainless steel, making them ready for any type of weather. The classic, Controlled Round Feed action positively picks up and feeds every round from the magazine. Available in WSM and WSSM chamberings including the new 325 WSM. See chart on page 50.



MODEL 70 CLASSIC

#### CAMO ULTIMATE SHADOW, STAINLESS

The Ultimate rifle, now in hard hitting 325 WSM.





The Camo Ultimate Shadow, Stainless Model 70 is unlike any other rifle on the market. With the sleek lines of the lightweight composite stock, the integrated oval-dot gripping surfaces and the stainless steel barrel, action and internal components, the Camo Ultimate Shadow, Stainless simply shrugs off the elements. Underneath the grip enhancing Dura-Touch® finish lies Mossy Oak® New Break-Up® camo, which further separates this unique rifle from any other. The Camo Ultimate Shadow is available in your choice of WSM calibers, including the new 325 WSM, with a 24" barrel and a 22" barrel in the WSSM versions. See chart on page 50.



## TAKING BEAUTY AFIELD. CLASSIC RIFLES FOR CLASSIC HUNTS.



Don't be caught without enough gun.



African big game hunters demand the most reliable and time-tested bolt action rifle available on the market. The Model 70 Classic Safari Express happens to be that rifle. This rifle is built for heavy cartridges and has been designed to exceed the needs of today's Africa-bound hunters, providing them with legendary reliability — when it's needed most. Comfortable and quickly shouldered, you'll appreciate the classic Model 70 action with pre-'64 type claw extractor design, the Pachmayr® Decelerator® recoil pad, dual recoil lugs and express-style rear sight. 375 H&H, 416 Rem. Mag. or 458 Win. Mag. calibers available. For once-in-a-lifetime hunts, this is the rifle you need. See chart on page 50.

AS HUNTERS WE ARE DRAWN. DRAWN TO THE YELLOW GRASS PLAINS OF THE SERENGETI, DRAWN TO THE BONE-CHILLING BUGLE
OF A DISTANT ROCKY MOUNTAIN ELK, DRAWN TO EARLY MORNING RISING AND HEART-POUNDING PURSUITS. SO TOO ARE WE
DRAWN TO THE FINELY-CRAFTED AND BEAUTIFULLY ENDOWED RIFLES THAT WE TAKE WITH US. RIFLES WITH BEAUTIFULLY FINISHED WOOD STOCKS,
INTRICATE CUT CHECKERING AND SPECIALIZED FEATURES BECOME MORE THAN JUST "DEER RIFLES." THEY BECOME HERITAGE, TRADITION AND ART. THE
WINCHESTER® SAFARI EXPRESS AND THE SUPER GRADE III SERIES ARE JUST SUCH RIFLES. THE SUPER GRADE III MODELS FEATURE BEAUTIFULLY
GRAINED WALNUT STOCKS, BLACK ENDOAPS AND A WIDE RANGE OF CALIBERS, INCLUDING THE LATEST EDITION TO THE WSM FAMILY, THE 325 WSM. THE
SAFARI EXPRESS UTILIZES THE CLASSIC PRE-'64 TYPE CLAW EXTRACTOR ACTION AND IS CHAMBERED IN THE MOST POPULAR AND EFFICIENT AFRICAN
GAME CALIBERS, WITH AN EXPRESS-STYLE OPEN REAR SIGHT.



SUPER GRADE III, RMEF

Available in 325 WSM and 300 WSM calibers.



MODEL 70 CLASSIC


SHADOWLINE CHEEKPIECE FEATURED ON THE SUPER GRADE III. The Rocky Mountain Elk Foundation and Winchester® Rifles and Shotguns have come together to help preserve the West's most prized game animal. A portion of all sales from this rifle will help support the RMEF in improving elk habitat and engaging in elk research across the country. This limited edition rifle features an elegantly finished, sporter-style, super-grade stock with shadowline cheekpiece, capped off with a Pachmayr® Decelerator® recoil pad. The proven stainless steel action and barrel are chambered for the very popular 300 WSM and the new 325 WSM cartridges. A special RMEF emblem is added to the grip cap. (Limited quantities.) See chart on page 50.



Also available in all four powerful WSM calibers.



Today's Super Grade III is the third generation in this classic rifle series. These rifles now feature a trimmer, sporter-style stock with a recoil absorbing Pachmayr® Decelerator® recoil pad and shadowline cheekpiece for extra comfort. You'll notice and appreciate the attention to small touches on the Super Grade III. Details like a steel stock crossbolt, added to provide additional strength against recoil, and swivel studs that are inletted for a finished look are expected on a rifle of this quality. One-piece, picture frame floorplate design adds rigidity and a clean, custom look to the action. The new short-action version is scaled to optimize performance from WSM calibers. See chart on page 50.



Smaller does not mean compromise.



COMPACT

Classic Compact the ideal choice. With a short 13" length of pull, shallower stock profile and 20" barrel, the Classic Compact is easy to carry and quick to shoulder. Available in 243 Win. or 7mm-08 Rem. calibers with the classic, Controlled Round Feed action with claw extractor. For light recoil and an excellent fit for smaller shooters, this Model 70 is the best choice ever. See chart on page 50.

## **MODEL 70**

THERE IS A REASON THE MODEL 70 IS KNOWN AS THE "RIFLEMAN'S RIFLE." TAKE A LOOK AT THE FEATHERWEIGHT™ AND SPORTER III. NO OTHER RIFLE **EMBODIES THE SOLID CHARACTERISTICS OF THESE TWO RIFLES. CHAMBERINGS** INCLUDE EVERYTHING FROM THE HIGH-VELOCITY WSSMS, TO STANDARD LONG AND SHORT-ACTION CALIBERS, AND EVEN THE HEAVY-HITTING WSM CALIBERS, INCLUDING THE NEW 325 WSM. ALL FEATURE THE RELIABLE CONTROLLED ROUND FEED ACTION WINCHESTER® RIFLES HAVE BUILT A REPUTATION AROUND. FROM THE CLASSIC CUT CHECKERING OF THE FEATHERWEIGHT TO THE NOW TRULY TRIMMER, TRADITIONAL STYLE STOCK OF THE SPORTER, THESE RIFLES ARE THE GUNS THAT WORK™.







The "Rifleman's Rifle" - with a new twist.



CRF

While some rifles are built for looks and some for function, the new Model 70 Featherweight™, Stainless offers both beauty and performance. With the traditional, cut checkering pattern and handsome Schnabel fore-end of the classic Featherweight, the flagship of the Model 70 line takes on a new and exciting look with a weather-resistant stainless barrel and receiver. And while the looks of the new Featherweight set it apart from the competition, don't overlook the Pachmayr® Decelerator® recoil pad on WSM models, along with its Controlled Round Feed action, convenient three-position safety and dead-on accuracy. The new Featherweight, Stainless is chambered in all WSSM and WSM calibers, including the new 325 WSM, and a variety of standard calibers. Standard calibers include the traditional Winchester® Model 70 recoil pad. See chart on page 50.

THE PACHMAYR® DECELERATOR® RECOIL PAD IS STANDARD ON MANY MODEL 70 RIFLES.

#### MODEL 70 CLASSIC FEATHERWEIGHT™ (LEFT-HAND)





Left-handed shooters deserve the finest.




The "Bolt-Action Rifle of the Century."



The legendary handling, quickness and light weight of the Model 70 Featherweight™ has made it famous among hunters. No wonder it's been proclaimed "the bolt-action rifle of the century." The classic Model 70 action with Controlled Round Feed is highlighted by a jeweled bolt and knurled bolt handle. The popular angled comb stock still features the Schnabel fore-end — just like the originals — and is satin finished with elegant cut checkering. Available in the most popular long, short and super short action calibers, including WSM and WSSM calibers — even the new 325 WSM – in both left- and right-handed models. A Pachmayr® Decelerator® recoil pad is standard on WSM calibers. Other calibers include the traditional Winchester® Model 70 recoil pad. See chart on page 50.



Trimmer stock dimensions improve a classic design.



MODEL 70 CLASSIC

#### **SPORTER III**

Smoother lines and better fit. Now available in 325 WSM. (Scope not included.)



The new Sporter III stock is improved with a trimmer fore-end and stock, with a more open pistol grip and a modest pad footprint. This new stock is easier and lighter to carry, and comfortably comes to the shoulder. The satin-finish stock features cut checkering plus a comfortable cheekpiece for superb balance and precise scope alignment. Available in both right- and left-hand versions, in long and short-action calibers and WSM calibers — including the new 325 WSM. The Pachmayr® Decelerator® recoil pad offers greater protection against recoil. Classic Controlled Round Feed action with claw extractor. WSM models are built around a scaled-down stock. See chart on page 50.



Weather-resistance for real-world hunting.



barrel, action and internal components. Add a traditional, sporter-style style, composite stock for a very serious rifle. The stock easily takes on hot, humid conditions and extreme cold without affecting accuracy. All Classic Stainless, Controlled Round Feed actions feature a claw extractor and a reliable, fixed ejector. Choose from several hard-hitting long action calibers. (375 H&H version with open sights is pictured. Other models do not include sights.) See chart on page 50.



Eye-catching looks with performance to match.



example is certainly no exception. The laminated, sporter-style stock, known for its structural stability in the driest and wettest conditions, forms a solid platform — a perfect match for the Controlled Round Feed action of the Model 70. A high-performance recoil pad dissipates recoil from the four available WSM calibers efficiently. The richly blued sporter-weight barrel measures 24" for the perfect blend of balance, light weight and accurate performance. See chart on page 50.



rifle, look no further than the Coyote. Available in a Stainless model or the new Blued version, the Coyote is designed for the hunter who needs both an easy-to-carry rifle and one capable of long-range accuracy. To that end, the Coyote pairs an accurate, 24" medium-heavy barrel with a rugged laminated stock with a reverse taper fore-end. The unique stock design is perfect for using a bipod, shooting sticks or sandbags. The impressive Controlled Round Push Feed bolt — which combines the best aspects of a push feed and Controlled Round Feed bolt — is standard. The Coyote is a great all-in-one rifle, built for any situation. Standard short-action, WSM and WSSM calibers are available, including the new 325 WSM. Additionally, the 223 Rem. is now chambered in the super-short action. See chart on page 50.

CRPF

THE CONTROLLED ROUND PUSH FEED (CRPF) BOLT IS DESIGNED TO OFFER THE BEST ASPECTS OF THE BENCH REST SHOOTER'S FAVORITE PUSH FEED ACTION AND THE CLASSIC, MODEL 70 CONTROLLED ROUND FEED ACTION APPRECIATED BY EXPERIENCED

HUNTERS. YOU CAN RELY ON THIS GREAT NEW DESIGN TO CONSISTENTLY FEED AND EXTRACT CARTRIDGES RELIABLY IN BOTH SHORT-ACTION AND SUPER-SHORT-ACTION CONFIGURATIONS. WITH AN ACTION THIS VERSATILE, THE RIFLES BUILT AROUND IT ARE WELL SUITED FOR ANY HUNTING SITUATION. HUNTERS AFTER WHITETAIL AND OTHER BIG GAME WILL APPRECIATE THE LIGHTWEIGHT MODEL 70 SUPER SHADOW. MOBILE HUNTERS WHO DEMAND LONG-RANGE ACCURACY NEED LOOK NO FURTHER THAN THE MODEL 70 COYOTE AND COYOTE LITE, AVAILABLE IN ALL SEVEN WSM AND WSSM CALIBERS.

IF VARMINTS OR BENCH REST SHOOTING IS ON THE MENU, THE STEALTH II IS READY FROM THE BOX.

## MODEL 70 SUPER SHADOW, BLUED

The future deer rifle of the century.

The Model 70 Super Shadow stock has the same weight-saving contours and great looks as the Ultimate Shadow stock, without the rubber overmoldings. The integrated blind magazine system replaces the hinged floorplate to further reduce weight. The highly acclaimed Super Shadow utilizes an oval-dot gripping surface to provide secure handling in all conditions. Other features include the Controlled Round Push Feed bolt, designed to offer the best features of a push feed and Controlled Round Feed designs, and a specially designed recoil pad. You'll notice the Super Shadow is one of the rare rifles that actually feels as good as it looks. Available in all WSM and WSSM calibers, including the new 325 WSM. See chart on page 50.



MODEL 70
COYOTE LITE, BLUED

Pinpoint accuracy in a field gun.



The new for 2005 Coyote Lite is the ultimate, in-the-field, long-range hunting rifle — without the added weight. Available in Stainless and matte-finished Blued models, the Coyote Lite features the same Controlled Round Push Feed action as the original Coyote, in a lightweight carbon fiber/fiberglass composite Bell and Carlson stock with skeletonized aluminum block bedding for superb accuracy. Lightning cuts on the stock fore-end reduce weight and vent the barrel for additional cooling during long days of shooting. The medium-heavy, 24" fluted barrel maintains accuracy and reduces weight. A Pachmayr® Decelerator® pad is included. Available in 223 Rem., all WSSM calibers and WSM calibers, including the new 325 WSM. See charts on pages 50 and 51.

MODEL 70
STEALTH II

Conquer your varmint hunting and target challenges.



The heavyweight Stealth II varmint rifle is the ideal rifle when long-range accuracy is required. The extremely stable stock includes one-piece aluminum pillar block bedding for even greater accuracy. An additional front stud makes mounting a bipod to the wide fore-end easy, while checkering on the comfortable grip provides a secure hold. The Controlled Round Push Feed bolt secures the cartridge, allowing the ejection force to be controlled and makes shooting single rounds (loading directly into the chamber) possible. The Stealth II is available in all three hot WSSM calibers plus 22-250 Rem. and 308 Win. Add the accurate, 26" heavy barrel, one-piece floorplate and trigger guard and non-glare matte finish on all exposed surfaces, and you have the ultimate varmint rifle — and a new standard for riflemen everywhere. See chart on page 51.



## ONE CLEAN SHOT.

### A HERITAGE OF EXCEPTIONAL ACCURACY.



MODEL 1885 HIGH WALL HUNTER WSM

WSM calibers for the ultimate rifle.

The Model 1885 rifle has been chambered in more calibers than any other rifle in history, simply because the falling block design is the strongest, most time-tested and accurate action ever invented. It is recognized the world over for strength and accuracy . . . and one clean shot. For 2005, the High Wall is chambered in the searing 270 WSM, 7mm WSM and 300 WSM calibers. Pick up a Model 1885 and understand why hunters and marksmen have cherished this rifle for more than 125 years. The compact receiver with authentic, long top tang and free-floating 28" full octagon barrel are drilled and tapped for a scope (no sights) and centrally balanced to the classic Schnabel forearm. The premier Pachmayr® Decelerator® recoil pad is fit to a walnut stock. The trigger is fully adjustable. Whether you are a seasoned or beginning shooter, the 1885 is ready for any hunt, because every ounce of this rifle is designed for maximum accuracy. See chart on page 51.



MODEL 1885 LOW WALL 17 MACH 2™

Rimfire performance from a timeless rifle.

The Model 1885 Low Wall, like its big brother, the 1885 High Wall, has a long-standing reputation for accuracy. That's why, for 2005, the Low Wall is chambered in the latest rimfire caliber on the market, the ultra-fast 17 Mach 2™. The 17 Mach 2 is essentially a 22 Long Rifle cartridge necked-down to 17, boasting speeds of up to 2,100 fps with fantastic accuracy. Just as shooters have for over 125 years, you can count on the solid, falling block action to deliver this hot new cartridge to the target. After firing, lowering the lever ejects the spent cartridge, while a convenient ejector/selector switch allows you to either extract or eject the spent case in any direction — perfect for both left- and right-handed shooters. The gorgeous case-colored receiver, buttplate and lever, along with fine line checkering give this gem the classic looks to match its hot ballistics. Drilled and tapped for a scope. See chart on page 51.




winchesterguns.com

Few rifles can boast the combination of looks, hardworking performance and reliability of the Model 94. For over 100 years, the ageless Winchester® Model 94 has been a favorite of cowboys, hunters and shooters. Through the years, not much has changed from the original Model 94. The compact receiver keeps the weight centered between your hands. A noticeable lack of an external lever hinge below the receiver makes one-handed carrying convenient and easy. The action makes cycling a fresh round into the chamber smooth and effortless — an important feature for fast moving game like whitetail deer. The tang-mounted safety preserves classic good looks. But most importantly, the Model 94 is the gun that works — and has worked for over a century. View the line-up of Model 94s on these pages and you'll agree. Why alter perfection? (See charts on page 51.)



A hunting rifle for serious hunters.

Hunter Round. The Octagon features an octagon barrel, Marble's front sight with gold bead and case-colored receiver, lever, forearm cap and crescent buttplate. The Round features a blued finish on the round barrel and receiver, a straight butt plate and an extended forearm that provides an additional hand position. Both feature a 20" barrel length and are chambered in three whitetail calibers: 25-35 Win., 30-30 Win. and 38-55 Win. Other features include satin-finished walnut stocks, top-tang safeties, drilled and tapped receivers and hammer spur extensions for use with a scope. See chart on page 51.







A MARBLE'S® FRONT SIGHT IS FEATURED ON MOST MODEL 94 RIFLES. For a cowboy action rifle, look no further than the Trails End™ Octagon in pistol calibers. For starters, the nostalgic short rifle configuration features a crescent buttplate and an accurate, 20" octagon barrel to create the look and performance you want in a Model 94. You'll appreciate the fast handling and natural feel that continues to make the Model 94 so popular. The top-tang safety streamlines the receiver and brings back the classic look collectors seek. The walnut stock and forearm provide excellent balance between your hands and speed to your target. The full-length magazine holds 11 rounds of 357 Mag., 44 Rem. Mag. or 45 Colt. See chart on page 51.




Ready for the fastest cowboy action.

The same carbine-style rifle that the cowboys of the Old West packed along cattle trails is found in today's Trails End™. This exciting rifle provides the cowboy action enthusiast with many of the same features appreciated over 100 years ago, including a genuine saddle ring on the left side of the receiver. The full-length magazine holds 11 rounds of your favorite pistol ammunition: 357 Mag., 44 Rem. Mag. or 45 Colt. A satin-finished walnut stock and extended forearm provide excellent balance and fast pointability. Authentic Marble's® front sight with gold bead. The top-tang safety preserves the classic look. See chart on page 51.



Living history has never been more fun.

The Trapper's compact, fast-handling properties are as ideally suited for today's cowboy action shooting as they were in the hands of a frontier lawman. Just like a century ago, you'll appreciate the fast-handling 16" barrel and the rifle's overall carbine-style compactness when hunting in heavy cover or carrying your Trapper on a backpack, horse or even an ATV. The top-tang safety brings back the original look of the classic Model 94. Take your pick from 357 Mag., 44 Rem. Mag., 45 Colt or 30-30 Win. A saddle ring and hammer spur extension are included. See chart on page 51.



Excellent value, hardworking performance.

Chambered in the proven 30-30 Win., the Ranger® is an ideal rifle for whitetail hunters. This is a hard working, day-to-day firearm. It has a post-style front sight, adjustable rear sight, a durable hardwood stock and forearm and top-tang safety. The Ranger is perfectly balanced and shoulders and shoots well. A hammer spur extension is included for using with a scope. See chart on page 51.





The Legacy lives on and speaks for itself.

Legacy, certainly one of the finest Model 94s to ever be produced, in one of the most classic configurations of the past. This model features an octagon barrel, a finely checkered walnut stock and forearm, an adjustable Marble's® rear tang sight and an option for a case-colored or richly blued steel receiver. Notice the nostalgic curved buttplate, preferred by cowboys and range riders for more than 100 years, whose lives often depended upon this very model. Each rifle has been carefully and ergonomically designed for comfortable balance and accurate shooting, making it ideal for deer or at the range. See chart on page 51.



is ergonomically correct and provides a superb fit when using a scope. A longer forearm configuration allows an additional forward hand position to balance the 24" barrel. A full-length magazine and top-tang safety improves the Legacy's already great looks. Select calibers in 30-30 Win., 357 Mag., 44 Rem. Mag. or 45 Colt. Hammer spur extension included. Drilled and tapped for scope mounts. See chart on page 51.



winchesterguns.com



SINCE 1972, WINCHESTER® HAS BUILT ONE OF THE MOST FAMOUS AND BEST LOVED RIMFIRES ON THE MARKET: THE MODEL 9422.

MORE THAN JUST A RIMFIRE RIFLE, IT IS A FOUNDATION FOR LEARNING ACCURACY, SAFETY AND BUILDING GOOD MEMORIES. MODEL

9422S ARE APPRECIATED BY FIREARMS AFICIONADOS AND FIRST-TIME BUYERS ALIKE. THE SMOOTH, FLUID ACTION, SPECIAL TARGET CROWNS FOR IMPROVED ACCURACY AND EXCELLENT FIT AND FINISH WERE ALL THE EVIDENCE NECESSARY TO SHOW THAT THEY WERE BUILT TO HIGHER STANDARDS THAN OTHER RIMFIRES. Now, AFTER 33 YEARS, PRODUCTION OF THE TIME-HONORED MODEL 9422 IS ENDING. THE TOOLING IS BEING RETIRED, AND THE PRODUCTION LINE AT THE NEW HAVEN, CONNECTICUT FACILITY WILL STOP. NEVER AGAIN WILL YOU HAVE THE OPPORTUNITY TO PURCHASE RIFLES LIKE THESE FINAL PRODUCTION 9422S. IN A WELL-DESERVED FINAL APPLAUSE, A SPECIAL, LIMITED EDITION RUN OF ONLY 9,422 WILL BE PRODUCED IN A TRIBUTE SERIES, AND 222 IN THE CUSTOM EDITION. DO NOT DELAY IN SELECTING YOUR RIFLE, YOU WON'T GET A SECOND CHANCE. SEE CHARTS ON PAGE 51.



CUSTOM TRADITIONAL TRIBUTE

A lasting tribute to a classic rifle.

In saying farewell to the Model 9422, this special Custom Traditional Tribute is adorned with the finest features available. Most notable is the custom engraving on the receiver. The hand-carved, high-relief engraving on a silver plated receiver features a gold-inletted tribute to the 9422 on one side and the traditional Winchester® Horse and Rider on the other (shown above). A beautifully finished and marbled walnut stock adds to the value. For custom collectors and lever-action rifle fans, the Custom Traditional Tribute is a must have. Only 222 rifles will be available (22 Long Rifle only). See chart on page 51.



SPECIAL EDITION
TRADITIONAL TRIBUTE

A special edition for a special gun.

The Special Edition Traditional Tribute Model 9422 maintains the smooth, reliable action and excellent finish work of Winchester® rimfire rifles which made them the standard for quality in the shooting industry for more than 30 years. The Traditional is quite possibly the ultimate hunting rifle for squirrels and other small game. This model features a checkered straight grip, satin-finished walnut stock and forearm. The deeply blued receiver is engraved with a tribute to the 9422 and the traditional Winchester® Horse and Rider. A removable front sight hood and hammer extension are included. Available in either 22 Long Rifle or 22 WMR. See chart on page 51.



MODEL 9422

SPECIAL EDITION

LEGACY TRIBUTE

Quality and accuracy.

The Special Edition Legacy Tribute Model 9422 gives you a unique opportunity to own a rare, fine shooting 22 with elegant looks that will be admired for years to come. This model resembles the centerfire Model 94, featuring a high grade pistol grip walnut stock and forearm, carefully checkered. The deeply blued receiver is delicately engraved with a tribute to the 9422 and the traditional Winchester® Horse and Rider. The 22½" barrel provides just the right balance. The front sight hood is removable and a hammer extension is included for use with a scope. Choose from 22 Long Rifle or 22 WMR. See chart on page 51.



THERE ARE FEW FIREARMS THAT HOLD THE ALLURE THE MODEL 9410 DOES — THERE'S REALLY NOTHING QUITE LIKE IT. A COMBINATION OF THE TRADITIONAL LOOKS, FIT AND FEEL OF THE CLASSIC MODEL 94 RIFLE, CHAMBERED IN EASY-SHOOTING .410 BORE. FROM EARLY SEASON DOVE FIELDS, TO THE BITING COLD OF LATE WINTER RABBIT HUNTS, TO A SPRING DAY SHOOTING CLAY TARGETS, THE MODEL 9410 IS MEANT TO BE HANDLED, SHOT AND ENJOYED ALL YEAR LONG. FEATURING THE TRIED AND TRUE MODEL 94 LEVER ACTION, THE 9410 POSITIVELY LOADS AND EJECTS EACH ROUND QUICKLY AND SMOOTHLY, PROVIDING INSTANT FOLLOW-UP SHOTS. THE 9410 IS AVAILABLE IN A VARIETY OF MODELS, INCLUDING THE SEMI-PISTOL GRIP STOCK OF THE PACKER SERIES OR THE QUICK-HANDLING STRAIGHT STOCK OF THE TRADITIONAL AND RANGER® SERIES. TWO CHOKE SYSTEMS ARE ALSO AVAILABLE: STANDARD BORE AND THE INTERCHANGEABLE INVECTOR™ SYSTEM, WHICH ADDS VARIETY TO YOUR SHOT PATTERNS. NO MATTER WHICH MODEL YOU CHOOSE, YOU'LL FIND THE MODEL 9410 SHOTGUN IS SIMPLY THE MOST FUN, VERSATILE FIREARM YOU'LL EVER SHOOT.



winchesterguns.com

metal TRUGLO® front sight and modified shallow "V" adjustable rear sight make it easy to pick up targets. The top-tang safety maintains a classic appearance. See chart on page 51.

### **SELECT ENERGY™**

Select ENERGY

FENERGY Few sporting shotguns have received the critical acclaim the Winchester® Select Energy" has garnered.

IMPRESSIVE LOOKS AND FEATURES. START WITH A STURDY, LOW-PROFILE RECEIVER WHICH BALANCES SUPERBLY AND PLACES YOU ON TARGET INSTANTLY FOR A DAY OF SUCCESSFUL SHOOTING. A LONG LIST OF FEATURES BEGINS WITH LIGHTWEIGHT BARREL PROFILES FOR A FASTER SWING, WALNUT STOCKS AND FOREARMS WITH UNIQUE CUT CHECKERING PATTERNS, THE VERSATILE INVECTOR-PLUST CHOKE SYSTEM AND STYLISTIC RECEIVER ENGRAVING PATTERNS. WHETHER TACKLING TRAP, SPORTING CLAYS OR SKEET — YOU'LL APPRECIATE THE OPTIONAL COMB WHICH ADJUSTS FOR CAST AND DROP AND THE TRIGGER THAT CAN BE CUSTOMIZED FOR LENGTH OF PULL. PORTED AND HIGHLY POLISHED BARRELS, WIDE TAPERED RIBS, AND TRUGLO SIGHTS ARE SOME OF THE ADDITIONAL FEATURES FOUND ON THE SELECT ENERGY SPORTING GUNS. A DURABLE HARD CASE IS INCLUDED WITH EVERY ENERGY MODEL. THE SELECT ENERGY FAMILY OF SHOTGUNS STAND POISED TO MAKE A MARK ON THE COMPETITIVE SHOOTING WORLD. SEE CHART ON PAGE 51.



**OVAL CUT CHECKERING AND PALM SWELL** 



**ADJUSTABLE COMB** 



ADJUSTABLE TRIGGER SHOE





Hot looks with performance to match.



If a gun accessory or feature will help boost the score of a competitive shooter, they're on to it. Luckily, the Select Energy™ Trap provides those in-demand features out of the box. Along with the wide 13mm runway rib, mid bead sight and TRUGLO® TRU-BEAD™ interchangeable fiber optic front sight, the comb is adjustable to customize the fit of the gun. You can quickly raise the comb and dial-in cast on/off in seconds. All Select Energy models have new highly polished, ported barrels, vented side ribs, adjustable trigger shoes and a slight right-hand palm swell. Trap models are available with 30" or 32" barrels. See chart on page 51.

NEW





Sporting clays was never so enjoyable.

**ENERGY™ SPORTING** 

TRUGLO

with extraordinary balance and fit. New highly-polished, ported barrels with vented side ribs offer reduced recoil, more control, quick handling and a fast swing. The buttstock provides instant rib/sight alignment. You'll appreciate the looks and feel of the distinctive oval checkering on the walnut stock and forearm. A TRUGLO® TRU-BEAD™ competition front sight with five colored fiber optics and a mid bead on the 10mm rib pick up clays instantly. Each model has a comfortable right-hand palm swell. Select 28", 30" or 32" barrels. The Invector-Plus™ choke system is standard. See chart on page 51.



## ENERGY™ SPORTING ADJUSTABLE COMB

Adjustable comb for custom-fit performance.



Nothing makes shooting more accurate and enjoyable than the ability to customize the fit of a shotgun to your personal dimensions. The Select Energy™ Sporting, with its quickly adjustable comb, meets this claim and gives you all of the top features you need for shooting excellence. In addition to the comb being easily raised or lowered, it can also be moved left or right for cast on/off. The Select Energy Sporting has all of the features found in the Energy series, including 2¾" chambers and the popular Invector-Plus™ choke tube system for optimum shot pattern performance. Oval checkering, lightweight, polished barrels with porting to reduce recoil, adjustable trigger for length of pull and your choice of 28"-32" barrel lengths with a 10mm rib round out this feature-packed shotgun. See chart on page 51.



Trap shooting has never been easier.

TRUGLO

Trap. Ported barrels tame recoil and vented side ribs improve balance, making this shotgun easy and fast to swing. A TRUGLO® TRU-BEAD™ front sight with five colored fiber optics pair with the mid bead in acquiring clays immediately, and the Monte Carlo stock comes to your shoulder effortlessly, aligning your eye along the wide, 13mm runway rib. Bring this fine shotgun to your shoulder and the slight, right-hand palm swell will clinch the deal. The Select Energy Trap features the Invector-Plus™ choke system and back-bored 30" or 32" polished blued barrels. See chart on page 51.





YOU'LL FIND NO BETTER FUNCTIONING OR BETTER

LOOKING 3" FIELD GUNS ANYWHERE THAN THE SELECT™ EXTREME ELEGANCE, SELECT TRADITIONAL ELEGANCE AND SELECT FIELD. AS EXQUISITE AS THEY ARE, BEAUTY IS NOT MERELY SKIN DEEP. EXAMINE THE INSIDE FOR STRENGTH AND INTEGRITY. LOW-PROFILE RECEIVERS, DUAL LOCKING LUGS AND CRISP EJECTORS ARE ONLY THE START OF A LONG LIST OF PERFORMANCE FEATURES. IN ADDITION, EVERY SELECT IS MADE IN BELGIUM BY SKILLED EUROPEAN CRAFTSMEN. FINER LOOKING SHOTGUNS AT SUCH AFFORDABLE PRICING WILL BE HARD TO FIND. SEE CHART ON PAGE 51.





Quick to balance and a pleasure to shoot.

Select\_

With the Select™ Field you can have all the romance and handling you would expect from a more expensive over and under, without the actual expense. The Field is built with the same internal integrity as all the Select shotguns and features an engraved receiver and unique oval-style checkering. The low profile barrels swing fast and fit precisely and solidly with the rugged low-profile receiver. The Invector-Plus™ choke system keeps the shot pattern you need right in your pocket. With the Select Field, the spirit of the over and under field gun is very much alive, and has never been so affordable. Your choice of 26" or 28" barrels. See chart on page 51.





## SELECT™ TRADITIONAL ELEGANCE

Artistry in wood and steel.

Select

The artistically engraved trigger guard and receiver with game birds adorning the sides and bottom are just part of the beauty found in the Select™ Traditional Elegance. Each line is lightly inked, enhancing the scene and fleur-de-lis borders. Opening the receiver reveals positive ejectors and strong locking, dual tapered lugs, with a third lug that guards against stress from recoil. Stock checkering is in the traditional style and a high-performance recoil pad is fitted. You'll immediately notice the Traditional Elegance comes quickly to the shoulder, pointing naturally due to the low receiver profile and lightweight barrel contour. Here is an over and under gun that you'll be proud to own and anxious to shoot, season after season. 26" or 28" barrels available. See chart on page 51.

EVERY SELECT ENERGY™ AND ELEGANCE SHOTGUN (EXCEPT FIELD) COMES WITH A DURABLE HARD CASE IMPRINTED WITH THE WINCHESTER® HORSE AND RIDER.







THE SUPER X2™: UNDENIABLY ONE OF THE MOST RELIABLE AND QUICKEST SHOOTING AUTOLOADERS ON THE MARKET. IF YOU'VE

BEEN THINKING ABOUT AN AUTOLOADING SHOTGUN, THE SX2 IS THE ONE, HAVING GAINED AN INCREDIBLE REPUTATION AS "THE GUN THAT WORKS"." WHY? BECAUSE THE SX2 FEATURES THE MOST RELIABLE SELF-ADJUSTING GAS-OPERATED ACTION, CYCLING NEW ROUNDS INTO THE CHAMBER EVERY TIME. NOT ONLY THAT, BUT THE SX2 IS EASY TO CLEAN AFTER A DAY OF SHOOTING AND CAN BE FIELD STRIPPED WITHOUT TOOLS. THE INVECTOR-PLUST CHOKE SYSTEM, ALONG WITH A BACK-BORED BARREL, CREATES CONSISTENT SHOT PATTERNS AND RELIABLY FIRES A WIDE RANGE OF DIFFERENT LOADS. AND THE COMPACT, LIGHTWEIGHT ALLOY RECEIVER AND WIDE RIB COULD VERY WELL MAKE YOU A BETTER SHOT. NO QUESTION ABOUT IT, THE SX2 IS BUILT BETTER, SWINGS AND SHOOTS FASTER, IS BETTER BALANCED AND MORE RELIABLE THAN OTHER AUTOLOADERS. IT IS A SHOTGUN THAT WILL MAKE YOUR DAY MORE SUCCESSFUL, TIME AFTER TIME. THE SUPER-DEPENDABLE  $\mathsf{SX2}$  — THE AUTOLOADER WITH THE FINEST REPUTATION IN THE INDUSTRY.







#### VERSATILITY WITH THE LOADS YOU LIKE TO SHOOT.

31/2" SUPER X2™ SHOTGUNS HANDLE THE **FULL RANGE OF FACTORY FIELD LOADS FROM**  $2^{3}/^{11}$  (11/8 OZ.) FIELD LOADS TO MASSIVE  $3^{1}/_{2}^{11}$ GOOSE-DOWNING MAGNUM LOADS. YOU'LL ALSO APPRECIATE THE ADDED BENEFIT OF RECOIL REDUCTION ONLY FOUND IN GAS-OPERATED AUTOLOADING SHOTGUNS. (SHELLS NOT SHOWN ACTUAL SIZE.)



#### SUPER X2™ 31/2" CAMO WATERFOWL

Blend in with the cover, stand out from the crowd.

The ultimate in all-weather shotguns is found in the Super X2™ 3½" Camo Waterfowl. When geese and other waterfowl are setting in, this is the shotgun you need. It's made specifically for serious waterfowlers with the new Mossy Oak® New Shadow Grass® camo on a weather-resistant composite stock and forearm with grip enhancing Dura-Touch® Armor Coating finish. The back-bored barrel has an improved, ventilated rib design and features the Invector-Plus™ choke system. Plus it reliably shoots factory field loads from  $2\frac{1}{6}$ " (1½ oz.) to  $3\frac{1}{6}$ " magnums. Sling swivel studs are included. See chart on page 51.



SUPER X2™ **UNIVERSAL HUNTER FIELD** Ready and reliable for any action.

DURA-TOMON®

Versatile, fast, reliable . . . certainly the one gun made to do it all, under the most severe conditions. This sums up the all-purpose Universal Hunter Field. Clad in Mossy Oak® New Break-Up® camo, it's built to hunt waterfowl, upland game and even shoot clay targets all thanks to the versatile, award-winning, gas-operated Super X2™ action. The rugged composite stock and forearm are coated with Dura-Touch® for unequaled grip, feel and protection. The fast swinging 26" barrel features the Invector-Plus™ choke tube system with three choke tubes included. Sling swivel studs are included. See chart on page 51.





The Winchester® Super X2™ has the very latest, most innovative features in shotgun design and technology.

THE INCREDIBLE DURA-TOUCH® ARMOR COATING FINISH FOUND ON MOST SUPER X2s IS A CLEAR, PROTECTIVE FINISH THAT PROVIDES A SOFT, ALMOST CUSHIONED FEEL TO THE STOCK AND FOREARM. AT THE SAME TIME, IT IMPARTS A TACKY, YET NOT STICKY, SURE-FEELING GRIP — EVEN WHEN WET. YOU SIMPLY MUST FEEL DURA-TOUCH TO BELIEVE IT. YOU'LL NEVER SUFFER A COLD PLASTIC FEEL ON YOUR HANDS OR CHEEK AGAIN. DURA-TOUCH GREATLY ENHANCES PROTECTION FOR STOCKS AND FOREARMS WHILE GIVING YOU A CONFIDENT, CONTROLLED FEEL WHEN CARRYING, SHOULDERING AND SWINGING ON TARGETS. PICK UP AN SX2 WITH DURA-TOUCH AND FEEL THE DIFFERENCE IT MAKES. YOU'LL WONDER HOW YOU EVER HUNTED WITHOUT IT.

YOU'LL ENJOY THE RUGGED, ALL-WEATHER SUPER X2™ WHEN THE GOING GETS WET. AN ALLOY RECEIVER AND COMPOSITE STOCK WITH DURA-TOUCH® MAKE THE SX2 EXTREMELY DURABLE.

DURA-17000011°



## SUPER X2™ 31/2" MAGNUM GREENHEAD

Mallards are fast; the Greenhead is built for speed.

#### DURA-TOUGH®

What happens when you take the reliable Super X2™ 3½" action and add a 28" Invector-Plus™ ventilated rib barrel housed in a composite stock and forearm treated with Dura-Touch® in the symbolic "Greenhead" finish? You have the ideal shotgun for hunting mallards. With that list of features, plus a white front bead sight and lightweight alloy receiver, you know this shotgun will take whatever you — or nature — dare throw its way. Three choke tubes and sling swivel studs are included. See chart on page 51.

### SUPER X2™ 31/2" MAGNUM COMPOSITE

The workhorse of the SX2™ line.

DURA-TOUGH®

With a sleek, low-luster black finish under a tough Dura-Touch® coating on a composite stock and forearm, the Super  $X2^m$   $3\frac{1}{2}$ " Magnum Composite is the original workhorse that started the SX2 revolution. Built to perform in the worst conditions, the reliable Super X2  $3\frac{1}{2}$ " action is built to shoot factory field loads from  $2\frac{1}{2}$ " ( $1\frac{1}{2}$  oz.) to heavy  $3\frac{1}{2}$ " magnums, thanks to efficient, reliable gas operation. This model also has a back-bored, Invector-Plus<sup>M</sup> ventilated rib barrel with a white bead front sight. Sling swivel studs are included. See chart on page 51.



SUPER X2

"The Guns That Work"." Clearly, the Super X2™ is worthy of that title. No other shotgun offers the rugged abilities,

ON-DEMAND RELIABILITY, EXCEPTIONAL BALANCE AND INSTANT POINTABILITY OF THE SX2. AND NOW WITH THE NEW 3" LIGHT FIELD MODEL AND THE AVAILABILITY OF NEW MOSSY OAK® OBSESSION™ CAMO ON BOTH TURKEY GUNS, THERE IS AN SX2 TO FIT EVERY HUNTING NEED. SX2 SHOTGUNS POSSESS THE HARDWORKING FEATURES THAT MAKE IT THE "GO TO" GUN IN THE FIELD. THE VERY FAST, GAS-OPERATED ACTION EJECTS EMPTY HULLS FROM A VARIETY OF LOADS AND CYCLES NEW ROUNDS FROM THE MAGAZINE INTO THE CHAMBER FOR QUICK FOLLOW-UP SHOTS. THE GAS PISTON IS SELF-ADJUSTING FOR EXCELLENT RELIABILITY AND LOAD VERSATILITY. A SHORT, ALLOY RECEIVER REDUCES THE OVERALL WEIGHT AND LENGTH TO CREATE AN EASIER SWINGING SHOTGUN. WITH SUPERB QUALITY INSIDE AND OUT, TRUST THE HARD-HUNTING SUPER X2 TO BE THE BEST CHOICE IN AN AUTOLOADER.



Lightweight design, heavyweight features.

Lightweight perfection — about 6½ lbs. of it actually (depending on barrel length). That's the best way to explain the new Super X2™ Light Field shotgun. The new Light Field possesses every characteristic a hard-core bird hunter desires in a shotgun: a quick cycling, reliable gas-operated action, back-bored barrel, interchangeable Invector-Plus™ choke tubes, alloy receiver and magazine tube plus instant pointability — all built on a new lightweight design. A new contemporary and lightweight rib configuration and checkered walnut stock add both aesthetics and functionality. See chart on page 52.





SUPER X2™
3" CANTILEVER DEER

Specifically for deer. How can you miss?

DURA-TOUCH®

FOLD DOWN
CANTILEVER SIGHT.

Deer don't stand a chance against the best game-getting slug gun on the market, the Super  $X2^{\infty}$  3" Cantilever Deer. The Dura-Touch® coating on the composite, matte black stock and forearm gives you quicker handling and greater control than ever before, especially with its fast, 22" rifled barrel. The unique cantilever design allows you to aim with the rear adjustable sight using the TRUGLO® fiber optic front sight. Or, fold down the rear sight and instantly sight down the lengthwise groove in the cantilever for quick, close action. You can easily fasten a red dot or conventional scope to the Picatinny rail on the cantilever. See chart on page 52.





WINCHESTER® TARGET SERIES AUTOLOADERS CAN MEAN THE DIFFERENCE BETWEEN A WIN OR A LOSS. AND TO WIN, IT IS CRITICAL

THAT YOU HAVE AN ACTION YOU CAN DEPEND ON. THE SUPER X2™ ACTION IS VERY FAST CYCLING — FIVE SHOTS IN JUST OVER ½ SECOND. TO FUNCTION THIS FAST, CRITICAL INTERNAL PARTS ARE PRECISELY FIT TO FUNCTION TIME AFTER TIME, CYCLE AFTER CYCLE. THE GAS SYSTEM IS SIMPLE AND RELIABLE IN ALL WEATHER CONDITIONS. Plus, IT HELPS REDUCE RECOIL SO YOU'RE NOT BEAT UP AT THE END OF THE DAY. THE DURA-TOUCH® ARMOR COATING ON THE STOCK AND FOREARM OF THE SPORTING CLAYS SIGNATURE RED AND PRACTICAL MK II IMPROVES YOUR GRIP, ENSURING THESE ARE GUNS THAT COMPETITORS WILL NOT SOON FORGET. TRUGLO® SIGHTS ON THE PRACTICAL MODELS PICK UP TARGETS QUICKLY. SHOTGUNS THAT FIT AND FUNCTION WELL AND ARE FUN TO SHOOT MEAN BETTER SCORES. DON'T SETTLE FOR AN INFERIOR SHOTGUN. WINCHESTER SUPER X2 TARGET GUNS ARE BUILT TO WIN.



Dependability in the heat of the match.

TRUGLO


Ready for USPSA Limited Division competition right from the box, the Super X2<sup>th</sup> Practical MK I (Mark I) has the features and performance to lower your times and raise your scores. The 2<sup>3</sup>/<sub>4</sub><sup>th</sup> action is proven fast — five shots in .51 of a second — while taming recoil to help get those shots on target. In addition, the MK I features a 22<sup>th</sup> barrel and an eight-round extended magazine with a composite stock and forearm. It also features the Standard Invector<sup>th</sup> choke system for accurate performance with rifled slugs when needed. See chart on page 52.



SUPER X2™

### **PRACTICAL SHOTGUNNERS**

SERIOUS 3-GUN COMPETITORS, LIKE JIM WALL OF IDAHO, EXPECT THEIR SHOTGUNS TO COMPETE AS HARD AS THEY DO. IT GOES WITHOUT SAYING THAT SPEED AND RELIABILITY ARE CRUCIAL ELEMENTS WHEN COMPETITION GETS MEAN. JIM, WITH A GRAND MASTER RATING IN USPSA/IPSC SAYS, "This gun is ready to go right out of the box. The Practical is reliable, handles very well and recoil is less than most shotguns. It shoots slugs outstandingly. Other shooters I know who use the Winchester® Practical feel the same way."





THE WINCHESTER® MODEL 1300 SPEED PUMP™: NO OTHER PUMP SHOTGUN OFFERS THE SAME SPEED AND AGILITY. THANKS TO THE INNOVATIVE INERTIA-ASSISTED PUMPING OF ITS PROVEN ROTARY BOLT ACTION, THE MODEL 1300 IS CAPABLE OF SHOOTING THREE SHOTS IN JUST OVER A HALF SECOND. NOW THAT'S FAST. BUT WHY STOP AT SPEED WHEN YOU CAN ALSO HAVE GREAT LOOKS, INNOVATION AND THE EASY HANDLING OF A WINCHESTER SHOTGUN? THE WINCHESTER SPEED PUMP LINE HAS ALL OF THESE FEATURES IN CONFIGURATIONS TAILORED TO YOUR NEEDS. FROM THE MOSSY OAK® CAMO GUNS FOR WATERFOWL, DEER AND TURKEYS, TO THE FINELY FINISHED WALNUT FIELD GUNS, THERE IS A MODEL 1300 TO FIT EVERY NEED AND EVERY FAMILY MEMBER. MODEL 1300'S ARE EASY TO CARRY AND FAST SWINGING, ALL MADE POSSIBLE BY THE LIGHTWEIGHT ALLOY RECEIVER. THAT SAME LIGHTWEIGHT RECEIVER ALSO HELPS TO KEEP THE WEIGHT OF THE GUN BETWEEN YOUR HANDS, CREATING A PERFECTLY BALANCED SHOTGUN. YOU WILL SIMPLY NOT FIND A FASTER PUMPING, MORE RELIABLE, MORE DEPENDABLE, EASIER HANDLING SLIDE-ACTION SHOTGUN ANYWHERE.



Go play in the mud.

Waterfowlers will appreciate many things about the Model 1300 New Shadow Grass®. Namely, the Mossy Oak® camo finish applied to the weather-resistant composite stock, allowing this shotgun to blend in with the natural surroundings. Like all Speed Pump™ shotguns, you can count on the tough rotary bolt design to work in the nastiest conditions and, thanks to inertia-assisted pumping, you can count on it to work fast. The action and versatile WinChoke® choke system are compatible with all factory 2¾" and 3" magnum loads. Choose a 26" or 28" barrel. See chart on page 52.



SPORTING/FIELD

The finest Model 1300 ever.



The Model 1300 Sporting/Field is the ultimate Winchester® pump shotgun. The Sporting/Field is loaded with features like a TRUGLO® TRU-BEAD™ front sight (four extra fiber optics in different colors are included) with a mid bead for fast target acquisition, and a great-looking walnut stock and forearm with satin finish and cut checkering. A premium Pachmayr® Decelerator® recoil pad tames recoil effectively, making long days of shooting more comfortable. The 28" barrel features the WinChoke® system and five choke tubes to accommodate any hunting or range situation you'll encounter. See chart on page 52.



MODEL 1300

SPORTING/FIELD, COMPACT

Rear position forearm makes the difference.



Confidence on the range and in the field is forged with a shotgun that fits and shoots well. That's why smaller shooters will appreciate the Model 1300 Sporting/Field Compact. The combination of a smaller stock, a rear-positioned forearm, special dimensions and naturally fast handling make the Sporting/Field Compact the ideal gun for the smaller shooter. This Speed Pump™ comes complete with high-performance features like a TRUGLO® TRU-BEAD™ fiber optic front sight, five WinChoke® tubes and a superior Pachmayr® Decelerator® recoil pad to make shooting all day a pleasurable experience for smaller shooters. A 24" barrel allows for a fast swing with manageable weight. See chart on page 52.

### **MODEL 1300**

WITH THE CAPABILITY OF FIRING THREE SHOTS IN A MERE .56 SECONDS, THE MODEL 1300 SPEED PUMP™ IS ONE OF THE FASTEST OPERATING SLIDE-ACTION SHOTGUNS AROUND. GRANTED, YOU MAY NEVER NEED TO SHOOT THIS FAST, BUT YOU CAN REST ASSURED KNOWING YOUR MODEL 1300 HAS FOLLOW-UP SHOT SPEED YOU'LL NOTICE AND APPRECIATE. INERTIA-ASSISTED PUMPING IS THE REASON BEHIND THE UNCANNY SPEED OF THE ACTION AND IS THE PRODUCT OF THE STRONG ROTARY BOLT DESIGN WINCHESTER® SPEED PUMP SHOTGUNS ARE NOTED FOR.





WALNUT FIELD

Dressed for any outing.


As the original Winchester® Speed Pump™, the Walnut Field headlines this remarkable line of shotguns. Even though it features an elegant, gloss-finished walnut stock and forearm with cut checkering, don't let the handsome look of the Walnut Field fool you; it's just as hardworking, versatile and dependable as ever. You can count on the 12 gauge Walnut Field to easily handle any hunt — from ducks to pheasants to clay birds — and because it's a Speed Pump, you can bet it will get the job done fast. The ventilated rib barrel utilizes the WinChoke® threaded choke system and comes with Full, Modified and Improved Cylinder choke tubes. Available in 26" and 28" barrel lengths and a 3" chamber. See chart on page 52.



**UPLAND SPECIAL FIELD** 

Sleek, quick, straight grip stock.

Highlighted by an English-style, straight grip stock with rich gloss finish, the Upland Special Field is the most maneuverable Speed Pump™ ever. With a 24" vent rib barrel and a slim, shorter forearm, the Upland Special is designed to come to the shoulder quickly and get you on target fast. The straight grip also moves your hand closer to the bore centerline for better balance. Count on the proven fast Speed Pump action with a 3" chamber to work when you need it most. The Upland Special is available in both 12 and 20 gauge models. The excellent patterning WinChoke® system with three choke tubes is standard equipment. See chart on page 52.



BLACK SHADOW®

Composite stock, extreme durability.

If you're looking for a tough pump shotgun for this hunting season, there is no more durable, reliable pump shotgun than the Black Shadow<sup>®</sup>. The non-glare black finish of the barrel and receiver won't give away your position to wary waterfowl and the rugged composite stock and forearm is up to the abuse a day afield can dish out. The fast, hardworking Speed Pump™ action shoots all factory 2¾" and 3" magnum loads. The versatile WinChoke® system is steel, tungsten, bismuth and lead shot compatible. Available in both 12 gauge and 20 gauge models. See chart on page 52.






RANGER® COMPACT

Affordable, with compact dimensions.

The Ranger® Compact has everything you need in a shotgun — only in a smaller package. With a length of pull of just 13" and a drop at heel of 2½", speed to the shoulder and rib alignment are ideal for smaller shooters. The inertia-assisted Speed Pump™ rotary bolt makes pumping not only faster, but also much easier. The forearm is positioned rearward (see picture and compare) for a shorter reach, making it easier to work the action. The grip area is smaller for better finger-to-trigger fit. It's complete with the versatile WinChoke® system for excellent shot patterns. Available in 12 and 20 gauge. See chart on page 52.



UNIVERSAL HUNTER FIELD

DI 1 1 1 1 1 1

Blends into any type of hunting you do.


game in the nastiest conditions you can imagine, the Universal Hunter Field features a durable, weather-resistant finish in Mossy Oak® New Break-Up® camo and a maneuverable 26" ventilated rib barrel with WinChoke® tubes and a composite stock and forearm. Naturally, the smooth, reliable, rotary bolt Speed Pump™ action is standard equipment — making the Universal Field just as fast as game is wary. The lightweight alloy receiver is drilled and tapped to accept a scope or red dot-type sight. From upland fields to flooded timber to turkey woods, the Universal Hunter is ready for any situation. See chart on page 52.

**MODEL 1300** 

### SPEED PUMP™ ROTARY BOLT


THE ROTARY BOLT DESIGN FOUND IN THE MODEL 1300 SPEED PUMP™ IS THE REASON BEHIND THE IMPRESSIVE SPEED AND STRENGTH OF THESE PROVEN SHOTGUNS. OVER THE YEARS, THIS UNIQUE SYSTEM HAS CONTINUALLY BEEN IMPROVED UPON. IN ADDITION TO THE INCREASED SPEED, THIS SYSTEM PROVIDES A SOLID, TIGHT LOCK-UP WITH THE BARREL, AN ADDED REASON FOR ITS RELIABILITY.







THE NATIONAL WILD TURKEY FEDERATION (NWTF) AND WINCHESTER® RIFLES AND SHOTGUNS ARE PROUD PARTNERS IN TURKEY CONSERVATION. EVERY WINCHESTER TURKEY GUN FEATURES AN NWTF GRIP CAP AND INCLUDES A SPECIAL OFFER. THE OFFER ENTITLES YOU TO AN NWTF HAT, VIDEO AND A SIX-MONTH TURKEY CALL MAGAZINE SUBSCRIPTION WHEN YOU JOIN THE NWTF.





## MODEL 1300 NWTF BUCK & TOM

TRUGLO\* sights, Extra Long, Extra Full Extended choke tube and rifled sabot choke tube. (Pictured below.)



Built for deer and turkeys, the NWTF Buck and Tom shotgun has you covered from spring to fall. The inertia-assisted Speed Pump<sup>™</sup> action gives you impressively fast follow-up shot capabilities and excellent reliability. Full coverage Mossy Oak® New Break-Up® camo keeps you hidden when the action is close. Whether you are using the included, extended rifled choke tube for deer, or the high-density Extra Long, Extra Full Extended Turkey tube on big toms, the smooth bore 22" barrel is impressively accurate. Includes adjustable metal TRUGLO® fiber optic sights or mount a scope or red dot-type sight on the drilled and tapped receiver. Rugged composite stock and forearm. Authorized and endorsed by the National Wild Turkey Federation. See chart on page 52.



#### **UNIVERSAL HUNTER TURKEY**

Perhaps the only shotgun you'll ever need.



Versatility in all seasons is what makes the Universal Hunter Turkey shotgun one of the most valuable guns you'll ever buy. From turkeys to waterfowl to sport shooting, the Universal Hunter Turkey does it all. It features a versatile 26" ventilated rib barrel with high-density Extra Long, Extra Full Extended Turkey tube, Improved Cylinder, Modified and Full WinChoke® tubes included. A drilled and tapped receiver makes it easy to mount a scope or red dot-type sight. Easily removable metal TRUGLO® three dot sights are also included. Mossy Oak® New Break-Up® camo, composite stock and forearm with magazine cap and stock sling studs are included. See chart on page 52.


## **MODEL 1300**

ACCURACY WITH SLUGS REQUIRES A SPECIAL GUN, ONE THAT IS BUILT AND DESIGNED TO HANDLE THE PUNISHMENT HEAVY LOADS DISH OUT.

WINCHESTER® SPEED PUMP™ DEER GUNS ARE THE PERFECT CHOICE IN STATES WHERE SHOTGUNS ARE THE BEST, AND POSSIBLY ONLY, OPTION.

THE ROTARY BOLT OF THE MODEL 1300 PROVIDES AN EXTREMELY TIGHT LOCK-UP, SECURING THE SHELL IN THE CHAMBER FOR INCREDIBLE STRENGTH AND IMPROVED ACCURACY WHEN FIRING SLUGS.






### **BLACK SHADOW® DEER**

Reliability is a premium, the price isn't.

You can bet the Black Shadow® Deer is the hardest working pump shotgun around. This specialized deer gun features a rifled barrel for shooting sabot slugs and is available in 12 or 20 gauge. You'll appreciate the non-glare finish of the composite stock, forearm and exposed metal surfaces as much as the alloy receiver, which is drilled and tapped for mounting a scope. Adjustable rifle sights and sling swivel studs are included. A 12 gauge model is also available as a combo that includes both a rifled barrel and a 28" vent rib field barrel. See chart on page 52.



#### **BLACK SHADOW® CANTILEVER**

Low profile cantilever scope mount ensures accuracy. (Scope not included.)

22" barrel and you'll find the most accurate pump slug gun available. The solid cantilever mount keeps the scope firmly connected to the barrel, ensuring the scope stays sighted in while allowing the shotgun to easily be taken down for cleaning. The composite stock is ideal for medium eye-relief scopes that provide exceptional field of view. In 12 gauge only. See chart on page 52.



MODEL 1300
RANGER® DEER


Sleek 12 or 20 gauge models for everyone.


TRUGLO

Speed, reliability, balanced handling, strength, superb value — you'll find each of these features, plus a long list of others, in the Ranger® Deer shotgun. Available in 12 or 20 gauge, you can count on the 22" rifled barrel to accurately and reliably fire today's sophisticated sabot slugs. The receiver is drilled and tapped to readily accept a scope or use the adjustable, metal TRUGLO® rifle sights to provide excellent low-light target acquisition. The satin-finished hardwood stock and forearm feature cut checkering. See chart on page 52.

# SPEED PUMP.

FOR THOSE TIMES WHEN YOUR LIFE DEPENDS UPON THE RELIABILITY AND INTEGRITY OF YOUR SHOTGUN, COUNT ON A WINCHESTER® MODEL 1300 DEFENDER. WHETHER YOU ARE CAMPING IN BEAR COUNTRY, BOATING IN COASTAL WATERS OR IN HOT COMPETITION, A MODEL 1300 DEFENDER SHOTGUN IS LIGHTWEIGHT, EASY TO PACK AND QUICK TO THE SHOULDER. THESE HARDWORKING SPEED PUMP™ SHOTGUNS ARE THE PREFERENCE OF EXPERIENCED GUIDES IN DANGEROUS HABITAT.






DEFENDER 8-SHOT

Solid performance, versatile package.



MODEL 1300

The Defender 8-Shot allows you to be prepared for any unseen obstacle that might come your way while in the backcountry. It's easy to pack and carry, and handles both buckshot and rifled slugs easily. The rugged Defender 8-Shot features an eight-shot magazine capacity, 18" cylinder bore barrel, non-glare metal surfaces and a lightweight composite stock and forearm. Choose from the full stock version with a removable front TRUGLO® fiber optic sight, the pistol grip model, or the combo version with both pistol grip and full stock included. The full stock model is available in both 12 and 20 gauge. See chart on page 52.



Be prepared on land, dock or water.



shotgun. That's why the Coastal Marine is so popular. Designed specifically to meet the rigors of the marine environment, it has an 18" nickel-plated, stainless steel barrel, anodized aluminum alloy receiver and key parts plated for corrosion resistance. Dura-Touch® Armor Coating improves your grip on the rugged composite stock in the harshest weather. Cylinder choke with an eight-shot magazine capacity. Sling swivel studs are included. Removable front TRUGLO® fiber optic sight. See chart on page 52.


# GUN-SINV WINCHESTER

### CUSTOM SHOP

LIKE FINE ART ADORNING THE WALLS OF PRESTIGIOUS MUSEUMS AROUND THE WORLD, A CUSTOM BUILT WINCHESTER®

FIREARM WILL BE ADMIRED BY THOSE WHO APPRECIATE FINE WORKMANSHIP AND EXCEPTIONAL BEAUTY. NOT ONLY


CAN YOU SELECT WELL-KNOWN NOSTALGIC MODELS, YOU HAVE MANY MORE CHOICES TODAY OF WHAT YOU WOULD PERSONALLY LIKE IN A RIFLE OR LEVER-ACTION SHOTGUN. THE CUSTOM SHOP IS AVAILABLE TO YOU AND CAN FULFILL YOUR DREAMS OF OWNING A FINE, CUSTOM-MADE FIREARM. WHETHER YOU WANT TO OWN AN EXQUISITE FIREARM FOR ITS BEAUTY AS MUCH AS ITS PERFORMANCE OR YOU'RE IN THE MARKET FOR A UNIQUE RIFLE TO COMMEMORATE YOUR SPECIAL, ONCE-IN-A-LIFETIME HUNT, THE CUSTOM SHOP CAN MEET YOUR NEEDS. EACH FIREARM HAS SPECIAL QUALITIES AND FEATURES YOU'LL APPRECIATE AND BE PROUD TO OWN AND SHOW OFF. A CUSTOM WINCHESTER FIREARM WILL HELP YOU RECALL SOME OF THE FINEST HUNTING AND SHOOTING EXPERIENCES OF YOUR LIFE — AND MAKE NEW MEMORIES FOR YEARS TO COME. SEE CHART ON PAGE 53.



Special rifles for special hunts. (Available in stainless steel.)




Africa. The very word sends chills to those who have been, and a desire to go for those who haven't. Visions of wide open plains, dangerous game and finely crafted rifles dominate the imagery, which is why the Custom African Express belongs in the hands of Africa-bound hunters. Straddling the line between art and function with its semi-fancy, hand-oiled, English walnut stock with ebony grip cap and forearm tip, this rifle is exceptional in appearance and is fitted with a 1" black Pachmayr® Decelerator® pad. An "Oberndorf"-style floorplate increases magazine capacity to four. 3-leaf Express rear sight with adjustable hooded front sight. See chart on page 53.



Dependable specialty rifles when you need them most.



Custom Safari Express, you're in for a once-in-a-lifetime experience. It's easily recognized with its precise 3-leaf Express rear sight and front sight with hood. You'll admire the semi-fancy American walnut stock and elegant shadowline cheekpiece. The 1" deluxe recoil pad will be appreciated with each shot you fire. Plus, it features a custom steel one-piece trigger guard and "picture frame" floorplate with honed internal parts for both smooth looks and smooth function. Available in most popular African calibers, including a left-handed 416 Rem. Mag. See chart on page 53.




**CUSTOM SA (SHORT ACTION)** 

A light, quick, hard hitting rifle.



Straight from the hands of skilled Custom Shop craftsmen comes the short action Model 70 Classic Custom SA. Beautifully assembled, the Classic Custom features a handsomely finished semi-fancy American walnut stock with shadowline cheekpiece and satin polyurethane finish. Inletted swivel bases lend a sleek, streamlined look. The classic, Controlled Round Feed action is available in most SAAMI short-action calibers including the hot 270 WSM, 7mm WSM, and 300 WSM. Also available in left-hand models. See chart on page 53.



Packs as comfortably as it shoots.

CRE


The classic, Controlled Round Feed Model 70 action with massive claw extractor bolt is hand-honed and matched for unbelievable smoothness. A semi-fancy American walnut stock features cut checkering, a Schnabel fore-end, and is fitted with a 1" Pachmayr® Decelerator® recoil pad and flush-mount sling swivels. Match grade 22" barrel. Calibers include the 270 Win., 280 Win. and the timeless 30-06 Sprg. in right- and left-hand versions. Three WSM calibers are offered. Available in both blued and stainless models. See chart on page 53.



Order a Custom Classic; it's easier than you think.



Taking custom building to the next level is the Model 70 Custom Ultimate Classic. With an impressive list of barrel options like a round or fluted round, ½ octagon ½ round or full tapered octagon, these hand-crowned match grade barrels ensure accuracy. The fancy grade walnut stock features slim styling, a special rounded fore-end, straight cheekpiece and inletted swivel bases. A classic, Controlled Round Feed action is naturally the only foundation for a rifle of this quality. Stout one-piece steel floorplate and trigger guard. Choose blued or stainless. See chart on page 53.



Going to Alaska? Take your Extreme Weather gear. Now in all WSM calibers.



perfect rifle for the adventurous hunter. Weather-resistant, all stainless steel action and barrel are designed to withstand the effects of nature, functioning when you need them most. The lightweight McMillan fiberglass stock features a cheekpiece for better scope alignment and resists the effects of cold and humidity to maintain the rifle's impressive accuracy. A 1" Pachmayr® Decelerator® recoil pad tames this durable package. Choose from a round or fluted round match grade barrel. Available in most popular long-action calibers, and in the popular WSMs. See chart on page 53.



Lever-action shotgun.

The Model 9410 shotgun has quickly become one of the most popular Winchester® lever actions ever. This deluxe Model 9410 features case coloring on the receiver, lever, steel crescent buttplate, lower tang and barrel bands for a classic appearance. The case coloring complements the satin polyurethane finished semi-fancy American walnut stock and extended forearm, both with detailed point checkering. Satin matte blueing adorns the 24" tapered round barrel and full length magazine, and a gold plated trigger is the finishing touch. In addition to the appealing looks, you'll appreciate functional features like the buckhorn rear sight, ramp-style front sight and convenient top-tang safety. See chart on page 53.

# **CUSTOM SHOP**

NOTHING LOOKS AS GOOD AS CUSTOM ENGRAVING AND CHECKERING ON A WINCHESTER® RIFLE FROM THE CUSTOM SHOP. FINELY CUT CHECKERING PATTERNS WITH SCROLL ENGRAVING AND GOLD INLAY IMAGES WILL CHANGE A SIMPLE FIREARM INTO A WORK OF ART. WORKING WITH THE EXPERTS AT THE CUSTOM SHOP, YOUR DEALER CAN HELP YOU WITH SPECIFIC FEATURES AND COSTS. A SAMPLING OF ENGRAVING PATTERNS FOR YOUR CUSTOMIZED MODEL 70 RECEIVER, CHAMBER AREA OF BARREL (NOT SHOWN), GRIP CAP, FLOORPLATE AND TRIGGER GUARD ARE DISPLAYED ON THESE PAGES. SELECT FROM PATTERNS 70-5 THROUGH 70-8. OTHER OPTIONS ARE AVAILABLE. CUSTOM STOCK CHECKERING PATTERNS MAY ALSO BE REQUESTED IN STYLES K, F, OR B AS SHOWN. PLEASE VISIT WITH YOUR LOCAL WINCHESTER CUSTOM SHOP DEALER FOR ORDERING INFORMATION.



**70-5 RECEIVER PATTERN** 







70-5 FLOORPLATE/GUARD/GRIP CAP



**70-6 RECEIVER PATTERN** 







70-8



**70-7 RECEIVER PATTERN** 





70-7 FLOORPLATE/GUARD/GRIP CAP

MODEL 70 CHECKERING PATTERNS.

SELECT EXACTLY WHAT YOU WANT FROM OUR CATALOG OF STYLES AS AN ORDER OPTION.



STYLE K



STYLE F



STYLE B




#### MODEL 70 WSM CUSTOM

#### NORTH AMERICAN BIG GAME SERIES

Only 125 made in each caliber. Sold in sets of three.




NORTH AMERICAN BIG GAME SERIES: YOU CAN OWN A SET OF THESE ELEGANTLY ENGRAVED RIFLES WITH MATCHING SERIAL NUMBERS.











CRF



94-1

94-2



# MODEL 94 ENGRAVING PATTERNS

For the ultimate in Model 94 rifles, choose a unique custom version adorned with your choice of engraving patterns and gold embellishments. Custom checkering patterns may also be requested. And now, with the top-tang safety design, your collector-grade Model 94 can be embellished with the most classic and rare receiver engraving patterns in history.










YOUNG SHOOTERS DESERVE TO HANDLE A FIREARM THAT IS BUILT FOR SMALLER FRAMES. THE FRUSTRATION IN SHOOTING A GUN THAT DOESN'T FIT CAN TURN AWAY FIRST-TIME SHOOTERS. IT IS MUCH EASIER TO TEACH A BEGINNING SHOOTER WITH A GUN THAT FITS. ON THESE PAGES ARE THE BEST SELECTION OF FIREARMS TO MEET THE CHALLENGE. EACH COMPACT MODEL HAS A SHORTER STOCK WITH UNIQUE SIZE CONSIDERATIONS TO MAKE SHOOTING A PLEASURE.





### PACKER COMPACT

A great day afield for everyone.



The Model 9410 Packer Compact weighs only six pounds, making it easy to carry, shoulder and swing; while the ¼ length magazine ensures perfect balance — even when fully loaded. The length of pull is a mere 12½", making it ideal for smaller shooters and young hunters. Where this model won't be caught short, however, is where important features are concerned. It features the versatile Invector™ choke system, allowing for a variety of shot patterns and a TRUGLO® front sight that is quick to line up with the shallow "V" notch of the rear sight. See chart on page 51.




#### SPORTING/FIELD COMPACT

Speed and agility in a compact package.



The Model 1300 Sporting/Field Compact pump shotgun is ideal for dedicated pump shotgun shooters. The Sporting/Field Compact has the fast, Speed Pump™ system with a shorter length of pull. High performance features like a TRUGLO® TRU-BEAD™ fiber optic front sight, mid bead, and five interchangeable WinChoke® tubes, along with the Pachmayr® Decelerator® recoil pad make this model very quick and fun to shoot. Easy-to-swing 24" ventilated-rib barrel. Four extra fiber optics in different colors are included. The most complete, compact, easy-to-swing Winchester® Model 1300 ever. See chart on page 52.



RANGER® COMPACT

Great fit, great features.



for the young shooter. Drop at heel is just 2%" for better rib alignment and the inertia-assisted Speed Pump™ rotary bolt makes pumping not only much faster, but much easier. The grip area is smaller for better finger-to-trigger fit. The forearm is positioned rearward for a shorter reach, making it easier to work the action. Complete with the interchangeable WinChoke® system for excellent shot patterns. Select 12 or 20 gauge. See chart on page 52.

ragazine
rapacity
veral Length
veral Length
vominal
cominal
rapul

	Item
7(Upp	Model

	ltem.	Calib	Maga Capa	Barre	Over	Nom Leng of Pu	at Co	Nom at He	Nom Weig	Rate	Sugg
(P)	M 70	C			. D		_				
•		CLASSIC ULTII									0000
	535930268	223 WSSM	3	22"	41"	13-1/4"	5/8"	7/8"	6-1/2	10"	\$838
	535930269	243 WSSM	3	22"		13-1/4"	5/8"	7/8"	6-1/2	10"	\$838
	535930272	25 WSSM	3	22"	41"	13-1/4"	5/8"	7/8"	6-1/2	10"	\$838
	535930264 535930265	270 WSM	3	24"	43-3/4"	13-1/4"	5/8"	7/8"		10" 9-1/2"	\$817
		7mm WSM			43-3/4"				6-3/4		\$817
	535930255 535930277	300 WSM 325 WSM	3	24" 24"	43-3/4"	13-1/4" 13-1/4"	5/8"	7/8"	6-3/4	10" 10"	\$817 \$817
•											\$017
	535929268	CLASSIC ULTII 223 WSSM	MAIE 3	22"	41"	13-1/4"	5/8"	7/8"	6-1/2	10"	\$883
	535929269	243 WSSM	3	22"	41"	13-1/4"	5/8"	7/8"	6-1/2	10"	\$883
	535929272	25 WSSM	3	22"	41"	13-1/4"	5/8"	7/8"	6-1/2	10"	\$883
	535929264	270 WSM	3	24"	43-3/4"	13-1/4"	5/8"	7/8"	6-3/4	10"	\$861
	535929265	7mm WSM	3	24"	43-3/4"	13-1/4"	5/8"	7/8"	6-3/4	9-1/2"	\$861
	535929255	300 WSM	3	24"	43-3/4"	13-1/4"	5/8"	7/8"	6-3/4	10"	\$861
	535929277	325 WSM	3	24"	43-3/4"	13-1/4"	5/8"	7/8"	6-3/4	10"	\$861
		CLASSIC CAMO	ULTIN	ATE SH	ADOW.		RF Action. C	omposite St		l® Camo w/ I	Oura Touch®
•	535965268	223 WSSM	3	22"	41"	13-1/4"	5/8"	7/8"	6-1/2	10"	\$892
	535965269	243 WSSM	3	22"	41"	13-1/4"	5/8"	7/8"	6-1/2	10"	\$892
•	535965272	25 WSSM	3	22"	41"	13-1/4"	5/8"	7/8"	6-1/2	10"	\$892
•	535965264	270 WSM	3	24"	43-3/4"	13-1/4"	5/8"	7/8"	6-3/4	10"	\$869
•	535965265	7mm WSM	3	24"	43-3/4"	13-1/4"	5/8"	7/8"	6-3/4	9-1/2"	\$869
•	535965255	300 WSM	3	24"	43-3/4"	13-1/4"	5/8"	7/8"	6-3/4	10"	\$869
•	535965277	325 WSM	3	24"	43-3/4"	13-1/4"	5/8"	7/8"	6-3/4	10"	\$869
	Model 70	CLASSIC CAM	o ULTI	MATE S	HADOW	, SS CRF	Action, Con	nposite Stoc	k, Monbu®	Camo w/ Du	ra-Touch®
	535940268	223 WSSM	3	22"	41"	13-1/4"	5/8"	7/8"	6-1/2	10"	\$937
	535940269	243 WSSM	3	22"	41"	13-1/4"	5/8"	7/8"	6-1/2	10"	\$937
	535940272	25 WSSM	3	22"	41"	13-1/4"	5/8"	7/8"	6-1/2	10"	\$937
	535940264	270 WSM	3	24"	43-3/4"	13-1/4"	5/8"	7/8"	6-3/4	10"	\$914
	535940265	7mm WSM	3	24"	43-3/4"	13-1/4"	5/8"	7/8"	6-3/4	9-1/2"	\$914
	535940255	300 WSM	3	24"	43-3/4"	13-1/4"	5/8"	7/8"	6-3/4	10"	\$914
•	535940277	325 WSM	3	24"	43-3/4"	13-1/4"	5/8"	7/8"	6-3/4	10"	\$914
		CLASSIC SAFA									
	535023138	375 H&H Mag.*	3	24"	44-3/4"	13-3/4"	9/16"	15/16"	8-1/2	12"	\$1,149
	535028138 535023139	375 H&H Mag. LH* 416 Rem. Mag.	3	24" 24"	44-3/4" 44-3/4"	13-3/4" 13-3/4"	9/16"	15/16" 15/16"	8-1/2 8-1/2	12" 14"	\$1,189 \$1,149
	535023144	410 heili. Mag. 458 Win. Mag.	3	24"	44-3/4"	13-3/4"	9/16"	15/16"	8-1/2	14"	\$1,149
		CLASSIC SUPE									91,170
	535935255	300 WSM	3	24"	44-1/8"	13-3/4"	1/2"	1/2"	7-3/4	10"	\$1,183
•	535935277	325 WSM	3	24"	44-1/8"	13-3/4"	1/2"	1/2"	7-3/4	10"	\$1,183
	Model 70	CLASSIC SUPE	R GRA	DE III (	CRF Action,	Walnut Stock	k, Blued Fir	nish			
	535024225	25-06 Rem.	5	24"	44-3/4"	13-3/4"	1/2"	1/2"	8	10"	\$1,036
	535024228	30-06 Spfld.	5	24"	44-3/4"	13-3/4"	1/2"	1/2"	8	10"	\$1,036
	535024226	270 Win.	5	24"	44-3/4"	13-3/4"	1/2"	1/2"	8	10"	\$1,036
•	535024233	300 Win. Mag.	5	26"	46-3/4"	13-3/4"	1/2"	1/2"	8	10"	\$1,036
	535024236	338 Win. Mag.	3	26"	46-3/4"	13-3/4"	1/2"	1/2"	8	10"	\$1,067
•	535024264	270 WSM	3	24"	44-1/8"	13-3/4"	1/2"	1/2"	7-3/4	10"	\$1,067
	535024265	7mm WSM	3	24"	44-1/8"	13-3/4"	1/2"	1/2"	7-3/4	9-1/2"	\$1,067
	535024255	300 WSM	3	24"	44-1/8"	13-3/4"	1/2"	1/2"	7-3/4	10"	\$1,067
•	535024277	325 WSM	3	24"	44-1/8"	13-3/4"	1/2"	1/2"	7-3/4	10"	\$1,067
	535941268	223 WSSM	HERWE 3	22"	41"	CRF Action, 13-1/4"	9/16"	7/8"	Finish 6	10"	\$814
	535941269	243 WSSM	3	22"	41"	13-1/4"	9/16"	7/8"	6	10"	\$814
	535004272	25 WSSM	3	22"	41"	13-1/4"	9/16"	7/8"	6	10"	\$814
	535004272	22-250 Rem.	5	22"	42"	13-1/4"	9/16"	7/8"	6-1/2	14"	\$762
	535004210	243 Win.	5	22"	42"	13-1/2"	9/16"	7/8"	6-1/2	10"	\$762
	535004219	6.5 x 55mm Swed.	5	22"	42"	13-1/2"	9/16"	7/8"	6-1/2	8"	\$762
	535004218	7mm-08 Rem.	5	22"	42"	13-1/2"	9/16"	7/8"	6-1/2	10"	\$762
	535004220	308 Win.	5	22"	42"	13-1/2"	9/16"	7/8"	6-1/2	12"	\$762
	535004226	270 Win.	5	22"	42-1/2"	13-1/2"	9/16"	7/8"	7-1/4	10"	\$762
	535004228	30-06 Spfld.	5	22"	42-1/2"	13-1/2"	9/16"	7/8"	7-1/4	10"	\$762
	535004264	270 WSM	3	24"	44"	13-1/2"	9/16"	7/8"	7-1/4	10"	\$792
	535004265	7mm WSM	3	24"	44"	13-1/2"	9/16"	7/8"	7-1/4	9-1/2"	\$792
	535004255	300 WSM	3	24"	44"	13-1/2"	9/16"	7/8"	7-1/4	10"	\$792
•	535004277	325 WSM	3	24"	44"	13-1/2"	9/16"	7/8"	7-1/4	10"	\$792
		CLASSIC FEAT				ESS CRF					
	535966268	223 WSSM	3	22"	41"	13-1/4"	9/16"	7/8"	6	10"	\$859
	535966269	243 WSSM	3	22"	41"	13-1/4"	9/16"	7/8"	6	10"	\$859
	535966272	25 WSSM	3	22"	41"	13-1/4"	9/16"	7/8"	6 1/2	10"	\$859
	535966210	22-250 Rem.	5 5	22" 22"	42" 42"	13-1/2"	9/16"	7/8" 7/8"	6-1/2	14" 10"	\$806
	535966212 535966219	243 Win. 6.5 x 55mm Swed.	5	22"	42"	13-1/2" 13-1/2"	9/16"	7/8"	6-1/2 6-1/2	8"	\$806 \$806
	535966218	7mm-08 Rem.	5	22"	42"	13-1/2"	9/16"	7/8"	6-1/2	10"	\$806
	535966220	308 Win.	5	22"	42"	13-1/2"	9/16"	7/8"	6-1/2	12"	\$806
	535966226	270 Win.	5	22"	42-1/2"	13-1/2"	9/16"	7/8"	7-1/4	10"	\$806
	535966228	30-06 Spfld.	5	22"	42-1/2"	13-1/2"	9/16"	7/8"	7-1/4	10"	\$806
	535966264	270 WSM	3	24"	44"	13-1/2"	9/16"	7/8"	7-1/4	10"	\$837
	535966265	7mm WSM	3	24"	44"	13-1/2"	9/16"	7/8"	7-1/4	9-1/2"	\$837
	535966255	300 WSM	3	24"	44"	13-1/2"	9/16"	7/8"	7-1/4	10"	\$837
	535966277	325 WSM	3	24"	44"	13-1/2"	9/16"	7/8"	7-1/4	10"	\$837

<u>a</u>	ర్	Sag Car	Ba	δ	S E S	at 8	a Š	N N	Bat	Ü
MODEL 70	CLASSIC FEAT	HERWE	IGHT™	LEFT HA	AND, CRF	Action, Wa	Inut Stock,	Blued Finis	h	
35942264	270 WSM	3	24"	44"	13-1/2"	9/16"	7/8"	7-1/4	10"	\$773
35942265	7mm WSM	3	24"	44"	13-1/2"	9/16"	7/8"	7-1/4	9-1/2"	\$773
35942255	300 WSM	3	24"	44"	13-1/2"	9/16"	7/8"	7-1/4	10"	\$773
MODEL 70	CLASSIC SPOR	RTER II	CRF Acti	ion, Walnut S	Stock, Blued	Finish				
35025225	25-06 Rem.	5	24"	44-3/4"	13-3/4"	1/2"	1/2"	7-1/2	10"	\$742
35025226	270 Win.	5	24"	44-3/4"	13-3/4"	1/2"	1/2"	7-1/2	10"	\$742
35025228	30-06 Spfld.	5	24"	44-3/4"	13-3/4"	1/2"	1/2"	7-1/2	10"	\$742
35025233	300 Win Mag.	3	26"	46-3/4"	13-3/4"	1/2"	1/2"	7-3/4	10"	\$773
35025236	338 Win. Mag.	3	26"	46-3/4"	13-3/4"	1/2"	1/2"	7-3/4	10"	\$773
35025264	270 WSM	3	24"	44-1/8"	13-3/4"	1/2"	1/2"	7-1/4	10"	\$773
35025265	7mm WSM	3	24"	44-1/8"	13-3/4"	1/2"	1/2"	7-1/4	9-1/2"	\$773
35025255	300 WSM	3	24"	44-1/8"	13-3/4"	1/2"	1/2"	7-1/4	10"	\$773
35025277	325 WSM	3	24"	44-1/8"	13-3/4"	1/2"	1/2"	7-1/4	10"	\$773
MODEL 70	CLASSIC SPOR	RTER II	Left Han	d Models, C	RF Action, W	alnut Stock	k, Blued Fin	ish		
35026226	270 Win.	5	24"	44-3/4"	13-3/4"	1/2"	1/2"	7-1/2	10"	\$778
35026228	30-06 Spfld.	5	24"	44-3/4"	13-3/4"	1/2"	1/2"	7-1/2	10"	\$77
35026230	7mm Rem. Mag.	3	26"	46-3/4"	13-3/4"	1/2"	1/2"	7-3/4	9-1/2"	\$810
35026233	300 Win. Mag.	3	26"	46-3/4"	13-3/4"	1/2"	1/2"	7-3/4	10"	\$810
35026264	270 WSM	3	24"	44-1/8"	13-3/4"	1/2"	1/2"	7-1/4	10"	\$810
35026265	7mm WSM	3	24"	44-1/8"	13-3/4"	1/2"	1/2"	7-1/4	9-1/2"	\$810
35026255	300 WSM	3	24"	44-1/8"	13-3/4"	1/2"	1/2"	7-1/4	10"	\$810
35026277	325 WSM	3	24"	44-1/8"	13-3/4"	1/2"	1/2"	7-1/4	10"	\$810
MODEL 70	CLASSIC LAMI	NATED	CRF Actio	n, Laminate	d Stock, Blue	ed Finish				
35040264	270 WSM	3	24"	44"	13-3/4"	9/16"	13/16"	7-3/4	10"	\$810
35040265	7mm WSM	3	24"	44"	13-3/4"	9/16"	13/16"	7-3/4	9-1/2"	\$810
35040255	300 WSM	3	24"	44"	13-3/4"	9/16"	13/16"	7-3/4	10"	\$810
35040277	325 WSM	3	24"	44"	13-3/4"	9/16"	13/16"	7-1/4	10"	\$810
	CLASSIC SYNT									, - /
35012226	270 Win.	5	24"	44-3/4"	13-3/4"	9/16"	13/16"	7-1/4	10"	\$81
35012228	30-06 Spfld.	5	24"	44-3/4"	13-3/4"	9/16"	13/16"	7-1/4	10"	\$81
35012230	7mm Rem. Mag.	3	26"	46-3/4"	13-3/4"	9/16"	13/16"	7-1/2	9-1/2"	\$84
35012233	300 Win. Mag.	3	26"	46-3/4"	13-3/4"	9/16"	13/16"	7-1/2	10"	\$84
35012236	338 Win. Mag.	3	26"	46-3/4"	13-3/4"	9/16"	13/16"	7-1/2	10"	\$84
35012138	375 H&H Mag.*	3	24"	44-3/4"	13-3/4"	9/16"	13/16"	7-1/4	12"	\$94
							13/10	1-1/4	12	ψυτι
	243 Win.		20"		, blueu rillis 13"	9/16"	3/4"	C	10"	<b>670</b>
35017212		4		39-1/2"	13"			6		\$76
35017218	7mm-08 Rem.	4	20"	39-1/2"		9/16"	3/4"	6	9-1/2"	\$76
	SUPER SHADO									
			22"	41"	13-1/4"	5/8"	7/8"	6	10"	\$57
	223 WSSM	3								
35943269	243 WSSM	3	22"	41"	13-1/4"	5/8"	7/8"	6	10"	
35943269 35943272	243 WSSM 25 WSSM	3	22" 22"	41" 41"	13-1/4" 13-1/4"	5/8"	7/8"	6	10"	\$570
35943269 35943272 35931264	243 WSSM 25 WSSM 270 WSM	3 3 3	22" 22" 24"	41" 41" 43-3/4"	13-1/4" 13-1/4" 13-1/4"	5/8" 5/8"	7/8" 7/8"	6 6-3/4	10" 10"	\$576 \$554
35943269 35943272 35931264	243 WSSM 25 WSSM	3 3 3 3	22" 22" 24" 24"	41" 41"	13-1/4" 13-1/4"	5/8"	7/8" 7/8" 7/8"	6	10"	\$57 \$55
35943269 35943272 35931264 35931265	243 WSSM 25 WSSM 270 WSM	3 3 3 3 3	22" 22" 24" 24" 24"	41" 41" 43-3/4" 43-3/4" 43-3/4"	13-1/4" 13-1/4" 13-1/4" 13-1/4" 13-1/4"	5/8" 5/8" 5/8" 5/8"	7/8" 7/8" 7/8" 7/8"	6 6-3/4 6-3/4 6-3/4	10" 10" 9-1/2" 10"	\$57 \$55 \$55
35943269 35943272 35931264 35931265 35931255	243 WSSM 25 WSSM 270 WSM 7mm WSM	3 3 3 3	22" 22" 24" 24"	41" 41" 43-3/4" 43-3/4"	13-1/4" 13-1/4" 13-1/4" 13-1/4"	5/8" 5/8" 5/8"	7/8" 7/8" 7/8"	6 6-3/4 6-3/4	10" 10" 9-1/2"	\$576 \$554 \$554 \$554
35943269 35943272 35931264 35931265 35931255 35931277	243 WSSM 25 WSSM 270 WSM 7mm WSM 300 WSM	3 3 3 3 3 3	22" 22" 24" 24" 24" 24"	41" 43-3/4" 43-3/4" 43-3/4" 43-3/4"	13-1/4" 13-1/4" 13-1/4" 13-1/4" 13-1/4" 13-1/4"	5/8" 5/8" 5/8" 5/8" 5/8"	7/8" 7/8" 7/8" 7/8" 7/8"	6 6-3/4 6-3/4 6-3/4 6-3/4	10" 10" 9-1/2" 10"	\$576 \$554 \$554 \$554
35943269 35943272 35931264 35931265 35931255 35931277 MODEL <b>70</b>	243 WSSM 25 WSSM 270 WSM 7mm WSM 300 WSM 325 WSM	3 3 3 3 3 3	22" 22" 24" 24" 24" 24"	41" 43-3/4" 43-3/4" 43-3/4" 43-3/4"	13-1/4" 13-1/4" 13-1/4" 13-1/4" 13-1/4" 13-1/4"	5/8" 5/8" 5/8" 5/8" 5/8"	7/8" 7/8" 7/8" 7/8" 7/8"	6 6-3/4 6-3/4 6-3/4 6-3/4	10" 10" 9-1/2" 10"	\$570 \$554 \$554 \$554 \$554
35943269 35943272 35931264 35931265 35931255 35931277 MODEL 70 35031268	243 WSSM 25 WSSM 270 WSM 7mm WSM 300 WSM 325 WSM	3 3 3 3 3 3	22" 22" 24" 24" 24" 24" STAIN	41" 43-3/4" 43-3/4" 43-3/4" 43-3/4" LESS CRF	13-1/4" 13-1/4" 13-1/4" 13-1/4" 13-1/4" 13-1/4" PF Action, La	5/8" 5/8" 5/8" 5/8" 5/8" minated St	7/8" 7/8" 7/8" 7/8" 7/8"	6 6-3/4 6-3/4 6-3/4 6-3/4 ess Finish	10" 10" 9-1/2" 10" 10"	\$576 \$554 \$554 \$554 \$554 \$783
35943269 35943272 35931264 35931265 35931255 35931277 MODEL 70 35031268 35031269	243 WSSM 25 WSSM 270 WSM 7mm WSM 300 WSM 325 WSM COYOTE LAMII 223 WSSM	3 3 3 3 3 3 NATED,	22" 24" 24" 24" 24" 24" 24"	41" 43-3/4" 43-3/4" 43-3/4" 43-3/4" 43-3/8"	13-1/4" 13-1/4" 13-1/4" 13-1/4" 13-1/4" 13-1/4" PF Action, La 13-1/2"	5/8" 5/8" 5/8" 5/8" 5/8" 5/8" minated St	7/8" 7/8" 7/8" 7/8" 7/8" cock, Stainle	6 6-3/4 6-3/4 6-3/4 6-3/4 ess Finish 8-3/4	10" 10" 9-1/2" 10" 10"	\$576 \$554 \$554 \$554 \$554 \$783
35943269 35943272 35931264 35931265 35931255 35931277 <b>MODEL 70</b> 35031268 35031269 35031272	243 WSSM 25 WSSM 270 WSM 7mm WSM 300 WSM 325 WSM COYOTE LAMII 223 WSSM 243 WSSM	3 3 3 3 3 3 3 NATED,	22" 24" 24" 24" 24" 24" 24" 24" 24"	41" 43-3/4" 43-3/4" 43-3/4" 43-3/4" 43-3/4" LESS CRF 43-3/8" 43-3/8"	13-1/4" 13-1/4" 13-1/4" 13-1/4" 13-1/4" 13-1/4" PF Action, La 13-1/2"	5/8" 5/8" 5/8" 5/8" 5/8" minated St 5/8" 5/8"	7/8" 7/8" 7/8" 7/8" 7/8" 7/8" cock, Stainle 7/8" 7/8"	6 6-3/4 6-3/4 6-3/4 6-3/4 ess Finish 8-3/4 8-3/4	10" 10" 9-1/2" 10" 10" 10"	\$576 \$554 \$554 \$554 \$554 \$783 \$783
35943269 35943272 35931264 35931265 35931255 35931277 <b>MODEL 70</b> 35031268 35031269 35031272 35973210	243 WSSM 25 WSSM 270 WSM 7mm WSM 300 WSM 325 WSM COYOTE LAMII 223 WSSM 243 WSSM 25 WSSM	3 3 3 3 3 3 NATED, 3 3	22" 24" 24" 24" 24"  STAIN 24" 24"	41" 43-3/4" 43-3/4" 43-3/4" 43-3/4" 43-3/4" LESS CRF 43-3/8" 43-3/8" 43-3/8"	13-1/4" 13-1/4" 13-1/4" 13-1/4" 13-1/4" 13-1/4" PF Action, La 13-1/2" 13-1/2"	5/8" 5/8" 5/8" 5/8" 5/8" minated St 5/8" 5/8" 5/8"	7/8" 7/8" 7/8" 7/8" 7/8" cock, Stainle 7/8" 7/8" 7/8"	6 6-3/4 6-3/4 6-3/4 6-3/4 ess Finish 8-3/4 8-3/4 8-3/4	10" 10" 9-1/2" 10" 10" 10"	\$570 \$555 \$555 \$556 \$78 \$78 \$78 \$78
35943269 35943272 35931264 35931265 35931255 35931277 MODEL 70 35031268 35031269 35031272 35973210 35956208	243 WSSM 25 WSSM 270 WSM 7mm WSM 300 WSM 325 WSM COYOTE LAMII 223 WSSM 243 WSSM 25 WSSM 25 WSSM 25-250 Rem.	3 3 3 3 3 NATED, 3 3 3	22" 22" 24" 24" 24" 24" 24" 24" 24" 24"	41" 43-3/4" 43-3/4" 43-3/4" 43-3/4" 43-3/4" LESS CRF 43-3/8" 43-3/8" 43-3/8" 43-3/8"	13-1/4" 13-1/4" 13-1/4" 13-1/4" 13-1/4" 13-1/4" 2F Action, La 13-1/2" 13-1/2" 13-1/2" 13-1/2"	5/8" 5/8" 5/8" 5/8" 5/8" 5/8" minated St 5/8" 5/8" 5/8"	7/8" 7/8" 7/8" 7/8" 7/8" 7/8" 00ck, Stainle 7/8" 7/8" 7/8" 7/8"	6 6-3/4 6-3/4 6-3/4 6-3/4 ess Finish 8-3/4 8-3/4 8-3/4	10" 10" 9-1/2" 10" 10" 10" 10" 10" 14"	\$576 \$554 \$554 \$554 \$554 \$783 \$783 \$734 \$734
35943269 35943272 35931264 35931265 35931255 35931277 MODEL 70 35031269 35031269 35031272 35973210 35956208 35956220	243 WSSM 25 WSSM 270 WSM 300 WSM 325 WSM 223 WSSM 243 WSSM 25 WSSM 25 WSSM 27 WSSM 27 WSSM 28 WSSM 28 WSSM 29 WSSM 21 WSSM 21 WSSM 21 WSSM 21 WSSM	3 3 3 3 3 3 NATED, 3 3 3 5 6	22" 24" 24" 24" 24"  5TAIN 24" 24" 24" 24" 24"	41" 43-3/4" 43-3/4" 43-3/4" 43-3/4" 43-3/4" 43-3/8" 43-3/8" 43-3/8" 43-3/8" 43-3/8"	13-1/4" 13-1/4" 13-1/4" 13-1/4" 13-1/4" 13-1/4" PF Action, La 13-1/2" 13-1/2" 13-1/2" 13-1/2" 13-1/2"	5/8" 5/8" 5/8" 5/8" 5/8" 5/8" minated St 5/8" 5/8" 5/8" 5/8"	7/8" 7/8" 7/8" 7/8" 7/8" 7/8" 00ck, Stainle 7/8" 7/8" 7/8" 7/8" 7/8"	6 6-3/4 6-3/4 6-3/4 6-3/4 ess Finish 8-3/4 8-3/4 8-3/4 8-3/4	10" 10" 9-1/2" 10" 10" 10" 10" 10" 14" 10"	\$577 \$555 \$555 \$555 \$78 \$78 \$73 \$73 \$73
35943269 35943272 35931264 35931265 35931275 <b>AODEL 70</b> 35031268 35031272 35973210 35956208 359353264	243 WSSM 25 WSSM 270 WSM 7mm WSM 300 WSM 325 WSM COYOTE LAMII 223 WSSM 243 WSSM 25 WSSM 22-250 Rem. 223 Rem. 308 Win. 270 WSM	3 3 3 3 3 3 NATED, 3 3 5 6 5 3	22" 24" 24" 24" 24"  5TAIN 24" 24" 24" 24" 24"	41" 43-3/4" 43-3/4" 43-3/4" 43-3/4" 43-3/8" 43-3/8" 43-3/8" 43-3/8" 43-3/8" 43-3/8" 43-3/8"	13-1/4" 13-1/4" 13-1/4" 13-1/4" 13-1/4" 13-1/4" PF Action, La 13-1/2" 13-1/2" 13-1/2" 13-1/2" 13-1/2" 13-1/2" 13-1/2" 13-1/2"	5/8" 5/8" 5/8" 5/8" 5/8" minated SI 5/8" 5/8" 5/8" 5/8" 5/8" 5/8" 5/8" 5/8"	7/8" 7/8" 7/8" 7/8" 7/8" 7/8" 00ck, Stainle 7/8" 7/8" 7/8" 7/8" 7/8" 3/4"	6 6-3/4 6-3/4 6-3/4 6-3/4 ess Finish 8-3/4 8-3/4 8-3/4 8-3/4 8-3/4 8-3/4 8-3/4	10" 10" 9-1/2" 10" 10" 10" 10" 10" 14" 10" 12" 10"	\$576 \$554 \$554 \$554 \$788 \$788 \$734 \$734 \$765
35943269 35943272 35931264 35931265 35931255 35931277 MODEL 70 35031268 35031269 35031272 35973210 3595220 3593262 3593262 3593262 3593262	243 WSSM 25 WSSM 270 WSM 77m WSM 300 WSM 325 WSM COYOTE LAMII 223 WSSM 243 WSSM 25 WSSM 22-250 Rem. 223 Rem. 225 Rem. 270 WSM	3 3 3 3 3 3 3 NATED, 3 3 3 5 6 5 3 3	22" 24" 24" 24" 24" 24" 24" 24" 24" 24"	41" 413-3/4" 43-3/4" 43-3/4" 43-3/4" 43-3/8" 43-3/8" 43-3/8" 43-3/8" 43-3/8" 43-3/8" 43-3/8" 43-3/8" 43-3/8"	13-1/4" 13-1/4" 13-1/4" 13-1/4" 13-1/4" 13-1/4" PF Action, La 13-1/2" 13-1/2" 13-1/2" 13-1/2" 13-1/2" 13-1/2" 13-1/2" 13-1/2" 13-1/2"	5/8" 5/8" 5/8" 5/8" 5/8" minated SI 5/8" 5/8" 5/8" 5/8" 5/8" 5/8" 5/8" 5/8"	7/8" 7/8" 7/8" 7/8" 7/8" 00ck, Stainle 7/8" 7/8" 7/8" 7/8" 3/4" 3/4"	6 6-3/4 6-3/4 6-3/4 6-3/4 8-3/4 8-3/4 8-3/4 8-3/4 8-3/4 8-3/4 8-3/4 8-3/4 8-3/4	10" 9-1/2" 10" 10" 10" 10" 10" 10" 14" 10" 12" 10" 9-1/2"	\$570 \$554 \$554 \$554 \$781 \$781 \$783 \$734 \$734 \$734 \$765 \$765
35943269 35943272 35931264 35931255 35931255 35931277 <b>MODEL 70</b> 35031268 35031272 35973210 35956208 35956208 35931272 35973210 35956208 35931265 35931265 35931265	243 WSSM 25 WSSM 270 WSM 300 WSM 325 WSM COYOTE LAMII 223 WSSM 243 WSSM 25 WSSM 22-250 Rem. 223 Rem. 308 Win. 27m WSM 7mm WSM	3 3 3 3 3 3 NATED, 3 3 5 6 5 3	22" 24" 24" 24" 24" 24" 24" 24" 24" 24"	41" 41" 43-3/4" 43-3/4" 43-3/4" 43-3/8" 43-3/8" 43-3/8" 43-3/8" 43-3/8" 43-3/8" 43-3/8" 43-3/8" 43-3/8" 43-3/8" 43-3/8" 43-3/8"	13-1/4" 13-1/4" 13-1/4" 13-1/4" 13-1/4" 13-1/4" 7F Action, La 13-1/2" 13-1/2" 13-1/2" 13-1/2" 13-1/2" 13-1/2" 13-1/2" 13-1/2" 13-1/2" 13-1/2" 13-1/2"	5/8" 5/8" 5/8" 5/8" 5/8" minated SI 5/8" 5/8" 5/8" 5/8" 5/8" 5/8" 5/8" 5/8"	7/8" 7/8" 7/8" 7/8" 7/8" 7/8" 00ck, Stainle 7/8" 7/8" 7/8" 7/8" 7/8" 3/4" 3/4" 3/4"	6 6-3/4 6-3/4 6-3/4 6-3/4 ess Finish 8-3/4 8-3/4 8-3/4 8-3/4 8-3/4 8-3/4 8-3/4 8-3/4 8-3/4	10" 10" 9-1/2" 10" 10" 10" 10" 10" 14" 10" 12" 10"	\$570 \$554 \$555 \$555 \$781 \$783 \$733 \$734 \$765 \$765 \$765
35943269 35943272 35931264 35931265 35931277 <b>MODEL 70</b> 35031268 35031272 35973210 35956208 35956208 35931264 35031265 35031265 35031265 35031277	243 WSSM 25 WSSM 270 WSM 300 WSM 325 WSM 223 WSSM 223 WSSM 243 WSSM 22-250 Rem. 223 Rem. 308 Win. 270 WSM 300 WSM 300 WSM 325 WSM	3 3 3 3 3 3 NATED, 3 3 3 5 6 6 5 3 3 3	22" 24" 24" 24" 24" 24" 24" 24" 24" 24"	41" 43-3/4" 43-3/4" 43-3/4" 43-3/4" 43-3/8" 43-3/8" 43-3/8" 43-3/8" 43-3/8" 44-3/8" 44-3/8" 44-4" 44"	13-1/4" 13-1/4" 13-1/4" 13-1/4" 13-1/4" 13-1/2" F Action, La 13-1/2" 13-1/2" 13-1/2" 13-1/2" 13-1/2" 13-1/2" 13-1/2" 13-1/2" 13-1/2" 13-1/2" 13-1/2" 13-1/2"	5/8" 5/8" 5/8" 5/8" 5/8" 5/8" minated St 5/8" 5/8" 5/8" 5/8" 5/8" 5/8" 5/8" 5/8"	7/8" 7/8" 7/8" 7/8" 7/8" 7/8" 00ck, Stainle 7/8" 7/8" 7/8" 7/8" 7/8" 3/4" 3/4" 3/4" 3/4"	6 6-3/4 6-3/4 6-3/4 6-3/4 8-3/4 8-3/4 8-3/4 8-3/4 8-3/4 8-3/4 8-3/4 8-3/4 8-3/4	10" 9-1/2" 10" 10" 10" 10" 10" 10" 14" 10" 12" 10" 12" 10"	\$57/ \$55/ \$55 \$55 \$55/ \$78 \$78 \$78 \$73 \$73 \$76 \$76
35943269 35943272 35931264 35931255 35931255 35931277 AODEL 70 35031268 35031269 35031269 35031269 35031262 35956208 35956208 3593563207 35031264 35031255 35031277 AODEL 70	243 WSSM 25 WSSM 270 WSM 7mm WSM 300 WSM 325 WSM COYOTE LAMII 223 WSSM 243 WSSM 25 WSSM 22-250 Rem. 223 Rem. 308 Win. 270 WSM 7mm WSM 300 WSM 325 WSM	3 3 3 3 3 3 NATED, 3 3 5 6 5 3 3 3 3 3 8	22" 24" 24" 24" 24" 24" 24" 24" 24" 24"	41" 43-3/4" 43-3/4" 43-3/4" 43-3/4" 43-3/8" 43-3/8" 43-3/8" 43-3/8" 43-3/8" 44-3/8" 44-44" 44" 44"	13-1/4" 13-1/4" 13-1/4" 13-1/4" 13-1/4" 13-1/2" 13-1/2" 13-1/2" 13-1/2" 13-1/2" 13-1/2" 13-1/2" 13-1/2" 13-1/2" 13-1/2" 13-1/2" 13-1/2" 13-1/2" 13-1/2"	5/8" 5/8" 5/8" 5/8" 5/8" 5/8" 5/8" 5/8"	7/8" 7/8" 7/8" 7/8" 7/8" 7/8" 00k, Stainle 7/8" 7/8" 7/8" 7/8" 7/8" 3/4" 3/4" 3/4" 3/4" uued Finish	6 6-3/4 6-3/4 6-3/4 6-3/4 8-3/4 8-3/4 8-3/4 8-3/4 8-3/4 8-3/4 8-3/4 8-3/4 8-3/4 8-3/4 8-3/4	10" 10" 9-1/2" 10" 10" 10" 10" 10" 10" 10" 14" 10" 12" 10" 9-1/2" 10"	\$570 \$555 \$555 \$555 \$78 \$78 \$73 \$73 \$76 \$766
35943269 35943272 35943264 35931264 35931265 35931277  MODEL 70 35963268	243 WSSM 25 WSSM 270 WSM 270 WSM 370 WSM 300 WSM 325 WSM COYOTE LAMII 223 WSSM 243 WSSM 25 WSSM 22-250 Rem. 223 Rem. 308 Win. 270 WSM 7mm WSM 300 WSM 325 WSM COYOTE LAMII 223 WSSM	3 3 3 3 3 3 NATED, 3 3 5 6 5 6 5 3 3 3 3 3 3 3 3 3 3 3 3 3	22" 24" 24" 24" 24" 24" 24" 24" 24" 24"	41" 43-3/4" 43-3/4" 43-3/4" 43-3/4" 43-3/8" 43-3/8" 43-3/8" 43-3/8" 43-3/8" 44-3/8" 44-44" 44" 44" 44" 44" 44" 44"	13-1/4" 13-1/4" 13-1/4" 13-1/4" 13-1/4" 13-1/4" 13-1/2"	5/8" 5/8" 5/8" 5/8" 5/8" 5/8" 5/8" 5/8"	7/8" 7/8" 7/8" 7/8" 7/8" 7/8" 7/8" 7/8"	6 6-3/4 6-3/4 6-3/4 38S Finish 8-3/4 8-3/4 8-3/4 8-3/4 8-3/4 8-3/4 8-3/4 8-3/4 8-3/4 8-3/4 8-3/4	10" 10" 9-1/2" 10" 10" 10" 10" 10" 10" 14" 10" 12" 10" 10" 10" 10" 10"	\$57/ \$55/ \$55 \$55 \$55 \$78 \$78 \$73 \$73 \$76 \$76 \$76 \$76
35943269 35943272 35943272 35931264 35931265 35931277 <b>MODEL 70</b> 35963269 35963269	243 WSSM 25 WSSM 270 WSM 270 WSM 300 WSM 325 WSM  COYOTE LAMII 223 WSSM 243 WSSM 25 WSSM 22-250 Rem. 223 Rem. 308 Win. 270 WSM 7mm WSM 300 WSM 325 WSM COYOTE LAMII 223 WSSM	3 3 3 3 3 3 NATED, 3 3 5 6 5 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	22" 24" 24" 24" 24" 24" 24" 24" 24" 24"	41" 41" 43-3/4" 43-3/4" 43-3/4" 43-3/8" LESS CRF 43-3/8" 43-3/8" 43-3/8" 43-3/8" 44-3/8" 44" 44" 44" 44" 44" 44" 44" 44" 44" 3 CRPF Actic 43-3/8"	13-1/4" 13-1/4" 13-1/4" 13-1/4" 13-1/4" 13-1/4" PF Action, La 13-1/2" 13-1/2" 13-1/2" 13-1/2" 13-1/2" 13-1/2" 13-1/2" 13-1/2" 13-1/2" 13-1/2" 13-1/2" 13-1/2" 13-1/2" 13-1/2" 13-1/2" 13-1/2" 13-1/2" 13-1/2" 13-1/2"	5/8" 5/8" 5/8" 5/8" 5/8" 5/8" 5/8" 5/8"	7/8" 7/8" 7/8" 7/8" 7/8" 7/8" 7/8" 7/8"	6 6-3/4 6-3/4 6-3/4 6-3/4 8-3/4 8-3/4 8-3/4 8-3/4 8-3/4 8-3/4 8-3/4 8-3/4 8-3/4 8-3/4 8-3/4 8-3/4 8-3/4	10" 10" 9-1/2" 10" 10" 10" 10" 10" 14" 10" 12" 10" 10" 10" 10" 10" 10" 10"	\$570 \$555 \$555 \$555 \$78 \$78 \$78 \$73 \$73 \$76 \$76 \$76 \$76 \$74
35943269 35943272 35931264 35931265 35931277 MODEL 70 35931272 35973210 35932620 35931272 35973210 35932620 35931277 MODEL 70 35956200 35931277 MODEL 70 35956200 35931277	243 WSSM 25 WSSM 270 WSM 370 WSM 300 WSM 325 WSM  COYOTE LAMII 223 WSSM 25 WSSM 22-250 Rem. 223 Rem. 308 Win. 270 WSM 7mm WSM 300 WSM 325 WSM  COYOTE LAMII 223 WSSM 243 WSSM 243 WSSM 25 WSM	3 3 3 3 3 3 3 3 3 5 6 6 5 3 3 3 3 3 3 3	22" 22" 24" 24" 24" 24" 24" 24" 24" 24"	41" 41" 43-3/4" 43-3/4" 43-3/4" 43-3/8" 43-3/8" 43-3/8" 43-3/8" 43-3/8" 43-3/8" 43-3/8" 43-3/8" 43-3/8" 43-3/8" 44-3/8" 44-3/8" 44-3/8" 44-3/8" 43-3/8"	13-1/4" 13-1/4" 13-1/4" 13-1/4" 13-1/4" 13-1/4" 13-1/2"	5/8" 5/8" 5/8" 5/8" 5/8" 5/8" 5/8" 5/8"	7/8" 7/8" 7/8" 7/8" 7/8" 7/8" 00ck, Stainle 7/8" 7/8" 7/8" 7/8" 3/4" 3/4" 3/4" 3/4" 3/4" 3/4" 3/4" 3/4	6 6-3/4 6-3/4 6-3/4 6-3/4 8-3/4 8-3/4 8-3/4 8-3/4 8-3/4 8-3/4 8-3/4 8-3/4 8-3/4 8-3/4 8-3/4 8-3/4 8-3/4 8-3/4 8-3/4	10" 10" 9-1/2" 10" 10" 10" 10" 10" 10" 10" 10" 10" 10	\$574 \$555- \$555- \$555- \$788 \$788 \$778 \$73- \$73- \$766 \$766 \$766 \$766 \$766 \$766 \$774 \$742 \$742 \$742 \$742 \$742
35943269 35943272 35931264 35931255 35931277 MODEL 70 35931278 35931279 35931279 35931279 35931279 35951264 35931264 35931264 35931265 35931277 MODEL 70 35963208	243 WSSM 25 WSSM 270 WSM 370 WSM 300 WSM 325 WSM  COYOTE LAMII 223 WSSM 223 WSSM 22-250 Rem. 223 Rem. 308 Win. 270 WSM 300 WSM 300 WSM 325 WSM  COYOTE LAMII 223 WSSM 22-30 Rem.	3 3 3 3 3 3 3 NATED, 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	22" 22" 24" 24" 24" 24" 24" 24" 24" 24"	41" 41" 43-3/4" 43-3/4" 43-3/4" 43-3/8" 43-3/8" 43-3/8" 44" 44" 44" 44" 44" 44" 44" 44" 44" 4	13-1/4" 13-1/4" 13-1/4" 13-1/4" 13-1/4" 13-1/2"	5/8" 5/8" 5/8" 5/8" 5/8" 5/8" 5/8" 5/8"	7/8" 7/8" 7/8" 7/8" 7/8" 7/8" 7/8" 7/8"	6 6-3/4 6-3/4 6-3/4 6-3/4 6-3/4 8-3/4 8-3/4 8-3/4 8-3/4 8-3/4 8-3/4 8-3/4 8-3/4 8-3/4 8-3/4 8-3/4 8-3/4 8-3/4 8-3/4 8-3/4	10" 10" 9-1/2" 10" 10" 10" 10" 10" 14" 10" 12" 10" 10" 10" 10" 10" 10"	\$574 \$555- \$555- \$555- \$788 \$788 \$773- \$766 \$766 \$766 \$766 \$767 \$742 \$742 \$742 \$742 \$742 \$742 \$688
35943269 35943269 35943264 35931264 35931264 35931265 35931277  MODEL 70 35963268 35031269 35031269 35031264 35031265 35031264 35031265 35031266 35031266 35031266 35031266 35031266 35031266 35031266 35031266 35031266 35031266 35031266 35031266 35031266 35031266 35031266 35031266 35031266 35031266	243 WSSM 25 WSSM 270 WSM 270 WSM 300 WSM 300 WSM 325 WSM 243 WSSM 243 WSSM 22-250 Rem. 223 Rem. 308 Win. 270 WSM 7mm WSM 300 WSM 325 WSM COYOTE LAMII 223 WSSM COYOTE LAMII 223 WSSM 223 Rem. 223 Rem. 225 WSSM 225 WSSM 225 WSSM 225 WSSM 225 WSSM	3 3 3 3 3 3 3 3 3 3 3 5 6 6 5 5 3 3 3 3	22" 24" 24" 24" 24" 24" 24" 24" 24" 24"	41" 41" 43-3/4" 43-3/4" 43-3/4" 43-3/8" 43-3/8" 43-3/8" 43-3/8" 44" 44" 44" 44" 44" 44" 44" 44" 44" 4	13-1/4" 13-1/4" 13-1/4" 13-1/4" 13-1/4" 13-1/4" 13-1/2" FACtion, La 13-1/2"	5/8" 5/8" 5/8" 5/8" 5/8" 5/8" 5/8" 5/8"	7/8" 7/8" 7/8" 7/8" 7/8" 7/8" ock, Stainle 7/8" 7/8" 7/8" 3/4" 3/4" 3/4" 3/4" 3/4" 3/4" 3/4" 3/4	6 6-3/4 6-3/4 6-3/4 6-3/4 6-3/4 8-3/	10" 10" 9-1/2" 10" 10" 10" 10" 10" 10" 14" 10" 12" 10" 10" 10" 10" 10" 10" 10" 10"	\$576 \$555 \$555 \$555 \$788 \$788 \$773 \$766 \$766 \$766 \$766 \$744 \$744 \$744 \$688 \$719
35943269 35943269 35943272 35943264 35931264 35931265 35931277  MODEL 70 35963268 35031269 35031264 35031265 35031265 35031264 35031265 35031265 35031266 35031266 35031266 35031266 35031266 35031266 35031266 35031266	243 WSSM 25 WSSM 270 WSM 270 WSM 300 WSM 300 WSM 325 WSM COYOTE LAMII 223 WSSM 243 WSSM 25 WSSM 22-250 Rem. 223 Rem. 308 Win. 270 WSM 7mm WSM 300 WSM 325 WSM COYOTE LAMII 223 WSSM 223 Rem. 223 Rem. 223 Rem. 2270 WSM 270 WSM	3 3 3 3 3 3 3 3 3 5 6 6 5 5 3 3 3 3 3 3	22" 22" 24" 24" 24" 24" 24" 24" 24" 24"	41" 41" 43-3/4" 43-3/4" 43-3/4" 43-3/8" 43-3/8" 43-3/8" 43-3/8" 44" 44" 44" 44" 44" 44" 44" 4	13-1/4" 13-11/4" 13-11/4" 13-11/4" 13-11/4" 13-11/4" 13-11/2"	5/8" 5/8" 5/8" 5/8" 5/8" 5/8" 5/8" 5/8"	7/8" 7/8" 7/8" 7/8" 7/8" 7/8" 7/8" 7/8"	6 - 3/4	10" 10" 9-1/2" 10" 10" 10" 10" 10" 14" 10" 12" 10" 10" 10" 10" 10" 10" 10" 10" 10" 10	\$574 \$555 \$555 \$555 \$788 \$788 \$733 \$733 \$766 \$766 \$766 \$767 \$744 \$744 \$688 \$711 \$711
35943269 35943269 35943272 35943272 35931264 35931265 35931277  WODEL 70 359031268 35031272 35973210 3595208 35952208 35931277 WODEL 70 35995208 35952208 3593277 35953268 35963269 35963269 35963269 35963268	243 WSSM 25 WSSM 270 WSM 370 WSM 300 WSM 325 WSM COYOTE LAMII 223 WSSM 25 WSSM 22-250 Rem. 223 Rem. 308 Win. 270 WSM 7mm WSM 300 WSM 25 WSM 223 RSM 243 WSSM 223 RSM 223 RSM 243 WSSM 25 WSSM 270 WSM 270 WSM 270 WSM	3 3 3 3 3 3 3 3 3 5 6 6 5 5 3 3 3 3 3 3	22" 24" 24" 24" 24" 24" 24" 24" 24" 24"	41" 41" 43-3/4" 43-3/4" 43-3/4" 43-3/8" 43-3/8" 43-3/8" 43-3/8" 43-3/8" 43-3/8" 43-3/8" 44" 44" 44" 44" 44" 44" 44"	13-1/4" 13-1/4" 13-1/4" 13-1/4" 13-1/4" 13-1/4" 13-1/4" 13-1/2"	5/8" 5/8" 5/8" 5/8" 5/8" 5/8" minated St 5/8" 5/8" 5/8" 5/8" 5/8" 5/8" 5/8" 5/8"	7/8" 7/8" 7/8" 7/8" 7/8" 7/8" 7/8" 7/8"	6 6-3/4 6-3/4 6-3/4 6-3/4 6-3/4 6-3/4 6-3/4 6-3/4 6-3/4 8-3/	10" 10" 9-1/2" 10" 10" 10" 10" 10" 14" 10" 12" 10" 10" 10" 10" 10" 10" 10" 10" 10" 10	\$57/4 \$555- \$555- \$555- \$788 \$788 \$773- \$766 \$766 \$766 \$744 \$744 \$744 \$744 \$744
35943269 35943269 35943272 35931264 35931265 35931255 35931277 MODEL 70 35031289 35031269 35031272 35973210 35995208 35995208 35995209 35031277 MODEL 70 35995208 35963263 35963263 35963263 35963263 35963264 35963255 35963277	243 WSSM 25 WSSM 270 WSM 370 WSM 300 WSM 325 WSM  COYOTE LAMII 223 WSSM 25 WSSM 22-250 Rem. 223 Rem. 308 Win. 270 WSM 7mm WSM 300 WSM 325 WSM  COYOTE LAMII 223 WSSM 223 Ress 223 WSSM 243 WSSM 243 WSSM 25 WSM 270 WSM 270 WSM 270 WSM 370 WSM	3 3 3 3 3 3 3 3 3 3 5 6 6 5 5 3 3 3 3 3	22" 24" 24" 24" 24" 24" 24" 24" 24" 24"	41" 41" 43-3/4" 43-3/4" 43-3/8" 43-3/8" 43-3/8" 43-3/8" 43-3/8" 43-3/8" 43-3/8" 43-3/8" 43-3/8" 44" 44" 44" 44" 44" 44" 44"	13-1/4" 13-1/4" 13-1/4" 13-1/4" 13-1/4" 13-1/4" 13-1/2"	5/8" 5/8" 5/8" 5/8" 5/8" 5/8" 5/8" 5/8"	7/8" 7/8" 7/8" 7/8" 7/8" 7/8" 7/8" 7/8"	6 6-3/4 6-3/4 6-3/4 6-3/4 6-3/4 6-3/4 6-3/4 6-3/4 6-3/4 6-3/4 6-3/4 6-3/4 6-3/4 6-3/4 6-3/4 6-3/4 6-3/4 8-3/	10" 10" 9-1/2" 10" 10" 10" 10" 10" 14" 10" 12" 10" 10" 10" 10" 10" 10" 10" 10" 10" 10	\$57/4 \$555- \$555- \$555- \$788 \$788 \$773- \$766 \$766 \$766 \$744 \$744 \$744 \$744 \$744
35943269 35943272 35931264 35931265 35931255 35931277 MODEL 70 35931268 35931269 35931269 35931272 35973210 35956208 35956208 35956208 35956208 35963263 35931277 MODEL 70 359563264 35963265 35963277 MODEL 70 MODEL 70	243 WSSM 25 WSSM 270 WSM 370 WSM 300 WSM 325 WSM  COYOTE LAMII 223 WSSM 2243 WSSM 22-250 Rem. 223 Rem. 308 Win. 270 WSM 300 WSM 325 WSM  COYOTE LAMII 223 WSSM 22-250 Rem. 223 Rem. 223 Rem. 220 WSSM 220 WSSM 270 WSM 370 WSM	3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	22" 24" 24" 24" 24" 24" 24" 24" 24" 24"	41" 41" 43-3/4" 43-3/4" 43-3/4" 43-3/8" 43-3/8" 43-3/8" 43-3/8" 43-3/8" 44" 44" 44" 44" 44" 44" 44" 44" 44" 4	13-1/4" 13-1/4" 13-1/4" 13-1/4" 13-1/4" 13-1/4" 13-1/2"	5/8" 5/8" 5/8" 5/8" 5/8" 5/8" 5/8" 5/8"	7/8" 7/8" 7/8" 7/8" 0ck, Stainle 7/8" 7/8" 7/8" 7/8" 7/8" 3/4" 3/4" 3/4" 3/4" 3/4" 3/4" 3/4" 3/4	6 6-3/4 6-3/4 6-3/4 6-3/4 6-3/4 6-3/4 8-3/	10" 10" 9-1/2" 10" 10" 10" 10" 10" 14" 10" 12" 10" 10" 10" 10" 10" 10" 10" 10" 10" 10	\$574 \$555 \$555 \$555 \$788 \$788 \$733 \$733 \$745 \$745 \$745 \$745 \$745 \$745 \$745 \$745
35943269 35943269 35943272 35943272 35943264 35931265 35931277 MODEL 70 35963268 35031269 35031269 35031264 35031265 35031265 35031265 35031265 35031265 35031265 35031265 35031265 35031270 MODEL 70 35963268 35963268 35963268 35963269 355963268 35963269 355963272 35963268 35963269 35963269 35963272 35963268	243 WSSM 25 WSSM 270 WSM 270 WSM 300 WSM 300 WSM 325 WSM 223 WSSM 243 WSSM 22-250 Rem. 223 Rem. 308 Win. 270 WSM 7mm WSM 300 WSM 325 WSM COYOTE LAMII 223 WSSM 223 Rem. 223 Rem. 223 WSSM COYOTE LAMII 223 WSSM	3 3 3 3 3 3 3 3 3 3 3 3 5 6 6 5 3 3 3 3	22" 22" 24" 24" 24" 24" 24" 24" 24" 24"	41" 41" 43-3/4" 43-3/4" 43-3/4" 43-3/8" 43-3/8" 43-3/8" 43-3/8" 43-3/8" 43-3/8" 43-3/8" 44" 44" 44" 44" 44" 44" 44" 44" 44" 4	13-1/4" 13-1/4" 13-1/4" 13-1/4" 13-1/4" 13-1/4" 13-1/4" 13-1/2"	5/8" 5/8" 5/8" 5/8" 5/8" 5/8" 5/8" 5/8"	7/8" 7/8" 7/8" 7/8" 7/8" 00k, Stainle 7/8" 7/8" 7/8" 7/8" 7/8" 3/4" 3/4" 3/4" 3/4" 3/4" 3/4" 3/4" 3/4	6 6-3/4 6-3/4 6-3/4 6-3/4 6-3/4 8-3/	10" 10" 9-1/2" 10" 10" 10" 10" 10" 14" 10" 12" 10" 10" 10" 10" 10" 10" 10" 10" 10" 10	\$574 \$555 \$555 \$555 \$788 \$788 \$773 \$773 \$766 \$766 \$766 \$766 \$744 \$744 \$744 \$744
35943269 35943269 35943272 35943272 35943264 35931265 35931277 MODEL 70 35963268 35931265 35931272 35973210 35956220 35931264 35031265 35931265 35931265 3593264 35963269 35963267 35963267 35963267	243 WSSM 25 WSSM 270 WSM 270 WSM 300 WSM 300 WSM 325 WSM 223 WSSM 243 WSSM 22-250 Rem. 223 Rem. 223 Rem. 200 WSM 7mm WSM 300 WSM 325 WSM COYOTE LAMII 223 WSSM 22-250 Rem. 223 Rem. 223 Rem. 270 WSM 7mm WSM 25 WSSM 243 WSSM 25 WSSM 223 WSSM 223 WSSM 223 WSSM 225 WSSM 225 WSSM 2270 WSM 7mm WSM 300 WSM 325 WSSM 223 WSSM 223 WSSM 223 WSSM 223 WSSM 223 WSSM 223 WSSM	3 3 3 3 3 3 3 3 3 5 6 6 5 5 3 3 3 3 3 3	22" 24" 24" 24" 24" 24" 24" 24" 24" 24"	41" 41" 43-3/4" 43-3/4" 43-3/4" 43-3/8" 43-3/8" 43-3/8" 43-3/8" 43-3/8" 44" 44" 44" 44" 44" 44" 44" 44" 44" 4	13-1/4" 13-1/4" 13-1/4" 13-1/4" 13-1/4" 13-1/4" 13-1/2"	5/8" 5/8" 5/8" 5/8" 5/8" 5/8" 5/8" 5/8"	7/8" 7/8" 7/8" 7/8" 7/8" 7/8" 7/8" 7/8"	6 6-3/4 6-3/4 6-3/4 6-3/4 6-3/4 6-3/4 6-3/4 6-3/4 6-3/4 8-3/	10" 10" 9-1/2" 10" 10" 10" 10" 14" 10" 10" 10" 10" 10" 10" 10" 10" 10" 10	\$574 \$555 \$555 \$555 \$788 \$788 \$773 \$773 \$766 \$766 \$766 \$766 \$766 \$744 \$744 \$744
35943269 35943269 35943272 35943272 35943264 35931265 35931277 MODEL 70 35963268 35931265 35931272 35973210 35956220 35931264 35031265 35931265 35931265 3593264 35963269 35963267 35963267 35963267	243 WSSM 25 WSSM 270 WSM 270 WSM 300 WSM 300 WSM 325 WSM 223 WSSM 243 WSSM 22-250 Rem. 223 Rem. 308 Win. 270 WSM 7mm WSM 300 WSM 325 WSM COYOTE LAMII 223 WSSM 223 Rem. 223 Rem. 223 WSSM COYOTE LAMII 223 WSSM	3 3 3 3 3 3 3 3 3 3 3 3 5 6 6 5 3 3 3 3	22" 24" 24" 24" 24" 24" 24" 24" 24" 24"	41" 41" 43-3/4" 43-3/4" 43-3/4" 43-3/8" 43-3/8" 43-3/8" 43-3/8" 43-3/8" 43-3/8" 43-3/8" 44" 44" 44" 44" 44" 44" 44" 44" 44" 4	13-1/4" 13-1/4" 13-1/4" 13-1/4" 13-1/4" 13-1/4" 13-1/4" 13-1/2"	5/8" 5/8" 5/8" 5/8" 5/8" 5/8" 5/8" 5/8"	7/8" 7/8" 7/8" 7/8" 7/8" 00k, Stainle 7/8" 7/8" 7/8" 7/8" 7/8" 3/4" 3/4" 3/4" 3/4" 3/4" 3/4" 3/4" 3/4	6 6-3/4 6-3/4 6-3/4 6-3/4 6-3/4 6-3/4 6-3/4 6-3/4 6-3/4 8-3/	10" 10" 10" 10" 10" 10" 10" 10" 10" 14" 10" 12" 10" 10" 10" 10" 10" 10" 10" 10" 10" 10	\$574 \$555 \$555 \$555 \$788 \$788 \$773 \$773 \$766 \$766 \$766 \$766 \$766 \$744 \$744 \$744
35943269 35943269 35943272 35943272 35943264 35931265 35931277 MODEL 70 35031268 35031269 35031272 35973210 35952620 359031272 35973210 35952620 359031264 359031265 35903127 MODEL 70 359963268 35963269 35963265 35963265 35963277 MODEL 70 35963268 35963268	243 WSSM 25 WSSM 270 WSM 270 WSM 300 WSM 300 WSM 325 WSM 223 WSSM 243 WSSM 22-250 Rem. 223 Rem. 223 Rem. 200 WSM 7mm WSM 300 WSM 325 WSM COYOTE LAMII 223 WSSM 22-250 Rem. 223 Rem. 223 Rem. 270 WSM 7mm WSM 25 WSSM 243 WSSM 25 WSSM 223 WSSM 223 WSSM 223 WSSM 225 WSSM 225 WSSM 2270 WSM 7mm WSM 300 WSM 325 WSSM 223 WSSM 223 WSSM 223 WSSM 223 WSSM 223 WSSM 223 WSSM	3 3 3 3 3 3 3 3 3 5 6 6 5 5 3 3 3 3 3 3	22" 24" 24" 24" 24" 24" 24" 24" 24" 24"	41" 41" 43-3/4" 43-3/4" 43-3/4" 43-3/8" 43-3/8" 43-3/8" 43-3/8" 43-3/8" 44" 44" 44" 44" 44" 44" 44" 44" 44" 4	13-1/4" 13-1/4" 13-1/4" 13-1/4" 13-1/4" 13-1/4" 13-1/2"	5/8" 5/8" 5/8" 5/8" 5/8" 5/8" 5/8" 5/8"	7/8" 7/8" 7/8" 7/8" 7/8" 7/8" 7/8" 7/8"	6 6-3/4 6-3/4 6-3/4 6-3/4 6-3/4 6-3/4 6-3/4 6-3/4 6-3/4 8-3/	10" 10" 9-1/2" 10" 10" 10" 10" 14" 10" 10" 10" 10" 10" 10" 10" 10" 10" 10	\$576 \$555 \$555 \$555 \$556 \$78 \$78 \$73 \$73 \$76 \$76 \$76 \$76 \$76 \$742 \$742 \$742 \$742 \$742 \$742 \$742 \$742
335943269 335943269 335943272 335931264 335931265 335931277  WODEL 70 335031268 335031269 335031269 335031272 335973210 33595208 33596208 33596209 335963267 335963268 335963268 335963267 335963267 WODEL 70 335963268 335963269 335963277	243 WSSM 25 WSSM 270 WSM 370 WSM 300 WSM 325 WSM 223 WSSM 2243 WSSM 2243 WSSM 22-250 Rem. 223 Rem. 308 Win. 270 WSM 7mm WSM 300 WSM 325 WSM 223 Rem. 223 RSSM 243 WSSM 243 WSSM 25 WSM 270 WSM	3 3 3 3 3 3 3 3 3 5 6 6 5 5 3 3 3 3 3 3	22" 24" 24" 24" 24" 24" 24" 24" 24" 24"	41" 41" 43-3/4" 43-3/4" 43-3/4" 43-3/8" 43-3/8" 43-3/8" 43-3/8" 43-3/8" 43-3/8" 43-3/8" 44" 44" 44" 44" 44" 44" 44" 44" 44" 4	13-1/4" 13-1/4" 13-1/4" 13-1/4" 13-1/4" 13-1/4" 13-1/2"	5/8" 5/8" 5/8" 5/8" 5/8" 5/8" 5/8" 5/8"	7/8" 7/8" 7/8" 7/8" 7/8" 7/8" 7/8" 7/8"	6 6-3/4 6-3/4 6-3/4 6-3/4 6-3/4 6-3/4 6-3/4 6-3/4 6-3/4 8-3/	10" 10" 10" 10" 10" 10" 10" 10" 10" 14" 10" 12" 10" 10" 10" 10" 10" 10" 10" 10" 10" 10	\$576 \$554 \$554 \$554 \$554 \$787 \$787 \$734 \$763 \$763 \$763 \$763 \$763 \$763 \$763 \$7742 \$742 \$742 \$742 \$742 \$742 \$742 \$74
35031268 35031269 35031270 35953210 35956208 35956208 35956202 35031264 355031265 35031255 35031277  MODEL 70 335963268 335963268 335963265 335963265 335963264 335963255 335963255	243 WSSM 25 WSSM 270 WSM 370 WSM 300 WSM 325 WSM  COYOTE LAMII 223 WSSM 243 WSSM 22-250 Rem. 223 Rem. 308 Win. 270 WSM 7mm WSM 300 WSM 325 WSM  COYOTE LAMII 223 WSSM 243 WSSM 25 WSM  COYOTE LAMII 223 WSSM 25 WSSM 25 WSSM 223 Rem. 270 WSM 7mm WSM 300 WSM 325 WSM COYOTE LITE, 223 WSSM 300 WSM 325 WSM	3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 5 6 6 5 5 3 3 3 3	22" 24" 24" 24" 24" 24" 24" 24" 24" 24"	41" 41" 43-3/4" 43-3/4" 43-3/8" 43-3/8" 43-3/8" 43-3/8" 43-3/8" 43-3/8" 43-3/8" 43-3/8" 43-3/8" 44" 44" 44" 44" 44" 44" 44" 44" 44" 4	13-1/4" 13-1/4" 13-1/4" 13-1/4" 13-1/4" 13-1/4" 13-1/2"	5/8" 5/8" 5/8" 5/8" 5/8" 5/8" 5/8" 5/8"	7/8" 7/8" 7/8" 7/8" 7/8" 7/8" 7/8" 7/8"	6 6-3/4 6-3/4 6-3/4 6-3/4 6-3/4 6-3/4 6-3/4 8-3/	10" 10" 10" 10" 10" 10" 10" 10" 14" 10" 12" 10" 10" 10" 10" 10" 10" 10" 10" 10" 10	\$576 \$554 \$555 \$555 \$555 \$781 \$783 \$733 \$733 \$763 \$763 \$763 \$763 \$763 \$76
335943269 335943269 335943264 335931264 335931265 335931277 MODEL 70 335963208 335931272 335963208 335931255 335932264 33593265 33593265 33593266 33593266 335963268 335963268 335963268 335963268 335963268 335963268 335963268 335963268 335963268 335963268	243 WSSM 25 WSSM 270 WSM 270 WSM 300 WSM 300 WSM 325 WSM 223 WSSM 243 WSSM 22-250 Rem. 223 Rem. 308 Win. 270 WSM 7mm WSM 300 WSM 325 WSM COYOTE LAMII 223 WSSM 223 Rem. 223 Rem. 223 WSSM 223 WSSM 243 WSSM 25 WSSM 228 Rem. 270 WSM 7mm WSM 300 WSM 300 WSM 325 WSSM 243 WSSM 223 WSSM 224 WSSM 225 WSSM 225 WSSM 225 WSSM 226 WSSM 2270 WSSM 2270 WSSM 228 WSSM 228 WSSM 228 WSSM 229 WSSM	3 3 3 3 3 3 3 3 3 3 3 5 6 5 3 3 3 3 3 3	22" 22" 24" 24" 24" 24" 24" 24" 24" 24"	41" 41" 43-3/4" 43-3/4" 43-3/4" 43-3/8" 43-3/8" 43-3/8" 43-3/8" 43-3/8" 43-3/8" 43-3/8" 44" 44" 44" 44" 44" 44" 44" 44" 44" 4	13-1/4" 13-1/4" 13-1/4" 13-1/4" 13-1/4" 13-1/4" 13-1/2" 13-5/8" 13-5/8"	5/8" 5/8" 5/8" 5/8" 5/8" 5/8" 5/8" 5/8"	7/8" 7/8" 7/8" 7/8" 7/8" 0ck, Stainle 7/8" 7/8" 7/8" 7/8" 7/8" 3/4" 3/4" 3/4" 3/4" 3/4" 3/4" 3/4" 3/4	6 6-3/4 6-3/4 6-3/4 6-3/4 6-3/4 6-3/4 8-3/	10" 10" 10" 10" 10" 10" 10" 10" 10" 14" 10" 12" 10" 10" 10" 10" 10" 10" 10" 10" 10" 10	\$576 \$554 \$554 \$555 \$781 \$783 \$733 \$733 \$734 \$742 \$742 \$741 \$719 \$719 \$719 \$719 \$719 \$719 \$719 \$71

Model 70 Notes:
\*Classic 375 H&H Mag. Includes open sights.
\*For additional capacity, add one round in chamber.
1. Drops are measured from centerline of bore.
2. Twist is right hand.

<sup>3.</sup> Scopes, bases and/or rings are not included unless otherwise noted. 4. CRF= Controlled Round Feed, CRPF= Controlled Round Push Feed

Prices are in U.S. dollars and are subject to change without notice.

MODEL 70	COYOTE LITE,	BLUED	CRPF Act	ion, Compos	site Stock, F	loor Plate,	Fluted, Blu	ed Finish		
• 535968268	223 WSSM	3	24"	43-1/4"	13-5/8"	3/8"	3/8"	7-1/2	10"	\$889
• 535968269	243 WSSM	3	24"	43-1/4"	13-5/8"	3/8"	3/8"	7-1/2	10"	\$889
• 535968272	25 WSSM	3	24"	43-1/4"	13-5/8"	3/8"	3/8"	7-1/2	10"	\$889
• 535968208	223 Rem.	6	24"	43-1/4"	13-5/8"	3/8"	3/8"	7-1/2	10"	\$839
• 535968264	270 WSM	3	24"	44"	13-5/8"	3/8"	3/8"	7-1/2	10"	\$868
• 535968265	7mm WSM	3	24"	44"	13-5/8"	3/8"	3/8"	7-1/2	9-1/2"	\$868
• 535968255	300 WSM	3	24"	44"	13-5/8"	3/8"	3/8"	7-1/2	10"	\$868
• 535968277	325 WSM	3	24"	44"	13-5/8"	3/8"	3/8"	7-1/2	10"	\$868
MODEL 70	STEALTH II CRP	F Action, C	omposite :	Stock, Blued	Matte Finis	h				
535955268	223 WSSM	3	26"	45-1/4"	13-5/8"	1/2"	5/8"	10	10"	\$886
535955269	243 WSSM	3	26"	45-1/4"	13-5/8"	1/2"	5/8"	10	10"	\$886
535955272	25 WSSM	3	26"	45-1/4"	13-5/8"	1/2"	5/8"	10	10"	\$886
535955210	22-250 Rem.	5	26"	45-3/4"	13-5/8"	1/2"	5/8"	10	14"	\$832
505055000	000 UF	-	0011	45.0/40	40 5/011	4 (01)	E (011	40	4011	0000

Nominal
Length
of Pull
Nominal Drop
at Comb
theel
theel
Nominal
Veright (lbs.)

MODEL 9422 HIGH GRADE LEGACY TRIBUTE (1 of 9422) Semi-Pistol Grip, Semi-Fancy Walnut Stock												
• 524046103	22 Rimfire	15 LR	22-1/2"	39-1/8"	13-1/2"	1-1/8"	1-7/8"	6	16"	\$1,085		
• 524046104	22 WMR	11	22-1/2"	39-1/8"	13-1/2"	1-1/8"	1-7/8"	6	16"	\$1,113		
MODEL 9422 SPECIAL EDITION TRADITIONAL TRIBUTE (1 of 9422) Straight Grip, Semi-Fancy Walnut Stock												
• 524045103	22 Rimfire	15 LR	20-1/2"	37-1/8"	13-1/2"	1-1/8"	1-7/8"	6	16"	\$516		
• 524045104	22 WMR	11	20-1/2"	37-1/8"	13-1/2"	1-1/8"	1-7/8"	6	16"	\$545		
MODEL 942	2 SPECIAL ED	ITION	LEGACY	Tribu	TE (1 of 94	422) Semi-F	Pistol Grip,	Semi-Fanc	y Walnut St	ock		
• 524047103	22 Rimfire	15 LR	22-1/2"	39-1/8"	13-1/2"	1-1/8"	1-7/8"	6	16"	\$551		
<ul><li>524047104</li></ul>	22 WMR	11	22-1/2"	39-1/8"	13-1/2"	1-1/8"	1-7/8"	6	16"	\$579		
Model 9422 Tribute Notes: 6. Ramo adjustable rear sight and drift adjustable front sight												

- NOODE 19422 INDUCES.

  1. Capacity with 22LR models increases to 17 total when using 22 Longs.

  2. Current standard 22 models are designed for Long and Long Rifle
- Content sandard 22 intoens are designed for Long and Long Rine cartridges only.

  22 WMR (Magnum) cartridges only.

  Drops are measured from centerline of bore.

  Twist is right hand.
- Amp adjustable rear sight and drift adjustable front sight for all models.
   Removable hooded front sight for all models.
   All Model 9422s are supplied with a hammer spur extension
- for use when a scope is mounted.

  \*\*For additional capacity, add one round in the chamber.

Nominal Length of Pull Nominal Drop at Comb

9/1	
Males Co	N
-	• 53

535955220	308 Win.	5	26"	45-3/4"	13-5/8"	1/2"	5/8"	10	10"	\$832
MODEL 94	LEGACY RIFLE	Остаб	ON Cres	cent Buttpla	ite, Marble's	® Tang Sigh	t			
534110114	30-30 Win.	7	26"	44-1/8"	13-1/2"	1-1/8"	1-7/8"	7-1/4	12"	\$882
534110117	38-55 Win.	7	26"	44-1/8"	13-1/2"	1-1/8"	1-7/8"	7-1/4	15"	\$882
MODEL 94	LEGACY RIFLE	Остаб	ON CA	SE-COL	ORED Cre	escent Butt	olate, Marb	le's® Tang :	Sight	
534115114	30-30 Win.	7	26"	44-1/8"	13-1/2"	1-1/8"	1-7/8"	7-1/4	12"	\$938
534115117	38-55 Win.	7	26"	44-1/8"	13-1/2"	1-1/8"	1-7/8"	7-1/4	15"	\$938
MODEL 94	LEGACY RIFLE	ROUNI	Crescen	t Buttplate,	Marble's® Ta	ing Sight				
534111114	30-30 Win.	7	26"	42-1/8"	13-1/2"	1-1/8"	1-7/8"	7	12"	\$783
534111117	38-55 Win.	7	26"	42-1/8"	13-1/2"	1-1/8"	1-7/8"	7	15"	\$783
MODEL 94	LEGACY RIFLE	ROUNI	CASE	-Color	ED Cresce	ent Buttplat	e, Marble's	® Tang Sigh	nt	
534116114	30-30 Win.	7	26"	42-1/8"	13-1/2"	1-1/8"	1-7/8"	7	12"	\$839
534116117	38-55 Win.	7	26"	42-1/8"	13-1/2"	1-1/8"	1-7/8"	7	15"	\$839
Model 94	LEGACY ROUN	D Semi-Pi	stol Grip, V	Valnut Stoc	k					
534086114	30-30 Win.	7	24"	42-1/8"	13-1/2"	1-1/8"	1-7/8"	6-3/4	12"	\$485
534086137	357 Mag.	12	24"	42-1/8"	13-1/2"	1-1/8"	1-7/8"	6-3/4	16"	\$485
534086124	44 Rem. Mag.	12	24"	42-1/8"	13-1/2"	1-1/8"	1-7/8"	6-3/4	26"	\$485
534086141	45 Colt	12	24"	42-1/8"	13-1/2"	1-1/8"	1-7/8"	6-3/4	26"	\$485
Model 94	Trails end™	HUNTE	R Round B	arrel						
534117175	25-35 Win.	6	20"	38-1/8"	13-3/8"	1"	2"	6-1/2	8"	\$468
534117114	30-30 Win.	6	20"	38-1/8"	13-3/8"	1"	2"	6-1/2	12"	\$468
534117117	38-55 Win.	6	20"	38-1/8"	13-3/8"	1"	2"	6-1/2	26"	\$468
MODEL 94	TRAILS END™	HUNTE	к Оста	GON CA	SE-COL	ORED C	rescent Bu	ttplate		
534118175	25-35 Win.	6	20"	38-1/8"	13-3/8"	1"	2"	6-3/4	8"	\$816
534118114	30-30 Win.	6	20"	38-1/8"	13-3/8"	1"	2"	6-3/4	12"	\$816
534118117	38-55 Win.	6	20"	38-1/8"	13-3/8"	1"	2"	6-3/4	26"	\$816
MODEL 94	TRAILS END™	Round Barr	el							
534093137	357 Mag.	11	20"	38-1/8"	13-1/2"	1-1/8"	1-7/8"	6-1/2	16"	\$468
534093124	44 Rem. Mag.	11	20"	38-1/8"	13-1/2"	1-1/8"	1-7/8"	6-1/2	26"	\$468
534093141	45 Colt	11	20"	38-1/8"	13-1/2"	1-1/8"	1-7/8"	6-1/2	26"	\$468

334110111	30-33 WIII.	- 1	20	44-1/0	13-1/2	1-1/0	1-7/0	7-1/4	10	φ00Z
MODEL 9	4 LEGACY RIFLE	<b>OCTAG</b>	ON CA	SE-COL	ORED Cre	escent Buttp	olate, Mart	le's® Tang \$	Sight	
534115114	30-30 Win.	7	26"	44-1/8"	13-1/2"	1-1/8"	1-7/8"	7-1/4	12"	\$938
534115117	38-55 Win.	7	26"	44-1/8"	13-1/2"	1-1/8"	1-7/8"	7-1/4	15"	\$938
MODEL 9	4 LEGACY RIFLE	ROUNI	Crescer	nt Buttplate,	Marble's® Ta	ng Sight				
534111114	30-30 Win.	7	26"	42-1/8"	13-1/2"	1-1/8"	1-7/8"	7	12"	\$783
534111117	38-55 Win.	7	26"	42-1/8"	13-1/2"	1-1/8"	1-7/8"	7	15"	\$783
MODEL 9	4 LEGACY RIFLE	ROUNI	CASE	E-Color	ED Cresce	ent Buttplate	e, Marble's	® Tang Sigh	ıt	
534116114	30-30 Win.	7	26"	42-1/8"	13-1/2"	1-1/8"	1-7/8"	7	12"	\$839
34116117	38-55 Win.	7	26"	42-1/8"	13-1/2"	1-1/8"	1-7/8"	7	15"	\$839
MODEL 9	4 LEGACY ROUN	D Semi-Pi	stol Grip,	Walnut Stock	k					
534086114	30-30 Win.	7	24"	42-1/8"	13-1/2"	1-1/8"	1-7/8"	6-3/4	12"	\$485
534086137	357 Mag.	12	24"	42-1/8"	13-1/2"	1-1/8"	1-7/8"	6-3/4	16"	\$485
534086124	44 Rem. Mag.	12	24"	42-1/8"	13-1/2"	1-1/8"	1-7/8"	6-3/4	26"	\$485
34086141	45 Colt	12	24"	42-1/8"	13-1/2"	1-1/8"	1-7/8"	6-3/4	26"	\$485
MODEL 9	4 Trails end™	HUNTE	R Round	Barrel						
34117175	25-35 Win.	6	20"	38-1/8"	13-3/8"	1"	2"	6-1/2	8"	\$468
34117114	30-30 Win.	6	20"	38-1/8"	13-3/8"	1"	2"	6-1/2	12"	\$468
34117117	38-55 Win.	6	20"	38-1/8"	13-3/8"	1"	2"	6-1/2	26"	\$468
MODEL 9	4 Trails end™	HUNTEI	R OCTA	AGON CA	SE-COL	ORED C	rescent Bu	ttplate		
34118175	25-35 Win.	6	20"	38-1/8"	13-3/8"	1"	2"	6-3/4	8"	\$816
34118114	30-30 Win.	6	20"	38-1/8"	13-3/8"	1"	2"	6-3/4	12"	\$816
34118117	38-55 Win.	6	20"	38-1/8"	13-3/8"	1"	2"	6-3/4	26"	\$816
	4 Trails end™	Round Barr	el							
34093137	357 Mag.	11	20"	38-1/8"	13-1/2"	1-1/8"	1-7/8"	6-1/2	16"	\$468
34093124	44 Rem. Mag.	11	20"	38-1/8"	13-1/2"	1-1/8"	1-7/8"	6-1/2	26"	\$468
34093141	45 Colt	11	20"	38-1/8"	13-1/2"	1-1/8"	1-7/8"	6-1/2	26"	\$468
MODEL 9	4 Trails end™	OCTAGO	ON Creso	ent Buttolat	e					
34103137	357 Mag.	11	20"	38-1/8"	13-3/8"	1"	2"	6-3/4	16"	\$757
34103124	44 Rem. Mag.	11	20"	38-1/8"	13-3/8"	1"	2"	6-3/4	26"	\$757
34103141	45 Colt	11	20"	38-1/8"	13-3/8"	1"	2"	6-3/4	26"	\$757
MODEL 9	4 Trails end™	OCTAGO	ON CAS	SE-COLO	RED Cres	cent Buttol	ate			
34109137	357 Mag.	11	20"	38-1/8"	13-3/8"	1"	2"	6-3/4	16"	\$816
34109124	44 Rem. Mag.	11	20"	38-1/8"	13-3/8"	1"	2"	6-3/4	26"	\$816
34109141	45 Colt	11	20"	38-1/8"	13-3/8"	1"	2"	6-3/4	26"	\$816
	4 TIMBER Top-Tang		Ghost Rir			oil Pad. Por	ted			
34105160	450 Marlin	4	18"		13-7/8"	1-1/4"	2"	6	14"	\$597
	4 TIMBER SCOU	T Ton-Tan	Safety )							7
34119114	30-30 Win.	4	18"	36-1/4"		1-1/4"	2"	6	14"	\$597
34119124	44 Rem. Mag.	4	18"	36-1/4"	13-7/8"	1-1/4"	2"	6	14"	\$597
	4 TRAPPER Round		10	00 1/-f	.0 1/0	1 1/4	_		1.4	<b>Q</b> 001
534094114	30-30 Win.	5	16"	34-1/4"	13-1/2"	1-1/8"	1-7/8"	6	12"	\$458
534094137	357 Mag.	9	16"	34-1/4"	13-1/2"	1-1/8"	1-7/8"	6	16"	\$458
504004107	44 Dom Mag	0	10"		10-1/2			6	26"	\$450 \$450

_	_	_	_	_	_			_ "		٠,				
9410 TRADITION	9410 TRADITIONAL Standard Invector™ Choke System, TRUGLO® Sights													
514006074	.410	24"	2-1/2"	(3)	42-1/8"	13-1/2"	1-1/8"	1-7/8"	6-3/4	\$626				
9410 PACKER Standard Invector™ Choke System, TRUGLO® Sights														
514007073	.410	20"	2-1/2"	(3)	38-1/8"	13-1/2"	1-1/8"	1-7/8"	6-1/2	\$647				
9410 PACKER CO	2410 PACKER COMPACT Standard Invector* Choke System, TRUGLO® Sights													
514008073	.410	20"	2-1/2"	(3)	37-1/8"	12-1/2"	1-1/8"	1-7/8"	6	\$647				
9410 PACKER Nor	n-Choked, Tl	RUGL0® Sig	hts											
514007056	.410	20"	2-1/2"	Cyl.	38-1/8"	13-1/2"	1-1/8"	1-7/8"	6-1/2	\$583				
9410 RANGER®	lardwood St	ock, Non-C	noked, TRUGL	.0® Sights										
514010056	.410	24"	2-1/2"	(3)	42-1/8"	13-1/2"	1-1/8"	1-7/8"	6-3/4	\$532				

chamber (depending on the loads used).

2. Total capacity of the Packer models is 6 including one in the chamber. Magazine capacity may be reduced with some brands and types of ammunition.

4. All models include a magazine adapter which will limit the magazine

SELECT™ TRADITIONAL ELEGANCE

supplied: Full, Modified and Improved Cylinder.
6. Non-Invector models. Patterns at 25 yards should be considered approximately "Modified" to "Full Choke" for .410 shotguns.

Prices are in U.S. dollars and are subject to change without notice.



SELECT TRADITIONAL ELEGANCE											
513022371	12	26"	3" Mag.	(3+)	43-3/4"	14-1/2"	1-1/2"	2"	7	\$2,320	
513022361	12	28"	3" Mag.	(3+)	45-3/4"	14-1/2"	1-1/2"	2"	7-1/4	\$2,320	
SELECT EXTREM	E ELEGA	NCE									
513020371	12	26"	3" Mag.	(3+)	43-3/4"	14-1/2"	1-1/2"	2"	7	\$2,320	
513020361	12	28"	3" Mag.	(3+)	45-3/4"	14-1/2"	1-1/2"	2"	7-1/4	\$2,320	
SELECT FIELD											
513021371	12	26"	3" Mag.	(3+)	43-3/4"	14-1/4"	1-1/2"	2"	7	\$1,498	
513021361	12	28"	3" Mag.	(3+)	45-3/4"	14-1/4"	1-1/2"	2"	7-1/4	\$1,498	
SELECT ENERGY	Sporti	NG NO	N-ADJUS	TABLE	Gloss Barre	ls, Grade II-	III Walnut				
513034461	12	28"	2-3/4"	(3+)	45-3/4"	14-5/8"	1-1/2"	2"	7-1/4	\$1,950	
513034460	12	30"	2-3/4"	(3+)	47-3/4"	14-5/8"	1-1/2"	2"	7-1/2	\$1,950	
513034459	12	32"	2-3/4"	(3+)	49-3/4"	14-5/8"	1-1/2"	2"	7-3/4	\$1,950	
SELECT ENERGY	Sporti	ng Adj	USTABLE	Gloss Ba	rrels, Grade	II-III Walnu	t				
• 513035461	12	28"	2 3/4"	(3+)	45-3/4"	14-5/8"	1-3/4"	2-1/4"	7-1/4	\$2,115	
513035460	12	30"	2 3/4"	(3+)	47-3/4"	14-5/8"	1-3/4"	2-1/4"	7-1/2	\$2,115	
513035459	12	32"	2 3/4"	(3+)	49-3/4"	14-5/8"	1-3/4"	2-1/4"	7-3/4	\$2,115	
SELECT ENERGY	TRAP N	ON-ADJ	USTABLE	Gloss Ba	rrels, Grade	II-III Walnu	t				
513037460	12	30"	2-3/4"	(3+)	47-3/4"	14-5/8"	1-1/2"	2-1/8"	7-1/2	\$1,950	
513037459	12	32"	2-3/4"	(3+)	49-3/4"	14-5/8"	1-1/2"	2-1/8"	7-3/4	\$1,950	
SELECT ENERGY	TRAP A	DJUSTA	BLE Gloss I	Barrels, Gra	ade II-III Wa	Inut					
513036460	12	30"	2-3/4"	(3+)	47-3/4"	14-5/8"	1-3/4"	2-1/4"	7-1/2	\$2,115	
• 513036459	12	32"	2-3/4"	(3+)	49-3/4"	14-5/8"	1-3/4"	2-1/4"	7-3/4	\$2,115	

Select Model Notes 1. All Select Models are supplied with an Invector Plus wrench for

1. All Select Models are supplied with an Invector Plus wench for removing and installing choke tubes.
2. All Select Sporting & Field Models are supplied with 3 Invector Plus choke tubes. (Full, Modified and Improved Cylinder)
3. All Select Trap Models are supplied with 3 Invector Plus choke tubes. (Full, Improved Modified and Extra Full)
4. Wood grain and appearance will vary with each individual firearm.

12

12

5. Prices are in U.S. dollars and are subject to change without notice.
6. Adjustable comb Select models: 1 1/4" to 1 3/4" adjustability at comb.
Abbrevations:(3+) = Invector Plus Choke System with three choke tubes supplied: Full, Modified and Improved Oylinder. All measurements and weights are nominal, and may vary gun to gun.



534094124

534094141

	MODEL 94 R										
	534087114	30-30 Win.	6	20"	38-1/8"	13-1/2"	1-1/8"	1-7/8"	6-1/4	12"	\$377
ď	MODEL 188	5 High Wali	. WSM H	unter Cent	erfire, Pach	mayr® Recoil	Pad				
•	534112164	270 WSM	Single Shot	28"	44"	13-1/2"	5/8"	1-1/8"	8-1/2	10"	\$1,085
•	534112165	7mm WSM	Single Shot	28"	44"	13-1/2"	5/8"	1-1/8"	8-1/2	9-1/2"	\$1,085
•	534112155	300 WSM	Single Shot	28"	44"	13-1/2"	5/8"	1-1/8"	8-1/2	10"	\$1,085
	<b>MODEL 188</b>	5 Low Wall	Rimfire								
	534095170	17 HMR	Single Shot	24"	41"	13-1/2"	7/8"	1/2"	8	9"	\$1,014

41"

16"

16"

• 534095176 17 MACH 2 Single Shot 24" Model 94 and Historic Classic Tradition Rifles Notes:

\*\*For additional capacity, add one round in the chamber.

1. Drops are measured from centerline of bore.

2. Twist is right hand.

44 Rem. Mag.

45 Colt

13-1/2" 7/8" 1/2" 8 9" \$1,014 3. All Model 94's are supplied with a hammer spur extension for use

26"

26"

\$458

\$458

511042363

511042362

when a scope is mounted.

4. Front sight hoods are removable

34-1/4" 13-1/2" 1-1/8" 1-7/8" 6

34-1/4" 13-1/2" 1-1/8" 1-7/8" 6

SX2 31/2"	UNIVERS	AL HUNTEI	R FIELD (	Composite St	ock, Nev	w Break-Up® Ca	mo, Dura-	-Touch®				
511037271	12	26"	3-1/2"	(3+)	47"	14-1/4"	1-3/4"	2"	7-3/4	\$1,185		
SX2 31/2"	UNIVERS	AL HUNTEI	R TURKE	Y Composite	Stock,	New Break-Up <sup>e</sup>	Camo, D	ura-Touch	0			
511036266	12	26"	3-1/2"	(3+) +XF	47"	14-1/4"	1-3/4"	2"	7-3/4	\$1,252		
SX2 31/2"	<b>NWTF Tu</b>	RKEY Compo	site Stock, M	lossy Oak® O	bsessio	n™ Composite, 1	TRUGLO® S	Sights				
• 511048257	12	24"	3-1/2"	+XF	45"	14-1/4"	1-3/4"	2"	7-1/2	\$1,236		
SX2 31/2"	<b>NWTF Tu</b>	RKEY Compo	site Stock, N	ew Break-Up	® Camo,	Dura-Touch®, X	-Full Tube	,TRUGL0®	Sights			
511035257	12	24"	3-1/2"	+XF	45"	14-1/4"	1-3/4"	2"	7-1/2	\$1,236		
SX2 31/2"	GREENHE	AD Composite	Stock, Dura-	Touch®								
511029246	12	28"	3-1/2	(3+)	49"	14-1/4"	1-3/4"	2"	8	\$1,036		
SX2 31/2"	Compos	ITE Composite	Stock, Dura-	Touch®								
511034250	12	26"	3-1/2"	(3+)	47"	14-1/4"	1-3/4"	2"	7-3/4	\$1,027		
511034246	12	28"	3-1/2"	(3+)	49"	14-1/4"	1-3/4"	2"	8	\$1,027		
SX2 31/2"	CAMO W	ATERFOWL	Composite S	tock, New Sh	nadow G	rass® Camo, Du	ra-Touch®	,				
511033246	12	28"	3-1/2"	(3+)	49"	14-1/4"	1-3/4"	2"	8	\$1,185		
SX2 3" Si	SX2 3" SPORTING CLAYS SIGNATURE II Painted Hardwood Stock, Color Anodized Receiver											

(5+) 51"

(5+)

49"

3"

30"

1	MODEL	9422 CUSTOM	IKIROIF	(1 01 222) 8	straignt Gri	p, rancy wa	inut Stock,	Spade Une	ckering		
•	524043103	22 Rimfire	15 LR	20-1/2"	37-1/8"	13-1/2"	1-1/8"	1-7/8"	6	16"	\$2,313
	MODEL	9422 High Gr	ADE TRA	DITIONA	l Trib	UTE (1 of	9422) Strai	ght Grip, S	emi-Fancy \	Nalnut Sto	ock
•	524044103	22 Rimfire	15 LR	20-1/2"	37-1/8"	13-1/2"	1-1/8"	1-7/8"	6	16"	\$1,050
•	524044104	22 WMR	11	20-1/2"	37-1/8"	13-1/2"	1-1/8"	1-7/8"	6	16"	\$1,078
	Prices are in I	U.S. dollars and are subj	ect to change	without notic	e.						

winchesterguns.com | 51

14-3/8" 1-1/2" 2-3/8"

1-1/2" 2-3/8"

14-3/8"

8-1/4 \$1,015

\$1,015

### SHOTGUNS

# ARRELS • CHOKE TUBES

Item Numb	Gauge	Barrel Length	Chamb	Choke	Overal	Nomin Length of Pull	Nomin Drop a Comb	Nomin Drop at Hee	Nomin Weight	Sugg. Retail
SX2 3" SPORTING CLAYS SIGNATURE RED Painted Hardwood Stock, Dura Touch®										
511040363	12	30"	3" Mag.	(5+)	51"	14-3/8"	1-1/2"	2-3/8"	8-1/4	\$1,015
511040362	12	30"	3" Mag.	(5+)	49"	14-3/8"	1-1/2"	2-3/8"	8	\$1,015
SX2 3" Spo	RTING CLAY	S Walnut S	tock							
511006445	12	30"	3" Mag.	(5+)	51"	14-3/8"	1-1/2"	2-3/8"	8	\$998
511006446	12	28"	3" Mag.	(5+)	49"	14-3/8"	1-1/2"	2-3/8"	7-3/4	\$998
SX2 3" Ligi	HT FIELD Wali	nut Stock								
511047371	12	26"	3" Mag.	(3+)	47"	14-3/8"	1-1/2"	2"	6-1/2	\$945
511047361	12	28"	3" Mag.	(3+)	49"	14-3/8"	1-1/2"	2"	6-3/4	\$945
SX2 3" Con	IPOSITE Com	posite Stock,	Dura-Touch	10						
511034350	12	26"	3" Mag.	(3+)	47"	14-1/4	1-3/4"	2"	7-3/4	\$908
511034346	12	28"	3" Mag.	(3+)	49"	14-1/4	1-3/4"	2"	8	\$908
<b>SX2 3" CAN</b>	TILEVER DE	ER Rifled, (	Composite S	Stock, Dura	-Touch®, Ca	intilever Sco	pe Mount			
511038340	12	22"	3" Mag.	Rifled	43"	14-1/4	1-3/4"	2"	7-1/4	\$957
SX2 3" PRA	CTICAL MK	II Composite	Stock, 8 R	ound Maga	zine, LPA S	ights, Stand	lard Invecto	r™, Dura-To	uch®	
511015355	12	22"	3" Mag.	Cyl, STD	43"	14-1/4"	1-3/4"	2"	8	\$1,287
SX2 3" PRA	CTICAL MK	Composite S	Stock, 8 Rou	nd Magazin	e, TRUGLO®	front sight,	Standard In	vector™, Du	ra-Touch®	
511016355	12	22"	3" Mag.	Cyl*, STD	43"	14-1/4"	1-3/4"	2"	8	\$1,116
Super X2 Notes:	uper X2 Notes:  4. Practical models are choked with Standard Invector*  6. Practical models are choked with Standard Invector*  6. Practical models are choked with Standard Invector*  6. Practical models are choked with Standard Invector*									

- Super XZ Field & Sporting Models have a total shot shell capacity of 5, plus one in the chamber. Capacity: subtract one for 3" shells or 3 1/2" shells. Practical models have a maximum magazine capacity
- 2. All Super XV Models are supplied with a choke wrench for removing and installing choke tubes.

  3. All Super XV Models are supplied with a removable plug that limits magazine capacity to two shells (except Practical models).

		, .	1 0, 1	-	•	Ψ1,110
4.	Practical m	nodels are cl	hoked with	Standard In	/ector™	
5.				ak® New Bre		
						pplied: Full,
				3+) + XF =		
				plied: Full, N		
				Supplied wi		
	Invector-PI	us turkey ch	ioke tube or	1/y. $(5+) = 5$	Skeet, Imp	roved
	Cylinder, N	lodified, Imp	roved Modi	fied and Ful	I choke tu	bes. Cyl. Std.
	Inv. = Stan	dard Invector	or Cylinder t	:ube		

Ш	magazine capacity to	I IWO STIELLS (EXCE	pi Practical m	oueis).		iiv. = Star	iuaru invect	or Cylinder t	upe		
MODEL 1300 SPORTING/FIELD Satin Finish Walnut Stock, TRUGLO® Sight, Five WinChoke® Tubes											
	512906369	12	28" VR			49"	14"	1-1/2"	2-1/2"	7-1/2	\$438
	<b>MODEL 1300</b>					nish Walnu	t Stock, TR	UGL0® Sigh	t, Five WinCl		
	512905367	12	24" VR	3" Mag.		44"	13"	1-1/2"	2-3/8"	6-3/4	\$438
	<b>MODEL 1300</b>	UPLAND S	SPECIAL (	Gloss Finish	, Walnut Stra	aight Grip	Stock				
	512202352	12	24" VR	3" Mag.	W3	45"	14"	1-1/2"	2-1/2"	6-3/4	\$438
	512202652	20	24" VR	3" Mag.	W3	45"	14"	1-1/2"	2-1/2"	6-3/4	\$438
	<b>MODEL 1300</b>	WALNUT	FIELD Gloss	s Finish, Wa	alnut Stock						
	512917329	12	28" VR	3" Mag.	W3	49"	14"	1-1/2"	2-1/2"	7-1/4	\$438
	512917330	12	26" VR	3" Mag.	W3	47"	14"	1-1/2"	2-1/2"	7-1/4	\$438
	<b>MODEL 1300</b>	NEW SHA	DOW GR	ASS® Cor	mposite Stoc	k, New Sh	adow Grass	® Camo			
	512203329	12	28" VR	3 Mag.	W3	49"	13-3/4	1-1/2"	2-1/2"	7-1/4	\$472
	512203330	12	26" VR	3 Mag.	W3	47"	13-3/4	1-1/2"	2-1/2"	7	\$472
	<b>MODEL 1300</b>	BLACK SH	ADOW® (	Composite S	Stock						
	512041303	12	28" VR	3" Mag.		49"	13-3/4	1-1/2"	2-1/2"	7-1/4	\$351
	512041307	12	26" VR	3" Mag.	W1M	47"	13-3/4	1-1/2"	2-1/2"	7	\$351
	512041607	20	26" VR	3" Mag.		47"	13-3/4	1-1/2"	2-1/2"	6-3/4	\$351
	<b>MODEL 1300</b>	RANGER®	COMPAC	T Hardwoo	d Stock						
	512036352	12	24" VR	3" Mag.		44"	13"	1-1/2"	2-3/8"	7	\$366
	512036631	20	22" VR	3" Mag.	W3	42"	13"	1-1/2"	2-3/8"	6-1/2	\$366
	<b>MODEL 1300</b>	UNIVERS	AL HUNTI	ER FIEL	Composit	te Stock, N	lew Mossy	Dak® Break-	·Up® Camo		
	512914350	12	26" VR	3" Mag.		47"	13-3/4"	1-1/2"	2-1/2"	7	\$472
	<b>MODEL 1300</b>	UNIVERS	AL HUNTI	ER TUR	KEY Comp	osite Stoc	k, Monbu®	Camo, TRU0	GLO® Sights,	X-Full Tube	;
	512904366	12	26" VR		W3+WXF		13-3/4"		2-1/2"	7	\$509
	<b>MODEL 1300</b>	NWTF Bu	ск & То	M Compos	site Stock, M	ONBU® Car	no, TRUGLO	® Sights, Ex	tended X-Fu	II and Rifle	d Tubes
	512903365	12	22" Smooth	3" Mag.	RS+HDXF	43"	14"	1-1/2"	2-1/2"	6-3/4	\$549
	<b>MODEL 1300</b>	NWTF SH	ORT TUR	KEY Com	posite Stock	, Obsessior	n™ Camo, TF	UGL0® Sigh	ts, Extended )	K-Long, X-F	ull Tube
•	512206365		8" Rifle Sights			40"	14"	1-1/2"	2-1/2"	6-1/2	
	<b>MODEL 1300</b>	NWTF SH	ORT TUR	KEY Con	nposite Stock	k, Monbu®	Camo, TRU	GL0® Sight:	s, Extended )	(-Long, X-I	ull Tube
	512902342		8" Rifle Sights			40"	14"	1-1/2"	2-1/2"	6-1/2	\$507
	<b>MODEL 1300</b>	BLACK SH	IADOW® I	DEER Co	mposite Sto	ck, Rifled	Barrel, Adju	stable Sigh	ts		
	512040315	12	22 Rifled	3" Mag.	Rifled BBL	42-3/4	14"	1-1/2"	2-1/2"	6-3/4	\$376
	512040615	20	22 Rifled	3" Mag.	Rifled BBL	42-3/4	14"	1-1/2"	2-1/2"	6-1/2	\$376
	BLACK SHAD										
	512040340	12			Rifled BBL		14"	1-1/2"	2-3/4"	7	\$420
	<b>MODEL 1300</b>						Stock				
	512042326	12	22 Rifled		Rifled BBL		14"	1-1/2"	2-1/2"	6-3/4	\$453
		12	28 VR	3" Mag.		49	14"	1-1/2"	2-1/2"	7-1/4	
	<b>MODEL 1300</b>										
	512037343	12	22 Rifled		Rifled BBL		14"	1-1/2"	2-1/2"	6-3/4	\$390
	PRACTICAL D										
•	512207332	12	22"	3" Mag.	W1C	43-3/4"	14"	1-1/2"	2-1/2"	6-1/2	\$392
	DEFENDER 8-	<b>SHOT</b> Comp									
	512104308	12	18"	3" Mag.	Cyl.	39-1/2"		1-1/2"	2-1/2"	6-1/2	\$341
	512106608	20	18"	3" Mag	Cyl.	39-1/2"	14"	1-1/2"	2-1/2"	6-1/4	\$341
	DEFENDER 8-	SHOT PIS	TOL GRIP	& FUL	L STOCK			site Stock			
	512907308	12	18"	3" Mag.	Cyl.	39-1/2"	14"	1-1/2"	2-1/2"	6-1/2	\$354
		(Include	s pistol grip)			29	-	-	-	5-1/2	
	COASTAL MA	RINE Compos	ite Stock, TRU	JGL0® Sight	ts, Dura-Tou	ch®, Nicke	l Plated				
	512916308	12	18"	3" Mag.	Cyl.	39-1/2"	14"	1-1/2"	2-1/2"	6-1/2	\$575

Model 1300 Notes:	
1. All Non-Defender Model 1300	0's have a total shot shell capacity of 5
including one in the chamber.	Defender Models have a Total Shot Shell
Capacity of 8 & 7 in the Costa	al Marine, subtract one for 3 inch shells in
all Defender Models	

- all Defender Models.

  2. All WinChoke" equipped guns are supplied with a wrench for removing and installing choke tubes.

  3. All Model 1900's (except Defender models) supplied with a removable plug that limits magazine capacity to two shelis.
- 4. Checkering patterns may be subject to change.
  5. Abbreviations: VR = Verifilated rib. WTC = Cylinder Choke Tube. Smooth = Non-rified, smoothbore, no choke. WF = Full Choke Tube. Rified = Fully filed barely, no choke. WFF = X-Full Tube.
  W3 = WinChoke, Full, Modified and Imp. Cylinder Tubes HDXF = High-Density X-Full turkey bube Cyl. Non-WinChoke, choked Cylinder Böre.
  R5 = Rified extended tube for shooting Sabot-type slugs.
  W11 = Modified Tube. WXLX = High-Density X-Long, X-Full turkey choke tube

Item Numbe	Gauge	Chamb	Barrel Length	Descrit	Sugg. Retail
SUPER X	2 FIELD	DEER	-Turke	Y BARRELS 12 Gauge, 31/2" Chamber	
611063250	12	3 1/2"	26"	Matte Blue Finish, Vent Rib, Modified Invector-Plus™ Tube	\$449
611063246	12	3 1/2"	28"	Matte Blue Finish, Vent Rib, Modified Invector-Plus™ Tube	\$449
611063253	12	3 1/2"	24"	Matte Blue Finish, Vent Rib, Extended Invector-Plus™ Tube, TRUGLO® Sights	\$476
611101240	12	3 1/2"	22"	Matte Blue Finish, Rifled, Cantilever Scope Mount	\$517
SUPER X	2 FIELD	DEER	-Turke	Y BARRELS 12 Gauge, 3" Chamber	
611064350	12	3	26"	Standard Blue Finish, Vent Rib, Modified Invector-Plus™ Tube	\$362
611064346	12	3	28"	Standard Blue Finish, Vent Rib, Modified Invector-Plus™ Tube	\$362
611063350	12	3	26"	Matte Blue Finish, Vent Rib, Modified Invector-Plus™ Tube	\$362
611063346	12	3	28"	Matte Blue Finish, Vent Rib, Modified Invector-Plus™ Tube	\$362
611062340	12	3	22"	Matte Blue Finish, Rifled, Cantilever Scope Mount	\$476
MODEL 1	300 Fı	ELD-DE	ER-TU	RKEY BARRELS 12 Gauge, 3" Chamber	
611001307	12	3"	26"	Standard Blue Finish, Vent Rib, Modified WinChoke® Tube	\$205
611001303	12	3"	28"	Standard Blue Finish, Vent Rib, Modified WinChoke® Tube	\$205
611002307	12	3"	26"	Matte Blue Finish, Vent Rib, Modified WinChoke® Tube	\$205
611002303	12	3"	28"	Matte Blue Finish, Vent Rib, Modified WinChoke® Tube	\$205
611005332	12	3"	22"	Matte Blue Finish, Adjustable Sights, Cylinder WinChoke® Tube	\$158
611005315	12	3"	22"	Matte Blue Finish, Rifled, Adjustable Sights	\$186
611004315	12	3"	22"	Standard Blue Finish, Rifled, Adjustable Sights	\$186
611005340	12	3"	22"	Matte Blue Finish, Rifled, Cantilever Scope Mount	\$263
611004320	12	3"	22"	Standard Blue Finish, Adjustable Sights, Smoothbore, Cylinder Choke	\$141
611006333	12	3"	22"	Matte Blue Finish, Vent Rib, X-Full WinChoke Tube	\$205
MODEL 1	300 Fı	ELD-DE	ER-TU	RKEY BARRELS 20 Gauge, 3" Chamber	
611001607	20	3"	26"	Standard Blue Finish, Vent Rib, Modified WinChoke® Tube	\$205
611001603	20	3"	28"	Standard Blue Finish, Vent Rib, Modified WinChoke® Tube	\$205
611004620	20	3"	22"	Standard Blue Finish, Adjustable Sights, Smoothbore, Cylinder Choke	\$141
611004632	20	3"	22"	Standard Blue Finish, Rifled, Adjustable Sights	\$205

Nun	Gan	Des	Sug
STAND	ARD	Invector™ 12 ga. Choke Tu	BES
6130303	12	Standard Invector™, Full	\$15
6130313	12	Standard Invector, Improved Modified	\$15
6130323	12	Standard Invector, Modified	\$15
6130333	12	Standard Invector, Improved Cylinder	\$15
6130343	12	Standard Invector, Skeet	\$15
6130353	12	Standard Invector, Cylinder	\$15
6130033	12	Standard Invector, T-Wrench	\$15
INVEC	TOR-	PLUS™ 12 GA. CHOKE TUBES	
613056	12	Invector-Plus™, Cylinder	\$24
613055	12	Invector-Plus, Skeet	\$24
613054	12	Invector-Plus, Improved Cylinder	\$24
613053	12	Invector-Plus, Modified	\$24
613052	12	Invector-Plus, Improved Modified	\$24
613051	12	Invector-Plus, Full	\$24
613050	12	Invector-Plus, X-Full	\$30
6130043	12	Invector-Plus, T-Wrench	\$24
Choke Tube		r Madal 1200's have a total shot shall canacity of	5

- Choke Tube Notes:

  1. All Non-Defender Model 1300's have a total shot shell capacity of 5 including one in the chamber. Defender Models have a total shot shell capacity of 8 and 7 in the Costal Marine, subtract one for 3" shells in all Defender Models.

  2. All WinChoke" equipped guns are supplied with a special wrench for removing and installing choke tubes.

  3. All Model 1300's (except Defender models) supplied with a removable plug that limits magazine capacity to 2 shells.

  4. Checkering patterns may be subject to change.

  5. Prices are in U.S. dollars and are subject to change without notice.

Choke Abbreviations:
VR = Ventilated rib.
Smooth=Non-rifled, smoothbore, no choke
Riffed = Fully rifled barrel, no choke.
Cyl. = Non-VihrOhoke, choked Cylinder Bore.
RS = Riffed extended tube for shooting Sabot-type slugs.
WXF = X-Full Tube.
WXT = X-Full Tube.
WX = WriChoke, Full, Modified and Imp. Cylinder Tubes
HDXF = High-Density X-Full tutrkey Tube
WYM = Modified Tube. W1M = Modified Tube.

WXLX = High-Density X-Full, X-Long turkey Tube

WSW= WinChoke, Full, Improved Modified, Modified, Imp.

Cylinder and Skeet

Item Number	Gauge	Descript	Sugg. R
WINCH	IOKE	:® 12 & 20 ga. Choke Tubes	
6130103	12	WinChoke®, X-Full	\$16
6130113	12	WinChoke, Full	\$15
6130123	12	WinChoke, Improved Modified	\$15
6130133	12	WinChoke, Modified	\$15
6130143	12	WinChoke, Improved Cylinder	\$15
6130163	12	WinChoke, Cylinder	\$15
6130153	12	WinChoke, Skeet	\$15
6130173	12	Winchoke, SABOT RIFLED, 12	\$43
6130183	12	Winchoke, HIGH DENSITY X-FULL EXTENDED	\$29
6130193	12	Winchoke: HIGH DENSITY XLONG,XFULL TURKEY	\$37
6130115	20	WinChoke, Full	\$15
6130135	20	WinChoke, Modified	\$15

STAND	ARD	Invector™ 410 Choke Tube	s
6130307	.410	Standard Invector™, Full	\$15
6130327	.410	Standard Invector, Modified	\$15
6130337	.410	Standard Invector, Improved Cylinder	\$15
6130347	.410	Standard Invector, Skeet	\$15
6130037	.410	Standard Invector, T-Wrench	\$15

6130145 20 WinChoke, Improved Cylinder

6130018 All WinChoke Wrench, Fits All Gauges

6130155 20 WinChoke, Skeet

\$15

\$15

\$5

### CUSTOM SHOP

Caliber



tem I

# tem-

35950164	N/A	270 WSM	3	24"	13-3/4"	7-1/2	\$3,030
35950155	N/A	300 WSM	3	24"	13-3/4"	7-1/2	\$3,030
35950165	N/A	7mm WSM	3	24"	13-3/4"	7-1/2	\$3,030
CLASSIC N	NODEL 70 C	USTOM AFRIC	AN EXPRES	SS CRF Action			
535912138	535918138	375 H&H Mag.	4	24"	14"	9-1/2	\$4,663
535912139	535918139	416 Rem. Mag.	4	24"	14"	9-1/2	\$4,663
535912144	N/A	458 Win. Mag.	4	22"	14"	9-1/4	\$4,663
35912154	N/A	458 Lott	4	24"	14"	9-1/2	\$4,663
CLASSIC N	NODEL 70 C	USTOM SAFA	RI EXPRES	S CRF Action			
535911138	535919138	375 H&H Mag.	3	24"	13-3/4"	9-1/4	\$3,104
535911158	535919158	375 Ultra Mag.	3	24"	13-3/4"	9-1/4	\$3,104
535911139	535919139	416 Rem. Mag.	3	24"	13-3/4"	9-1/4	\$3,104
535911144	535919144	458 Win. Mag.	3	22"	13-3/4"	9	\$3,104
35911154	535919154	458 Lott	3	24"	13-3/4"	9-1/4	\$3,104
35911145	N/A	470 Capstick	3	24"	13-3/4"	9-1/4	\$3,104
CLASSIC N	NODEL 70 C	USTOM SA CR	F Action, Short Ac	ction			
535915211	535944211	257 Roberts	5	24"	13-3/4"	7-1/2	\$2,762
535915249	535944249	260 Rem.	5	24"	13-3/4"	7-1/2	\$2,762
35915218	535944218	7mm-08 Rem.	5	24"	13-3/4"	7-1/2	\$2,762
35915255	535944255	300 WSM	3	24"	13-3/4"	7-1/2	\$2,762
35915277	N/A	325 WSM	3	24"	13-3/4"	7-1/2	\$2,762
35915264	535944264	270 WSM	3	24"	13-3/4"	7-1/2	\$2,762
35915265	535944265	7mm WSM	3	24"	13-3/4"	7-1/2	\$2,762
35915220	535944220	308 Win.	5	24"	13-3/4"	7-1/2	\$2,762
35915223	535944223	358 Win.	5	24"	13-3/4"	7-1/2	\$2,762
CLASSIC N	NODEL 70 C	USTOM FEATI	HERWEIGHT	CRF Action			
35945226	535946226	270 Win.	5	22"	13-3/4"	7-1/4	\$2,762
535945227	535946227	280 Win.	5	22"	13-3/4"	7-1/4	\$2,762
535945228	535946228	30-06 Splfd.	5	22"	13-3/4"	7-1/4	\$2,762

Custom Shop Notes:

nal capacity, add one round in chamber . Drops are measured from centerline of bore

Twist is right hand.
 Scopes, bases and/or rings are not included unless otherwise noted.

We proudly donate a portion of the sale of every Winchester firearm to the Heritage Fund, which helps to expand the legal defense against politically motivated lawsuits against our industry. We work together to promote the

rightful tradition of firearms in America.

Prices are in U.S. dollars and are subject to change without notice.

TYINCHESTER RIFLES AND SHOTGUNS

New Winchester	7
FIREARMS COME FROM	
THE FACTORY WITH A	100
SAFETY LOCK. (Not shown actual size.)	-0

Vominal Length of Pull

13-3/4"

13-3/4"

13-3/4"

13-3/4"

13-3/4"

13-3/4

13-3/4"

13-3/4"

13-3/4"

13-3/4

13-3/4"

13-3/4"

13-3/4

13-3/4"

13-3/4

13-3/4

13-3/4"

13-3/4"

13-3/4"

13-3/4

13-3/4"

13-3/4"

13-3/4

13-3/4"

13-3/4"

13-3/4"

24"

26'

24"

24"

24'

24"

26"

26"

26

26"

26"

26'

26"

26"

24"

26"

26'

26"

26'

22"

24"

24'

24"

24"

24"

(3) 42 1/8" 13-1/2" 1-1/8"

5

3

5

7-1/2

7-1/2

7-1/2

7-1/2

7-1/2

7-1/2

7-1/2

7-3/4

7-3/4

7-3/4

7-3/4

7-3/4

7-3/4

7-3/4

7-3/4

7-1/4

7-1/2

7-1/2

7-1/2

7-1/2

7-1/2

7-1/2

7-1/2

7-1/2

7-1/2

7-1/2

1-7/8"

\$3,000

\$3,000

\$3.000

\$3,000

\$3,000

\$3.000

\$3,000

\$3,000

\$3,000

\$3.000

\$3,000

\$3.000

\$3,000

\$3,000

\$3,000

\$2,576

\$2.576 \$2,576

\$2 576

\$2.576

\$2.576

\$2,576 \$2.576

\$2.576

\$2.576

\$2,576

Retail

\$1,418

CLASSIC MODEL 70 CUSTOM ULTIMATE CLASSIC CRF Action

25-06 Rem.

6.5 x 55 Swed

264 Win, Mag

270 Win

280 Rem

30-06 Spfld

35 Whelen

7mm STW

7mm Rem. Mag.

7mm Ultra Mag

300 Win Mag

300 Wthby, Mag.

300 Ultra Mag

338 Win. Mag.

338 Ultra Mag.

CLASSIC MODEL 70 CUSTOM EXTREME WEATHER CRF Action

7mm Rem. Mag

300 Win. Mag.

300 Ultra Mag

338 Win, Mag

375 H&H (Lwt)

308 Win

270 WSM 7mm WSM

300 WSM

325 WSM

9410 CUSTOM CASE-COLORED Standard Invector™ Choke System

24"

2 1/2

.410

30-06 Spfld.

535901225

535901219

535901229

535901226

535901227

535901228

535901247

535901230

535901256

535901231

535901233

535901234

535901253

535901236

535901257

535917228

535917230

535917233

535917253

535917236

535917261

535917220

535917264

535917265

535917255

N/A

Retail

535900225

535900219

535900229

535900226

535900227

535900228

535900247

535900230

535900256

535900231

535900233

535900234

535900253

535900236

535900257

535916228

535916230

535916233

535916253

535916236

535916261

535916220

535916264

535916265

535916255

535916277

• 514018074

Model 9410 Notes: See page 51.

Vominal Length of Pull

Owner's manuals for all Winchester firearms in this or previous catalogs are available upon request at no charge. Owners of Winchester firearms without owner's manuals are encouraged to request one on-line or at the address below. Some models and especially calibers are made periodically only. We reserve the right to delay, postpone or discontinue production of any Winchester firearm for any reason without notice. All specifications in this catalog are subject to change without notice. Weights, stock dimensions, wood appearance, etc., may vary slightly between individual firearms. Wood is a natural product. No two pieces are alike and variation between stocks is to be expected. Winchester/U. S. Repeating Arms Co. reserves the right to modify or change specifications without notice. We do our best to make sure this catalog is accurate at the time of printing. We apologize for any errors in photographs, descriptions and specifications. Please note that the following models are or were manufactured in Japan for U.S. Repeating Arms: Models 1885, 1886, 1892, 1895, 63 and 52B. Super X2 and Select shotguns are manufactured in Belgium and assembled in Portugal. The following are trademarks of U.S. Repeating Arms Co.: Ultimate Classic, Black Shadow, Legacy, Angle Eject, Stainless Marine, Laredo, LRH. Universal Hunter; SX2 Greenhead, Select. The following trademarks are licensed from the Olin Corporation: Supreme, Super X2, Pre-'64, Big Bore, Defender, Featherweight, Super Grade, Model 70, Model 94, Model 1300, Model 1400, Model 1892, Model 1895, Model 1892, Ranger, Super Express, Trapper, Winchester, WinChoke, WinCam, WinTuff, WinPlus, Model 12, Model 42, Model 52B, "The Gun That Won The West" and "The Rifleman's Rifle." Other trademarks used in this catalog: Mossy Oak New Shadow Grass, Mossy Oak New Break-Up and Mossy Oak Obsession are registered trademarks of Haas Outdoors. Invector-Plus is a trademark of Browning TRUGLO is a trademark of Truglo, Inc. @ Copyright, U. S. Repeating Arms Company, Inc. September 2004. No part of this catalog may be reproduced without the written permission of U. S. Repeating Arms Company, Inc./Winchester Rifles and Shotguns. Suggested retail pricing is approximate and subject to change without notice. If you have any questions concerning Winchester brand firearms, visit your Winchester firearms dealer or feel free to write: Winchester Rifles and Shotguns, 275 Winchester Ave., Morgan, UT 84050-9333 Printed in Canada.TRA 0409400/04-171 Winchester rifles and shotguns are made for or by U.S. Repeating Arms Company, Inc. "Winchester" is a registered trademark licensed from the Olin Corporation.












AFTER 33 YEARS, PRODUCTION OF THE WINCHESTER® MODEL 9422 RIFLE COMES TO AN END. FIRST PRODUCED IN 1972, THE MODEL 9422 WAS DESIGNED TO MATCH THE TIMELESS AESTHETICS OF THE CLASSIC WINCHESTER MODEL 94. NO OTHER RIMFIRE ON THE MARKET OFFERED THE SAME RUSTIC AND AUTHENTIC FEEL OF THE BYGONE COWBOY DAYS AS THE MODEL 9422. THE TRADITIONAL LEVER-ACTION DESIGN, COUPLED WITH A SOLID, WALNUT STOCK, ADJUSTABLE SIGHTS, TUBULAR MAGAZINE AND EXCEPTIONAL ACCURACY HAVE SET THIS CLASSIC RIFLE APART FROM THE COMPETITION.

NOW YOU HAVE THE OPPORTUNITY TO OWN ONE OF THE MOST FAMOUS LEVER-ACTION 22 RIFLES IN HISTORY IN A SPECIAL TRIBUTE SERIES. ONLY 9,422 RIFLES IN THE TRIBUTE SERIES, AND AN ADDITIONAL 222 IN THE CUSTOM TRIBUTE SERIES WILL BE BUILT. EACH TRIBUTE RIFLE FEATURES THE SAME TIME-PROVEN CHARACTERISTICS THAT MADE THE 9422 FAMOUS, BUT ARE ENHANCED BY BEAUTIFUL WALNUT STOCKS AND FOREARMS. EACH MODEL ALSO FEATURES SPECIAL ENGRAVING, DEPICTING A TRIBUTE TO THE 9422 AND THE FAMOUS WINCHESTER HORSE AND RIDER, MAKING THE 9422 TRIBUTE SERIES ONE OF THE MOST BEAUTIFUL RIMFIRES EVER BUILT. SECURE FUTURE MEMORIES NOW WITH ONE OF THE MOST BELOVED RIFLES EVER MADE. THE MODEL 9422 TRIBUTE SERIES: A ONCE-IN-A-LIFETIME RIFLE.





FOR FIREARMS: WINCHESTERGUNS.COM • FOR AMMUNITION: WINCHESTER.COM

