2006 FIREARMS, AMMUNITION & ACCESSORIES CATALOG



SHOTSHELLS

Remington.

Many will never comprehend why we're up when they sleep. Out into the cold, the wind, the wet, well before the sun begins to crawl over the horizon. On days where it may never climb above freezing, we stand. We hunker for woodies, sprigs, and greenheads. Still amidst the reeds, around the farm ponds. Perched above soybean fields covered in frost. We kneel by the pocket waters and lean against a bare-branched old friend who's made it another year on the hill. Much of our time out here resembles a quiet wait. But to us, it's an embrace. This is why we rise. This is Remington Country.

A tidal marsh or a flooded rice field. Dense pines and rugged bluffs to wind-smoothed grasslands. The connection we seek through the hunt transcends setting. And sometimes rational thought. It drives us to act in ways others may never understand. We know why you're out there, and we've been serving serious hunters for more than 190 years. No other firearms and ammunition manufacturer has our intense level of dedication – to the outdoors, to innovation and to superior craftsmanship.

Remington understands how you hunt, what you hunt, and what you expect from your equipment. That's why we offer more than just a wide variety of quality firearms and ammunition. We provide a solid foundation for your experiences afield. With the knowledge you're holding the ultimate in reliability – field-tested quality built by people who share your passion – you're free to focus on what's important. The next flock or covey. The steady approach of footsteps on a crisp fall morning. For generations of hunters, no other name is more synonymous with excellence of craft and sure performance than Remington. As you turn the pages of this book, you'll see we're still walking the same trail.

TABLE OF CONTENTS

Firearms	. 2-43
Gun Parts/Gun Care	44-47
Ammunition	48-69
Cutlery	70-75
Remington Valued Partners	76-79
Ballistics	80-83
Specifications	84-93

2006 NEW PRODUCTS

FIREARMS

Model 105 CTi.™ The lightest, softest-recoiling autoloader we've ever created. This revolutionary new design launches the Remington[®] autoloading legacy into the future with a bottom-eject, titanium/carbon-fiber receiver, optimized gas operation and a long list of advancements that add up to the ultimate for field. Lighter. Dramatically reduced recoil. Ultra-dependable. The all-new Remington Model 105 CTi. (pages 2-3)

Genesis[™] Muzzleloaders. Remington[®] raises muzzleloader performance to a new level with Genesis. Powerful, easy to clean, accurate, and weather-resistant you name it and Genesis has it. Innovative features like the new TorchCam™ action help keep weight and length to a minimum while providing rapid and reliable ignition even in the most extreme conditions. (pages 38-39)

Additional New/Updated Firearms:

Premier Over & Unders (pages 4-5) Model 1100[™] Competition (pages 6-7) Model 798[™]/799[™] (pages 30-31) Model SPR 453[™] (pages 12-13) Model 870[™] Express[®] (pages 16-17) Tactical Shotguns (pages 16-17)

Model Seven[™] CDL (pages 30-31) Model 750[™] Woodsmaster[™] (pages 32-33) Model Five[™] (pages 34-35)

DARKER GUN

Parker AAHE 28-Gauge. The legendary Parker Gun continues its legacy with this year's new offering, the Parker AAHE 28-gauge. The tradition of the Parker Gun is matched only by it's exquisite craftsmanship. Ready to be built to your specifications, the Parker Gun is a very limited Remington exclusive. (pages 4-5)

> Model 105 CTi (pages 2-3

> > Genesis[™] MLS Camo (pages 38-39)

Premier[®] Over & Under Competition (pages 4-5)

AMMUNITION

AccuTip,[™] the most accurate rapid-expansion, polymer-tipped bullet on the market is available in a variety new calibers for 2006. Look for several other new ammunition products throughout this year's catalog. (page 52)

ACCESSORIES

Additional New Ammunition:

Managed-Recoil[™] Centerfire Rifle Cartridges (pages 48-49) Managed-Recoil[™] Buckhammer (page 49) Premier[®] Scirocco[™] Bonded Centerfire Rifle Cartridges (page 52) Premier[®] A-Frame[™] Centerfire Rifle Cartridges (page 53) Core-Lokt® Centerfire Rifle Cartridges (pages 56-57) UMC[®] Pistol & Revolver (page 60) Managed-Recoil[™] STS[®] Target Loads (page 65)



(page 52)



Cutlery. From the hunter to the collector, Remington's 2006 family of cutlery has something for everyone. Make sure you check out our two new collectible knives, folding knives and even a new folding camp saw. (pages 70-75)

and accessories. (pages 46-47)

Gun Care. This year we're offering two new cleaning kits along with a wide variety of new cleaning agents

> 2006 Bullet™ 'Trail Boss' Knife (page 70)

Sportsman Cleaning Kit (page 46)

MODEL 105 CTi™

Remington

THE CUTTING EDGE HAS NEVER BEEN SO SOFT. With up to 48% less recoil than the competition, and weighing a mere seven pounds, our new 12-gauge Model 105 CTi^{**} is a sweet-shooting featherweight at the forefront of autoloading technology. Good looks and great handling contrast its smooth operation and soft recoil. From first glance to hull ejection, you get the feeling it's the world's most advanced shotgun. Trust your senses. You've never fired a gun this smooth and efficient. And Remington reliability comes standard.

To start unlocking the secrets of the Model 105 CTi's superior performance, have a look at the receiver. Made from aircraft-grade titanium with a carbon-fiber shell, it's incredibly slim, compact and strong. This amazing new autoloader is also the only shotgun to feature a "Double-Down" bottom feed and ejection mechanism. It's truly ambidextrous and there's no peripheral distraction from ejecting shells. Chambering a round is fast and slick with our TurboFeed[™] loading system.

The amazing 48% reduction in recoil is accomplished in a four-part dampening process. Energy is dispersed and soaked up by our innovative Rate Reduction System, a convex R3* recoil pad, a gas-operated inertia sleeve, and a .735" overbored barrel with lengthened forcing cones.

The Rate Reduction System is an oil-filled cylinder housed in the stock that absorbs shock and helps regulate bolt velocity. Whether you're shooting light 2 ³/₄" loads or 3" magnums, cycling is rapid, consistent and reliable.


Optimized gas operation enables you to shoot more and clean less. The incredibly simple, efficient design has very few moving parts and virtually nothing to wear out or replace. A one-piece inertia sleeve and gas seal greatly reduce carbon and powder build-up on the magazine tube. Keep shooting. The Model 105 CTi[™] will stay and master in the field.

Available with a 26" or 28" barrel, this revolutionary 12-gauge also features a tournament-grade trigger, our super-durable, scratch-resistant TriNyte coating on the receiver; and ProBore[™] choke tubes optimized for the overbored barrels. The barrel rib is crafted of carbon and aramid fibers for lightweight rigidity.

The Remington family of autoloaders has become a dynasty. Welcome its new leader. Our lightest, softest-recoiling design ever, the Model 105 CTi^{**} is like nothing you've ever seen, felt or shot, and it's the kind of innovation only one name in the industry is capable of. Remington.**

Patentable Features:

- Rotating Bolt Lock-up for efficient and reliable operation
- Rate Reducer regulates bolt velocity and absorbs recoil
- Roller Sear crisp 3 1/2 to 4 lb trigger pulls
- **Bottom Eject System** efficient ambidextrous design with no peripheral distractions





THE REMINGTON ARMS CO. IS PROUD TO CONTINUE THE LEGACY OF THE

PARKER GUN

NOT A REMAKE. NOT A REPLICA. IT'S A PARKER. For nearly a century and a half the Parker Gun has been a fixture in the landscape of American firearms. Today, the legacy continues with the newest addition to the Parker family of guns, the extremely limited AAHE 28-Gauge Parker Gun.

Built to your specifications, the AAHE 28-Gauge is priced at \$49,000. Available exclusively from the Remington Arms Co., Inc., only a few will be offered. If you're serious about owning one of the world's most treasured firearms, visit our website at www.parkergunmakers.com or email us at Parker@Remington.com.

PREMIER[®] OVER & UNDER

GUNMAKING TRADITIONS MERGE IN REMINGTON® COUNTRY. Meticulous craftsmanship. Sleek designs blending beauty and structural strength. Rugged dependability for hunting and competition. It's what Remington and Italian gunmakers do best. And we've joined forces to create three new over and unders that embody the finest of their traditions and ours, the Premier series.

It's crafted in Italy to our specifications and destined for greatness in the field and on the course. Perfectly balanced dimensions and a slim, low-profile receiver make it swift and natural to point. Fit and finish are impeccable as well. Because it's a Remington,[®] none of this will come as a surprise. Nor will the familiar feel and rock-solid reliability. All three grades are built for a lifetime and more, with quality walnut woodwork featuring intricate cut checkering and Schnabeled fore-ends. The blued barrels are polished to a high sheen.

Built using input from competitive shooters nationwide, our 12-gauge **Premier**[®] **Competition STS** excels in the high-speed, high-volume arenas of sporting clays, skeet and trap. A Titanium PVD-finished receiver offers ultra-smooth operation and long-term protection. Comfort is enhanced with a right-hand palm swell, and its lustrous gloss wood finish is complemented by a gold trigger and engraved receiver. Choose 28" or 30" barrels. The five included ProBore[™] choke tubes have knurled extensions for quick changes.

If you consider a good dog and flushing birds the finer things in life, you'll soon find one of the following on your list. The **Premier**[®] Field Grade and **Premier Upland Grade**, with game scenes expertly engraved on their receivers, are as sweet to look at as they are to shoot. Both are available in 12-, 20- and 28-gauge. Barrels are 26" or 28." Our Field Grade has a nickel receiver and deep satin-finished stock and fore-end. The Upland Grade has oil-finished woodwork and a case-hardened receiver.

For more information on Remington Premier® Over & Unders, please visit www.remington.com.



Premier Competition Features:

- High-quality walnut stock and fore-end with gloss finish
- 12-gauge models come with 28" or 30" barrels
- Right-hand palm swell
- Titanium PVD receiver for protection and smooth operation
- Engraved receiver with script "R" on underbelly
- Gold trigger
- Five ProBore[™] choke tubes with knurled extensions: Skeet, Improved Cylinder, Light Mod., Mod., Full
- Modified Schnabeled fore-end
- Vented barrel filets
- 10mm target-style rib
- Ivory front bead and steel midpost
- Barrel selector integral to tang safety
- Hard case included

For complete model listings and specifications, see page 86.


• 7mm rib

• Hard case included

• Ivory front bead and steel midpost



- Ivory front bead and steel midpost
- 7mm rib
- Hard case included



Sure the Remington Model 332 still possesses the same classic lines as the Model 32. The same balance. Same feel. Same 100% Remington reliability. Like a stylish, high-gloss American walnut stock and a generous, 20-line-per-inch checkering pattern just to name a few.

Based on a modified box lock action of under lock design, the Model 332 provides exceptionally low profile for superior pointability that closely resembles that of a side-by-side – without sacrificing strength, safety or ease of loading.

The mechanical set trigger, a fast-operating safety/barrel selector and standard automatic ejectors all perform flawlessly under any shooting condition. The Model 332 features light-contour barrels made from high-strength chrome-moly steel. Its elegant receiver panel features the original Model 32 "Pointer & Setter" engraving, surrounded by an oval of fine scrollwork. The fore-end and classic, straight comb stock are adorned with generous 20-line-per-inch checkering. Its high glossed wood and high-polished deep blue steel add a richness to this gun that's unmistakably 332.

COMPETITION SHOTGUNS

MODEL 332[™]

Model 1100[™] Classic Trap

Competition

Model 870[™] Classic Trap

DESIGN, QUALITY AND BALANCE THAT BREED CONFIDENCE. There's no firearm better equipped for the high-volume regimen of today's elite

shooters than the new Model 1100[™] Competition. By overboring the 30" barrel, we made what was one of the softestrecoiling actions in the world even lighter on your shoulder. This enhancement also improves pattern consistency. The receiver and all internal parts feature a nickel-Teflon[®] finish for the smoothest, most reliable cycling ever. It has a 10mm target-style rib with twin beads and is optimized for 2 ³/₄" target and light field loads. These, plus a host of other upgrades transform an already legendary design into a super-tuned machine for the competitive scene.

The Model 1100[™] Tournament Skeet is still setting records, and has a 26" barrel in both 12- and 20-gauge versions. Other competition shotguns include the Model 1100 Classic Trap, Model 1100 Sporting 12, 20, 28 and 410, and the famous Model 870[™] Classic Trap.

SHOTGUNS

Model 332[™] Features:

- Superb styling and handling based on the legendary Remington[®] Model 32[™]
- 3" chambers, available in three barrel lengths 26", 28" and 30"
- More slender grip on the stock and deep finger grooves in the fore-end for superior pointing and control
- Barrels made of high strength chrome-moly steel
- Fully brazed side ribs mean a solid barrel/monoblock assembly
- Mechanical trigger with dynamically balanced sears
- Hardened trunnions for durability
- Receiver milled from a solid block of ordnance grade steel
- Automatic ejectors
- Furnished with Improved Cylinder, Modified and Full Rem[™] Chokes
- 8-millimeter wide steel vent rib with twin beads

For complete model listings and specifications, see page 86.

THE REMINGTON[®] MODEL 332[™] OVER/UNDER SHOTGUN. An update of Remington's premier field shooting classic built to today's standards.





Model 1100[™] Competition with adjustable comb

Model 1100[™] Competition Features:

- 12-gauge optimized for 2 $^{3/4}$ " target and light field loads
- 30" overbored barrel (0.735" bore diameter)
- 10mm target-style rib with steel midbead and ivory front bead
- New extended ProBore^{**} choke tubes in Skeet, Improved Cylinder, Light-Modified, Modified and Full
- Internal parts plated with nickel-Teflon^{*} finish for ultra-smooth reliability: receiver, action bars, action-bar sleeve, magazine tube, hammer and sear
- Semi-Fancy American Walnut stock and fore-end
- Two versions available: standard and adjustable comb
- Features Remington R3[®] recoil pad with Limbsaver[®] patented technology

For complete model listings and specifications, see page 86.



Model 1100[™] Competition features extra polishing and nickel-Teflon[®] finish on internal parts.



Model 332[™] Over/Under

12-gauge

7



MODEL 11-87TM

SPORTSMAN[®]

EVERY NEW SEASON SHOULD BEGIN WITH A PREMIER. A beautiful and versatile gun, the Model 11-87th Premier[®] is an intimidating performer. Its patented pressure-compensating gas system is a key reason why. When shooting lighter 2 ³/₄" field loads, an integral pressure relief valve remains closed, using all of the shell's pressure to operate the action. When shooting heavier 3" loads, the valve opens proportionately to bleed off unneeded pressure.

Naturally, versatility is also a major advantage of the Model 11-87 Premier. The same gun you use one day on the skeet range can be used the next day in the goose blind. Switch shells. Change a Rem[™] choke. And you're in business. That's real versatility. Going from great function to great looks, the Model 11-87 Premier's custom-grade finish and finely grained American walnut stock are exactly what makes it so, well, "premier." Finally, you'll find the Model 11-87 Premier in a range of field-proven versions, including the standard 12- and 20-gauge models.

AS FULFILLING AS IT IS TO BE A SPORTSMAN, IT'S EVEN BETTER TO HUNT WITH ONE. The latest addition to the Remington[®] Model 11-87[™] lineup, our synthetic Sportsman[®] series is quite possibly the best autoloader value on the market. These shotguns are ultra-reliable, rugged, fast and available in a wide range of popular 11-87 models. Even those on a tight hunting budget can now obtain legendary Remington autoloader performance.


Touted as the value-priced workhorses of Remington shotguns, Sportsman offerings include 12- and 20-gauge field versions, 12- and new 20-gauge fully rifled slug guns with cantilever barrels, and a 20-gauge youth model with 2 ³/₄" and 3" capability. Our new NRA*-edition 12-gauge stays hidden in the woods with a Mossy Oak* New Break-Up^{**} stock and fore-end, and stands out from the lineup with an NRA Heritage logo on the receiver.

SPORTSMAN

Special NRA® Edition

The Model 11-87^{**} Sportsman^{**} provides the soft recoil and superior handling that made the Model 11-87 famous. It's constructed with a solid-steel receiver and a super-smooth action for quick follow-up shots. Now the term "sportsmanship" can apply to how you hunt and the dependable, slick-shooting companion you're hunting with.





- New for 2006 Model 11-87 fully rifled cantilever 20-gauge
- Ergonomically designed for superior handling
- Constructed with solid steel receivers for strength and durability
- Feature smooth operating actions that reduce wear and provide for quick follow-up shots
- Black synthetic stock and fore-end
- Available in 12- and 20-gauge
- Sportsman Youth 20-gauge available

For complete model listings and specifications, see page 87.



Model 11-87[™] Sportsman[®] Camo NRA[®] Edition

> Model 11-87[™] Sportsman[®] Synthetic



Model 11-87[™] Sportsman[®] Cantilever, 20-gauge

Model 11-87[™] Sportsman[®] Youth Synthetic



for Weaver-style scope mounts.

UNMATCHED SPEED AND RELIABILITY TO MATCH ANY APPLICATION. Who makes the smoothest,

most dependable autoloader in the land? Remington.[®] And it's called the Model 11-87.[™] Our Special Purpose lineup puts this legendary action to work in a wide range of configurations, from specialized deer and turkey models to standard vent-rib do-alls. Much to the dismay of every deer in slug country, the latest addition to the Model 11-87 Special Purpose family is the

Fully Rifled Cantilever Thumbhole. With a fully rifled cantilever barrel and laminated thumbhole stock and fore-end, it offers exceptional accuracy and a super-solid feel.

Our new Model 11-87 Super Magnum SP-T[™] Thumbhole is the ultimate turkey and predator shotgun. Hit the woods with rock-steady aim, quick handling and the concealment of Mossy Oak[®] Obsession[™] camo from butt to bore. It shoots heavy 2 ³/₄" to 3 ¹/₂" loads with equal efficiency, has adjustable, Truglo[®] fiber-optic rifle sights and comes with a Super Full Turkey choke tube. Also new to the lineup this year is the Model 11-87 Super Magnum SPS-T fully decked in Mossy Oak Obsession camouflage with a 23" vent-rib barrel. Every member of this family now features an R3[®] recoil pad with patented LimbSaver[®] technology.

MODEL SP-10TM AUTOLOADING SHOTGUNS

A PERFECT 10. It's America's most popular gas operated 10-gauge shotgun for a reason. A smooth shooter, the Model SP-10[™] features a corrosion-resistant gas system, in which the cylinder – not the piston – moves, helping to soften the



recoil. Designed to hunt in any conditions, the Model SP-10 delivers maximum payload wherever you need it. This heavy-hitter is available fully decked in Mossy Oak* Obsession[®] with a 26" barrel, and in matte black/satin American walnut with a 30" barrel. Both feature vent ribs and come with interchangeable full and modified Rem[®] Chokes. The addition of an R3* recoil pad with LimbSaver* patented technology makes it more comfortable to shoot than ever.

Model 11-87[™] SP-T[™] Thumbhole

Model 11-87[™] SP-T[™] Thumbhole Features:

- The ultimate turkey and predator shotgun with the soft recoil of the Model 11-87[™] gas system
- Ultra-fast Model 11-87[™] autoloading action for rapid follow-up shots
- Offers superior handling and ergonomics
- 2 3/4", 3" or 3 1/2" capability
- Solid steel receiver for strength and durability
- Camouflaged in Mossy Oak[®] Obsession[®]
- Adjustable TruGlo[®] rifle sights
 0.665" Turkey Super Full
- choke tube
- Drilled and tapped for Weaver-style rail

For complete model listings and specifications, see page 87.





Model SP-10[™] Features:

- America's most popular gas-operated 10-gauge shotgun
- Awesome 10-gauge power will handle any waterfowl or turkey hunting situation
- 26" (camo version) and 30" (walnut version) vent rib barrels
- Camouflage version is fully covered in Mossy Oak® Obsession[®]
- All come with sling swivels and matching padded sling
- Camo stock versions are equipped with Remington's high-performance R3* recoil pad with Limbsaver* patented technology

For complete model listings and specifications, see page 87.

MODEL 1100[™]

A DESIGN PROVEN BY TIME AND TREASURED BY GENERATIONS. More than 40 years ago, the Model 1100[™] forever changed the way American shooters viewed the autoloading shotgun. It combined the smoothest, most reliable autoloading action ever created with sleek, modern lines and the handling qualities of revered double barrels. This classic firearm is still ahead of its time and has a track record of field-proven performance dating back to its introduction in 1963. Its superb balance, slick handling, reliability and soft recoil from the gas-operated action are the foundations of the Remington[®] autoloading legacy.

This year's lineup includes our specialized target models along with an expanded Classic Field line that now includes 12-gauge, 28-gauge and .410 models to complement the already popular 16- and 20-gauge versions. Now hunters and shooters of any gauge preference can own the proven standard in autoloading performance. Consider the Model 1100[™] a mainstay in our family, and yours.



2 ³/₄" **FIELD LOADS TO 3** ¹/₂" **MAGNUMS – AN AUTOMATIC CHOICE FOR FIELD, WOODS AND WATER.** Remington is proud to launch an autoloading shotgun with this incredible value for today's hunter. We've made it affordable to own an autoloader that handles everything from 2 ³/₄" field loads to 3 ¹/₂" magnum rounds. For a morning's dove shoot with No. 8s, pounding ducks with steel 2s or anchoring a tom with a heavy payload of No. 4, its tunable gas system delivers smooth cycling and softens felt recoil for fast follow-up shots. Dual extractors on the bolt face ensure reliable, ultra-positive ejection.

The vent rib barrel and receiver have a matte finish for non-glare concealment. Its black synthetic stock is impervious to the elements and stands up to abuse. And it comes from the factory with four choke tubes – improved cyclinder, modified, full and super-full – to cover a season of applications.

We just made your next shotgun purchase an automatic decision – no matter what you're hunting for.

Model 1100[™] Classic Field Features:

- The most popular autoloading shotgun
- Model 1100[™] Classic Field is handsomely styled with American walnut stock and fore-end and a polished plain-sided receiver roll-marked with "Classic Field"
- The classic field stock features machine cut checkering, traditional white diamond grip cap, white line spacers and one-piece butt plate
- A great choice for an upland autoloader, with light weight, fast handling, low recoil and great balance
- Available in 12-, 16-, 20-, 28-gauge and .410 bore

For complete model listings and specifications, see page 87.



Model 1100[™] Classic Field

20-gauge

SPR 453 Features:

- Dependable operation with lighter 2 $\frac{3}{4}$ " loads to heavy 3 $\frac{1}{2}$ " magnums
- Dual extractors on bolt face
- Supplied with four extended screw-in SPR choke tubes – improved cylinder, modified, full and super-full turkey (all tubes are steel approved)
- 24", 26" and 28" vent rib barrels
- Tunable gas system delivers smooth cycling and softens felt recoil
- 4+1 shell capacity
- Offered in both black synthetic and Mossy Oak[®] Break-Up[®] stock and fore-end

For complete model listings and specifications, see page 88.



Model SPR 453[™]



THE MOST POPULAR SHOTGUN EVER MADE. PERIOD. The original design of the Model 870^{°°} Wingmaster[®] is so smooth and reliable that today – more than five decades after its introduction – it's still the standard by which all pump shotguns are judged. Available in standard 2 ³/₄" and 3" 12-gauge, and 3 ¹/₂" chambered Super Magnum,^{°°} 16-, 20- and 28-gauge,

and .410 bore, the Model 870 Wingmaster combines timeless solid-steel design and rugged dependability with a custom-quality finish. Its American walnut stock is generously adorned with machine-cut checkering. Of course, beneath the attractive exterior is one mean workhorse of an action. This shell-shucker has rigid, non-binding dual action bars for solid, positive chambering and ejection. In the field, its flawless balance and natural pointing qualities get you in front of the quickest and toughest targets. And it has the strength to handle the heaviest magnum payloads for dropping long-range waterfowl. The Model 870 Wingmaster represents pump-gun perfection and practically never wears out. Perhaps that's why there are more of them in use today than any other shotgun.



Wingmaster® NRA® Edition

NEW

Special NRA® Edition

MODEL 870[™] SPECIAL PURPOSE


All SP Turkey models are drilled and tapped for Weaver-style scope mounts.

PICK A SEASON. ANY SEASON. With specialized deer, turkey and waterfowl versions, the Model 870[™] Special Purpose line is a rugged, well-rounded family you can rely on for every hunting application.

For the ultimate in slug-gun precision, look to our latest addition – the Model 870[™] SP Fully Rifled Cantilever Thumbhole. This fully rifled slug gun has a laminated thumbhole stock with a widened fore-end, and cantilever scope mount. Our Model 870 SP Thumbhole is stealthy medicine for stubborn toms. This steady-aiming standout blends in with full Mossy Oak[®] Obsession[™] camo and has a 23["] barrel with Truglo[®] fiber-optic rifle sights. An R3[®] Recoil Pad helps cancel kick.

The new Model 870 SPS-T 12-gauge Super Magnum features the concealment of Mossy Oak Obsession camo and handles $2^{3}/4^{"}$ to $3^{1}/2^{"}$ loads. Its 23" barrel has twin beads.

SHOTGUNS



- Remarkable reliability and durability
- The smoothest pump-action shotgun on the market
- Superior balance, handling and looks
- Points, swings and functions better than anything else in its class
- The highly polished and richly blued receiver is milled from a solid billet of steel for the ultimate in rugged dependability
- A wide array of barrel and choke options make versatility a Wingmaster[®] hallmark
- Twin-action bar for non-binding action
- Available in standard 12-gauge, 3 ¹/₂" Super Magnum,[™] 16-, 20-, 28-gauge and 410 bore


For complete model listings and specifications, see page 88.



Model 870[™] Wingmaster[®] Dale Earnhardt Edition 20-gauge



DALE EARNHARDT LIMITED-EDITION SHOTGUN. For the fourth and final year, legends merge in Remington® Country. We're proud to unveil the 2006 Dale Earnhardt Limited-Edition Shotgun – a 20-gauge Model 870[™] Wingmaster.® Consistent, dominating performance was Earnhardt's hallmark, and it's also what makes the Wingmaster such a fitting tribute to one of NASCAR's greatest. The last edition to this commemorative lineup features a 26[™] light contour barrel, a richly finished American walnut stock and a polished blued receiver we used as a canvas for some stunningly detailed artwork. It's engraved with Dale's likeness highlighted by a 24-karat gold signature and a "Seven Time Winston Cup Champion" banner. Beauty meets proven function in this fine collector's piece. And a portion of the proceeds from each sale goes to the Dale Earnhardt Foundation.



Model 870[™] Wingmaster[®] .410 Bore

Model 870[™] Special Purpose

Model 870[™] Special Purpose Thumbhole Deer Features:

- Superior control for rifle-like shot placement
- Laminated thumbhole stock design manages heavy recoil
- R3[®] recoil pad further reduces recoil
- 23" fully rifled cantilever barrel
- 2 3/4" or 3" sabot slugs

For complete model listings and specifications, see page 88.





Model 870[™] Express[®] Super Magnum[™]

AMERICA'S FAVORITE PUMP SHOTGUN HAS A NEW LOOK. Its solid, ultra-dependable action

makes it America's favorite, and the new

Model 870" Express® Super Magnum" Mossy Oak® Shadowgrass®

laminated wood stock places it among the best looking and most weather resistant as well. If you could throw the lid off every duck blind, stop by every pheasant field and check out every tract of timber where deer and turkey are hunted, you'd probably see more Model 870^{°°} Express[®] pumps than any other shotgun. It's been the standard for slide-action performance for more than 50 years. And because it's available in a Super Magnum version that handles everything from light 2 ³/₄" loads to heavy 3 ¹/₂" magnums, it's the standard for versatility as well.

0

This extensive lineup covers virtually any application in any neck of the woods or wetlands you're hunting – from the vent-rib do-alls to specialized deer, turkey and waterfowl models. You even have an array of stock choices, including the new laminated wood version, durable black synthetic and popular camo finishes.

Its versatility, reliability and, perhaps best of all, affordable pricing, make it a shotgun anyone can own. We're proud to make them, but even prouder of the fact you've made them America's Pump Guns.

TACTICAL SHOTGUNS

YOUR LINEUP OF DEFENSE. Handling speed, demand when the stakes are at their highest. legendary Model 870[™] and Model 1100[™] actions. trust their lives to every day, they excel in close or personal defense. Offered in 12-gauge with durable synthetic stocks, and matte olive drab barrels reliability and devastating power – everything you Our rugged new tactical shotguns are built on the Based on the same designs law-enforcement personnel quarters and are the ultimate choice for competition R3[®] recoil pads with patented LimbSaver[®] technology, and receivers.

Model 870^{°°} stock choices include the Speedfeed[®] IV stock or the Knoxx Industries SpecOps^{°°} adjustable length of pull stock with a spring-loaded cam for recoil reduction and fast follow-ups – both feature full pistol grips. Speedfeed IV models come with your choice of an 18" barrel with a two-shot magazine extension or a 20" barrel with a three-shot extension. SpecOps version has an 18" barrel. All have fixed improved cylinder chokes.

The Model 1100[™] Tactical shotgun is available with a Speedfeed IV pistol grip stock or standard black synthetic stock and forend. Speedfeed IV model has an 18" barrel with a two-shot extension. Standard synthetic stocked version is equipped with a 22" barrel and a four-shot extension, perfect for 3 gun competitions.



REMINGTON ARMS COMPANY INC. ILION, N



Wood models now available in all-new laminate

Model 870[™] Express[®] Super Magnum[™] Features:

- Will function 2 ³/4", 3" and 3 ¹/2" shells interchangeably
- Superior design and inherent strength of America's favorite pump shotgun, the Model 870[™]
- Super Magnum receiver same size as all 12-gauge Model 870[™] shotguns for same balance point
- Innovative bolt design keeps cycle stroke equal for all 3 lengths of 12-gauge shotshells
- Magazine capacity is three 3 ¹/₂" shells and four 2 ³/₄" and 3" shells
- Available in wood laminate, synthetic and camouflaged versions as well as a combo package, which features both a vent rib and rifle-sighted deer barrel for maximum versatility

For complete model listings and specifications, see page 88-89.



Model 870[™] Express[®]



Tactical Shotgun Features:

- Optimized for close-quarters handling speed the ultimate choice for personal protection or competition
- Built on pump Model 870 and autoloading Model 1100 actions for superior reliability
- 12-gauge with matte olive drab receivers & barrels
- R3[®] recoil pads with patented LimbSaver[®] Technology to reduce felt recoil
- Both actions available with synthetic Speedfeed IV full pistol-grip stock
- Model 870 available with a tough, lightweight Knoxx Industries SpecOps[™] stock featuring a recoil-absorbing spring-loaded cam and adjustable length of pull (12" to 16")
- Fixed chokes improved cylinder on Model 870 and Model 1100, Rem[®] Choke on 22" Model 1100
- 2-, 3- or 4-shot extensions based on barrel length for maximum firepower



Model 870[™] Tactical with SpecOps[™] stock

MODEL SPR310[™] over and under

OVER-PERFORMING. UNDER BUDGET. The headlines says it all. Nothing beats the over-and-under design for rugged reliability in the field. And you won't find a more impressive integration of features and price than our Over and Unders. Similar guns would go for twice the price. Each of the three models in this line has a single selective trigger, auto selective ejectors, rich blued chrome-lined barrels, checkered walnut stock and fore-end, and more.

Put it to your shoulder and feel its superb balance and natural point. Put it to the test and experience its flawless dependability. The Remington SPR line of over-and-under shotguns. Destined to be a field favorite.

Auto Tang Safety



Chrome Bore

MODEL SPR210[™]/220[™] SIDE-BY-SIDES

FOR COLLECTORS OF BAG LIMITS AND MEMORIES. Deeply rooted in the sporting tradition, the side-by-side shotgun is a classic design cherished by collectors and hunters for its graceful lines, reliability and unique handling characteristics. Over the years, we've watched as production costs of the double-gun caused it to become a prize attainable only by the wealthy. Not anymore.

Thanks to the Remington[®] SPR line, the side-by-side will, once again, become a fixture of America's hunting landscape. Our lineup includes four premium side-by-side shotguns capable of evoking nostalgia at a glance, yet priced to fit into the

budget of virtually any hunter. SPR side-by-side shotguns. Start your collection today.





PEPERIO

Model SPR220

Cowboy

Single Selective Trigger



Standard Screw-in Chokes

SPR Over and Under Features:

- Single selective trigger*
- Auto selective ejectors
- · Checkered walnut stock and fore-end
- Chrome-lined hammer forged barrels
- Blued or nickel plated steel receiver/mono block
- Deep blued barrel finish
- Auto tang safety
- Ventilated rib
- Screw-in SPR chokes** Cyl-IC-Mod-Full on 12-, 16- and 20-gauge (Cyl and IC are approved for steel)
- Rubber recoil pad

For complete model listings and specifications, see page 89.



*Single trigger models only **Screw-in SPR choke tubes are not interchangeable w/Rem* Chokes.



MODEL SPR100[™] SINGLE SHOT

FOR THOSE WHO PREFER THE SINGLE LIFE. Things were much simpler then. Most of us got started in the field with a single shot and, because of its dependability, ease of use and affordable pricing, it's still considered the perfect beginner's shotgun.

The fact is, the single shot is a great all-purpose shotgun and we offer four solid performers to choose from – Blued Field, Nickel Field, Sporting/Trap and Youth Vent Rib. These single shots are rugged, smooth-handling guns we produce for a modest price without skimping on features. One shot, one choice: Remington SPR.

SPR SPECIALTY

Model SPR94 Shotgun/Rifle Combo

A WEALTH OF APPLICATIONS.

NO WEALTH REQUIRED. This lineup is forged in tradition and old-world craftsmanship, but built to take on the diverse pursuits of today's multifaceted hunter.

First, the head-turning over-and-under shotgun/rifle combination. It's an amazingly versatile combination of short-range knockdown and long-distance precision. Side-by-side rifles have long been the choice of the hunter on safari, and Remington now makes this compelling classic available to today's sportsmen. And finally, the time-honored single-shot rifle. Its simplicity, sleek lines and superior accuracy make it a favorite of those confident in their ability to make one bullet count.

We're proud to offer a line of firearms anchored deep in our sporting heritage, yet built for modern demands and priced for everyone.

HOTGUNS/SPECIALT

SPR100[™] Single Shot Features:

- Chrome-lined hammer forged barrels
- Nickel plated or blued steel receivers
- Cross bolt safety
- Cocking indicator
- Titanium coated trigger
- Walnut stock and fore-end
- Youth model
- Selectable ejector or extractor
- Deep blued barrel finish

For complete model listings and specifications, see page 90.



SPR Specialty Features:

Rimfire/Shotgun:

- Rifle barrel over shotgun barrel
- Adjustable sights with 11mm scope rail
- Single selective trigger* with cross-bolt safety

Shotgun/Centerfire:

- 12-gauge barrel over rifle barrel
- Barrels regulated with jack screw (SPR22)
- Adjustable sights front for elevation, back for windage (SPR94)
- Automatic tang mounted safety
- D 11.1
- Double triggers

SPR Rifle Features:

- Chrome-lined hammer forged barrels
- All steel receivers
- Adjustable sights with 11mm scope rail
- Walnut stock and fore-end
- 1" sling swivel studs
- Appealing spiral cut fluting

*Single trigger models only



MODEL 700[™] XCR

IT HAS NO LIMITS, SO YOU CAN DISCOVER YOURS. Extreme conditions require an elite gun. And the latest flagship of the Model 700[™] fleet, the Model 700 XCR Xtreme Conditions Rifle, is ready for any task you are. It's simply the most durable hunting rifle ever built. Our proprietary new TriNyte[™] Corrosion Control System makes the Model 700 XCR virtually impervious to the most extreme conditions on earth. Using a combination of ultrapotent corrosion-inhibiting materials and an innovative application process, the TriNyte System launches firearm protection far beyond its previous limits. Our new finish delivers scratch and corrosion resistance dramatically superior to standard stainless steel as well as that of any other gun sold today.

The Model 700[™] XCR is optimized for sure handling in adverse climates. Its feature-laden synthetic stock is a technological marvel that looks and feels the part. Features include an R3[®] recoil pad from LimbSaver[™] – the most effective recoil pad on the market – and patented rubber overmolding technology from Hogue[®] – a revolutionary technique used in the grip and fore-end areas to provide a positive grip in the slickest environments. Deliver your appointed rounds with the new standard in rugged endurance, the Model 700 XCR. Everyone else will wait it out at home.

MODEL 700[™]

The Model 700 CDL SF Ltd. Anniversary Edition rifle comes with a beautifully engraved floorplate to commemorate the 100th anniversary of the .30-06 Springfield cartridge.

UNRIVALED OUT-OF-THE-BOX ACCURACY. Ask experienced shooters what rifle is consistently the most accurate out-of-the-box and the standard answer is the Remington[®] Model 700.[™] Why? Our tight chambers completely support the cartridge and align it precisely with the bore, while the cylindrical receiver and unique bedding design force the barrel to come to rest in the exact place every time, maximizing shot-to-shot consistency.

The Model 700 also features what is perhaps the most rock-solid action ever conceived. Our famous "three-rings-of-steel" enclose the cartridge case head for unparalleled strength and reliability. And the receiver is machined from solid-steel bar stock to create a rigid, ultra-uniform foundation for the barrel and action.

This year, we're honoring the 100-year anniversary of the .30-06 Springfield with a Limited-Edition Model 700th CDLth SF (Stainless Fluted). These tried-and-true standards for precision and hunting performance join with a stainless steel action and barrel, and a richly finished American walnut CDL stock.





REMINGTON[®] MODEL 700[™] DESIGN FEATURES bedding area in the stock for consistent

shot placement

the cartridge head

• Recessed bolt face locks up inside the

case head for unparalleled strength

• Integral extractor is set in a groove inside the rim of the bolt face, uniformly supporting

For full caliber listings and specifications,

see page 85.

counter-bored breech of the barrel which is surrounded by the receiver, forming

"three-rings-of-steel" enclosing the cartridge

Barrel threaded into receiver machined Barrel surrounds bolt shroud for additional strength from hardened steel Two-position positive safety Recessed bolt face completely encloses cartridge head in Optional detachable magazine box is constructed of stainless steel "three-rings-of-steel" for maximum

protection against case rupture

for maximum durability and weather resistance

MODEL 700TM SPSTM (SPECIAL PURPOSE SYNTHETIC)


MODEL 700[™]

SPECIALTY

OF ALL ITS GREAT FEATURES, THE MOST REMARKABLE IS ITS PRICE. There is a cost that comes with high performance, in this case, it's a lot less than you think. The Model 700[™] SPS[™] offers everything you love about the legendary Model 700, all at an extremely affordable price. Built to carry on the tradition of the Model 700 ADL[™] Synthetic, the SPS is leading the way for the next generation of hard-hitting, fully featured, affordably priced rifles. From the rock-solid receiver design to the famous "three-rings-of-steel," the Model 700 SPS offers the unrivaled out-of-the-box accuracy and high-end performance you've come to expect from America's most popular bolt-action centerfire rifle.

The Model 700 SPS features an improved, ergonomically designed synthetic stock for better handling and enhanced overall functionality. Standard amenities include an R3[®] recoil pad and hinged floor plate magazine. The Model 700 SPS and Model 700 SPS Stainless are available in a variety of short action magnum and standard short and long action caliber offerings, all with a 24" clean barrel. Or choose the magnum or ultra magnum with a 26" barrel. No matter which SPS you choose, you can rest assured your getting one of the greatest gun values on the market today.

0



For wilderness or high country pack-in hunts that involve rigorous hiking, we make the appropriately named Model 700 Mountain Rifles. Extremely lightweight, they feature trim stocks and tapered barrels to deliver fast, carbine-like handling with full-bore range and accuracy.



K

R

Model 700[™] Titanium Features:

All features of the Model 700 plus:

- Receiver is machined from solid titanium, resulting in a ¹/₂ pound weight reduction over steel receivers
- Bolt body is spiral fluted and bolt handle is skeletonized
- Slim 22" "Mountain" (non-magnum only) contour stainless-steel hammer forged barrel further reduces weight (Magnum calibers feature a 24" magnum contour barrel)
- Custom designed, lightweight composite stock, reinforced with carbon and aramid fibers
- Action is pillar bedded
- All these features work together to produce the ultimate lightweight (5 ¹/₂ lbs long action, 5 ¹/₄ lbs short action, 6 ³/₈ lbs magnum) carry rifle to match the harshest conditions
- Magnum version equipped with the Remington* high-performance R3* recoil pad

Model 700[™] Titanium (Scope not included)

Model 700[™] Mountain LSS Laminated Stock, Stainless

Model 700[™] Mountain Rifle DM Detachable Magazine

Model 700[™] Mountain Rifle Features:

All features of the Model 700 plus:

- Slim 22" mountain contour barrel to reduce weight
- Hinged floor plate magazine (Model 700 MTN LSS)
- Model 700 MTN DM features a detachable magazine
- R3[®] recoil pad

For full caliber listings and specifications, see page 85.



STUNNING FROM THE BENCH, LETHAL IN THE FIELD. Built on the famous Model 700[™] cylindrical action, Remington[®] Varmint and Sendero rifles

are the most accurate rifles we produce for over-the-counter sale. You'll be stunned by the degree of precision you get straight out of the box. The varmints won't be so lucky.

The Model 700 VS SF[™] II and Sendero SF II are finely tuned tack-drivers created using input from serious shooters across America. Their H.S. Precision composite stocks are reinforced with aramid fibers and feature contoured beavertail fore-ends with ambidextrous finger grooves and palm swells. Twin front swivel studs accommodate a sling and a bipod. Full-length aluminum bedding blocks create accuracy-enhancing platforms for the barreled actions. The 26" heavy-contour barrels are fluted for rapid cooling. Our Model 700 VSF[™] has the same stock design, but is colored desert tan with black webbing. Its action is satin blued with a 26" heavy-contour fluted barrel.

For those who prefer the more traditional heft of a wood stock, the time-tested Model 700 VLS,[™] with its brown laminate stock and satin-blued barrel, is there to do the job.

MODEL 700TM LV SF (LIGHT VARMINT-STAINLESS FLUTED)

AS DEADLY AND SWIFT AS THE PREDATORS YOU HUNT. You can trace Remington's dedication to the varmint hunter back to 1967 – the year the Model 700[™] BDL[™] "Varmint Special" was introduced. Since then, Remington[®] has been an industry leader in varmint rifle technology, bringing you its greatest innovations. It has always been a priority for Remington to listen, and respond to the needs of serious varmint hunters and benchrest shooters – and this gun proves it.

With deadly accuracy and swift handling, the Model 700 LV SF,[™] is redefining the predator hunt. Based on the reliable Model 700 action, the Model 700 LV SF weighs a mere 6.75 pounds and features a stainless steel, short action, pillar bedded receiver; a blind box magazine; and a jeweled bolt. The 22-inch clean stainless steel barrel has a medium contour (0.657" muzzle O.D.) and is fluted to reduce overall weight and increase heat dissipation. Adding to the weight reduction is a custom designed, black Bell & Carlson composite stock featuring a semi-beavertail fore-end, swivel studs, and a recoil reducing, R3[®] recoil pad with Limbsaver[®] patented technology.

Available in four popular varmint calibers, the Model 700 LV SF is one of the most innovative rifles for the varmint and predator hunter on the move.

Model 700[™] Varmint and Sendero Features:

All features of the legendary Model 700 plus:

- 26" heavy contour barrel (0.820" Muzzle O.D.) for the ultimate in long-range accuracy
- Concave target-style barrel crown
- Composite stock with beavertail fore-end (VLS features laminated stock)
- H.S. precision stock features full-length aluminum bedding blocks for enhanced stability and shot-toshot consistency (VS SF^{**} II and VSF^{**} only)
- Six longitudinal flutes reduce barrel weight and increase heat dissipation (VS SF II and VSF only)
- Tactical style dual front swivel stud system for convenient mounting of Bi-pod and Sling (VS SF II and VSF only)
- Chambered for popular Magnum and Remington Ultra Magnum cartridges (Sendero SF II only)
- Black stock with grey webbing (VS SF II and Sendero SF II only)


For full caliber listings and specifications, see page 85.



Model 700[™] LV SF[™]

Light Varmint[™] Features:

- Weighs in at a mere $6^{3/4}$ lbs
- Features a stainless steel, short action receiver, a blind box magazine and jeweled bolt
- 22" stainless steel barrel has a medium contour (0.657" muzzle O.D.) and a satin stainless finish
- Six longitudinal flutes reduce barrel weight and increase heat dissipation



R

- Black Bell & Carlson composite stock featuring a semi-beavertail fore-end
- Offered in five, very popular varmint calibers
- Model 700^{°°} LV SF^{°°} comes equipped with Remington's high-performance R3[®] recoil pad with Limbsaver[®] patented technology

For full caliber listings and specifications, see page 85.



Model 40-XB[™] adjustable trigger

COMPETITION GRADE. AFFORDABLY MADE. Thought a competition-grade target rifle was out of your reach? Think again. The Model XR-100[™] Single Shot Target

Rifle utilizes the legendary XP-100 single-shot target pistol action. Its single-shot, solid-bottom receiver offers an extremely rigid and stable action, resulting in precision accuracy.

The XR-100 is fitted with a Model 40-XB^{∞} target trigger. It is externally adjustable for pull weights from 1 ¹/₂ - 3 ¹/₂ lbs allowing the shooter to make adjustments at the range without disassembling the rifle, and features our varmint contour 26^{\circ} barrel configuration. Its action is fitted to a black laminated thumbhole stock with beavertail fore-end and lightening-vent cuts under the barrel channel for better heat dissipation.

MODEL 710[™]

LEGENDARY ACCURACY, REMARKABLE VALUE. Much like the Model 700,[™] the Model 710[™] possesses exceptional out-of-the-box accuracy, time-honored reliability, crisp, single-stage trigger design, ultra-fast lock time, and the famous "three-rings-of-steel" for superior action strength. But while much of the Model 710's base design is owed to its heritage, its real story

Steel Receiver. The Model 710[™] features an extruded solid steel receiver for smoother bolt operation and long lasting performance.

starts with advancements made possible through the latest technology. Through state-of-the-art manufacturing systems – the Model 710 breaks new ground for firearms engineering and production. Principle among its many remarkable features is its innovative rugged barrel lock-up design and solid steel receiver for easier bolt operation. A shorter, 60-degree bolt throw allows for faster follow-up shots. Beyond the superior mechanics, the Model 710 features a uniquely textured gray synthetic stock with cheekpiece and comes equipped with a mounted 3-9 x 40 scope, bore-sighted from the factory. The Remington[®] Model 710 is more than a remarkable value, it's truly a remarkable gun.



MODEL SEVENTM

A COMPACT WITH BIG IMPACT. With a precision-balanced 20" barrel and a weight of just 6 ½ lbs., the Model Seven[™] is the ultimate dense-cover rifle. But don't limit its range. Featuring the same strength and unmatched out-of-the-box accuracy as our Model 700[™] action, it gives you big reach in any country. For youngsters and small-stature adults, the Model Seven Youth is available in four calibers with a one-inch shorter stock and carbon-steel action. Chambered for Remington[®] Short Action Ultra Mag and WSM cartridges, our Model Seven Magnum stretches the limits of compact rifle performance with hard-hitting calibers in a streamlined, swift-handling package. Velocity and energy are enhanced by a 22" magnum contour barrel.

New for this year, both the Model Seven[™] and Model Seven Magnum are available in CDL versions. They're satin blued and feature clean, unsighted barrels (350 Remington[®] Mag features 20" magnum contour barrel w/sights), handsome American walnut classical-styled CDL stocks and R3[®] recoil pads with Limbsaver[®] technology.

MODEL 798™/799™



THE MODEL 98 MAUSER ACTION IS ALIVE AND, WELL, BETTER THAN EVER. American soldiers brought it back from both world wars, and America's oldest gunmaker is proud to bring one

Controlled round feeding from claw extractors.

of the most trusted bolt actions of all time – the Model 98 Mauser – back into mainstream production. That's right, you no longer have to rely on military surplus supplies or high-cost custom gunmakers to get your hands on this classic. Long revered for its superior strength, smooth, reliable cartridge feed and inherent accuracy, it's now available from Remington[®] in a wide range of modern calibers, both short and long action. And we reworked these rifles from butt to bore to meet the aesthetic and performance demands of today's hunter and shooter.

The long-action Model 798[™] (square-bridge Mauser 98) and short-action Model 799[™] feature richly blued barrels and receivers, American-made brown laminated stocks. To dampen recoil on the Model 798, we added a one-inch rubber butt pad. Barrels are clean, and receivers are drilled and tapped for standard Mauser 98 (long- and short-action) scope mounts.

Expect silky, ultra-positive feeding and ejection, rock-solid durability and exceptionally fast lock time. Influencing the design of virtually every bolt action made today, the Model 98 Mauser never died. It just needed a revival. We're sure you'll agree our version was worth the wait.

Model Seven[™] Features:

- 2 ³/₈" shorter overall length than Model 700 counterparts make the Model Seven perfectly sized for small stature shooters
- Compact design ideal for thick cover hunting
- Features the same legendary strength as the Model 700 action: "Three-rings-of-steel" with the bolt face, barrel and receiver encasing the cartridge head
- Cylindrical receiver design provides a consistent bedding area in the stock
- Available in Remington Short-Action Ultra Mag and Winchester Short Magnum calibers for the ultimate in compact magnum performance

For full caliber listings and specifications, see page 84.



Model 798"

Model 799"

NEW FOR 2006

NEW

Model 799™



- Solid steel hinged floorplate magazine (22 Hornet utilizes a 5-round detachable magazine box)
- Available in popular long- and short-action calibers
- Clean barrel
- 22" barrel standard calibers
- 20" barrel short-action 799 calibers
- 24" barrel long-action magnums

For full caliber listings and specifications, see page 84.

31

MODEL 750[™] WOODSMASTER[™]

PUT FIVE SHOTS THROUGH DEER HUNTING'S NARROW WINDOW. In the field,

New Fore-End Design

patience is a virtue but it's also true what they say about speed. One season with the new Model 750[™] Woodsmaster[™] will be proof enough. Featuring an improved gas system for faster, smoother cycling and a balanced, low-profile design that handles like lightning, it's a deadly-quick addition to our centerfire autoloading line. Rapid follow-ups are its speciality, but famed Remington one-shot accuracy comes standard.

0

The Model 750[™] replaces our wood-stocked Model 7400[™] offerings and features a restyled American walnut fore-end and stock with machine-cut checkering. Felt recoil is diminished by its ultra-efficient gas action and the addition of our revolutionary R3[®] recoil pad. Throw that narrow window wide open with the quickest gun in the woods, the new Model 750 Woodsmaster.[™]

MODEL 7600[™] & 7400[™]

IN A PERFECT WORLD, EVERY DEER WOULD BE A ONE SHOT KILL. Maybe you flinched? Or the buck turned at the last split-second? Either way, our Model 7400[™] and Model 7600[™] centerfire rifles get you back on target. Instantly. Because not only are they built to deliver legendary Remington[®] first-shot accuracy, they're also designed for ultra-fast follow-up shots – without ever having to unshoulder your rifle. For autoloading fans, there's the gas-operated, soft-recoiling Model 7400 synthetic autoloader. Prefer a slide-action? There's the Model 7600 pump. Both feature quick-release magazines and Remington's rotary bolt lock-up design for exceptional strength, safety and hallmark reliability.

Model 7600[™] Features:

- Robust slide-action design allows for fast follow-up shots in the harshest conditions
- Action, slide release and safety based on the design of the Model 870,™ America's most popular pump shotgun, for instantaneous end user familiarity
- Weight distribution and slim line design result in shotgun like balance and pointability
- 22" barrel with iron sights and receiver drilled and tapped for scope mounts allow for multiple sighting options
- Rotary-bolt lock-up provides rock-solid action strength





Model 750™

Woodsmaster™

(Scope not included)

Model 750[™] Woodsmaster[™] Features:

- Replaces wood-stocked Model 7400 rifles
- Improved gas-operated action for slick, super-fast cycling
- Restyled American walnut stock and fore-end with machine-cut checkering
- Stellar balance and a streamlined design for fast target acquisition
- 22" barrel with iron sights
- *Receiver drilled and tapped for Model 7400 scope mounts*
- Exceptional action strength rotary-bolt lock-up
- Now with sling swivel studs
- Magazine box interchangeable with Model 7400

For full caliber listings and specifications, see page 84.



Model 7600[™] Pump Action

Model 7400[™] Features:

- Gas-operated action yields softer recoil and speed for quick, accurate follow-up shots
- Weight distribution and slim line design result in shotgun-like balance and pointability
- 22" barrel with iron sights and receiver drilled and tapped for scope mounts allow for multiple sighting options
- Rotary-bolt lock-up provides rock-solid action strength

For full caliber listings and specifications, see page 84.

Model 7400[™] Synthetic

Model 7600[™] Synthetic

Model 7600[™] & 7400[™] Magazine. 4-round detachable magazine for convenient and fast loading.

(Also fits Model 750[™] Woodsmaster[™])

33

MODEL 504[™]

RIMFIRE RIFLE. CENTERFIRE ATTITUDE. What do you get when you cross a rimfire with Remington's legendary bolt-action rifle dependability and accuracy? The Remington[®] Model 504.[™] Crafted to exacting quality and design criteria, the Model 504 is clearly becoming the standard by which other bolt-action rimfire rifles are judged.

Looking for a target-grade rimfire? Remington's newest member to the Model 504 family – the Model 504-T LS HB. Designed with serious target shooters and varmint hunters in mind, this Model 504-T comes with a free-floating heavy target contour barrel and a brown laminate Monte Carlo stock. Satin blued finished and available in 17 HMR and 22LR – with the latter featuring an Eley Match chamber.

Palm Swell



Beavertail Fore-End

MODEL FIVETM

Flip-up Sight

THE NEXT LEVEL OF RIMFIRE, FOR SHOOTERS OF ANY LEVEL. Remington[®] rimfire rifles are among the finest available today for a simple reason: We build them with the same standards for accuracy and flawless function as our high-end centerfires. The new value-priced member of our rimfire family -

and flawless function as our high-end centerfires. The new value-priced member of our rimfire family – the bolt-action Model Five – is no exception. We focused on delivering value without sacrificing our performance criteria.

The Model Five is a solid choice for the seasoned small game hunters and target shooters, and beginners alike. It's available in standard .22 Long Rifle and .22 WMR. Our American-made brown laminated stock combines good looks with extreme weather resistance. Mount a scope to its grooved receiver or use the fully adjustable open sights. Its ultra-reliable bolt action has a five-shot detachable magazine box.



· Cocking indicator visible from rear of bolt plug

Model 504-T[™] Features:

(0.90" O.D. @ Muzzle)

5-rounds on 17 HMR)

type strength and rigidity

and uniform cartridge support

target crown

Dual bedding points anchor the action to the stock for consistent shot placement.

Six round detachable metal magazine box fits flush with bottom of the stock.

Model Five[™] Features:

Smooth bolt action

- 22" blued barrel
- Five-shot detachable magazine
- Adjustable rifle sights
- Receiver grooved for scope mounts
- Available in .22 Long Rifle and .22 WMR

For full caliber listings and specifications, see page 84.





MODEL 597™

WHERE TECHNOLOGY MEETS CRAFTSMANSHIP. The Model 597[™] is easily the most advanced autoloading rimfire rifle ever built, and the first breakthrough in autoloading rimfire rifle technology in 35 years. The difference starts with our proprietary bolt-guidance system, which features a unique set of twin tool-steel guide rails for better stability, feeding reliability and greater out-of-the-box accuracy.

Of course, we didn't stop there. The bolt, hammer and sear of the Model 597 all feature an exclusive Teflon[®]/nickel plating for smooth, dependable operation and an ultra-crisp trigger pull. To assure reliable, long-life accuracy, we've also incorporated a unique positive-locking, permanently rigid barrel attachment clamp. Receivers are grooved for standard rimfire mounts and tapped/drilled for Weaver-style bases. Completing the breakthrough design are an innovative last-shot "hold open" magazine feature and our patented, easy-to-use staggered-stack magazine.

Model 597 22 LR Metal Magazine.

Redesigned to provide flawless feeding of each round, the new Model 597 magazine offers unprecedented reliability. Constructed from a lightweight, magnesium-based alloy and cast as one piece via a non-conventional die-cast process, our metal magazine holds ultraprecise dimensional tolerances and yields an exceptional surface finish. Its extreme rigidity is ideal for demanding, high-volume use. For those who already own an older Model 597, you can own the improved magazine as a Remington® accessory.

MODEL 552[™] & 572[™]



LOOKING FOR A CLASSIC RIMFIRE? CHOOSE YOUR MASTER. For those sportsmen who still love the look and feel of classic rimfire rifles, our Model 572[™] BDL[™] Fieldmaster and Model 552[™] BDL Speedmaster[®] may be the finest available. And this year, you can drive tacks and drive home your

support for the National Rifle Association[®] with the new NRA[®]-edition Speedmaster. It's laser-etched with NRA embellishments on both sides of the receiver, and a portion of the proceeds from each sale goes to the support the organization.

The versatile Model 572 BDL Fieldmaster is one of the most popular pump-action .22 rimfires made in America today. It handles .22 short, .22 long and .22 long rifle cartridges interchangeably. Other features include big-game sights, a positive cross-bolt safety and a grooved receiver for scope mounts.

The lightning-quick Model 552 BDL Speedmaster is the only American-made .22 autoloader that handles .22 short, long and long rifle cartridges interchangeably. It's also equipped with iron sights, a positive cross-bolt safety and a receiver grooved for scope mounts.

Model 597[™] Features:

- Bolt-guidance system features twin, tool-steel guide rails
- Offered in both textured finish synthetic or laminated wood stocks
- Non-glare matte finish
- Patented, 10-shot metal detachable magazine, 8-shot for magnum
- Last-shot "hold open" bolt for added safety

For full caliber listings and specifications, see page 84.



Model 552[™]/572[™] Features:

- Handles 22 Short, 22 Long and 22 Long-Rifle cartridges
- High-gloss American walnut stock and fore-end with cut checkering
- Tubular magazine fed
- Richly blued carbon-steel barrel
- Adjustable iron sights for open sight plinking
- Receiver grooved for scope mounts for precision shooting with optics
- Model 572[™] Fieldmaster, features a smooth classic slide action
- Model 552[™] Speedmaster, features an autoloading action for serious plinking

For full caliber listings and specifications, see page 84.







MERIE

Fiber Optic Sights

THE NEXT GENERATION OF MUZZLELOADING EFFICIENCY. Magnum power, easy cleaning and legendary Remington[®] accuracy in a hot new design that defines reliable. Our innovative TorchCam[™] action rotates from the fixed breech for fast priming and locks your 209 primer in a vault of weather resistance. It delivers rapid, super-hot ignition in the most extreme conditions. And to clean, simply unscrew the breech plug, swab the barrel and you're finished.

We've stretched the limits of muzzleloader performance. With a full 28" of powder-burning steel, the Genesis generates maximum velocity from magnum 150-grain charges. And you get the swift-handling characteristics of a much shorter gun – the ultra-compact design of the TorchCam[™] action keeps overall length and weight to a minimum. The barrel's 1-in-28" twist provides optimum stability for sabots and other modern muzzleloading projectiles.

Our TorchCam[™] action was designed with safety in mind. The over-travel hammer never comes in contact with the firing pin unless the gun is fully cocked and the trigger is pulled. A crossbolt safety adds extra assurance. Our ambidextrous HammerSpur offers right- and left-handed shooters a rigid grip through cocking and hammer letdown without scope interference.

From the base model equipped with a standard synthetic stock and blued barrel to our super-stable thumbhole models with stainless, fluted barrels, this lineup includes a muzzleloader to suit the preferences and budget of every hunter.

The Genesis Muzzleloader. Revolutionary camming action – built on our rock-solid foundation of accuracy and dependability.







Ambidextrous HammerSpur





.

Genesis[™] ML SF Laminate Thumbhole



Genesis[™] ML SF Camo Thumbhole

.50-Caliber Genesis™ Muzzleloader Features:

- Revolutionary new camming TorchCam[™] action – superfast priming, weather-resistant and easy to clean
- The action channels maximum fire from the 209 primer for rapid ignition in the most extreme conditions
- Velocity-boosting 28" barrel ensures full burn of magnum 150-grain charges
- Ambidextrous HammerSpur
- Williams[™] fiber-optic sights
- Drilled and tapped for scope mounts
- Aluminum anodized ramrod with jag
- Front and rear swivel studs
- Crossbolt safety
- Removable breech plug
- Bullet guiding muzzle
- Optimized for use with Remington Kleanbore* 209 Muzzleloading Primers



	GENESIS [™] MUZZLELOADER DIMENSIONS / AVERAGE WEIGHTS									
MODEL	ORDER NO.	BARREL LENGTH	OVERALL LENGTH	AVG. WT. (LBS.)	STOCK MAT'L	STOCK FINISH	BBL MAT ³ L	BBL FINISH		
Genesis [™] ML	89294	28"	43"	7.8	Black Synthetic	Black	Carbon Blue	Matte		
Genesis [™] ML SF Overmold	89297	28"	43"	7.8	Overmold Synthetic	Black Overmold	Stainless	Satin		
Genesis™ ML Camo	89295	28"	43"	7.8	Mossy Oak® New Break-Up®	Camo	Carbon Blue	Camo		
Genesis [™] MLS Camo	89298	28"	43"	7.8	Mossy Oak® New Break-Up®	Camo	Stainless	Satin		
Genesis [™] ML SF Synthetic Thumbhole	89286	28"	43"	7.5	Black Synthetic	Black	Stainless	Satin		
Genesis [™] ML SF Camo Thumbhole	89299	28"	43"	7.5	Mossy Oak® New Break-Up®	Camo	Stainless	Satin		
Genesis [™] ML SF Laminate Thumbhole	89285	28"	43"	8.0	Grey Laminate	Grey Laminate	Stainless	Satin		

YOUTH FIREARMS



INVESTING IN OUR FUTURE. Young shooters are more likely to become

stewards of the shooting sports if they're initiated with a gun that fits properly. This is what drove us to redesign our standard, premium-grade stocks with a shorter length of pull, then fit them to some of our finest, most proven rifles and shotguns. Adult shooters who require a shorter length of pull will also benefit from this downsized lineup. All Youth firearms have shortened barrels that counter-balance the lighter stock while retaining ballistic effectiveness. Rifles feature 20" barrels (22" on long-action offerings) and Youth shotguns have 21" barrels (20" for deer gun).

Our new rimfire, the Model 412,[™] is a compact single-shot that will have your youngster driving tacks in no time. This bolt action has an automatic safety for added peace of mind with new shooters and has a handy second-shot holder for convenient reloading. Features includes a hardwood stock, adjustable rifle sights and blued barrel and receiver. Receiver is grooved for scope mounting.

Three centerfire rifle choices are available. The first is our compact Model Seven[™] synthetic bolt action chambered for .223 Remington, .243 Win., .260 Remington, 6.8 Rem SPC and 7mm-08 Remington. The other is a Model 700 SPS[™] Youth Synthetic. It's available in short action, chambered for .243 Win. or 308 Win., and a long-action model chambered for either .270 Win. or .30-06 that's specifically designed to take advantage of our new Managed-Recoil[™] ammunition. All synthetic stocked Youth rifles feature the R3[®] recoil pad with patented Limbsaver[®] technology.

The ultimate first centerfire, our Model 710 Youth exemplifies value, reliability and convenience. Chambered for the mild-recoiling .243 Win., it comes out of the box with a pre-mounted, boresighted Bushnell[®] Sharpshooter[™] 3-9x 40mm scope. It's range- and woods-ready.

New additions to Youth shotguns include a 20-gauge Model 870^{°°} Express[®] Jr. and a Model 870 Express Youth Turkey Gun – both with Mossy Oak[®] Break-Up[®] stocks and fore-ends. We still offer the Model 870 Express Youth line, Model 870 Express[®] Jr., and a Model 870 Express Synthetic Youth Combo featuring a 21[°] vent-rib barrel and a 20[°] fully rifled barrel. All Jr. offerings have a 1[°] shorter length of pull than standard Youth models.

The 20-gauge Model 11-87[™] Sportsman Youth shotgun handles 2 ³/₄" and 3" loads and has the same stock dimensions as its pump-action counterparts.

				R. M. C. The P.		100
		YOUTH SHOTGU	JN DIMENSIONS /	AVERAGE WEIGHTS	3	
MODEL	870 [™] Express [®] Jr.	11-87 [™] Sportsman [™] Youth Synthetic	870 [™] Express [®] Youth Turkey Camo	870 [™] Express® Youth	870 [™] Express [®] Youth Deer Gun	870 [™] Express [®] Youth Synthetic Combo
GAUGE	20	20	20	20	20	20
MAGAZINE CAPACITY	4	4	4	4	4	4
BBL LENGTHS/ORDER NO.	18 ³/₄" / 26443	21" / 29891	21" / 25157	21" / 25561 (20-ga.) 23" / 25203 (16-ga. Syn.)	20" / 25555	21" / 25659 20" / 25659
BARREL TYPE	Vent Rib Rem [™] Choke (Full)	Vent Rib Rem [™] Choke (Mod.)	Vent Rib Rem [™] Choke (Full)	Vent Rib Rem [™] Choke (Mod.)	Fully Rifled	Vent Rib Rem [™] Choke and Fully Rifled Deer
SIGHTS	Single Bead	Single Bead	Twin Bead	Single Bead	Rifle Sights	Single Bead (Vent Rib) Rifled Sights (Deer BBL)
METAL FINISH	Matte Black, Non-Reflect.	Matte Black, Non-Reflect.	Matte Black, Non-Reflect.	Matte Black, Non-Reflect.	Matte Black, Non-Reflect.	Matte Black, Non-Reflect.
OVERALL LENGTH	37 1/4"	40 ¹ /2"	40 ¹ /2"	40 1/2"	39 1/2"	40 1/2"
LENGTH OF PULL	12"	13"	13"	13"	13"	13"
DROP (COMB)	1 ¹ /2"	1 1/2"	1 1/2"	1 ¹ /2 ¹¹	1 1/2"	1 ¹ /2"
DROP (HEEL)	2"	2 1/4"	2 ¹ /4"	2 ¹ /4"	2 1/4"	2 ¹ /4"
STOCK MATERIAL	Camo-Covered Synthetic	Synthetic	Camo-Covered Synthetic	Hardwood or Black Synthetic	Hardwood	Synthetic
STOCK FINISH	Mossy Oak [®] Break-Up [™] Camo	Black	Mossy Oak® Break-Up™ Camo	Flat	Flat	Black
AVG. WT. (LBS.)	6	6 1/2	6	6	6	6

Model 412[™] Youth Features:

- Bolt-action single shot with second shot holder
- Hardwood stock
- Adjustable rifle sights
- Automatic safety
- Grooved receiver for scope mounting

Youth Rifle Features:

- Legendary Remington[®] bolt-action accuracy
- 1-inch shorter stock for smaller-stature shooters
- Ordinance grade steel receivers
- Three-rings-of-steel (bolt, barrel and receiver) surround the cartridge head for strongest lock-up
- R3[®] recoil pad on synthetic stock rifles (Model Seven[™] and Model 700[™] only)
- Hammer forged barrel with blued finish
- Hinged floorplate or detachable magazines
- Sling swivel studs
- Iron sights standard (Model Seven[™] only)



YOUTH RIFLE DIMENSIONS / AVERAGE WEIGHTS								
MODEL	ACTION TYPE	BARREL LENGTH	OVERALL LENGTH	AVG. WT. (LBS.)	STOCK MAT'L	STOCK FINISH	BBL MAT ³ L	BBL FINISH
Model Seven [™] Youth	Bolt	20"	38 ³ /4"	6 1/4	Hardwood	Satin	Carbon Steel	Polished Blue
Model Seven [™] Youth Synthetic	Bolt	20"	38 1/4"	6 1/4	Synthetic	Matte	Carbon Steel	Matte
Model 700 [™] SPS [™] Youth Synthetic	Bolt (Short)	20"	38 5/8"	6 3/4	Synthetic	Matte	Carbon Steel	Matte
Model 700 [™] SPS [™] Youth Synthetic	Bolt (Long)	22"	39 5/8"	7 1/8	Synthetic	Matte	Carbon Steel	Matte
Model 710 [™] Youth	Bolt	20"	39 1/2"	6 7/8	Synthetic	Matte	Carbon Steel	Matte
Model 412 [™] Youth	Bolt	19 ³ /4"	35 1/2"	4 ¹ /4"	Hardwood	Satin	Carbon Steel	Polished Blue

Model 870[™] Express[®] Jr. Shotgun Features:

- Shorter 12" length of pull
- Stock and fore-end camouflaged in Mossy Oak[®] Break-Up[®]
- All feature Rem[™] Choke barrels and come with Rem Choke full tubes
- Perfect length, weight and balance for smaller-stature shooters
- Model 870 action is the reliability standard for pump shotguns around the world

Model 870[™] Express[®] Youth Shotgun Features:

- Offered in 20-gauge version
- 20" barrel youth deer gun with fully rifled barrel and rifle sights, camo stock and fore-end. Also available in youth turkey gun with Mossy Oak* Break-Up* camo
- Features Rem[™] Choke barrels
- Perfect length, weight and balance for smaller-stature shooters
- Model 870 action is the reliability standard for pump shotguns around the world



CUSTOM SHOP

AMERICA'S FINEST CUSTOM SHOP. There are many sources for beautiful guns. But none quite like those from the Remington[®] Custom Shop. Why? Most custom gunmakers specialize in just one element of the gun, say, stock making. Or barrel making. Or engraving. Their own specialty is then combined with components obtained elsewhere. The result can indeed be very handsome. But in the end, it's still a conglomeration. At the Remington Custom Shop, every part of the firearm is created right here – by the nation's oldest gunmaker and the most experienced craftsmen. It starts with the soul of the gun, field proven actions for which Remington is most famous. Then, your dream gun is masterfully created using a wide variety of options from caliber to trigger pull weight and wood finish to engravings and inlays. Many of the options are shown here, but there's much, much more to see. To find out more, visit us at www.remington.com or call us at 1-800-243-9700.

The purchase of a custom gun is a serious investment. A great comfort to those making such an investment is the ability to personally discuss the exact details, specifications, style and degree of decoration with our master gunmakers. To do so, please call 1-800-243-9700. For detailed information about all our Custom Shop products and services, visit us at **www.remington.com**.


Model 504™ Custom Model 700" **Custom C Grade** No. 1 Rolling Block **Mid-Range Sporter** Model 700[™] APR (African Plains Rifle) Model 700[™] AWR (Alaskan Wilderness Rifle) Right- and left-hand actions available. Model 700[™] ABG (African Big Game) Model 700[™] KS Safari (Stainless Steel) Also available with carbon steel barrel and action, right- and left-hand.

> Model 700[™] Custom KS Mountain Rifle (Stainless Steel) Also available with carbon steel barrel and action, right- and left-hand.

RIFLES



	CUSTON	A SHOP PRODUCTS	/ AVERAGE	WEIGHTS
MODEL	STOCK MATERIAL	barrel length / muzzle diameter	WEIGHT (LBS.)	NOTES
Model 700 [™] C Grade	Fancy American Walnut	24" / .65"	7 1/2	Monte Carlo stock with rosewood fore-end tip and grip cap. Choice of caliber.
No. 1 Rolling Block Silhouette	American Walnut	30" / 1.125"	11 1/2	BPCR silhouette requirements. 45-70 caliber only. Options available.
No. 1 Rolling Block Mid-Range Sporter	American Walnut	30" / .81"	8 ³ / ₄	45-70 caliber only. Options available.
Model 700 [™] APR (African Plains Rifle)	Brown Laminated	26" / .65"	7 ³ /4	Magnum calibers. Right-hand only.
Model 700 [™] AWR (Alaskan Wilderness Rifle)	Black fiberglass w/aramid fiber	Magnum: 24" / .65" Ultra Mag: 26" / .65"	7 3/4	Stainless steel barreled action, teflon-coated. Right-hand and left-hand available.
Model 700 [™] ABG (African Big Game Rifle)	Brown Laminated	26" / .74"	9 1/2	Dangerous game calibers. Right-hand only.
Model 700 [™] Custom KS Safari	Grey fiberglass w/aramid fiber	22" / .82"	9	Available in stainless steel or carbon steel. Right-hand and left-hand available.
Model 700 [™] Custom KS Mountain Rifle	Grey fiberglass w/aramid fiber	Standard: 24" / .59" Magnum: 24" / .65" Ultra Mag: 26" / .65"	6 ¹ / ₂ 6 ³ / ₄ 6 ³ / ₄	Available in stainless steel or carbon steel. Right-hand and left-hand available.
Model Seven [™] AWR (Alaskan Wilderness Rifle)	Black fiberglass w/aramid fiber	22" / .64"	6 ¹ /8	Stainless steel barreled action, teflon-coated, short-action calibers. Right-hand only.
Model Seven [™] Custom KS	Grey fiberglass w/aramid fiber	20" / .59"	5 ³ /4	Carbon steel barreled action, short-action calibers. Right-hand only.
Model Seven [™] MS (Mannlicher Stock)	Full length, brown laminated	20" / .59"	6 ¹ /2	Carbon steel barreled action, short-action calibers. Right-hand only.
Model 40-XC [™] Target Rifle (not shown)	Grey fiberglass w/aramid fiber	24" / .94"	11	.308 Win only. Stainless steel barreled action. ("Over the course" stock)
Model 40-XB [™] Target Rifle	KS: Black fiberglass w/aramid fiber Rangemaster: American Walnut Thumbhole: Brown laminated	27 1/4" / .88" 27 1/4" / .88" 27 1/4" / .88"	10 ¼ 11 ¼ 11 ¾	Stainless steel barreled action, single shot or repeater versions available in right- or left-hand, except thumbhole, right-hand only.
Model 40-XBBR™ Target Rifle (not shown)	Green fiberglass w/aramid fiber	24" / .97"	10 1/2	Single shot only, benchrest stock, centerfire calibers. Right-hand only.
Model 40-XRBR [™] Target Rifle (not shown)	Green fiberglass w/aramid fiber	24" / .97"	10 1/2	Single shot only, benchrest stock, Rimfire calibers. Right-hand only.
Model 40-XB [™] Tactical Rifle	Black w/green, fiberglass w/aramid fiber	27 1/4" / .88"	10 1/4	Stainless steel barreled action, fluted barrel, teflon-coated. .308 Win caliber. Right-hand only.
Model 700 [™] Custom Grade and Model 40-XR [™] Sporter	Choice	Choice	Choice	Custom built to customers' specifications. Numerous options available.
D & F Grade Shotguns & Rifles	Very Fancy American Walnut	Choice	Choice	D grade has half coverage scroll design hand cut engraving. F grade has full coverage scroll and game scenes, hand engraved Gold inlays available. Options available.



GUN STORAGE ACCESSORIES

MODEL 365 MINI DEHUMIDIFIER

- Compact unit attracts and holds moisture through water crystal technology to protect gun safes and cabinets
- Protects 30-60 days before recharging is necessary
- Self-contained unit requires no wiring or extension cords
- Indicator window lets consumer know when to recharge
- Recharges easily in a few hours
- Releases moisture trapped in water crystals
- 5 year warranty



16" PLUG-IN DEHUMIDIFIER

- UL Listed
- FOR 200
- Works by gently warming the air inside your safe which helps in minimizing moisture
- 6' cord comes with easily assembled plug to allow installation using a small hole in back of safe
- Protects even up to 200 cubic feet more than enough for the largest gun safes

Rem 0

REM DRI[™] 35 DESICCANT

- Removes moisture to prevent rust corrosion and eliminates odors in gun safes and cabinets
- Tear resistant Tyvek[®] packaging is leak-proof
- No electricity required, easy to read indicator
- Rechargeable for multiple uses, non-toxic
- Clamshell packaging can stand or peg
- Protects up to 35 cu. ft. of enclosed space
- 450 gms. /16 oz.

THREE-PACK TRIGGER BLOCKS Single Trigger Block also available.

- - Trigger Block

CABLE LOCK • Fits most shotguns, rifles and pistols · California approved

44

REMINGTON[®] ORIGINAL FACTORY BARRELS

THE ONLY FITTING CHOICE FOR YOUR REMINGTON[®] SHOTGUN. If you own a Remington

shotgun you know quality and, that when it comes to replacement parts, there's only one brand good enough – Remington. We offer a wide variety of original factory barrels ranging in styles from vent rib,



to cantilever to rifle-sighted, so you never have to compromise the superb craftsmanship and dependability that make Remington ownership a matter

of pride. Whether you want your Remington shotgun to perform like two, or you're looking to restore "an old friend, there's no substitute for Remington replacement barrels.

To make sure you're getting only Remington® original factory barrels, look for this display at your nearest Remington dealer.



STOCKS & FORE-ENDS



MONTE CARLO SHOTGUN KITS

- Kits for Remington Model 870 shotgun and 1100/11-87 12-ga. shotguns
 Comes with R3[®] recoil pad reducing felt recoil by up to 30% over standard pads
- Comes with RS⁻ recoil pad reducing jell recoil by up to
 High cheek plate for steady shots at turkey or deer
- Fligh cheek plate for steady shots at turkey or deer
- Constructed of incredibly strong all-weather fiberglass reinforced synthetic
 Complete with all hardware required for conversion



MODEL 7400[™] AND 7600[™] KITS

- Kits designed to specifically fit on Remington Models 7400 and 7600 rifles
- Constructed of incredibly strong all-weather fiberglass reinforced synthetic
- Complete with all hardware required for conversion





TARGETMASTER™ DELUXE KIT

• 52-piece (true count) kit has all you need – includes 100 patches



- · Sturdy aluminum case with positive latches
- 3 sets of 3-piece rods: Rimfire rod (.17-.22), Centerfire rod (.22 and up) and Shotgun/ muzzleloader rod
- Precision brass patch jags fit .17-.50 calibers
- Adapters allow for cleaning of handguns (.17-.50)
- Solid assortment of brushes/mops and accessories

FIELDMASTER® KIT

- Brass 3-piece rod w/swiveling handle
- Rem[®] Oil (1-oz.) & Brite Bore[™] (2-oz.)
- A wide variety of patches and patch pullers
- Brass pistol and shotgun adapters
- An assortment of bronze bore brushes for .22, 270 and 30 calibers as well as 12- and 20-gauges
- Attractive wooden box




RANGEMASTER[™] KIT

620

- Brass 4-piece cleaning rod w/swiveling handle
- Shotgun/rifle patches and patch pullers
- · Brass pistol and shotgun adapters
- Silicone gun cloth
- Rugged storage box (13" x 7.25" x 5") w/removable tray
- An assortment of bronze bore brushes for .22, 270 and 30 calibers
- as well as 12- and

20-gauges







- 27-piece (true count) cleaning kit – includes 50 patches (.22 caliber to 12-gauge)
- 3-piece brass rod accepts standard #8-32
- Integral swivel handle
- An assortment of most popular brushes, mops, and patch sizes
- Brass and nylon brushes for cleaning actions, bolts, cylinders and semi-auto slides

Remington cleaning kits readily accept standard #8-32 cleaning brushes, mops, jags, and standard shotgun brushes/mops. (The rimfire rod in the Targetmaster accepts .17 components, and has an adapter for #8-32 accessories.)

REM® PAD GUN CLEANING MATS

- Soft, acrylic surface material won't scratch guns or tabletops
- Absorbent top material traps and holds up to eight times its weight in fluids
- A non-slip vinyl bottom forms a barrier to prevent spilled fluids from soaking through
- Fully machine-washable
- Available in two sizes 12" x 28" and 16" x 54"



TANER / DEGREASER

Shotgun

Cleaner

Remingt

BRITE BORE[™] SOLVENT • Dissolves carbon and powder

- fouling, removes copper, lead and plastic deposits • Low odor – contains no CFC's
- Low odor contains no CFC's
 - Handy size for field/range use
 - Comes in 6-oz. can and 4-oz. jar
 New for 2006 New for 2006
 - New for 2006 - 2-oz. opaque white bottle

40-X[™] BORE CLEANER[™] (2- and 4-oz.) Formerly "Remington Bore Cleaner"

• 40-X name ties into the products origins in Precision Benchrest Shooting

Brite Bore

Brite

Bore



40-X

Bore

- Product is uniquely formulated for rifles to improve cleaning, accuracy and performance
- Fast and easy to use no soaking or foul odors
- 2-oz. and 4-oz. white oval bottle in tri-fold clamshells
- White positive closure cap similar to 1-oz. Rem Oil



REM® ACTION CLEANER

- Easily cleans dirt, powder residue and caked-on lubricants from disassembled actions and fire-control mechanisms
- Dries quickly and leaves no residue
- Comes in 10.5-oz. can with jet-spray extension tube

REM® OIL WIPES

- 12 foil wrapped wipes
- 6" x 8" wipe cloth saturated w/Rem Oil

RIFLE/SHOTGUN SOCK

- Silicone treated
- One size fits all, with or without scope
- Excellent for long-term storage
- · Soft thick fabric protects against dirt and scratches

BORE[™] LIGHT

• Ideal for inspecting used firearms, cleaning firearms and inspecting bore for obstructions

emington

- LED light eliminates intense glare allowing for better viewing
- Compact easy to carry and stow
- Comes complete with batteries
- Includes both curved and straight light tubes

SHOTGUN CLEANER

- Cleans trigger groups, gas ports, choke tube threading, receivers, chambers, barrels and magazine tubes
- Dissolves powder residue, fouled lubricants, burnt carbon deposits and gunk
- Blasts away gummy caked on grime from hard to reach areas such as ejectors, firing pin assemblies, trigger components and bolt recesses
- Contains no CFC's or carcinogens safe for polymers
- 18-oz. size



REM[®] DRILUBE[™]

- Teflon-based lubricant provides a tough, non-congealing film without the residue of dry graphite lubes
- Keeps firearms functioning dependably to -40°F
- Comes in easy-to-use 4-oz. aerosol can

REM OIL®

- Cleans dirt and grime from exposed metal surfaces while displacing non-visible moisture from metal pores
- Protects internal and external metal parts from rust and corrosion
- Exclusive Teflon formula provides a thin, long-lasting film that keeps actions working smoothly by reducing metal-to-metal wear
- Comes in 4-oz. and 10-oz. aerosol or 1-oz. and 2-oz. squeeze bottle
- New for 2006 2-oz. clear oval bottle





MANAGED-RECOIL

REDUCE RECOIL TO IMPROVE YOUR CHANCES OF SUCCESS

IN THE FIELD. At some point, all shooters feel the negative effects of recoil. Some hunters experience the frustration of missing a target because of flinching. Others know the aggravation of losing the opportunity for a second shot because of the time it takes for scope recovery. Then there's the shoulder pain after a day of hunting or practicing, which may deter future practice sessions. To fight these effects of recoil, Remington[®] developed Managed-Recoil[™] ammunition.

The Managed-Recoil ammunition succeeds where other recoil-control ammunition fails. Past attempts at curbing recoil have focused solely on the amount of gunpowder in the ammunition. Remington's Managed-Recoil focuses on the entire cartridge by incorporating a specially designed bullet built to

perform at lower velocities.

NO SCOPE READJUSTMENT NECESSARY.

Remington[®] Managed-Recoil[™] Point of Impact is nearly identical to full velocity loads.

Point of Impact comparison at 100 yards.

30-06 Sprg. 125-grain Managed-Recoil™

30-06 Sprg. 150-grain PSP Core-Lokt

May not operate all recoil or gas-operated firearms



100 Yards

Managed-Recoil[™] Features:

• Fully effective hunting performance with less than 50% of the recoil of standard cartridges

gion

· Less anticipation of recoil

Keep Out of Reach of Chilo

MANAGED-RE

LE

CARTRIDGE

- Increased shooter confidence and improved shot placement
- Quicker scope recovery for a faster second shot placement
- Point of aim is within 2" of a standard cartridge at 100 yards
- Target practice without the recoil pounding
- Specially designed bullets are optimized to deliver 2x expansion with over 75% weight retention on shots out to 200 yards

		Index/	Bullet Wt.			Velo	ocity (ft./s	ec.)			En	ergy (ftlb	is.)			Trajec	tory	
	Caliber	EDI No.	(grs.)	Bullet Type	Muzzle	50	100	150	200	Muzzle	50	100	150	200	50	100	150	200
					REMING	ion® m/	NAGED-	RECOIL	CENTERF	IRE RIFLE	CARTRII	DGES						
I	270 Win.	RL270W2	115	Core-Lokt® PSP	2710	2558	2412	2270	2133	1875	1671	1485	1315	1161	0.1	zero	-1.6	-4.8
Ľ	30-30 Win.	RL30301	125	Core-Lokt® SP	2175	1993	1820	1658	1508	1313	1102	919	763	631	0.3	zero	-3.0	-9.1
	30-06 Springfield	RL30062	125	Core-Lokt® PSP	2660	2495	2335	2182	2034	1964	1727	1513	1321	1148	-0.1	zero	-1.5	-4.9
ľ	300 Win. Mag.	RL300W1	150	Core-Lokt® PSP	2650	2509	2373	2241	2113	2339	2097	1875	1672	1486	-0.1	zero	-1.5	-4.7
Ľ	308 Win.	RL308W1	125	Core-Lokt® PSP	2660	2501	2348	2199	2057	1964	1736	1529	1342	1174	-0.1	zero	-1.5	-4.9
	7mm Rem. Mag.	RL7MM4	140	Core-Lokt® PSP	2710	2594	2482	2372	2265	2283	2092	1915	1749	1595	0.0	zero	-1.5	-4.5

MANAGED-RECOIL[™] SLUGGER[®] RIFLED SLUG LOADS




Managed-Recoil[®] Slugger[®] Rifled Slugs offer remarkably effective performance but with 45% less felt recoil than full velocity Sluggers. With effective energy out to 80 yards, these 1-ounce slugs easily handle the majority of shotgun deer hunting ranges. Also check out Managed-Recoil Buckshot;

it's an ideal close-range performer.

Index/EDI No.	Gauge	Shell Length	Velocity (ft./sec. @ 3 ft.)	Slug Wt.	Pellet Count	Slug Type		
MANAGED-RECOIL" SLUGGER® RIFLED SLUG LOADS								
RL12RS	12	2 ³ /4"	1200	1	—	Rifled Slug		
		MA	NAGED-RECOIL [™] BU	CKSHOT				
RL12BK00	12	2 ³ /4"	1200	—	8	00 BK		


50% LESS RECOIL.

Remington[®] Managed-Recoil[™] centerfire cartridges deliver 50% less recoil than standard velocity ammunition. Managed-Recoil 270 Win, 308 Win, 30-30 and 30-06 actually deliver less recoil than a standard velocity 243 Win!



LETHAL PUNCH OUT TO 200 YARDS.


Managed-Recoil[™] rounds pack a lethal punch at the most common deerhunting ranges. In fact, their energy levels exceed 1,100 ft. lbs. at 200 yards. Managed-Recoil 30-30 delivers 919 ft-lbs at 100 yards and is fully effective on deer sized animals out to 125 yards.



MANAGED-RECOIL[™] APPLICATIONS



YOUTH AND WOMEN. Managed-Recoil" allows youth and women to practice and hunt <u>effectively</u> and <u>comfortably</u> with half the recoil. It even lets you use an existing gun without readjusting the scope because "point of aim – point of impact" is nearly identical to standard cartridges at 100 yards. PRACTICE MAKES PERFECT. For target shooters and hunters who target shoot to improve their performance, Managed-Recoil" cartridges provide more time on the range, without the bruises to prove it. It offers great hunting performance at ranges out to 200 yards, and you can switch to full-power ammunition without scope adjustment. HUNTING WITH CONFIDENCE. Most deer hunting shots are taken well within 200 yards, Managed-Recoil[™] cartridges provide effective performance, with less than half the recoil. The result is less anticipation of recoil, better shot placement and quicker scope recovery.



RECOIL-SENSITIVE HUNTERS. For shooters that are unable to tolerate the recoil of a standard cartridge, Managed-Recoil[™] Cartridges are the perfect solution. Effective performance with half the recoil.

MANAGED-RECOIL[™] BUCKHAMMER[®] LEAD SLUG

Managed-Recoil[™] Technology has been applied to Remington's most devastating lead slug. We've reduced felt recoil by over 40% to make the BuckHammer[®] easier on the shooter without sacrificing its on-game performance. The



Managed-Recoil BuckHammer 12-gauge slug travels at a fast 1350 fps at the muzzle and maintains an impressive 1032 ft-lbs of deer-stopping energy at 100 yards. The 20-gauge, at 1275 fps., delivers 746 ft.-lbs. of energy at 100 yards. Both standard BuckHammer and Managed-Recoil BuckHammers are designed for use in fully-rifled barrels for best accuracy results.

Index/EDI No.	Gauge	Shell Length	Slug Wt. (oz.)		ocity (ft./s 50 yds.	sec.) 100 yds.	En Muz.	ergy (ftl 50 yds.	bs.) 100 yds.		ory (in.) 100 yds.
MANAGED-RECOIL [™] BUCKHAMMER [®]											
RL12LSS	12	2 ³ /4"	1 ¹ / ₈	1350	1107	972	1991	1340	1032	0.0	-5.5
RL20LSS	20	2 ³ /4"	7/8	1275	1057	938	1379	948	746	0.0	-6.2



THE GOLD STANDARD: GAME DROPPING ACCURACY. JAW DROPPING PERFORMANCE. The new standard in premium ammunition has a name - Premier Gold Box.[™] A culmination of extensive research and development, state-of-the-art loading facilities, and, of course, the highest-quality components, Premier Gold Box ammunition is just what you expect from the market leader in centerfire rifle ammunition.

> **PREMIER® CORE-LOKT® ULTRA BONDED PREMIER SCIROCCO™ PREMIER ACCUTIP™ PREMIER A-FRAME™ PREMIER MATCH**



Dear Remington ,

I used a . 270 Win with a 140-grain Cone-Lokt Ultra Bonded to drop this nice Alaska bull caribon. He fell to a single shot from more than 300 yards. The bullet mushroomed beautifully and maintained over 93 % of its original weight. It looked exactly like the picture on the back of box - talk about truth in advertising ! just wanted to let you know how Il your bullets yenformed for me use anything else.

Grank you, Remington , Russell 5. nevada

Caliber	Index/EDI No.	Bullet Wt. (grs.)) Bullet Type
PRE	MIER® CORE-LOP	(T [®] ULTRA B(ONDED
243 Win	PRC243WC	100	Core-Lokt® Ultra Bonded
25-06 Remington	PRC2506RA	115	Core-Lokt® Ultra Bonded
260 Remington	PRC260RB	140	Core-Lokt® Ultra Bonded
270 Win	PRC270WB	140	Core-Lokt® Ultra Bonded
6.8mm Rem SPC	PRC68R4	115	Core-Lokt® Ultra Bonded
7mm Remington Mag	PRC7MMRA	140	Core-Lokt® Ultra Bonded
7mm Remington Mag	PRC7MMRC	160	Core-Lokt® Ultra Bonded
7mm Rem. SA UM	PR7SM1	140	Core-Lokt® Ultra Bonded
7mm Rem. SA UM	PR7SM4	160	Core-Lokt® Ultra Bonded
7mm Rem. Ultra Mag	PR7UM1	140	Core-Lokt® Ultra Bonded
30-06 Springfield	PRC3006A	150	Core-Lokt® Ultra Bonded
30-06 Springfield	PRC3006B	168	Core-Lokt® Ultra Bonded
30-06 Springfield	PRC3006C	180	Core-Lokt® Ultra Bonded
300 Win Mag	PRC300WA	150	Core-Lokt® Ultra Bonded
300 Win Mag	PRC300WC	180	Core-Lokt® Ultra Bonded
308 Win	PRC308WA	150	Core-Lokt® Ultra Bonded
308 Win	PRC308WC	180	Core-Lokt® Ultra Bonded
300 Rem. SA UM	PR300SM1	150	Core-Lokt® Ultra Bonded
300 Rem. SA UM	PR300SM4	180	Core-Lokt® Ultra Bonded
300 Rem. Ultra Mag	PR300UM4	180	Core-Lokt [®] Ultra Bonded
338 Win Mag	PRC338WA	225	Core-Lokt® Ultra Bonded

Warning: Keep Out of Reach of Children.

Mise En Garde: Gardez Hors De La Portée Des Enfants.

RIFLE CARTRIDGES

emingt

For more Core-Lokt[®] Ultra Bonded success stories, or to share your own, go to www.remington.com/bonded.

THE NEW STANDARD **OF ACCURACY IN BONDED** HUNTING BULLETS.

PREMIER[®] CORE-LOKT[®] ULTRA BONDED is a bullet in a class of its own. It is the first and only bullet to successfully maximize the best features of two great types of hunting bullet construction. It delivers the extreme accuracy and retained energy you would expect from a tipped bullet, in combination with the outstanding penetration and weight retention that only a bonded non-tipped bullet could deliver. This unique design provides the hunter a Premier bullet that yields devastating on-game performance from 50 to 500 yards. Premier Core-Lokt Ultra Bonded - the new standard in high-performance hunting bullets.

> 30-06 SPRG, 150-gr. Premier® Core-Lokt® Ultra

Bonded, 5 shots, .6", 100 yds.

Core-Lokt® Ultra Bonded expands reliably at all reasonable hunting distances.



50 Yards

A BONDED



100 Yards







300 Yards

400 Yards

More accurate. Our unique manufacturing process eliminates jacket stretch for near-perfect wall thickness which results in better flight stability.

More versatile. A 20% heavier jacket engineered with an innovative wall profile provides better expansion and penetration over a broad range of terminal velocities.

More reliable. 50% thicker Core-Lokt section increases mechanical locking of the rear core into the jacket and better controls expansion at higher velocities.

More deadly. Bonded jacket/core design further insures controlled expansion (2x diameter) with up to 95% weight retention for ultimate on-game performance.



PREMIER[®] SCIROCCO[™] BONDED

NE

THE ORIGINAL BONDED POLYMER-TIPPED BULLET.

Proof that innovation beats imitation every time. The remarkable Swift[™] Scirocco[™] Bonded bullet maintains its status as the industry leader in bonded tipped bullets by delivering the highest ballistic coefficient of any bullet of its kind ... for the flattest trajectory and maximum retained energy. Combine that with unsurpassed accuracy and superior weight retention. Premier®

Scirocco is unquestionably the most effective bonded tipped bullet to sit atop a factory load.



30-06, 180-gr. Premier® Swift[™] Scirocco[™] Bonded 5 shots, .8", 100 vds.

Swift[™] Scirocco[™] Bonded bullets expand reliably over a wide range of terminal velocities.



100 Yards

200 Yards

300 Yards 400 Yards

_				1. 1. 2. 1. 1. 2 . 2. 1						
	Caliber	Index/EDI No.	Bullet Wt. (grs.)	Bullet Type						
PREMIER [®] SCIROCCO [™] BONDED										
Ľ	243 Win	PRSC243WA	90	Scirocco [™] Bonded						
Ľ	270 Win	PRSC270WA	130	Scirocco [™] Bonded						
Ľ	7mm Remington Mag	PRSC7MMB	150	Scirocco [™] Bonded						
j	7mm Rem. Ultra Mag	PRSC7UM1	150	Scirocco [™] Bonded						
Ľ	30-06 Springfield	PRSC3006C	150	Scirocco [™] Bonded						
	30-06 Springfield	PRSC3006B	180	$Scirocco^{\scriptscriptstyle M} \ Bonded$						
	300 Win Mag	PRSC300WB	180	Scirocco [™] Bonded						
Ì	300 WSM	PRSC300WSMB	180	Scirocco [™] Bonded						
	308 Win	PRSC308WA	150	Scirocco [™] Bonded						
	308 Win	PRSC308WB	165	Scirocco [™] Bonded						
	300 Rem. Ultra Mag	PR300UM5	150	Scirocco [™] Bonded						
	300 Rem. Ultra Mag	PR300UM3	180	Scirocco [™] Bonded						

es à Percassion Centrale

PREMIER SCIROCO

RIFLE

tée Des Enfo CARTRIDGES

Precision-shaped polymer tip for reduced frontal air resistance

Secant ogive profile for high ballistic coefficient

Jacket and core locked together with proven Swift" bondina technology

Boat tail base design for reduced air drag

PREMIER[®] ACCUTIP[™]

THE MOST ACCURATE RAPID-EXPANSION, POLYMER-TIPPED BULLET ON THE MARKET. Remington[®] Premier[®] AccuTip[™]

is the most accurate line of rapid-expansion, polymer-tipped bullets available today. Along with match-grade precision, they deliver an unprecedented combination of laser-flat trajectory and deadly downrange performance.

The Premier[®] AccuTip[™] is crafted in two distinct configurations. In larger calibers, it's optimized for medium and big game. A thicker jacket and harder lead core produce progressive expansion for improved weight retention and penetration. Choose the AccuTip-V for explosive performance on varmints. The ultra-thin jacket and NEW

soft lead core fragment rapidly at impact for maximum shock and quick kills.

> 243 Win, 95-gr. Premier[®] AccuTip 5 shots, .4", 100 yds.



-				
	Caliber	Index/EDI No.	Bullet Wt. (grs.)	Bullet Type
		PREMIER® /	ACCUTIP™	
	17 Remington	PRA17RA	20	AccuTip [™] -V
l	204 Ruger	PRA204A	32	AccuTip [™] -V
l	204 Ruger	PRA204B	40	AccuTip [™] -V Boat Tail
	221 Rem. Fireball	PRA221FB	50	AccuTip [™] -V Boat Tail
	22 Hornet	PRA22HNA	35	AccuTip [™] -V
	222 Remington	PRA222RB	50	AccuTip [™] -V Boat Tail
l	223 Remington	PRA223RB	50	AccuTip [™] -V Boat Tail
l	223 Remington	PRA223RC	55	AccuTip [™] -V
	22-250 Remington	PRA2250RB	50	AccuTip [™] -V Boat Tail
	243 Win	PRA243WB	75	AccuTip [™] -V Boat Tail
l	243 Win	PRA243WA	95	AccuTip™
	260 Remington	PRA260RA	120	AccuTip [™] Boat Tail
l	270 Win	PRA270WA	130	AccuTip [™] Boat Tail
þ	270 WSM	PRA270WSM	150	AccuTip [™] Boat Tail
	280 Remington	PRA280RA	140	AccuTip [™] Boat Tail
l	7mm-08 Remington	PRA7M08RB	140	AccuTip [™] Boat Tail
Ì	7mm Remington Mag	PRA7MMRA	140	AccuTip [™] Boat Tail
	7mm Remington Mag	PRA7MMRB	150	AccuTip [™] Boat Tail
	30-06 Springfield	PRA3006A	150	AccuTip [™] Boat Tail
	30-06 Springfield	PRA3006B	165	AccuTip [™] Boat Tail
þ	30-06 Springfield	PRA3006C	180	AccuTip [™] Boat Tail
Ì	300 WSM	PRA300WSMC	180	AccuTip [™] Boat Tail
	300 Win Mag	PRA300WC	180	AccuTip [™] Boat Tail
l	308 Win	PRA308WB	165	AccuTip™ Boat Tail

AccuTip[™]-V: Varmint Specific Cartridges

NEV


NE

NEV

Gold polymer tip initiates AccuTip™ expansion for maximum on-game energy transfer

Sleek secant ogive profile for high ballistic coefficient and reduced drop and wind drift

Thicker mid-jacket and heavy base for weight retention



AccuTip[™]-V Also available in varmint calibers with the thin-jacketed AccuTip-V bullet for explosive performance.

PREMIER® A-FRAME

THE MOST RELIABLE DUAL CORE BULLET MADE. Premier[®] A-Frame[™] bullets reliably expand at long-range decreased velocities, yet do not over-expand at short-range high velocities. A-Frame will mushroom to a devastating 2x caliber diameter with nearly 95% weight retention. Suitable for all big or dangerous game – the best choice from Alaska to Africa and everywhere in between.

Pure lead core is bonded to pure copper jacket with proprietary process

Protected rear core provides momentum for deep penetration on tough game Progressively tapered jacket controls mushrooming in a uniform and predictable manner for totally dependable on-game results

A-Frame[™] cross-member stops expansion at optimum diameter of 2x caliber

	Caliber	Index/EDI No.	Bullet Wt. (grs.)	Bullet Type
	Galibol	PREMIER® A-	,	buildt Typo
20	270 Win	RS270WA	140	A-Frame [™] PSP
	7mm Rem. Mag	RS7MMA	160	A-Frame [™] PSP
NEW	7mm Rem. Ultra Mag	PR7UM5	175	A-Frame [™] PSP
	7mm STW	RS7MSTWA	140	A-Frame [™] PSP
DE.	30-06 SPRG	RS3006A	180	A-Frame [™] PSP
5.15	300 Win Mag	RS300WA	200	A-Frame [™] PSP
3.3.	8mm Remington Mag	RS8MMRA	200	A-Frame [™] PSP
NEW	300 Rem. Ultra Mag	RS300UM2	200	A-Frame [™] PSP
	338 Win Mag	RS338WA	225	A-Frame [™] PSP
1.00	338 Rem. Ultra Mag	PR338UM1	250	A-Frame [™] PSP
2/23	375 H&H Mag	RS375MA	300	A-Frame [™] PSP
	375 Rem. Ultra Mag	PR375UM3	300	A-Frame [™] PSP
123	416 Remington Mag	RS416RA	400	A-Frame [™] PSP

The combination of A-Frame[™] construction and proprietary bonding process produces extremely uniform, controlled expansion to 2x caliber with nearly 95% weight retention.

Cartouches À Percussion Centrale Mise En Garde: Gardez Hors De La Po

PREMIER® A-FRAME

RIFLE

CARTRIDGES

PREMIER® MATCH

IF THERE WERE A STRONGER WORD THAN ACCURATE, WE'D USE IT HERE.

Ever hear the phrase, "you could drive tacks with 'em?" Well they're probably talking about Remington[®] Premier[®] Match ammunition. Using only match-grade bullets, Premier Match ammunition employs special loading practices to ensure world-class performance and accuracy with every shot.



Maybe some day there will be a stronger word than accurate to describe Premier Match. Until then we'll continue to prove it on paper.

- Specifically designed to meet the exacting standards for competition, military and law enforcement
- World-class, pin-point accuracy
- Loaded with match grade components using special loading techniques to ensure "one-hole" performance

308 Win, 168-gr. Premier[®] Match 5 shots, .6", 100 yds.

Caliber	Index/EDI No.	Bullet Wt. (grs.)	Bullet Type						
PREMIER® MATCH									
223 Remington	R223R6	62	Hollow Point Match						
223 Remington	RM223R1	69	MatchKing® BTHP						
6.8mm Rem. SPC	RM68R1	115	MatchKing® BTHP						
300 Rem. SA UM	RM300SM7	190	MatchKing® BTHP						
300 Win Mag	RM300W7	190	MatchKing® BTHP						
308 Win	R308W7	168	MatchKing® BTHP						

THE ULTRA MAG STORY

REMINGTON® ULTRA MAG. A REVOLUTION IN HIGH-PERFORMANCE BIG

GAME AMMUNITION. Perfection is a rare thing. It's not easily attained. But when you see it, you know it. And the Remington® exclusive Ultra Mag system has got it. It's what happens when the leader in ammunition and gun design creates a new breed of cartridge for one of the world's most accurate guns ... the Model 700.[™] The result is a gun and ammunition system that continues to revolutionize big game hunting.

> The incredible performance of the Remington Ultra Mag cartridges comes from the innovative case design. The result is a "non-belted magnum" with a larger case diameter which allows for dramatically increased powder capacity, more overall power, and better accuracy due to precise bore alignment. The Remington Ultra Mag family of cartridges produces the highest velocities, the flattest trajectories and the most energy within their respective calibers.



Index/EDI No.

PR7SM1

PR7SM2

PR7SM4

PR300SM^{*}

PR300SM2

PB300SM4

7mm Rem. SA UM

7mm Rem, SA UM

7mm Rem. SA UM

300 Rem. SA UM

300 Rem. SA UM

300 Rem SA UM

Bullet Wt. (grs.)

140

150

160

150

165

180

REMINGTON® SHORT-ACTION ULTRA MAG

Innovative case design results in a "non-belted magnum" with a larger case diameter which allows for dramatically increased powder capacity.

Bullet Type

Core-Lokt® Ultra Bonded

Core-Lokt® PSP

Core-Lokt® Ultra Bonded

Core-Lokt® Ultra Bonded

Core-Lokt® PSP

Core-Lokt® Ultra Bonded

140 GR. PSP CORE-LOKT ULTRA BONDED PR7UM1 Remington. EXPRESS RIFLE 375 REMINGTON ULTRA MAG 270 GRAIN ULTRA MAG SOFT POINT R375UM2 Remington. PREMIER' SCIROCCO BONDED 300 REMINGTON ULTRA MAG Remington. A-FRAME 338 REMINGTON ULTRA MAG PREMIER GR. A-FRAME POINTED SOFT PT PR338UM1 EXPRESS CORE-LOKT 338 REMINGTON ULTRA MAG 250 GR. CORE-LOKT PSP PR338UM2

7MM REMINGTON ULTRA MAG

LOKT ULTRA BONDED

Remington.

PREMIER CORE

SHORT-ACTION ULTRA MAG. MAGNUM PERFORMANCE IN A LIGHTWEIGHT. SHORT-ACTION FIREARM AND AMMUNITION PACKAGE.

Premier[®] SA Ultra Mag cartridges feature a state-of-the-art design unlike any previous short-action ammo to date. The highly efficient case design duplicates


or exceeds belted magnum ballistics with less powder, in turn, generating less felt recoil. The cartridge headspaces off the shoulder of the case, rather than a belt, promoting more precise bore alignment and, therefore, improved accuracy. This product delivers ballistic performance equivalent to the two most popular belted magnums from a fast handling short-action rifle, with a more efficient and more accurate case design. As a result, Premier SA Ultra Mag offers more down-range velocity and greater energy than traditional 300 Win Mag and 7mm Remington Mag Calibers - something never before possible from a short action cartridge.

300 ULTRA MAG PERFORMANCE






21% Higher Velocity than 300 Win Mag



47% Higher Energy than 300 Win Mag



1				
5	Caliber	Index/EDI No.	Bullet Wt. (grs.)	Bullet Type
		REMINGTON	I® ULTRA MAG	
	7mm Rem. Ultra Mag	PR7UM1	140	Core-Lokt® Ultra Bonded
NEW	7mm Rem. Ultra Mag	PR7UM5	175	A-Frame [™] PSP
200	300 Rem. Ultra Mag	PR300UM5	150	Scirocco [™] Bonded
200	300 Rem. Ultra Mag	PR300UM3	180	Scirocco [™] Bonded
26 8	300 Rem. Ultra Mag	PR300UM4	180	Core-Lokt® Ultra Bonded
NEW	300 Rem. Ultra Mag	RS300UM2	200	A-Frame [™] PSP
	338 Rem. Ultra Mag	PR338UM1	250	A-Frame [™] PSP
	338 Rem. Ultra Mag	PR338UM2	250	Core-Lokt® PSP
1000	375 Rem. Ultra Mag	PR375UM2	270	Soft Point Hornady®
	375 Rem. Ultra Mag	PR375UM3	300	A-Frame [™] PSP

THE ULTRA MAG LINE-UP

Timm Remington® Ultra Mag. With a muzzle velocity over 3450 fps, the 7mm Remington® Ultra Mag is one of the flattest shooting big game cartridges on the planet. Remington 7mm Ultra Mag shoots flatter than 7mm STW. Even flatter than a 22-250 varmint load. In fact, it delivers a flatter trajectory with a 140-grain bullet than a 22-250 does with a 50-grain bullet. It also produces 20% flatter trajectory than standard 7mm Remington Magnum and 7% flatter than a 7mm STW with even greater on-game performance. The 7mm Remington Ultra Mag is the perfect choice for long-range shots on any North American big game.

300 Remington® Ultra Mag. Whatever your quarry, field tests confirm 300 Remington® Ultra Mag is the standard for big game. With a 180-grain bullet, the 300 Remington Ultra Mag delivers a muzzle velocity of 3250 fps with 2160 ft-lbs of retained energy at 500 yards (more than enough energy for effective performance on elk at that range). Think that's impressive? Here's how it stacks up against the competition. At 200 yards, it delivers nearly 505 ft-lbs greater retained energy than the 300 Wby Mag and up to 32% greater retained energy than the 300 Win Mag.

338 Remington[®] Ultra Mag. An excellent cartridge for bear, elk and moose, the 338 Remington[®] Ultra Mag is one of the most powerful 338-caliber rounds available. Loaded with reliable 250-grain Swift[™] A-Frame[™] and Core-Lokt[®] Pointed Soft Point bullets, the 338 Remington Ultra Mag delivers over 600 ft-lbs greater muzzle energy than 338 Win Mag and retains a flatter trajectory all the way out to 500 yards.

375 Remington® Ultra Mag. For those times you require the ultimate in stopping power, there's the 375 Remington® Ultra Mag. The best cartridge in its class, the 375 Ultra Mag achieves over 5000 ft-lbs of energy at the muzzle and delivers nearly 800 ft-lbs more energy than the 375 H & H. It delivers more energy at 200 yards than 375 H & H at 100 yards – and with the same flat-shooting trajectory as a 150-grain 270 Win load. Don't go to Alaska or Africa without it. Also, available with a 300-grain Core-Lokt® Ultra Bonded bullet.





REMINGTON[®] **BRONZE POINT**[®] **TIPPED**

Aerodynamic tip for superior long-range ballistics and rapid expansion

Introduced by Remington,[®] these were the first bullets to utilize a tipped design. Exceptional long-range performance on medium-sized game. Sleek profile generates flat trajectory. On impact, the bronze tip is driven backward to create rapid, but controlled expansion.

WORLD'S BEST-SELLING CENTERFIRE

AMMUNITION.



Remington Core-Lokt[®] The Deadliest Mushroom in the Woods[™]

REMINGTON® CORE-LOKT® – A REPUTATION DESERVED.

Hunters with a knack for filling their deer tag tend to have more than success in common. They trust their hunt to Remington[®] Core-Lokt.[®] For more than six decades, it has remained the leader in centerfire deer ammunition. And deservedly so.

The Core-Lokt bullet design is the original controlled-expansion bullet – and one of the most effective ever developed. Its progressively tapered copper jacket is locked to a solid lead core, promoting perfectly controlled expansion and high weight retention for absolutely dependable on-game results. You'll find its time-proven performance in both soft point and pointed soft point versions – and in a range of bullet weights for virtually every centerfire hunting caliber made. Soft point shape provides broad frontal area for high energy impact and rapid expansion

> Jackets designed for progressive, reliable expansion to almost twice the original diameter

Bullet cores are "Lokt" in place to provide deep penetration

Spitzer shape profile for improved velocity and flatter trajectory

Jackets designed for progressive, reliable expansion to almost twice the original diameter

Bullet cores are mechanically locked in place to provide deep penetration

REMINGTON[®] POWER-LOKT[®] HOLLOW POINT



Plated copper jacket for superior accuracy and instant fragmentation on impact

Another breakthrough from Remington.[®] Express[®] Power-Lokt[®] delivers unmatched performance for

small game and varmint hunting. The thin copper jacket is electrolytically plated to the lead core for nearperfect concentricity and gyroscopic balance. The result? Dead-on, benchrest-type accuracy with instant fragmentation on impact. 243 WIN, 80-gr. Remington[®] Power-Lokt[®] Hollow Point, .5", 100 yds.



Comington GOLDEN SABER

45 Auto

GOLDEN

SABER

High Performance Jacket

Remington

GOLDEN SABER[™] HPJ

HIGH-PERFORMANCE HANDGUN

AMMUNITION. An outstanding example of Remington[®] bullet innovation. Designed for law enforcement, home security and personal defense applications, the Golden Saber[™] High Performance lacket successfully combines four

critical elements of handgun bullet performance: Match-type accuracy, deep penetration, maximum expansion and virtually 100% weight retention. No other bullet has ever been able to fulfill these performance parameters so completely.

Caliber	Index/ EDI No.	Primer No.	Wt. (grs.)	Vel Muz.	ocity (ft./: 50 yds.	sec.) 100 yds.		ergy (ft-l 50 yds.	bs.) 100 yds.	•	e Trajectory 100 yds.	Barrel Length
		PREMI	ER® GOL	DEN SA	BER™ HI	PJ (HIGH P	ERFORM	ANCE JA	ACKET)			
357 Magnum*	GS357MA	5 ½	125	1220	1095	1009	413	333	283	0.8"	3.5"	4"
9mm Luger	GS9MMB	1 1/2	124	1125	1031	963	349	293	255	1.0"	4.0"	4"
	GS9MMC	1 1/2	147	990	941	900	320	289	264	1.1"	4.9"	4"
9mm Luger (+P)	GS9MMD	1 1/2	124	1180	1089	1021	384	327	287	0.8"	3.8"	4"
380 Auto.	GS380B	1 ¹ / ₂	102	940	901	866	200	184	170	1.2"	5.1"	4"
38 Special (+P)*	GS38SB	1 ¹ / ₂	125	975	929	885	264	238	218	1.0"	5.2"	4"
40 S&W	GS40SWA	5 ½	165	1150	1040	964	485	396	340	1.0"	4.0"	4"
	GS40SWB	5 ½	180	1015	960	914	412	368	334	1.3"	4.5"	4"
45 Auto.	GS45APA	2 ¹ / ₂	185	1015	951	899	423	372	332	1.1"	4.5"	5"
	GS45APB	2 ¹ / ₂	230	875	833	795	391	355	323	1.5"	6.1"	5"
45 Auto. (+P)	GS45APC	2 1/2	185	1140	1042	971	534	446	388	1.0"	4.0"	5"

#Ammunition with "+P" on the case headstamp is loaded to higher pressure. Use only in firearms designated for this cartridge and so recommended by the gun manufacturer. *Note: These ballistics reflected vented barrel.

Exclusive brass jacket controls mushroom and releases energy over longer distance

Primer and mouth waterproofing for long-term reliability

Reduced bearing diameter ahead of Driving Band™ allows precise bore alignment for enhanced accuracy

The high-performance jacket expands to a larger diameter than lead core over 1.6x caliber diameter. The minimal lead deformation retains energy for deeper penetration.


Nose cuts an completely through jacket for better mushroom initiation over widest range of practical velocities


Cases are nickel-plated for reliable feed and function in all types of pistols

Treated powders suppress muzzle flash

Primers are tripleinspected during manufacturing process







The bullet diameter directly ahead of the Driving Band[™] is reduced from groove to bore diameter, so the bullet is precisely aligned before the Driving Band engages the rifling. The result: match-grade accuracy and reduced barrel friction that conserves velocity.

CORE-LOKT® HANDGUN

Thick copper jacket controls expansion and maximizes weight retention for deep penetration

Precise bore alignment and match-grade accuracy achieved from reduced bullet bearing diameter ahead of the Driving Band™

Nose cut completely through for fully developed mushrooms over wide range of velocities

Nickel-plated cases extract easily and function flawlessly


Primer and mouth are waterproofed for maximum reliability

LEGENDARY CONTROLLED EXPANSION **DESIGN FOR HANDGUN HUNTING.** The

same stopping power of our Core-Lokt® rifle ammunition - in a handgun cartridge. Specifically designed for optimum performance

at handgun velocities. Progressively tapered copper jacket is locked to a solid lead core, promoting perfectly controlled expansion and high weight retention for dependable on-game results.

	Index/	Primer	Wt.		Velo	ocity (ft./s	sec.)	Ene	ergy (ft-l	bs.) N	/lid-range	Trajectory	Barrel
Caliber	EDI No.	No.	(grs.)	Bullet Style	Muz.	50 yds.	100 yds.	Muz.	50 yds.	100 yds.	50 yds.	100 yds.	Length
		P	REMIE	R® GOLDEN SAB	ER™ HP	J (HIGH	PERFORM	ANCE JA	CKET)				
357 Magnum*	RH357MA	5 ½	165	Core-Lokt® JHP	1290	1189	1108	610	518	450	0.7"	3.1"	8 ³ /8"
44 Rem. Magnum*	RH44MGA	2 ¹ / ₂	275	Core-Lokt [®] JHP	1235	1142	1070	931	797	699	0.8"	3.3"	6 ¹ /2"
Rifle Ballistics					1580	1427	1293	1524	1243	1020	0.5"	2.2"	20"



Solid lead core protected by thick copper

jacket

Comingion

Conclo

CORELOKT

Hunting Ammunition

Pistol and Revolv.

Remington

Small-volume nose cavity produces rapid expansion

> Game-stopping expansion of 1.6x



*Note: These ballistics reflected vented barrel.

AMMUNITION

PISTOL & REVOLVER

TOP QUALITY AMMUNITION FOR A BROAD RANGE OF APPLICATIONS. Remington[®] has

been making centerfire handgun ammunition longer than anyone. It should then come as no surprise that we offer the broadest line of pistol and revolver ammunition available. With loadings tailored to virtually every potential shooting application, our line includes vast choices of calibers, bullet weights, bullet styles and combinations

of all these. Choose from a complete range of traditional bullet styles, as well as from some of the most sophisticated handgun bullets made. All cartridges are assembled from the highest quality components – with meticulous quality control – to assure reliability in all handgun actions.



0-lihan	Index/	Primer				ocity (ft./s			ergy (ft-l			ige Traje	
Caliber	EDI No.	No.	(grs.)	Bullet Style	Muz.		100 yds.	Muz.	50 yds.	100 yds.	50 yds.	100 yds	s. B.L.*
05 (0.05	DOCAD	4.17	50	REMINGTON® P&F				0.4	50	40	2.0"	8.7"	01
25 (6.35mm) Auto.	R25AP	1 ¹ / ₂	50	Metal Case	760	707	659	64	56	48			2"
32 S&W	R32SW	1 ¹ / ₂	88	Lead Round Nose	680	645	610	90	81	73	2.5"	10.5"	3"
32 S&W Long	R32SWL	1 1/2	98	Lead Round Nose	705	670	635	115	98	88	2.3	10.5"	4" 4"
32 (7.65mm) Auto.	R32AP	1 ¹ / ₂	71	Metal Case	905	855	810	129	115	97		5.8"	4"
357 Mag.**	R357M7	$5\frac{1}{2}$	110	Semi-Jacketed Hollow Point	1295	1094	975	410	292	232	0.8"	3.5"	4"
	R357M1		125	Semi-Jacketed Hollow Point	1450	1240	1090	583	427	330	0.6"	2.8"	· .
	R357M2	5 ½	158	Semi-Jacketed Hollow Point	1235	1104	1015	535	428	361	0.8"	3.5"	4"
	R357M3	5 ¹ / ₂	158	Soft Point	1235	1104	1015	535	428	361	0.8"	3.5"	4"
	R357M5	5 1/2	158	Semi-Wadcutter	1235	1104	1015	535	428	361	0.8"	3.5"	4"
	R357M10	5 ¹ / ₂	180	Semi-Jacketed Hollow Point	1145	1053	985	524	443	388	0.9"	3.9"	8 ³ /8"
9mm Luger	R9MM1	1 ¹ / ₂	115	Jacketed Hollow Point	1155	1047	971	341	280	241	0.9"	3.9"	4"
	R9MM3	1 1/2	115	Metal Case	1135	1041	973	329	277	242	0.9"	4.0"	4"
	R9MM6	1 1/2	115	Jacketed Hollow Point +P ‡	1250	1113	1019	399	316	265	0.8"	3.5"	4"
	R9MM2	1 ¹ / ₂	124	Metal Case	1110	1030	971	339	292	259	1.0"	4.1"	4"
	R9MM8	1 ¹ / ₂	147	Jacketed Hollow Point (Subsonic)	990	941	900	320	289	264	1.1"	4.9"	4"
380 Auto.	R380A1	1 ¹ / ₂	88	Jacketed Hollow Point	990	920	868	191	165	146	1.2"	5.1"	4"
	R380AP	1 ¹ / ₂	95	Metal Case	955	865	785	190	160	130	1.4"	5.9"	4"
38 S&W	R38SW	1 1/2	146	Lead Round Nose	685	650	620	150	135	125	2.4"	10.0"	4"
38 Special**	R38S10	1 ¹ / ₂	110	Semi-Jacketed Hollow Point +P ‡	995	926	871	242	210	185	1.2"	5.1"	4"
	R38S16	1 ¹ / ₂	110	Semi-Jacketed Hollow Point	950	890	840	220	194	172	1.4"	5.4"	4"
	R38S2	1 ¹ / ₂	125	Semi-Jacketed Hollow Point +P ‡	945	898	858	248	224	204	1.3"	5.4"	4"
	R38S3	1 1/2	148	Targetmaster® Lead WC Match	710	634	566	166	132	105	2.4"	10.8"	4"
	R38S5	1 ¹ / ₂	158	Lead Round Nose	755	723	692	200	183	168	2.0"	8.3"	4"
	R38S14	1 ½	158	Semi-Wadcutter +P ‡	890	855	823	278	257	238	1.4"	6.0"	4"
	R38S6	1 ¹ / ₂	158	Semi-Wadcutter	755	723	692	200	183	168	2.0"	8.3"	4"
	R38S12	1 ¹ / ₂	158	Lead Hollow Point +P ‡	890	855	823	278	257	238	1.4"	6.0"	4"
38 Short Colt**	R38SC	1 ¹ / ₂	125	Lead Round Nose	730	685	645	150	130	115	2.2"	9.4"	6"
357 Sig.	R357S1	5 ½	125	Jacketed Hollow Point	1350	1157	1032	506	372	296	0.7"	3.2"	4"
40 S&W	R40SW1	5 ½	155	Jacketed Hollow Point	1205	1095	1017	499	413	356	0.8"	3.6"	4"
	R40SW2	5 ½	180	Jacketed Hollow Point	1015	960	914	412	368	334	1.3"	4.5"	4"
41 Rem. Mag.**	R41MG1	2 ¹ / ₂	210	Soft Point	1300	1162	1062	788	630	526	0.7"	3.2"	4"
44 Rem. Mag.**	R44MG2	2 ¹ / ₂	240	Soft Point	1180	1081	1010	741	623	543	0.9"	3.7"	4"
	R44MG3	2 ¹ / ₂	240	Semi-Jacketed Hollow Point	1180	1081	1010	741	623	543	0.9"	3.7"	4"
44 S&W Special**	R44SW	2 ½	246	Lead Round Nose	755	725	695	310	285	265	2.0"	8.3"	6"
45 Colt**	R45C1	2 ¹ / ₂	225	Semi-Wadcutter	960	890	832	460	395	346	1.3"	5.5"	5"
	R45C	2 ½	250	Lead Round Nose	860	820	780	410	375	340	1.6"	6.6"	5"
45 Auto.	R45AP2	2 ¹ / ₂	185	Jacketed Hollow Point	1000	939	889	411	362	324	1.1"	4.9"	5"
	R45AP4	2 ¹ / ₂	230	Metal Case	835	800	767	356	326	300	1.6"	6.8"	5"
1													

#Ammunition with "+P" on the case headstamp is loaded to higher pressure. Use only in firearms designated for this cartridge and so recommended by the gun manufacturer. *Test Barrel Length **Vented Barrel Ballistics FULL METAL CASE. All-purpose bullet for autoloading pistols – assures reliable feeding and cycling.

JACKETED HOLLOW

POINT. Full-length jacket and hollowpoint construction provide controlled expansion and excellent penetration while assuring dependable cycling in autoloading pistols.

LEAD ROUND NOSE. Versatile, general-purpose bullet for all revolvers.

LEAD HOLLOW POINT. All-lead bullet that delivers immediate expansion.



SEMI-JACKETED HOLLOW POINT.

Unique scalloped jacket design is engineered to combine optimum expansion with controlled penetration for maximum energy transfer.

SOFT POINT. Exposed soft point tip provides deeper penetration with 9

WADCUTTER

less expansion than semi-jacketed hollow points.

MATCH. Our specialized Targetmaster® version. Delivers superb accuracy and precision paper-cutting performance.

SEMI-WADCUTTER

LEAD. Hard-hitting lead bullet that delivers clean wadcutter definition on paper targets.

UMC[®] AMMUNITION

UMC® RIFLE CARTRIDGES. Made in the USA, value-priced and ideal for high volume shooting, our UMC centerfire rifle ammunition is loaded in seven popular calibers including the 30-06 Sprg, 308 Win, 7.62x39mm, 30 Carbine and 303 British. Two new 50 grain jacketed hollow point loads in 223 Remington and 22-250 Remington are perfect for varmint hunters.



UMC® HANDGUN CARTRIDGES. All UMC ammunition is American-made in Remington's Lonoke, Arkansas plant using first-

quality factory-fresh brass and clean-shooting Kleanbore® primers to provide the best value for practice, personal defense and hunting.

											1999 - 1999 -	
1Caliber	Index/ EDI No.	Primer No.	Wt. (grs.)	Bullet Style	Velc Muz.	ocity (ft./s 50 yds.	ec.) 100 yds.	Ene Muz.	ergy (ft-ll 50 yds.	os.) 100 yds.	Mid-range 50 yds.	Trajectory 100 yds.
			UMC	» LEADLES	S™ HANI	DGUN C/	ARTRIDGE	S				
9mm Luger	LL9MM2	1 ¹ / ₂	124	FNEB	1100	1030	971	339	292	252	1.0"	4.1"
	LL9MM11	1 ¹ / ₂	115	FNEB	1135	1041	973	329	277	242	0.9"	4.0"
357 Magnum	LL357M1	5 ¹ / ₂	125	FNEB	1450	1240	1090	583	427	330	0.6"	2.8"
38 Special	LL38S17	1 ¹ / ₂	125	FNEB	850	822	796	201	188	176	1.4"	6.4"
38 Special+P	LL38S2	1 ¹ / ₂	125	FNEB	975	935	899	264	242	224	1.2"	4.9"
380 Auto	LL380AP2	1 ¹ / ₂	95	FNEB	955	865	785	190	160	130	1.4"	5.9"
40 S & W	LL40SW5	5 ¹ / ₂	180	FNEB	985	936	893	388	350	319	1.4"	5.0"
45 Auto	LL45AP8	2 ¹ / ₂	230	FNEB	835	800	767	356	326	300	1.6"	6.8"
				UMC® HA	NDGUN	CARTRI	DGES					
9mm Luger	L9MM1	1 ¹ / ₂	115	JHP	1155	1047	971	341	280	241	0.9"	3.9"
	L9MM2	1 ¹ / ₂	124	MC	1100	1030	971	339	292	259	1.0"	4.1"
	L9MM3	1 ¹ / ₂	115	MC	1135	1041	973	329	277	242	0.9"	4.0"
	L9MM9	1 ¹ / ₂	147	MC	990	941	900	320	289	264	1.1"	4.9"
10mm Auto	L10MM6	2 ¹ / ₂	180	MC	1150	1063	998	529	452	398	0.9"	3.7"
25 Auto (6.35mm)	L25AP	1 ¹ / ₂	50	MC	760	707	659	64	56	48	2.0"	8.7"
32 Auto	L32AP	1 ¹ / ₂	71	MC	905	855	810	129	115	97	1.4"	5.8"
357 Magnum**	L357M12	5 ¹ / ₂	125	JSP	1450	1240	1090	583	427	330	0.6"	2.8"
357 Sig.	L357S1	5 ¹ / ₂	125	MC	1350	1146	1018	506	422	359	0.7"	3.3"
	L357S2	5 ¹ / ₂	125	JHP	1350	1157	1032	506	372	296	0.7"	3.2"
38 Super Auto+P	L38SUP	1 ¹ /2	130	MC	1215	1099	1017	426	348	298	0.8"	3.6"
38 Special+P**	L38S2	1 ¹ / ₂	125	JHP	945	898	858	248	224	204	1.3"	5.4"
38 Special	L38S5	1 ¹ / ₂	158	LRN	755	723	692	200	183	168	2.0"	8.3"
	L38S11	1 ¹ / ₂	130	MC	790	766	743	173	163	153	1.7"	7.2"
380 Auto	L380AP	1 ¹ / ₂	95	MC	955	865	785	190	160	130	1.4"	5.9"
40 S & W	L40SW2	5 ¹ / ₂	180	JHP	1015	960	914	412	368	334	1.3"	4.5"
	L40SW3	5 ¹ / ₂	180	MC	985	936	893	388	350	319	1.4"	5.0"
	L40SW4	5 ¹ / ₂	165	MC	1150	1040	964	485	396	340	1.0"	4.0"
44 Rem. Mag**	L44MG7	2 ¹ / ₂	180	JSP	1610	1365	1175	1036	745	551	0.5"	2.3"
45 Auto	L45AP1	2 ¹ / ₂	185	MC	1015	955	907	423	375	338	1.1"	4.8"
	L45AP4	2 ¹ / ₂	230	MC	835	800	767	356	326	300	1.6"	6.8"
	L45AP7	2 ¹ / ₂	230	JHP	835	800	767	356	326	300	1.6"	6.8"
45 GAP	L45GAP4	2 ¹ / ₂	230	MC	880	841	805	395	361	331	1.5"	6.2"
	L45GAP7	2 ¹ / ₂	230	JHP	880	841	805	395	361	331	1.5"	6.2"

Caliber	Index/ EDI No.	Primer No.	Wt. (grs.)	Bullet Style		ocity (ft./s 100 yds.		En Muz.	ergy (ft-lt 100 vds.	os.) 200 yds.	SI 50	nort-rai 100	nge Traj 150	jectory 200	(in inch 250	hes) 300
			(3)			-		IFLE CAR								
223 Remington	L223R3	7 ½	55	MC	3240	2759	2326	1282	929	660	-0.1	0.6	zero	-1.9	-5.5	-11.0
	L223R7	7 ¹ / ₂	45	JHP	3550	2953	2430	1259	871	590	-0.1	0.4	zero	-1.7	-4.8	-9.7
	L223R8	7 1/2	50	JHP	3425	2899	2430	1302	933	655	-0.1	0.5	zero	-1.7	-4.9	-9.9
22-250 Rem	L22503	9 ½	45	JHP	4000	3340	2770	1598	1114	767	-0.3	0.2	zero	-1.2	-3.5	-7.2
	L22504	9 ½	50	JHP	3820	3245	2739	1620	1169	833	-0.1	0.8	0.9	zero	-2.0	-5.4
7.62x39mm	L762391	7 1/2	123	MC	2365	2060	1780	1527	1159	865	0.1	zero	-2.2	-6.8	-14.1	-24.5
30 Carbine	L30CR1	6 ½	110	MC	1990	1567	1236	967	600	373	0.6	zero	-4.2	-12.9	-27.2	-48.6
308 Win.	L308W4	9 ½	150	MC	2820	2533	2263	2648	2137	1705	-0.1	zero	-1.2	-3.9	-8.4	-14.7
30-06 Sprgfld.	L30062	9 ½	150	MC	2910	2617	2342	2820	2281	1827	-0.2	zero	-1.1	-3.6	-7.7	-13.6
303 British	L303B1	9 ½	174	MC	2475	2209	1960	2366	1885	1484	0.1	zero	-1.9	-5.9	-12.2	-21.4



UMC[®] LEADLESS[™] HANDGUN

CARTRIDGES. A must-have for shooters that frequent indoor ranges, economical UMC[®] LeadLess[™] cartridges virtually eliminate lead exposure at the firing line. Specially designed bullet actually prevents the vaporization of lead from the bullet's base upon firing.



Standard bullet weights duplicate the ballistics of conventional loads.

Nose profile designed to function smoothly in all action types Full-length copper Solid lead core jacket protected by thick copper jacket Powder blended for consistent

High-quality reloadable

Clean-shooting,

lead-free priming

velocity

brass case

Enclosed base virtually

eliminates airborne lead at firing line

**Note: These ballistics reflect vented barrel. 1 Packed 100 rounds per box. 2 Packed 40 rounds per box. 3 Packed 200 rounds per box. MC = Metal Case / FNEB = Flat Nose Enclosed Base / JHP = Jacketed Hollow Point / JSP = Jacketed Soft Point / LRN = Lead Round Nose

RIMFIRE

PREMIER GOLD BOX™ RIMFIRE. Looking for a rimfire cartridge with a centerfire attitude? Remington's got you covered with our complete line of Premier Gold Box Rimfire ammunition,

including the newest member to out Premier Gold Box family, the Premier 17 Mach 2 Cartridge. The 17 Mach 2 develops a velocity 40% higher and a trajectory nearly seven inches flatter at 150 yards than a 22 LR. Now, targets at ranges you never thought possible are within reach thanks to its sleek AccuTip^{*-}V bullet and high performance cartridge design.

	Index/	Wt.		Ve	elocity (ft./se	ec.)	E	Energy (ft-lbs	s.)		Trajectory*	*
Caliber	EDI No.	(grs.)	Bullet Style	Muz.	50 yds.	100 yds.	Muz.	50 yds.	100 yds.	50 yds.	100 yds.	150 yds
Premier® 17 HMR	PR17HM1	17	AccuTip-V	2550	2212	1901	245	185	136	0.1	0.0	-2.6
Premier® 22 Win Mag	PR22M1	33	AccuTip-V	2000	1730	1495	293	219	164	0.6	0.0	-4.5
Premier [®] 17 Mach 2	PR17LR	17	AccuTip-V	2100	1801	1532	166	122	88	0.7	0.0	-4.4



COMPETITION/TARGET RIMFIRE. When it comes to competition-grade rimfire ammunition, there's only one name good enough to share the Remington[®] brand – Eley. A company with a reputation for the world's most accurate and reliable rimfire ammunition, Eley, Ltd. has



on for the world's most accurate and reliable rimfire ammunition, Eley, Ltd. has teamed up with Remington to offer three grades of their premier .22 long rifle ammunition for the serious target shooter: Target Rifle, Club XTRA and the elite Match EPS. Remington Target ammunition offers the accuracy and economy for Match practice and developmental shooting.

	Index/	Wt.		V	elocity (ft./se	:C.)	E	inergy (ft-lbs	s.)		Trajectory'	r*
Caliber	EDI No.	(grs.)	Bullet Style	Muz.	50 yds.	100 yds.	Muz.	50 yds.	100 yds.	25 yds.	50 yds.	100 yds
Remington/Eley												
22 Match EPS	RE22EPS	40	Lead Flat Nose	1085	1006	941	105	90	79	0.3	0.0	-2.4
22 Club Xtra	RE22CX	40	Lead Round Nose	1085	1006	941	105	90	79	0.3	0.0	-2.4
22 Target Rifle	RE22T	40	Lead Round Nose	1085	1006	941	105	90	79	0.3	0.0	-2.4
Remington Target												
22 Long Rifle	6122/6100+	40	Round Nose	1150	1048	976	117	98	85	0.2	0.0	-2.1



RIMFIRE. Prairie dogs. Tin cans. Or a bulls-eye. No matter what you put in your sights, Remington* offers the perfect .22 rimfire ammunition for any occasion. With Remington, you know you're getting quality rounds. That's because we put the same level of care into making our rimfire ammunition as we do our centerfire ammunition, so you'll get the maximum performance from every shot.

						,			•	46		
Caliber	Index/ EDI No.	Wt. (grs.)	Bullet Style	Muz.	elocity (ft./s 50 yds.	ec.) 100 yds.	Muz.	Energy (ft-lb: 50 yds.	s.) 100 yds.	50 yds.	Trajectory* 100 yds.	* 150 yds
Magnum												
22 Win Mag	R22M1	40	Jacketed Hollow Point	1910	1610	1350	324	230	162	0.9	0.0	-5.7
	R22M2	40	Pointed Soft Point	1910	1600	1340	324	227	159	1.0	0.0	-5.8
	Index/	Wt.		V	elocity (ft./s	ec.)	E	Energy (ft-lb	s.)		Trajectory*	*
Caliber	EDI No.	(grs.)	Bullet Style	Muz.	50 yds.	100 yds.	Muz.	50 yds.	100 yds.	25 yds.	50 yds.	100 yds
Short												
22 Short	1022	29	Plated Lead Round Nose	1095	982	903	77	62	52	0.3	0.0	-2.5
High Velocity												
22 Long Rifle	1522/1500+	40	Plated Lead Round Nose	1255	1113	1017	140	110	92	0.0	0.0	-1.8
	1622/1600+	36	Plated Hollow Point	1280	1117	1010	131	100	82	0.0	0.0	-1.8
Hyper Velocity												
22 Yellow Jacket® Long Rifle	1722	33	Truncated Cone Hollow Point	1500	1247	1075	165	114	85	-0.2	0.0	-1.2
22 Viper [®] Long Rifle	1922	36	Truncated Cone Solid	1410	1198	1056	159	115	89	-0.1	0.0	-1.4
Long Rifle Shot												
Long Rifle Shot	9322	25	#10 Shot	—	—	—	—	—	—	—	—	—
Subsonic™												
22 Subsonic Long Rifle	SUB22HP	38	Hollow Point	1050	965	901	93	79	69	0.3	0.0	-2.6
Promotional												
22 Thunderbolt® Long Rifle	TB 22A	40	Round Nose	1255	1113	1017	140	110	92	0.0	0.0	-1.8
22 Cyclone® Long Rifle	CY 22HP	36	Hollow Point	1280	1117	1010	131	100	82	0.0	0.0	-1.8
22 Long Rifle (High Velocity)	GL 22HP	36	Hollow Point	1280	1117	1010	131	100	82	0.0	0.0	-1.8

**Note: Sight height 1.5" above axis of bore. + These long rifle 22s available in slide-open plastic packs of 100.

Remington.

SHOTSHELLS

NITRO-STEEL[™] WATERFOWL

SUPERIOR PERFORMANCE YOU CAN'T AFFORD TO MISS.

Looking for premium performance without the premium price? Nitro-Steel[®] delivers. Greater hull capacity means heavier charges and larger pellets, which makes these loads ideal for large waterfowl. Nitro-Steel delivers denser patterns for greater lethality and is zinc-plated to prevent corrosion. Available in a complete line of full payloads and high-velocity, Nitro-Steel is a luxury everyone can afford.

Zinc-plated loads prevent corrosion.

Remington. NITRO-STEEL" HIGH VELOCITY 25 PLASTIC SHOTSHE

ligh Ve

NITRO-STEEL[™] WATERFOWL FEATURES:

- New high-velocity loadings
- Greater hull capacity means heavier charges and larger pellets
- Complete line for all waterfowl hunting situations
- Zinc-plated to prevent corrosion
- Wetproof[™] sealed at primer and mouth

Index/EDI No.	Gauge	Shell Length	Velocity (ft./sec. @ 3 ft.)	Ounces of Shot	Shot Sizes
		NITRO-	STEEL [™] WATEF	RFOWL	
NS10M	10	3 ¹ /2"	1260	1 ³ /4	T, BBB, BB, 2
NS12HVS	12	2 ³ / ₄ "	1390	1 ¹ /s	2, 4
NS12S	12	2 ³ /4"	1275	1 1/4	BB, 2, 4
NS12HV	12	3"	1550	1 ¹ /s	BB, 2, 4
NS12M	12	3"	1450	1 1/4	T, BBB, BB, 1, 2, 3, 4
NS12HM	12	3"	1300	1 ³/s	T, BBB, BB, 2, 3, 4
NS1235HV	12	3 ¹ /2"	1550	1 ³/s	T, BBB, BB, 2
NS1235	12	3 ¹ /2"	1300	1 %	T, BBB, BB, 2
NS16HV	16	2 ³ /4"	1300	15/16	2, 4
NS20HVS	20	2 ³ /4"	1425	3/4	2, 4
NS20M	20	3"	1330	1	2, 4

SPORTSMAN™ HI-SPEED™ STEEL LOADS



HIGH VELOCITY, HIGH VALUE.

- Economical, Hi-Speed[™] steel loads
- Waterfowl loads for every hunting situation
- Upland loads for use in non-toxic zones and for practice shooting
- Shot size selection to match your game

Index/EDI No.	Gauge	Shell Length	Velocity (ft./sec. @ 3 ft.)	Ounces of Shot	Shot Sizes
	SP0	RTSMAN™	HI-SPEED [™] STE	EL LOADS	
SSTHV10	10	3 1/2"	1500	1 ³ /8	BB, 2
SST12	12	2 ³ /4"	1365	1	6, 7
SST12S	12	2 ³ /4"	1375	1 1/8	2, 4
SSTHV12H	12	3"	1550	1 ¹ /8	BB, 2, 4
SSTHV12HM	12	3"	1400	1 ¹ / ₄	BB, 1, 2, 3, 4
SST12HM	12	3"	1300	1 ³ /8	BB, 2
SSTHV1235	12	3 1/2"	1550	1 ³ /8	BB, 2
SST20	20	2 ³ /4"	1425	3/4	7

LEAD MAGNUMS

PREMIER® HIGH VELOCITY MAGNUM COPPER-PLATED BUFFERED TURKEY LOADS. The high-per-

formance lead load for avid turkey hunters. 3" and 3 1/2" 12-gauge payload leaves the muzzle at 1300 fps.

Delivers hard-hitting knockdown power. Loaded with our Power Piston[®] one-piece wad and Magnum-grade Copper-Lokt[®] lead shot for dense patterns and deep penetration.

PREMIER® MAGNUM COPPER-PLATED BUFFERED

TURKEY LOADS. Our original Magnum turkey loads. As fine a lead shotshell as you can carry in the woods. Magnum-grade Copper-Lokt® shot is cushioned with special polymer buffering and further protected by our Power Piston® one-piece wad for dense, even patterns. Delivers superb performance and devastating knockdown power out of tightly constricted turkey chokes.



Cantheitor

Remington



12 3 Ma

Remington

Remin

NITRO MAG® BUFFERED

MAGNUMS. Excellent for turkey or long-range pheasants. Heavy payloads of Magnum-grade shot are packed with shock-absorbing polymer buffering and enclosed

in our patented Power Piston® one-piece wad to provide dense, even patterns and uniform shot strings.

NITRO TURKEY[™] EXTENDED RANGE **BUFFERED MAGNUMS.**

• Nitro Mag® extra hard lead shot

Patterns over

value price

- FOR 2006
- 80% with Super Full choke · Patterns like copper,

Index/EDI No.	Gauge	Shell Length	Velocity (ft./sec. @ 3 ft.)	Ounces of Shot	Shot Sizes
PREMIER® H	IGH VELOC	ITY MAGNUN	I COPPER PLATED	TURKEY LOA	DS – BUFFERED
PHV12M	12	3"	1300	1 ³ /4	4, 5, 6
PHV1235M	12	3 ¹ /2"	1300	2	4, 5
PREMIE	R® MAGNU	IM COPPER F	LATED LEAD TURK	(EY LOADS –	BUFFERED
P10HM	10	3 ¹ /2 ¹¹	1210	2 ¹ / ₄	4
P12SM	12	2 ³ /4"	1260	1 1/2	4, 5, 6
P12XHM	12	3"	1175	2	4, 5, 6
P1235M	12	3 ¹ /2"	1150	2 1/4	4, 6
P20XHM	20	3"	1185	1 1/4	6
PRE	MIER® DUP	LEX® MAGNU	M COPPER PLATED	LOADS – BU	IFFERED
MP12S	12	2 ³ /4"	1260	1 1/2	4x6
MP12H	12	3"	1210	1 7/8	4x6
	N	IITRO MAG® L	.EAD LOADS – BUF	FERED	
NM12S	12	2 ³ /4"	1260	1 ¹ /2	2, 4, 6
NM12	12	3"	1280	1 5/8	4, 6
NM12H	12	3"	1210	1 7/8	2, 4, 6
NM20S	20	2 ³ /4"	1175	1 1/8	4, 6
NM20H	20	3"	1185	1 1/4	4, 6
	NITR	O TURKEY [™] N	AGNUM LOADS –	BUFFERED	
NT12H4	12	3"	1210	1 7/8	4, 5, 6
NT1235	12	3 ¹ /2 ¹¹	1300	2	4, 5, 6

UPLAND

NITRO PHEASANT[™] LOADS. For pattern, energy and performance, nobody beats Nitro Pheasant. The best of our Pheasant load offerings, Nitro Pheasant uses Remington's own Copper-Lokt[®] copper-plated lead shot with high antimony content, the hardest lead we make for hunting. Hard shot stays rounder for truer flight, tighter patterns and greater penetration. So when it comes to bringing down tough birds like pheasant, you need a load that delivers maximum pattern density and lethal energy – you need Nitro Pheasant. Available in both high velocity and magnum loadings in both 12- and 20-gauge.



PHEASANT LOADS. For the broadest selection in game-specific Upland lead shotshells, Remington[®] Pheasant Loads are the perfect choice. Their high velocity and long-range performance are just right for any pheasant hunting situation. Standard high base payloads include 12-, 16-, and 20-gauge.

EXPRESS® EXTRA LONG RANGE LOADS. Time-proven performance

for all upland game. The choice of experienced small game



hunters across the country because our Express line offers the best balance of payload and performance. Available in a broad selection of loadings – from 12-gauge to 410 bore – with shot sizes ranging from BB all the way down to 9.

SHURSHOT® HIGH BASE PHEASANT LOADS. The renowned ShurShot brand is available in a new high base offering.

ShurShot High Base Pheasant offers an ideal balance of velocity and payload to create nearperfect patterns, while its lower recoil helps to minimize fatigue over a long day in the field.





LEAD GAME LOADS. Budgetstretching shotshells for a wide variety of hunting. Available in 410 bore, 20-, 16- and 12gauge loadings.

SPORT LOADS. Economical, multi-purpose loads. Built with our premium Power Piston[®] wad and plastic Unibody hulls. Loaded with No. 8 shot. Ideal for skeet, trap and sporting clays, as well as quail, doves and woodcock.

Index/ EDI No.	Gauge	Shell Length	Velocity (ft./sec. @ 3 ft.)	Ounces Of Shot	Shot Sizes					
	NI	TRO PHEA	SANT™ LOADS – C	OPPER PLAT	red					
NP12	12	2 ³ /4"	1400	1 ¹ /4	4, 5, 6					
NP12M	12	2 ³ /4"	1300	1 ³ /8	4, 5, 6					
NP20	20	2 ³ /4"	1300	1	5, 6					
NP20M	20	3"	1185	1 1/4	5, 6					
	PHEASANT LOADS									
PL12	12	2 ³ /4"	1330	1 1/4	4, 5, 6, 7 ¹ / ₂					
PL16	16	2 ³ /4"	1295	1 1/8	6					
PL20	20	2 ³ /4"	1220	1	4, 5, 6, 7 ¹ / ₂					
		EXPRESS	® EXTRA LONG RA	NGE LOADS						
SP12	12	2 ³ /4"	1330	1 1/4	BB, 2, 4, 5, 6, 7 ¹ / ₂ , 9					
SP16	16	2 ³ /4"	1295	1 1/8	4, 6, 7 1/2					
SP20	20	2 ³ /4"	1220	1	4, 5, 6, 7 1/2, 9					
SP28	28	2 ³ /4"	1295	3/4	6, 7 ¹ / ₂					
SP410	.410	2 ¹ /2"	1250	1/2	4, 6, 7 1/2					
SP413	.410	3"	1135	11/16	4, 6, 7 1/2					
	5	SHURSHOT	* HIGH BASE PHE	ASANT LOAD)S					
R12P	12	2 ³ /4"	1220	1 ¹ / ₄	4, 5					
	SHUR	ISHOT® HE	AVY FIELD AND H	EAVY DOVE	LOADS					
RP12H	12	2 ³ /4"	1220	1 1/4	6, 7 ¹ / ₂ , 8					
R12HD	12	2 ³ /4"	1255	1 1/8	6, 7 ¹ / ₂ , 8					
R20HD	20	2 ³ /4"	1165	1	6, 7 ¹ / ₂ , 8					
		PRO	MOTIONAL GAME	LOADS						
GL12	12	2 ³ /4"	1290	1	6, 7 ¹ / ₂ , 8					
GL16	16	2 ³ / ₄ "	1200	1	6, 7 ¹ / ₂ , 8					
GL20	20	2 ³ /4"	1225	7/8	6, 7 ¹ / ₂ , 8					
GL410*	.410	2 ¹ / ₂ "	1200	1/2	6					
			SPORT LOADS							
R12SL	12	2 ³ /4"	1290	1	8					
R20SL	20	2 ³ /4"	1200	7/8	8					

PREMIER* SHOTS

25 PLASTIC SHOTS

PHEASAN

ton

TARGET LOADS

PREMIER® NITRO 27® HANDICAP TRAP LOADS.

Designed for long vardage trapshooting and long range sporting clays, our new powder, wad and primer mix have

improved the Nitro 27's performance, allowing more consistent velocities, 15% better pattern performance and softer recoil.



So if you're looking for tremendous target-breaking performance choose the improved Nitro 27.

GUN CLUB™ TARGET LOAD LINE.

An excellent choice for economical shooting. These high-quality shells are loaded with the same care as our top-of-the-line loads and now



feature the reliable STS® Primer. Many shooters are discovering that they can get acceptable reloading life while stretching their shooting dollar.

PREMIER® STS® TARGET. The standard in target shooting reliability. Absolutely consistent

from shot to shot. Bar none, the most reliable, most reloadable shells you can shoot. Available in 12, 20, 28 and 410.

Remington.

NEW



MANAGED-RECOIL[™] STS® TARGET.

Dramatically reduced recoil - 40% less in the 12-ga. load with target-grinding

STS® consistency and pattern density. Ideal for new shooters and high-volume practice.

							1.11	197.9-1
	Index/ EDI No.			Shell Length	Powder Dr. Eq.	Velocity (ft./sec. @ 3 ft.)	Ounces Of Shot	Shot Sizes
			PREMIER® STS® TARGET LO	ADS – E	XTRA H	ARD TARGET S	нот	
	STS121	12	Premier STS Target	2 ³ /4"	2 ³ /4	1185	1	7 1/2, 8, 8 1/2, 9
	STS12LR	12	Premier STS Low Recoil	2 ³ /4"	2 ¹ / ₂	1100	1 1/8	7 1/2, 8, 9
	STS12L	12	Premier STS Light Target	2 ³ /4"	2 ³ / ₄	1145	1 1/8	7 1/2, 8, 8 1/2, 9
	STS12LH	12	Premier STS Light Handicap	2 ³ /4"	3	1200	1 ¹ /8	7 1/2, 8
	STS12H	12	Premier STS Heavy Target	2 ³ /4"	3	1200	1 ¹ /8	9
-	STS12NH1	12	Premier Nitro 27 Handicap	2 ³ /4"	HNDCP	1290	1	7 1/2, 8
	STS12NH	12	Premier Nitro 27 Handicap	2 ³ /4"	HNDCP	1235	1 ¹ /8	7 1/2, 8
	STS12NSC	12	Premier STS Nitro Sporting Clays	2 ³ /4"	Max	1300	1 1/8	7 1/2, 8
32	STS12P	12	Premier STS Pigeon	2 ³ /4"	3 ¹ / ₄	1235	1 1/4	7 1/2, 8
	STS12IT	12	Premier STS International	2 ³ /4"	3 ¹ / ₄	1325	24 gm.	7 1/2, Cu-P,* 8 1/2
	STS20LR	20	Premier STS Low Recoil	2 ³ /4"	2 ¹ / ₂	1135	7/ ₈	8, 9
	STS20SC	20	Premier STS Target	2 ³ /4"	2 ¹ / ₂	1200	7/8	8
	STS20	20	Premier STS Target	2 ³ /4"	2 ¹ / ₂	1200	7/8	9
	STS28SC	28	Premier STS Target	2 ³ /4"	2	1200	3/4	8
	STS28	28	Premier STS Target	2 ³ /4"	2	1200	3/4	9
	STS410SC	.410	Premier STS Target	2 1/2"	Max	1200	1/2	8 ¹ / ₂
	STS410	.410	Premier STS Target	2 ¹ /2"	Max	1200	1/2	9
			MANAGED-RECO	IL™ STS®	TARGE	T LOADS		
W	RLSTS1285	12	Managed-Recoil STS Target	2 ³ /4"	—	1100	7/ ₈	8 ¹ / ₂
W	RLSTS2085	20	Managed-Recoil STS Target	2 ³ /4"	-	1100	7/8	8 ¹ / ₂
			GUN CLUB	™ TARGI	T LOAD	S		
	GC121	12	Gun Club	2 ³/4"	2 ³ /4	1185	1	7 1/2, 8
100	GC12L	12	Gun Club	2 ³/4"	2 ³ /4	1145	1 1/8	7 1/2, 8, 9
1	GC12	12	Gun Club	2 ³ /4"	3	1200	1 ¹ /8	7 1/2, 8
22	GC20	20	Gun Club	2 ³ /4"	2 ¹ / ₂	1200	7/8	7 1/2, 8, 9

* Copper-plated shot.


GRAND Dominatio

Harlan Campbell, Jr. Men's Trap All-American

Team Captain

Competitors at the Grand choose Remington® as their winning

ammunition. Great champions think alike. For the third year in a row, shooters who used Remington shells won more trophies than competitors using other brands at the 2005 ATA Grand American World Trapshooting Championship. Remington not only out-performed other ammunition in the



Grand. And for good reason! Remington STS® and Nitro 27[®] target loads provide softer recoil, better pattern performance, and more consistent velocities (not to mention the

most reloadable hull on the market). Isn't it time you switch to Remington and step into the winner's circle?

PREMIER[®] CORE-LOKT[®] ULTRA BONDED SABOT SLUGS

THE SURGICAL PRECISION OF CORE-LOKT®

ULTRA. Core-Lokt[®] Ultra Bonded. Sophisticated design, flawless performance.

This is one slug that's anything but sluggish when it comes to performance. The Remington[®] Core-Lokt Ultra Bonded is a sleek, ultra-fast, flat-shooting shotgun sabot slug that's virtually in a class of its own. With incredible accuracy, it delivers a 385-grain, 50 caliber, jacketed, bonded bullet that yields near 100% weight retention and expands to 2x in diameter. Designed for use in fully rifled barrels only, the Core-Lokt[®] Ultra Bonded offers a high-tech blend of sabot power and surgical precision that could be just what the doctor ordered.



Core-Lokt[®] is a jacketed, bonded lead bullet that hits with full weight retention at 2x expansion.

The 50-caliber

Index/EDI No.	Gauge	Shell Length	Slug Wt. (oz.)	Vel Muz.	ocity (ft./s 50 yds.	ec.) 100 yds.	En Muz.	ergy (ftll 50 yds.	bs.) 100 yds.		ajectory (i 100 yds.	n.) 150 yds.
		Р	REMIER®	CORE-LO	KT® ULT	RA BONDE	D SABOT	SLUG L	OADS			
PR12CLU	12	2 ³ /4"	385-gr.	1900	1770	1648	3086	2682	2325	1.8	2.4	0.0
PR20CLU	20	2 ³ /4"	260-gr.	1900	1750	1615	2084	1774	1506	2.0	2.7	0.0

PREMIER[®] COPPER SOLID[™] SABOT SLUGS

The unique, all-copper shotgun deer load. Designed specifically for use in fully rifled barrels. Outstanding on-game performance with 2x caliber expansion and virtually 100% weight retention. Consistently delivers $2^{1/2}$ ", 5-shot groups at 100 yards.

		Shell	Slug Wt.	Vel	ocity (ft./s	ec.)	En	iergy (ftll	os.)	Traject	ory (in.)
Index/EDI No.	Gauge	Length	(oz.)	Muz.	50 yds.	100 yds.	Muz.	50 yds.	100 yds.	50 yds.	100 yds.
			PREMIEF	R® COPP	er solie	SABOT S	SLUG LOA	DS			
PR12CS	12	2 ³ /4"	1	1450	1320	1208	2040	1689	1417	0.0†	-3.5
PR12MCS	12	3"	1	1550	1408	1283	2331	1923	1597	0.0†	-2.9
PR20CS	20	2 ³ /4"	5/8	1500	1360	1240	1444	1187	986	0.0†	-3.1



† 0.0 indicates yardage at which shotgun was sighted in.

BUCKHAMMER[®] LEAD SLUG

THE BRUTE FORCE OF BUCKHAMMER®: DEVASTATING KNOCKDOWN, OUTSTANDING ACCURACY. When it's time

to put the hammer down, this lead slug delivers a devastating one-two of precision and explosive power. Specifically designed for rifled barrels and choke tubes,

it has an attached stabilizer that optimizes flight to produce 3-inch, 100-yard groups. And weight retention at impact is consistently 100 percent. Choices include 12- and 20-gauge full-power and Managed-Recoil[™] versions. This season, put that big buck down for the count with the hardest-hitting, most accurate slug in the woods. BuckHammer.

	Index/ EDI No.	Gauge	Shell Length	Slug Wt. (oz.)	Velo Muz.	ocity (ft./s 50 yds.	ec.) 100 yds.	En Muz.	ergy (ftl 50 yds.	bs.) 100 yds.		ory (in.) 100 yds.
Ľ					В	UCKHAI	MMER®					
1	SP12LSS	12	2 ³ /4"	1 1/4	1550	1320	1145	2935	2177	1600	0.0	-3.6
Ľ	SP12MLSS	12	3"	1 ³ /8	1500	1234	1059	3232	2281	1710	0.0	-4.0
ľ	SP20LSS	20	2 ³ /4"	1	1500	1159	995	2236	1461	1074	0.0	-4.6
Ľ	SP20MLSS	20	3"	1	1550	1245	1051	2470	1592	1135	0.0	-4.1
Ľ				MAM	AGED-	RECOIL	BUCKH	AMMER	0			
Ľ	RL12LSS	12	2 ³ /4"	1 1/8	1350	1107	972	1991	1340	1032	0.0	-5.5
V İ	RL20LSS	20	2 ³ /4"	7/8	1275	1057	938	1379	948	746	0.0	-6.2

The unique design of the slug causes it to literally bond with the stabilizer as it travels down the barrel, resulting in unprecedented true flight.

SHOTSHELLS mington BUCKHAMMER

TAKE THE BUCKHAMMER CHALLENGE.

T T

Visit www.buckhammer.com and see how BuckHammer stacks up against the competition.

The BuckHammer® Lead Slug exhibits impressive accuracy by putting 100 shots inside an amazing 3 1/2" group at 100 yards. (2 3/4", 1 oz. 20-gauge)

The innovative design of the stabilizer allows the BuckHammer® to deliver 3" groups at 100 yards with 13% more energy than any other lead slug on the market. (3", 1 3/8 oz. 12-gauge)

The BuckHammer's 1³/8-ounce (600 gr.) lead slug offers near 100% weight retention with full 12 ga. (.73 cal.) diameter.

The BuckHammer[®] Lead Slug features an impressive mushroom progression. This expansion creates devastating on-game performance.

75 Yards









25 Yards

50 Yards

100 Yards

125 Yards

SLUGGER[®] & SLUGGER[®] HV

SLUGGER® HIGH VELOCITY SLUGS. Remington®

manufactures the only high-velocity 12- and 20-gauge Foster-style lead slug. This higher velocity slug exits the barrel at 1800 fps, 13% faster than standard 1 oz. slugs. The $\frac{7}{8}$ oz. Slugger High Velocity delivers 200 ft-lbs more energy at 50 yards with flatter trajectory on deer than standard 1 oz. slugs. Produced in most popular slug loadings – 2 $\frac{3}{4}$ " and 3" 12-gauge and 2 $\frac{3}{4}$ " 20-gauge with a $\frac{1}{2}$ oz. lead slug. Designed for the avid deer hunter using smooth bore guns.



5 PLASTIC SHOTSHELLS Warning: Keep Out of Reach of Children Cartouches De Fusil Mise En Garde Gardez Hors De La Portée Des Enfants

HIGH VELOCITY

Remington.

-



SLUGGER® RIFLED SLUGS.

Remington's most popular, accurate, hard-hitting slug. Slightly oversized for great smooth-bore shotgun performance, resulting in better sealing against the barrel wall for greater accuracy.

Index/EDI No.	Gauge	Shell Length	Slug Wt. (oz.)	Vel Muz.	ocity (ft./s 50 yds.		En Muz.	ergy (ftll 50 yds.			ory (in.) 100 yds.
			SLU	GGER® H	IGH VELC	CITY SLUC	G LOADS				
SPHV12RS	12	2 ³ /4"	7/8	1800	1252	978	2751	1517	813	0.0†	-4.1
SPHV12MRS	12	3"	7/8	1875	1302	998	2989	1442	847	0.0†	-3.7
SPHV20RS	20	2 ³ /4"	1/2	1800	1321	1037	1575	848	523	0.0†	-3.6
	SLUGGER® RIFLED SLUG LOADS										
SP12RS	12	2 ³ /4"	1	1560	1175	977	2361	1340	926	0.0†	-4.8
S12SRS	12	2 ³ /4"	1	1680	1285	1045	2738	1605	1059	0.0†	-3.8
S12MRS	12	3"	1	1760	1345	1075	3005	1753	1121	0.0†	-3.4
SP16RS	16	2 ³ /4"	4/5	1600	1175	965	1989	1072	724	0.0†	-4.8
SP20RS	20	2 ³ /4"	5/8	1580	1240	1034	1513	931	648	0.0†	-4.2
SP41RS	.410	2 ¹ /2"	1/5	1830	1335	1040	654	348	211	0.0†	-3.5
	MANAGED-RECOIL [™] RIFLED SLUG LOADS										
RL12RS	12	2 ³ /4"	1	1200	988	873	1397	948	739	0.0†	-7.4

† 0.0 indicates yardage at which shotgun was sighted in.

BUCKSHOT

PREMIER® NICKEL-PLATED

BUCKSHOT. Magnum-grade, nickel-plated lead pellets provide deeper penetration than unplated lead. Dense, evenly balanced patterns are 25% tighter than those of normal lead buckshot.



Remington.

EXPRESS® BUCKSHOT. One of the great values in shotgun deer loads. A combination of heavy cushioning behind the shot column and a granulated polymer buffering helps maintain pellet roundness for tight, even patterns.

Index/ EDI No.	Gauge	Shell Length	Velocity (ft./sec. @ 3 ft.)	Buckshot Size	Pellet Count				
PREMIER® NICKEL-PLATED BUCKSHOT LOADS – BUFFERED									
12SN00	12	2 ³ /4"	1290	00	12				
12HN00	12	3"	1225	00	15				
EXF	PRESS® M	AGNUM BL	ICKSHOT LEAD LO)ADS – BUFF	ERED				
12SB00	12	2 ³ /4"	1290	00	12				
12HB000	12	3"	1225	000	10				
12HB00	12	3"	1225	00	15				
12HB4	12	3"	1225	4	41				
1235B001	12	3 ¹ /2"	1125	00	18				
	EXPRES	S® BUCKSI	HOT LEAD LOADS	– BUFFERED					
12B000	12	2 ³ /4"	1325	000	8				
12B001	12	2 ³ / ₄ "	1325	00	9				
12B0	12	2 ³ /4"	1275	0	12				
12B1	12	2 ³ /4"	1250	1	16				
12B4	12	2 ³ /4"	1325	4	27				
20B3	20	2 ³ /4"	1220	3	20				
		MANAGED	-RECOIL™ BUCKS	HOT					
RL12BK00	12	2 ³ /4"	1200	00	8				

¹ Utilizes Remington[®] Power-Piston one-piece wad.


COMPONENTS

REMINGTON RELOADING COMPONENTS. If you reload your own cartridges, then you shouldn't settle for anything but the best reloading components in the business – Remington.[®] We offer industry-leading products that are changing the way sportsmen think about reloading.

KLEANBORE® MUZZLELOADING

PRIMERS. The cleanest-burning muzzleloading primer ever.

- From 2 to 15 times more shots between cleanings
- Dramatically reduced chamber buildup for easier bullet seating



• Accuracy and velocity equal to standard shotshell primers



Bore scope photo of muzzleloader breech using a competitor's 209 primers after 2 shots.

Bore scope photo of muzzleloader breech using Remington® Kleanbore® primers after 15 shots.

Index/EDI No.	Description
ETRONX [™] EI	LECTRIC CENTERFIRE PRIMERS
XEL22610	9 1/2 Large Rifle (Electric)
C	ENTERFIRE PRIMERS
X22600	1 1/2 Small Pistol
X22604	2 1/2 Large Pistol
X22625	5 1/2 Small Pistol
X22606	6 1/2 Small Pistol
X22628	7 1/2 Small Rifle BR
X22608	9 1/2 Large Rifle
X22622	9 1/2 M Magnum Rifle
CONSU	MER PACK RIFLE BULLETS
RB2241	224, 45-grain HP
RB2242	224, 50-grain PSP
RB224P1	224, 50-grain PLHP
RB2244	224, 55-grain MC
RB2243	224, 55-grain PSP
RB224P2	224, 55-grain PLHP
RB2247	224, 62-grain HP Match
RB243P1	243, 80-grain PLHP
RB2432	243, 80-grain PSP
RB2433	243, 100-grain PSP Core-Lokt
RB2571	257, 100-grain PSP Core-Lokt
RB2642	264, 140-grain PSP Core-Lokt
RB2682	6.8mm, 115-grain MC
RB2772	277, 130-grain PSP Core-Lokt
RB2842	264, 150-grain PSP Core-Lokt
RB3085	308, 150-grain MC
RB3081	308, 150-grain PSP Core-Lokt
RB3083	308, 180-grain PSP Core-Lokt
RB30301	308 (30-30), 150-grain SP Core-Lokt

No. of Concession, Name	
Index/EDI No.	Description
CONSUMER	R PACK RIFLE BULLETS (cont.)
RB303B	310 303, 180-grain SP Core-Lokt
RB3231	323, 185-grain PSP Core-Lokt
RB4571	457, 300-grain SJHP
CONSUM	NER PACK PISTOL BULLETS
RB9MM3	9MM Caliber, 115 MC
RB9MM11	9MM Caliber, 115 FNEB
RB9MM5	9MM Caliber, 115 JHP
RB9MM2	9MM Caliber, 124 MC
RB9MM8	9MM Caliber, 147 JHP
RB380AP	356 380 Auto, 95 MC
RB38S11	356 38 Special, 130 MC
RB357M7	357/38 Caliber, 110 SJHP
RB357M1	357/38 Caliber, 125 SJHP
RB357M2	357/38 Caliber, 158 SJHP
RB40SW1	40/10mm Caliber, 155 JHP
RB40SW3	40/10mm Caliber, 180 MC
RB40SW5	40/10mm Caliber, 180 FNEB
RB40SW2	40/10mm Caliber, 180 JHP
RB41MG1	41 Caliber, 200 SJHP
RB44MG6	44 Caliber, 210 SJHP
RB44MG3	44 Caliber, 240 SJHP
RB45AP4	45 Automatic, 230 MC
RB45AP8	45 Automatic, 230 FNEB
RB45AP7	45 Automatic, 230 JHP
	JMER PACK RIFLE BRASS
RC17R	17 Remington
RC204R	204 Ruger
RC22H	22 Hornet
RC221FB	221 Fireball
RC222R	222 Remington
RC223R	223 Remington
RC2250R	22-250 Remington
RC220S	220 Swift
RC243W	243 Win
RC6MMR	6mm Remington
RC2506R	25-06 Remington
RC2520W RC257R	25-20 Win 257 Roberts
RC257R RC65S	6.5x55 Swedish Mauser
RC260R	260 Remington
RC68SPCR	6.8mm Remington SPC

Remington

Remingle

		Index/EDI No.	Description
			R PACK RIFLE BRASS (cont.)
		RC270W	270 Win
JE	w)	RC270WSM	270 WSM
		RC7M08R	7mm-08 Remington
	-	RC7MMG	7mm Remington Magnum
		RC7MMRS	7mm Remington SA Ultra Magnum
	-	RC7MMRA	7mm Remington Ultra Magnum
9		RC280R	280 Remington
8		RC3030W	30-30 Win
3		RC300RS	300 Remington SA Ultra Magnum
8		RC300RA	300 Remington Ultra Magnum
ŝ		RC3006	30-06 SPRG
	_	RC300WM	300 Win Mag
JE	W)	RC300WSM	300 WSM
	_	RC303B	303 British
3		RC308W	308 Win
3	_	RC3220W	32-20 Win
		RC8MSR	8mm Mauser
	_	RC8MMG	8mm Remington Magnum
	_	RC338W	338 Win Mag
8	_	RC338RA	338 Remington Ultra Magnum
3		RC350R	350 Remington Magnum
	_	RC35W	35 Whelen
2	_	RC375H	375 H&H Magnum
2	_	RC375RA	375 Remington Ultra Magnum
8		RC4440W	44-40 Win
	_	RC4570G	45-70 Government
8	_		MER PACK PISTOL BRASS
	_	RC357MG	357 Magnum
	_	RC357X	357 Maximum
		RC9MM	9mm Luger
	_	RC38AS	38 Super Auto+P
		RC38SP	38 Special
	_	RC40SW	40 S&W
		RC41RA	41 Remington Magnum
12.02	_	RC44RA	44 Remington Magnum
		RC44SW	44 S&W
	_	RC45C	45 Colt
		RC45A	45 Auto
		RC454C	454 Casull

Kemington

圓開港

221 FIREBALL 100 UNPRIMED CASES AMMUNITION

Remington.

......

6.8 CALIBER 115 MC DIA. 277 100 BULLETS

BR = Bench Rest / FNEB = Flat Nose Enclosed Base HP = Hollow Point / JHP = Jacketed Hollow Point / MC = Metal Case PLHP = Power Lokt Hollow Point / PSP = Pointed Soft Point SJHP = Semi-Jacketed Hollow Point / SP = Soft Point



M-Series[™] Clip Point Two models to choose from: Medium (3" Blade, 4 5/16" Closed) Large (3 3/8" Blade, 4 13/16" Closed)

Medium (3" Blade, 4 5/16" Closed) Large (3 3/8" Blade, 4 13/16" Closed)

Two models to choose from:

- Stainless steel pocket clip
- · Lanyard hole
- Made in the USA



MODEL 830[™] KNIFE

- 440A stainless steel drop point blade with bead blast finish
- 6061 T-6 aircraft aluminum handle with hard anodized finish
- Etched Remington[®] logo
- · Ambidextrous thumb stud
- · Bead blast stainless steel pocket clip
- · Lanyard hole
- · Made in the USA

SPORTSMAN[™] SERIES F.A.S.T[™] FOLDING KNIVES



- "Fast Action Soft Touch"
- Rubber coated stainless steel handle
- 440 stainless steel blade with etched Remington[®] logo
- Available in matte black, Mossy Oak[®] Obsession[®] and Advantage® MAX-4 camouflage
- 3 ⁵/⁸" serrated clip blade



F.A.S.T.™ Camo Stainless Steel Black Blade Mossy Oak® Obsession® Handle (3 5/8" Blade, 5" Closed)

F.A.S.T.™ Camo Stainless Steel Black Blade Advantage® MAX-4 Handle (3 5/8" Blade, 5" Closed)

F.A.S.T.™ Matte Black Stainless Steel Black Blade (3 5/8" Blade, 5" Closed)

> F.A.S.T.™ Matte Black Stainless Steel Blade (3 5/8" Blade, 5" Closed)


> > Remington.

.......

F.A.S.T.™ Camo Stainless Steel Blade Mossy Oak® Obsession® Handle (3 5/8" Blade, 5" Closed)



F.A.S.T.™ Camo Stainless Steel Black Advantage® MAX-4 Handle (3 5/8" Blade, 5" Closed)



- · Aluminum with gray anodized finish and rubber inserts w/bead blasted stainless steel pocket clip
- 420 high carbon bead blasted stainless steel blade w/thumb stud
- · Patented opening assisted mechanism
- 4 1/2" closed
- · Made in the USA

Modified Drop w/ Serration (3 1/8" Blade, 7 5/8" Overall Length)

Remington.

Modified Drop (3 1/8" Blade, 7 5/8" Overall Length)

For complete knife specifications, see page 91-92.



DELRIN® STAG HANDLE KNIVES

- 440A stainless-steel blades
- Nickel silver bolsters
- Remington tang stamp
- Brass liners
- Scotchbrite[®] finish
 on all blades
- Jigged 'bone-style'
 Delrin handle
- Made in the USA



Gentleman's (3" Closed) (Drop Point)



Waterfowl (4 '/4" Closed) (Clip, Saw, Choke Tube Tool and Pin Punch)



Upland (3 ⁷/s" Closed) (Clip, Bird Hook and Choke Tube Tool)

72



KNIVES

SPORTSMAN[™] SERIES DELRIN[®] FOLDING KNIVES

- · Jigged "bone style" Delrin handle with cloisonné shield
- Locking 440A stainless steel blade
- Satin finished stainless steel bolsters & pins
- Sportsman Series logo etched on tang
- Large knife comes with rugged black nylon sheath

Large

(5" Closed)

Brass liners



R

ington.

Remington

Remingto

SPORTSMAN[™] SERIES COCOBOLA FOLDING KNIVES

- Attractive Cocobola wood handle with cloisonné shield
- Locking 440A stainless steel blade
- Sportsman Series logo etched on tang
- Brass liners
- Nickel-silver bolsters & pins
- Large knife comes with rugged black nylon sheath
- Combo set available

Small (3 1/8" Closed)

Small

(3" Closed)

Large (5" Closed)

SPORTSMAN[™] SERIES ZYTEL FOLDER WITH COLLECTOR TIN

- Black Zytel handle with textured rubber insert and stainless steel logo shield and pocket clip
- 440 stainless steel blade
- Ambidextrous thumb stud
- Attractive
 3-color tin

Clip Point (2 ³/₄" Blade, 3 ¹/₂" Closed)

(Tin sample)

Remington

Remington.

Remington

2

Drop Point (2 ³/4" Blade, 3 ¹/2" Closed)

Tanto Point (2 ³/₄" Blade, 3 ¹/₂" Closed)



5




REMINGTON VALUED PARTNERS Visit remington.com/valuedpartners









Wallpaper Borders

Wallpaper borders featuring Remington vintage artwork. YORK WALLCOVERINGS PO Box 5166 York, PA 17405 717-846-4456 vorkwall.com

Headwear

Licensed technical and casual hunting headwear products. OUTDOOR CAP COMPANY, INC. 1200 Melissa Lane Bentonville, AR 72712 800-826-6047 outdoorcap.com

West Bend, WI 53090

Metal Spinning Targets

& Hunting Accessories

Exclusively designed auto-

intended for use with .22 to

BIG GAME HUNTING & ACC., INC.

reset & spinner targets

REMINGTON TARGETS 1680 N. Redding Ave. (or)

biggametreestands.com

Windom, MN 56101

.44 caliber rifles.

PO Box 383

507-831-4350









Gun Cases & Paper Targets

The Allen Company manufactures high quality soft gun cases & targets utilizing Remington trade marked logos.

THE ALLEN COMPANY PO Box 445 525 Burbank St. Broomfield, CO 80038 303-469-1857

Outdoor Clothing

Remington clothing – A leader in field tested, field performance hunting gear.

THE BRINKMAN CORPORATION 7633 East 63rd. Pl., Ste. 300 Tulsa, OK 74133 877-525-9070

Gun Safes & Cabinets Remington gun safes including gun cabinets. LIBERTY SAFE AND SECURITY, INC. 1199 West Utah Ave. Payson, UT 84651 800-247-5625 libertysafe.com

Knife Storage Cases, **Rolls, Packs and Zipper Pouches** Remington knife storage cases, rolls, packs and zipper pouches. SMOKEY MOUNTAIN

KNIFE WORKS 2320 Winfield Dunn Pkwy Sevierville, TN 37876 865-453-5871 eknifeworks.com



Sporting Dogs

Complete selection of quality licensed Remington sporting dog accessories, training products, and electronic training collars.

COASTAL PET PRODUCTS 911 Leadway Ave. Alliance, OH 44601 800-321-0248 coastalpet.com

Game Calls

WILEY OUTDOORS

115-A Willie Drive Pearl, MS 39208

662-324-9188

Remington game calls with flextone technology.

remingtongamecalls.com









Socks

The Remington sock program features Outlast[™] technology for use in any weather. Made in the U.S.A.

Ŧ

MINGTON" VALUED

PARTNER

5

FOX RIVER MILLS PO Box 298 Osage, IA 50461 800-247-1815 foxsox.com

Men's & Women's Wristwatches, Pocket Watches & Clocks Marketer, merchandiser and manufacturer of Remington timewear.

ADVANCE WATCH COMPANY 25800 Sherwood Warren, MI 48091 800-477-4788 advancegroupinc.com

Treestands

Quality assured treestands sporting the most exclusive safety and design standards in the industry.

W.I.C. - REMINGTON TREESTANDS PO Box 352 Windom, MN 56101 507-831-2540 remingtontreestands.com

Wooden Gun & **Cutlery Cabinets**

The nation's largest manufacturer of wood gun cabinets - now produces a complete line of Remington gun and vintage cabinets

MORTON BOOTH PO Box 123 Joplin, MO 64802 800-543-5390 mortonbooth.com







Tin Signs, Magnets, License Plates, Light **Switch Covers** Complete line of vintage

Remington imagery including metal signs, thermometers & more.

DESPERATE ENTERPRISES, INC. 728 E. Smith Road Medina, OH 44256 800-732-4859 desperate.com

Dog Kennels

KENNEL AIRE

800-346-0134

Remington dog kennels & vehicle barriers provide excellent quality and comfort

for animal companions.

N4 W31844 Whitetail Run Delafield, WI 53018

REMINGTON VALUED PARTNERS Visit remington.com/valuedpartners



Die Cast Toy Trucks, Cars, Bi-Planes, Train Cars and Gas Pumps

ALPHA INTERNATIONAL 4520 20th Avenue, SW Cedar Rapids, IA 52404 800-368-6367 alpha-international-inc.com

Decorative Wooden Collectable

Uniquely crafted wooden ammunition boxes, furniture and decorative Remington accessories. <u>VINTAGE EDITIONS, INC.</u> 88 Bluff Lane Taylorsville, NC 28681 800-662-8965 vintageeditions.com/rem.html



Action Figures

Outdoor action figures with matching firearms and hunting accessories. <u>HUNTER DAN</u> PO Box 103 Greencastle, IN 46135 765-655-1400 hunterdan.com

Eye & Hearing Protection, Safety Gloves, Hard Hats and Vests (for both the sporting & industrial markets) Eye & hearing protection and

reflective and non-reflective safety gloves, hard hats and vests for both the sporting goods and industrial trades.

<u>RADIANS</u> 2768 Appling Center Cove Memphis, TN 38133 901-388-7776 radians.com radians.inc.com

Thermal Underwear T-Shirts & Henleys

Men's screen printed graphic T-shirts depicting Remington themes and thermal underwear for hunters.

<u>WRIGHT'S LLC</u> 208 Walter Blvd. Suite 100 Bentonville, AR 72712 479-271-8488

Air Rifles & Soft Air Rifles Pneumatic and break barrel air rifles and air gun

ammunition. Plus Remington replica soft air rifles. <u>CROSSMAN CORP.</u> Rout 5 & 20 East Bloomfield, NY 14443 585-657-6161 crosman.com

Wildlife Feeders Remington wildlife feeders with automatic & self-feeding models, timing units & accessories. <u>BA PRODUCTS</u> PO Box 291730 Kerrville, TX 78028 830-895-9800 remingtonfeeders.com









Calendars

The 2006 Remington calendar program features a collector's poster calendar.

CALENDAR PROMOTIONS / GLOBAL MARKETING 1000 Highway 4 South Sleepy Eye, MN 56085 800-533-0498 countrygallerycalendars.com

Fine Art Prints

artwork.

Limited Edition fine art print reproductions of vintage

Remington, Peters, UMC firearms & ammo promotional

WINFIELD GALLERIES

St. Louis, MO 63144

314-993-8947 remingtonartwork.com

748 Hanley Industrial Court









ATV Accessories Remington big game edition

ATV accessories. <u>ARCTIC CAT</u> PO Box 810 Thief River Falls, MN 56701 218-681-8558

arcticcat.com

Wildlife Nutritional Products

ehoutdoors.com

Quality products that deliver & hold wildlife on your management area. <u>EVOLVED INDUSTRIES</u> 2261 Morganza Highway New Roads, LA 70760 225-638-4016

Back Packs, Bags and Pouches Remington camo back packs, bags, pouches and related products. <u>CERF BROTHERS</u>

4240 Rider Trail North Earth City, MO 63045 800-237-3224 cerfbag.com

Black Powder Accessories

Complete line of Remington black powder accessories. <u>TRADITIONS BLACK POWDER</u> 1375 Boston Post Road PO Box 776 Old Saybrook, CT 06475 860-388-4656 traditionsfirearms.com



For more information or Licensee opportunities, contact Scott Lester, Licensing Manager, at 336-548-8535 or scott.lester@remington.com

5

CENTERFIRE BALLISTICS

Finding the correct ammunition and understanding how it performs is key for safety's sake and getting the most out of your rifle. To help you better understand centerfire ballistics, Remington has compiled a series of tables to make it easy to identify the proper ammunition and to measure its performance through velocity, energy and trajectory.

RIFLE VELOCITY VS BARREL LENGTH. These tables were calculated by computer. A standard scientific technique was used to predict trajectories from the best available data for each round. Trajectories shown typify the ammunition's performance at sea level, but note that they may vary due to atmospheric conditions and the equipment.

All velocity and energy figures in these charts have been derived by using test barrels of indicated lengths.

Ballistics shown are for 24" barrels, except those for 30 carbine and 44 Remington Magnum, which are for 20" barrels. These barrel lengths were chosen as representative, as it's impractical to show performance figures for all barrel lengths.

The muzzle velocities, muzzle energies and trajectory data in these tables represent the approximate performance expected of each specified loading. Differences in barrel lengths, internal firearm dimensions, temperature and test procedure can produce actual velocities that vary from those given here.

Muzzle Velocity Range (ft./sec.)	Approx. Change in Muzzle Velocity per 1" change in barrel length (ft./sec.)
CENTERFIRE RI	FLE VELOCITY VS. BARREL LENGTH
2000 - 2500	10
2500 - 3000	20
3000 - 3500	30
3500 - 4000	40

- 1. Determine how much shorter, or longer, your barrel is than the test barrel.
- 2. In the left column of the chart (left), select the muzzle-velocity class of your cartridge.
- 3. To the right of that class, read the approximate change in velocity per inch of barrel length.
- 4. Multiply this number by the difference in the length of your barrel from that of the test barrel.
- **5.** If your barrel is shorter than the test barrel, subtract this figure from the muzzle velocity shown for your cartridge.
- 6. If your barrel is longer, add this figure to the muzzle velocity shown.

The trajectory figures shown in these ballistic tables are the rise or drop, in inches, of the bullet from a direct line of sight at selected yardage. Sighting in distances have been set at 100 to 250 yards.

The line of sight used is $1 \frac{1}{2}$ " above the axis of the bore. Since the rise or drop figures shown at the stated yardage are points of impact, you must hold low for positive figures, high for negative figures.

Many shooters who use the same cartridge often find it helpful to commit the rise and drop figures for that cartridge to memory, or tape them to their rifle stock. That way, they know instantly the right "hold" as soon as they estimate the target's range.

VENTED TEST BARREL BALLISTICS.

This Remington*-patented, industry-accepted method provides data that more precisely reflect actual use of revolver ammunition. It considers cylinder gap, barrel length, powder position, and production tolerances. Although our final values differ from conventional figures, the ammunition is unchanged. Key elements of our patented procedure include: (a) horizontal powder orientation; (b) cylinder gap: .008"; (c) barrel length: 4".

INTERCHANGEABILITY CHART. Cartridges within groups shown are interchangeable. Other substitutions should not be made without specific recommendation of the firearms manufacturer since improper combinations could result in firearm damage or personal injury.

RIMFIRE	CENTERFIRE (CONT.)	CENTERFIRE (CONT.)	CENTERFIRE (CONT.)	CENTERFIRE (CONT.)
22 W.R.F.	7mm Express, Remington	32 S&W in 32 S&W Long	38 Colt Special	38 Automatic in 38 Super +P
22 Remington Special	280 Remington	but not conversely	38 S&W Special	but not conversely
22 Win. Model 1890 in a 22 Win. Mag.	30-30 Sav.	32 S&W Long	38 Special Targetmaster®	380 Automatic
Rimfire but not conversely	30-30 Win.	32 Colt New Police	38 S&W Special Mid-Range (SEE NOTE D)	9mm Browning Short (Corto Kurz)
CENTERFIRE	30-30 Win. Accelerator* (SEE NOTE A)	32 Colt Police Positive	38 Special +P (SEE NOTE B)	9mm Luger (SEE NOTE E)
25-20 Remington	30-30 Marlin	32 W.C.F. (SEE NOTE A)	38-44 Special +P (SEE NOTE B)	9mm Parabellum
25-20 W.C.F.	30-30 Win. High Speed	32 Win. (SEE NOTE A)	38 Special	44 S&W Special (SEE NOTE F)
25-20 Win.	30 W.C.F.	32-20 Win. High Speed (SEE NOTE A)	38 Special Flat Point	44 Marlin
25-20 Win. High Speed	32 Colt Automatic	32-20 Colt L.M.R	38 Short Colt in 38 Long Colt but not	44 Win.
25-20 Marlin	32 Auto. Colt Pistol (ACP)	32-20 W.C.F (SEE NOTE G)	conversely. Both can be used in	44 Remington
25 W.C.F.	32 (7.65mm) Automatic	32-20 Win. and Marlin	38 Special	44-40 Win.
6mm Rem.	7.65mm Automatic Pistol	38 S&W	38 Marlin	44 W.C.F.
244 Remington	7.65mm Browning (not interchangeable	38 Colt New Police	38 Win. (SEE NOTE A)	45-70 Government
25 Automatic	with 7.65mm Luger)	380 Webley	38 Remington (SEE NOTE A)	45-70 Marlin, Win.
25 Auto. Colt Pistol (ACP)	32 Short Colt in 32 Long Colt but not		38-40 Win.	45-70-405
25 (6.35mm) Automatic	CONVERSELY (SEE NOTE C)		38 W.C.F. (SEE NOTE A)	
6.35mm Browning				

- NOTE A: High-speed cartridges must not be used in revolvers. They should be used only in rifles made especially for them.
- NOTE D: All 38 Special cartridges can be used in 357 Magnum revolvers but not conversely.

NOTE F: 44 Russian and 44 S&W Special can be used in 44 Remington Magnum revolvers

- NOTE E: 9mm sub machine gun cartridges should not be used in handguns.
- NOTE B: Ammunition with "+P" on the case headstamp is loaded to higher pressure. Use only in firearms designated for this cartridge and so recommended by the oun manufacturer.
- NOTE G: Not to be used in Win. M-66 and M-73.

but not conversely

NOTE C: Not for use in revolvers chambered for 32 S&W or 32 S&W Long.

CENTERFIRE BALLISTICS

(17 Remington - 270 Win.)

ULITIA	INDEX/EDI			DOUNTO					and the second
CALIBER	NUMBER	(GRS.)	BULLET STYLE	PRIMER NUMBER	VELOCITY (FT./SEC.) MUZZLE 100 200 300 400 500	ENERGY (FTLBS.) MUZZLE 100 200 300 400 500	SHORT-RANGE ¹ TRAJECTORY* 50 100 150 200 250 300		llistic Efficient
17 Remington	PRA17RA	20	AccuTip [™] -V	7 1/2	4250 3594 3028 2529 2081 1684	802 574 407 284 192 126	-0.4 0.1 zero -0.9 -2.8 -5.9	1.3 1.7 1.3 zero -2.5 -11.8 -29.2 0.).185
	R17R2	25	Hornady Hollow Point	7 ¹ / ₂	4040 3284 2644 2086 1606 1235	906 599 388 242 143 85	0.0 0.3 zero -1.3 -3.8 -7.8	1.8 2.3 1.8 zero -3.3 -16.6 -43.6 0.).151
204 Ruger	PRA204A	32	AccuTip [™] -V	7 ¹ / ₂	4225 3632 3114 2652 2234 1856	1268 937 689 500 355 245	-0.4 0.1 zero -0.9 -2.7 -5.5	0.6 0.7 zero -1.5 -4.1 -13.1 -28.9 0.).210
	PRA204B	40	AccuTip [™] -V Boat Tail	7 ¹ / ₂	3900 3451 3046 2677 2336 2021	1351 1058 824 636 485 363	-0.3 0.2 zero -1.0 -2.9 -5.8	0.7 0.7 zero -1.6 -4.3 -13.2 -28.1 0.).275
22 Hornet	PRA22HNA	35	AccuTip [™] -V	6 ¹ / ₂	3100 2271 1591 1127 924 806	747 401 197 99 66 51	-1.5 zero -1.6 -5.5 -13 -25.5	-1.5 zero -3.5 -10.4 -22.3 -68.4 -155.3 0.).109
	R22HN1	45	Pointed Soft Point	6 ¹ /2	2690 2042 1502 1128 948 840	723 417 225 127 90 70	0.0 zero -2.1 -7.1 -16.0 -30.0	1.4 zero -4.3 -12.4 -25.8 -74.2 -162.0 0.).130
	R22HN2	45	Hollow Point	6 ¹ /2	2690 2042 1502 1128 948 840	723 417 225 127 90 70	0.0 zero -2.1 -7.1 -16.0 -30.0	1.4 zero -4.3 -12.4 -25.8 -74.2 -162.0 0.).130
220 Swift	R220S1	50	Pointed Soft Point	7 ¹ /2	3780 3158 2617 2135 1710 1357	1586 1107 760 506 325 204	0.0 0.3 zero -1.4 -4.0 -8.2	0.4 1.0 zero -2.3 -6.2 -20.1 -46.1 0.).175
221 Rem. Fireball	PRA221FB	50	AccuTip [™] -V Boat Tail	71/2	2995 2605 2247 1918 1622 1368	996 753 560 408 292 208	0.2 0.7 zero -2.2 -6.1 -12.1	1.8 1.7 zero -3.4 -8.8 -27.1 -58.8 0.).238
222 Remington	R222R1	50	Pointed Soft Point	71/2	3140 2602 2123 1700 1350 1107	1094 752 500 321 202 136	0.1 0.7 zero -2.3 -6.5 -13.1	1.9 1.7 zero -3.6 -9.7 -31.7 -72.8 0.).175
-	R222R3	50	Power-Lokt [®] Hollow Point	71/2	3140 2635 2182 1777 1432 1172	1094 771 529 351 228 152	0.1 0.7 zero -2.2 -6.2 -12.5	1.8 1.6 zero -3.5 -9.2 -29.6 -67.1 0.).188
	PRA222RB	50	AccuTip [™] -V Boat Tail	71/2	3140 2744 2380 2045 1740 1471	1094 836 629 464 336 240	0.1 0.6 zero -1.9 -5.4 -10.7).242
223 Remington	PRA223RB	50	AccuTip [™] -V Boat Tail	71/2	3410 2989 2605 2252 1928 1635	1291 992 753 563 413 297	-0.1 0.4 zero -1.5 -4.4 -8.7).242
LEO Hornington	PRA223RC	55	AccuTip [™] -V	71/2	3240 2854 2500 2172 1871 1598	1282 995 763 576 427 312	0.2 0.6 zero -1.8 -5.1 -9.9).255
	R223R1	55	Pointed Soft Point	7 ¹ /2	3240 2747 2304 1905 1554 1270).197
	R223R2	55	Power-Lokt [®] Hollow Point	71/2	3240 2773 2352 1969 1627 1341	1282 939 675 473 323 220	0.0 0.6 zero -1.9 -5.4 -10.7).209
	R223R3	55	Metal Case	7 1/2	3240 2759 2326 1933 1587 1301	1282 929 660 456 307 207	0.0 0.6 zero -1.9 -5.5 -11.0).202
	R223R6	62	Hollow Point Match	7 1/2	3025 2572 2162 1792 1471 1217	1260 911 643 442 298 204	0.2 0.7 zero -2.3 -6.5 -12.9).205
	RM223R1	69	MatchKing [®] BTHP	71/2	3000 2720 2457 2209 1975 1758	1379 1133 925 747 598 473	0.1 0.6 zero -1.9 -5.3 -10.3	1.6 1.5 zero -2.9 -7.4 -21.9 -45.4 0.).336
22-250 Remington	R22501	55	Pointed Soft Point	9 ¹ / ₂	3680 3137 2656 2222 1832 1493	1654 1201 861 603 410 272	0.0 0.3 zero -1.4 -4.0 -8.1	1.9 2.4 1.8 zero -3.3 -15.5 -38.3 0.).197
	R22502	55	Power-Lokt® Hollow Point	9 ¹ /2	3680 3209 2785 2400 2046 1725	1654 1257 947 703 511 363	0.0 0.3 zero -1.3 -3.7 -7.4	1.8 2.2 1.7 zero -3.0 -13.7 -32.8 0.).230
	PRA2250RB	50	AccuTip [™] -V Boat Tail	9 ¹ /2	3800 3339 2925 2546 2198 1878	1603 1238 949 720 536 392	0.0 0.8 0.9 0.0 -1.9 -4.9	1.6 2.0 1.5 zero -2.7 -12.2 -29.1 0.).242
6mm Remington [‡]	R6MM4	100	Core-Lokt [®] Pointed Soft Point	9 ¹ / ₂	3100 2829 2573 2332 2104 1889	2133 1777 1470 1207 983 792	0.0 0.6 zero -1.8 -4.8 -9.3	1.4 1.3 zero -2.6 -6.7 -19.8 -40.8 0.).356
243 Win.	PRA243WB	75	AccuTip [™] -V Boat Tail	9 ¹ / ₂	3375 3065 2775 2504 2248 2008	1897 1564 1282 1044 842 671	0.0 0.4 zero -1.4 -4.0 -7.8	2.0 2.4 1.8 zero -3.0 -13.3 -30.6 0.).330
	R243W1	80	Pointed Soft Point	9 ¹ / ₂	3350 2955 2593 2259 1951 1670	1993 1551 1194 906 676 495	0.0 0.5 zero -1.6 -4.5 -8.8	2.2 2.7 2.0 zero -3.5 -15.8 -37.3 0.).255
	R243W2	80	Power-Lokt® Hollow Point	91/2	3350 2955 2593 2259 1951 1670	1993 1551 1194 906 676 495	0.0 0.5 zero -1.6 -4.5 -8.8	2.2 2.7 2.0 zero -3.5 -15.8 -37.3 0.).255
	PRSC243WA	90	Swift Scirocco [™] Bonded	9 ¹ / ₂	3120 2871 2635 2411 2199 1997	1946 1647 1388 1162 966 797	0.0 0.5 zero -1.7 -4.5 -8.9	1.4 1.3 zero -2.5 -6.4 -18.8 -38.3 0.).390
	PRA243WA	95	AccuTip™	91/2	3120 2847 2590 2347 2118 1902	2053 1710 1415 1162 946 763	0.0 0.5 zero -1.7 -4.6 -9.2	0.5 1.3 zero -2.7 -6.6 -19.5 -40.2 0.).355
	PRC243WC	100	Core-Lokt [®] Ultra Bonded	9 ¹ /2	2960 2709 2471 2246 2033 1832	1945 1629 1356 1120 917 745	0.0 0.5 zero -2.0 -5.3 -10.3	1.6 1.5 zero -2.9 -7.3 -21.6 -44.3 0.).373
	R243W3	100	Core-Lokt [®] Pointed Soft Point	9 ¹ /2	2960 2697 2449 2215 1993 1786	1945 1615 1332 1089 882 708	0.1 0.7 zero -2.0 -5.4 -10.4).356
25-06 Remington	R25062	100	Core-Lokt [®] Pointed Soft Point	91/2	3230 2893 2580 2287 2014 1762	2316 1858 1478 1161 901 689	0.0 0.5 zero -1.7 -4.6 -9.1).292
	PRC2506RA	115	Core-Lokt [®] Ultra Bonded	91/2	3000 2751 2516 2293 2081 1881	2298 1933 1616 1342 1106 903	0.1 0.6 zero -1.9 -5.1 -9.9).380
	R25063	120	Core-Lokt [®] Pointed Soft Point	91/2	2990 2730 2484 2252 2032 1825	2382 1985 1644 1351 1100 887	0.1 0.6 zero -1.9 -5.2 -10.1).362
25-20 Win.	R25202	86	Soft Point	61/2	1460 1194 1030 931 858 797	407 272 203 165 141 121	zero -3.5 -13.2 -30.0 -54.7 -89.1).190
250 Savage	R250SV	100	Pointed Soft Point	9 ¹ / ₂	2820 2504 2210 1936 1684 1461	1765 1392 1084 832 630 474	0.0 zero -1.3 -4.1 -8.7 -15.3).285
257 Roberts	R257	117	Core-Lokt [®] Soft Point	9 ¹ /2	2650 2291 1961 1663 1404 1199	1824 1363 999 718 512 373	0.0 zero -1.6 -5.2 -10.5 -19.5).240
6.5x55 Swedish	R65SWE1	140	Core-Lokt [®] Pointed Soft Point	9 ¹ /2	2550 2353 2164 1984 1814 1654	2021 1720 1456 1224 1023 850	0.0 zero -1.5 -4.8 -9.9 -17.0).435
6.5mm Remington Mag	R65MM2	120	Core-Lokt [®] Pointed Soft Point	9 1/2 M		2745 2248 1830 1475 1177 929	0.4 0.7 zero -1.8 -4.9 -9.5).323
260 Remington	PRA260RA	120	AccuTip [™] Boat Tail	9 ¹ / ₂	2890 2697 2512 2334 2163 2000	2392 2083 1807 1560 1340 1146	0.1 0.7 zero -1.8 -4.9 -9.5).480
	R260R1	140	Core-Lokt [®] Pointed Soft Point	9 ¹ / ₂	2750 2544 2347 2158 1979 1812	2351 2011 1712 1448 1217 1021	0.3 0.8 zero -2.3 -6.1 -11.7	1.9 1.7 zero -3.3 -8.3 -24.0 -47.2 0.).435
	PRC260RB	140	Core-Lokt [®] Ultra Bonded	9 ¹ / ₂	2750 2554 2365 2185 2013 1849	2351 2027 1739 1484 1260 1063	0.3 0.8 zero -2.2 -6.0 -11.5	1.9 1.7 zero -3.2 -8.1 -23.6 -47.6 0.).457
264 Win. Mag.	R264W2	140	Core-Lokt® Pointed Soft Point	9 ½ M	3030 2782 2548 2326 2114 1914	2854 2406 2018 1682 1389 1139	0.1 0.6 zero -1.8 -5.0 -9.6	1.5 1.4 zero -2.7 -6.9 -20.2 -41.3 0.).384
6.8mm Rem. SPC	R68R1	115	Open Tip Match (OTM)	9 ¹ /2	2625 2373 2135 1911 1702 1513	1759 1437 1163 932 740 584	0.4 1.0 zero -2.7 -7.3 -14.1	2.3 2.0 zero -3.9 -10.0 -29.6 -61.2 0.).344
	R68R2	115	Metal Case	9 ¹ / ₂	2625 2329 2053 1797 1565 1363	1759 1385 1076 825 625 474	0.5 1.0 zero -2.9 -7.8 -15.1	2.5 2.1 zero -4.2 -10.6 -32.4 -68.3 0.).292
	RM68R1	115	MatchKing [®] BTHP	9 ¹ /2	2625 2365 2119 1889 1676 1484	1759 1428 1147 911 717 562	0.5 1.0 zero -2.7 -7.4 -14.3	2.4 2.1 zero -4.0 -10.1 -30.1 -62.5 0.).333
	PRC68R4	115	Core-Lokt [®] Ultra Bonded	9 ¹ / ₂	2625 2332 2058 1805 1574 1372	1759 1389 1082 832 633 481	0.5 1.0 zero -2.8 -7.8 -15.0	2.5 2.1 zero -4.2 -10.7 -32.2 -67.8 0.).295
270 Win.	R270W1	100	Pointed Soft Point	9 ¹ / ₂	3320 2924 2561 2225 1916 1636	2448 1898 1456 1099 815 594	0.0 0.5 zero -1.6 -4.6 -9.1	2.3 2.8 2.0 zero -3.6 -16.2 -38.5 0.).252
	RL270W2	115	Core-Lokt [®] Pointed Soft Point	9 ¹ / ₂	2710 2412 2133 1873 1636 1425	1875 1485 1161 896 683 519	0.1 zero -1.6 -4.8 -10.0 -17.8	1.0 zero -2.7 -7.4 -14.2 -35.6 -70.1 0.).295
	PRA270WA	130	AccuTip [™] Boat Tail	91/2	3060 2845 2639 2442 2254 2076	2702 2335 2009 1721 1467 1243	0.0 0.5 zero -1.7 -4.7 -9.0	1.4 1.3 zero -2.4 -6.4 -18.6 -37.7 0.).447
	PRSC270WA	130	Swift Scirocco™ Bonded	91/2	3060 2838 2627 2425 2232 2048	2702 2325 1991 1697 1438 1211	0.0 0.6 zero -1.7 -4.7 -9.0).433
	R270W2	130	Core-Lokt [®] Pointed Soft Point	9 ¹ /2	3060 2776 2510 2259 2022 1801	2702 2225 1818 1472 1180 936	0.1 0.6 zero -1.8 -5.1 -9.8).336
	R270W2	130	Bronze Point [™]	9 ¹ /2	3060 2802 2559 2329 2110 1904	2702 2223 1810 1472 1180 330	0.0 0.6 zero -1.8 -4.9 -9.5).372
	PRC270WB	140	Core-Lokt [®] Ultra Bonded	9 /2 9 ¹ /2	2925 2667 2424 2193 1975 1771	2659 2211 1826 1495 1212 975	0.0 0.0 Zero -1.8 -4.9 -9.5 0.1 0.7 Zero -2.0 -5.5 -10.7).360
	RS270WA	140	A-Frame [™] Pointed Soft Point	9 ¹ / ₂	2925 2652 2394 2152 1923 1711	2659 2186 1782 1439 1150 910 2775 2007 1507 1105 270 200	0.2 0.7 zero -2.1 -5.6 -10.9).339
	R270W4	150	Core-Lokt [®] Soft Point	9 ¹ / ₂	2850 2504 2183 1886 1618 1385	2705 2087 1587 1185 872 639	0.3 0.8 zero -2.4 -6.7 -13.0	2.0 1.8 zero -3.6 -9.4 -28.6 -61.2 0.).261

Note: These ballistics reflected a test barrel length of 24" except those for 30 Carbine and 44 Remington Magnum which are 20" barrels. Specifications are nominal. Ballistics figures established in test barrels. Individual rifles may vary from test barrel results. "zero" indicates yardage at which rifle was sighted in. * Inches above or below line of sight. Hold low for positive numbers, high for negative numbers. † 280 Remington and 7mm Express, Remington are interchangeable.

Form Remington and 244 Remington are interchangeable.
 Bullet does not rise more than 1" above line of sight from muzzle to sighting-in range.
 Bullet does not rise more than 3" above line of sight from muzzle to sighting-in range.

Premier[®] Core-Lokt[®] Ultra Bonded (page 50-51)

Premier[®] Swift Scirocco Bonded (page 52)

Premier[®] A-Frame (page 53)

CENTE	BFI	R	E BALLI	SI	PICS			(270 WCM 200 Win Mag)
CURTER								(270 WSM – 300 Win Mag)
CALIBER	INDEX/EDI NUMBER	WT. (GRS.)	BULLET STYLE	NUMBER	VELOCITY (FT./SEC.) MUZZLE 100 200 300 400 500	ENERGY (FTLBS.) MUZZLE 100 200 300 400 500	SHORT-RANGE ¹ TRAJECTORY* 50 100 150 200 250 300	LONG-RANGE ² TRAJECTORY* BALLISTIC 100 150 200 250 300 400 500 CO-EFFICIENT
270 WSM	R270WSM1	130	Core-Lokt [®] Soft Point	9 1/2 M	3285 2986 2707 2444 2196 1963	3114 2573 2114 1724 1392 1112	-0.1 0.4 zero -1.5 -4.2 -8.2	2.1 2.5 1.9 zero -3.2 -14.1 -32.2 0.336
NEW	PRA270WSMB	150	AccuTip [™] Boat Tail	9 1/2 M	3160 2972 2792 2618 2452 2291	3325 2941 2595 2283 2002 1748	-0.1 0.5 zero -1.5 -4.1 -8.0	2.1 2.5 1.8 zero -3.0 -12.8 -28.5 0.525
280 Remington [†]	PRA280RA	140	AccuTip™	9 ¹ / ₂	3000 2804 2617 2437 2265 2099	2797 2444 2129 1846 1594 1369	0.1 0.6 zero -1.8 -4.8 -9.2	2.5 2.9 2.1 zero -3.4 -14.8 -33.0 0.486
	R280R3	140	Core-Lokt [®] Pointed Soft Point	9 ¹ / ₂	3000 2758 2528 2309 2102 1905	2797 2363 1986 1657 1373 1128	0.1 0.6 zero -1.9 -5.1 -9.8	1.5 1.4 zero -2.8 -7.0 -20.5 -42.0 0.390
	R280R1	150	Core-Lokt® Pointed Soft Point	9 ¹ / ₂	2890 2624 2373 2135 1912 1705	2781 2293 1875 1518 1217 968	0.2 0.7 zero -2.1 -5.8 -11.2	1.8 1.6 zero -3.1 -8.0 -23.6 -48.8 0.346
	R280R2	165	Core-Lokt [®] Soft Point	9 ¹ / ₂	2820 2510 2220 1950 1701 1479	2913 2308 1805 1393 1060 801	0.0 zero -1.3 -4.1 -8.6 -15.2	2.0 1.8 zero -3.6 -9.1 -27.4 -57.8 0.290
7mm-08 Remington	R7M082	120	Hollow Point	9 ¹ / ₂	3000 2725 2467 2223 1992 1778	2398 1979 1621 1316 1058 842	0.1 0.6 zero -1.9 -5.3 -10.2	1.6 1.4 zero -2.9 -7.3 -21.7 -44.9 0.343
	R7M081	140	Core-Lokt® Pointed Soft Point	9 ¹ / ₂	2860 2625 2402 2189 1988 1798	2542 2142 1793 1490 1228 1005	0.2 0.7 zero -2.1 -5.7 -11.0	1.8 1.6 zero -3.1 -7.8 -22.9 -46.8 0.390
8	PRA7M08RB	140	AccuTip [™] Boat Tail	9 ¹ / ₂	2860 2670 2489 2314 2146 1986	2542 2216 1925 1664 1432 1225	0.2 0.7 zero -2.0 -5.4 -10.3	1.7 1.5 zero -2.9 -7.3 -21.1 -42.5 0.486
7mm Rem Magnum	PRC7MMRA	140	Core-Lokt [®] Ultra Bonded	9 ¹ / ₂ M	3175 2934 2707 2490 2283 2086	3133 2676 2277 1927 1620 1353	0.1 0.5 zero -1.6 -4.3 -8.4	1.3 1.2 zero -2.4 -6.0 -17.7 -36.0 0.409
	R7MM4	140	Core-Lokt® Pointed Soft Point	9 1/2 M	3175 2923 2684 2458 2243 2039	3133 2655 2240 1878 1564 1292	0.0 0.5 zero -1.6 -4.4 -8.5	2.2 2.6 1.9 zero -3.2 -14.2 -32.0 0.390
	RL7MM4	140	Core-Lokt® Pointed Soft Point	9 ¹ /2 M	2710 2482 2265 2059 1865 1683	2283 1915 1595 1318 1081 880	-0.1 zero -1.3 -4.2 -8.7 -15.1	0.9 zero -2.4 -6.5 -12.5 -30.8 -59.2 0.388
	PRSC7MMB	150	Swift Scirocco [™] Bonded	9 1/2 M	3110 2927 2751 2582 2419 2262	3221 2852 2520 2220 1948 1704	0.0 0.5 zero -1.6 -4.3 -8.2	1.3 1.2 zero -2.3 -5.9 -17.0 -34.0 0.533
NEW	PRA7MMRA	140	AccuTip [™] Boat Tail	9 1/2 M	3175 2971 2777 2591 2412 2241	3133 2744 2397 2086 1808 1560	-0.1 0.5 zero -1.5 -4.2 -8.0	2.1 2.5 1.8 zero -3.0 -13.0 -29.0 0.486
	PRA7MMRB	150	AccuTip [™] Boat Tail	9 1/2 M	3110 2926 2749 2579 2415 2258	3221 2850 2516 2215 1943 1697	0.0 0.5 zero -1.6 -4.3 -8.2	1.3 1.2 zero -2.3 -5.9 -17 -34.1 0.530
	R7MM2	150	Core-Lokt® Pointed Soft Point	9 1/2 M	3110 2830 2568 2320 2085 1866	3221 2667 2196 1792 1448 1160	0.0 0.6 zero -1.7 -4.8 -9.3	1.4 1.3 zero -2.6 -6.7 -19.9 -41.1 0.346
	PRC7MMRC	160	Core-Lokt [®] Ultra Bonded	9 1/2 M	2950 2724 2510 2305 2109 1924	3091 2636 2237 1887 1581 1315	0.1 0.6 zero -1.9 -5.2 -10.0	1.6 1.4 zero -2.8 -7.1 -20.8 -42.4 0.415
	RS7MMA	160	A-Frame [™] Pointed Soft Point	9 ¹ / ₂ M	2900 2659 2430 2212 2006 1812	2987 2511 2097 1739 1430 1166	0.2 0.7 zero -2.0 -5.5 -10.7	1.7 1.5 zero -3.0 -7.6 -22.4 -45.8 0.382
	R7MM3	175	Core-Lokt® Pointed Soft Point	9 1/2 M	2860 2645 2440 2244 2057 1879	3178 2718 2313 1956 1644 1372	0.2 0.7 zero -2.1 -5.6 -10.7	1.7 1.5 zero -3.0 -7.6 -22.1 -44.8 0.427
7mm STW	RS7MSTWA	140	A-Frame [™] Pointed Soft Point	9 1/2 M	3325 3020 2735 2467 2215 1978	3436 2834 2324 1892 1525 1215	0.0 0.4 zero -1.5 -4.1 -8.0	2.1 2.5 1.8 zero -3.1 -13.8 -31.5 0.332
	R7MSTW1	140	Core-Lokt® Pointed Soft Point	9 1/2 M	3325 3064 2818 2585 2364 2153	3436 2918 2468 2077 1737 1441	0.0 0.4 zero -1.4 -3.9 -7.6	2.0 2.4 1.7 zero -2.9 -12.8 -28.8 0.390
7mm Mauser (7x57)	R7MSR1	140	Core-Lokt® Pointed Soft Point	9 ¹ / ₂	2660 2435 2221 2018 1827 1648	2199 1843 1533 1266 1037 844	0.0 zero -1.4 -4.4 -9.1 -15.8	2.2 1.9 zero -3.6 -9.2 -27.4 -55.3 0.390
7mm Remington SA Ultra Mag™	PR7SM1	140	Core-Lokt [®] Ultra Bonded	9 1/2 M	3175 2934 2707 2490 2283 2086	3133 2676 2277 1927 1620 1353	0.1 0.5 zero -1.6 -4.3 -8.4	1.3 1.2 zero -2.4 -6.0 -17.7 -36.0 0.409
	PR7SM2	150	Core-Lokt® Pointed Soft Point	9 1/2 M	3110 2831 2568 2321 2087 1867	3221 2669 2197 1793 1450 1161	0.0 0.6 zero -1.7 -4.8 -9.3	2.5 2.9 2.1 zero -3.6 -15.7 -35.9 0.346
	PR7SM4	160	Core-Lokt [®] Ultra Bonded	9 ¹ / ₂ M	2960 2733 2518 2313 2117 1931	3112 2654 2252 1900 1592 1323	0.1 0.6 zero -1.9 -5.2 -9.9	2.7 3.1 2.2 zero -3.7 -16.2 -36.5 0.414
7mm Rem Ultra Mag™	PR7UM1	140	Core-Lokt [®] Ultra Bonded	9 ¹ / ₂ M	3425 3170 2929 2701 2485 2278	3646 3123 2667 2268 1919 1613	-0.2 0.3 zero -1.3 -3.6 -7.0	1.8 2.2 1.6 zero -2.7 -11.7 -26.4 0.409
NEW	PRSC7UM1	150	Swift Scirocco [™] Bonded	9 ¹ / ₂ M	3325 3132 2948 2771 2602 2438	3682 3267 2894 2558 2254 1979	-0.1 0.4 zero -1.3 -3.6 -7.0	1.8 2.2 1.6 zero -2.6 -11.4 -25.3 0.533
NEW	PR7UM5	175	A-Frame [™] Pointed Soft Point	9 ½ M	3025 2831 2645 2467 2296 2212	3555 3114 2718 2364 2047 1764	0.0 0.6 zero -1.7 -4.7 -9.0	2.4 2.8 2.0 zero -3.4 -14.5 -32.2 0.493
30 Carbine	R30CAR	110	Soft Point	6 ¹ / ₂	1990 1567 1236 1035 923 842	967 600 373 262 208 173	0.6 zero -4.2 -12.9 -27.2 -48.6	zero -4.2 -12.9 -27.2 -48.6 -117.1 -225.5 0.166
30-30 Win. Accelerator®	R3030A	55	Pointed Soft Point	9 ¹ / ₂	3400 2693 2085 1570 1187 986	1412 886 531 301 172 119	0.0 0.6 zero -2.2 -6.2 -13.2	1.7 1.6 zero -3.5 -9.9 -34.3 -83.3 0.139
30-30 Win. NEW	RL30301	125	Core-Lokt [®] Pointed Soft Point	9 ¹ / ₂	2175 1820 1508 1255 1082 975	1313 919 631 437 325 264	0.3 zero -3.0 -9.1 -19.1 -33.7	2.0 zero -5.2 -14.1 -27.8 -72.5 -146.9 0.215
	R30301	150	Core-Lokt® Soft Point	9 ¹ /2	2390 1973 1605 1303 1095 974	1902 1296 858 565 399 316	0.2 zero -2.4 -7.6 -16.1 -28.8	1.6 zero -4.3 -12.1 -24.0 -64.2 -133.2 0.193
	R30302	170	Core-Lokt [®] Soft Point	9 ¹ / ₂	2200 1895 1619 1381 1191 1061	1827 1355 989 720 535 425	0.3 zero -2.7 -8.3 -17.1 -29.9	1.8 zero -4.6 -12.6 -24.5 -62.6 -125.3 0.254
<u> </u>	R30303	170	Core-Lokt® Hollow Point	9 ¹ /2	2200 1895 1619 1381 1191 1061	1827 1355 989 720 535 425	0.3 zero -2.7 -8.3 -17.1 -29.9	1.8 zero -4.6 -12.6 -24.5 -62.6 -125.3 0.254
30-40 Krag	R30402	180	Core-Lokt® Pointed Soft Point	9 ¹ / ₂	2430 2213 2007 1813 1632 1468	2360 1957 1610 1314 1064 861	0.1 zero -1.8 -5.6 -11.6 -19.9	1.2 zero -3.2 -8.5 -16.2 -39.9 -76.7 0.383
30-06 Sprg. Accelerator®	R30069	55	Pointed Soft Point	9 ¹ / ₂	4080 3484 2964 2499 2080 1706	2033 1482 1073 763 528 355	-0.4 0.2 zero -1.0 -3.0 -6.2	1.4 1.8 1.4 zero -2.6 -12.2 -30.0 0.197
30-06 Springfield	R30061	125	Pointed Soft Point	9 ¹ / ₂	3140 2780 2447 2138 1853 1595	2736 2145 1662 1269 953 706	0.0 0.6 zero -1.9 -5.2 -10.1	1.5 1.4 zero -2.8 -7.4 -22.4 -47.6 0.268
	RL30062	125	Core-Lokt® Pointed Soft Point	9 ¹ / ₂	2660 2335 2034 1757 1509 1300	1964 1513 1148 856 632 469	-0.1 zero -1.5 -4.9 -10.4 -18.3	1.0 zero -2.9 -7.8 -15.2 -38.9 -78.0 0.267
	PRSC3006C	150	Swift Scirocco [™] Bonded	9 ¹ / ₂	2910 2696 2492 2298 2111 1934	2820 2421 2069 1758 1485 1246	0.1 0.7 zero -2.0 -5.3 -10.2	1.6 1.5 zero -2.9 -7.3 -21.1 -42.3 0.435
	PRA3006A	150	AccuTip [™] Boat Tail	9 ¹ / ₂	2910 2686 2473 2270 2077 1893	2820 2403 2037 1716 1436 1193	0.1 0.7 zero -2.0 -5.4 -10.3	1.7 1.5 zero -2.9 -7.4 -21.5 -43.7 0.415
	R30062	150	Core-Lokt [®] Pointed Soft Point	9 ¹ /2	2910 2617 2342 2083 1843 1622	2820 2281 1827 1445 1131 876	0.2 0.7 zero -2.2 -5.9 -11.4	1.8 1.6 zero -3.2 -8.2 -24.4 -50.9 0.314
	R30063	150	Bronze Point™	9 ¹ /2	2910 2656 2416 2189 1974 1773	2820 2349 1944 1596 1298 1047	0.2 0.7 zero -2.0 -5.6 -10.8	1.7 1.5 zero -3.0 -7.7 -22.7 -46.6 0.365
	PRC3006A	150	Core-Lokt [®] Ultra Bonded	9 ¹ / ₂	2910 2631 2368 2121 1889 1674	2820 2305 1868 1498 1188 933	0.2 0.7 zero -2.1 -5.8 -11.2	1.8 1.6 zero -3.1 -8.0 -23.8 -49.3 0.331
	PRA3006B	165	AccuTip™ Boat Tail	9 ¹ / ₂	2800 2597 2403 2217 2039 1870	2872 2470 2115 1800 1523 1281	0.2 0.8 zero -2.1 -5.9 -11.1	1.8 1.6 zero -3.2 -7.9 -22.8 -46.2 0.447
	R3006B	165	Core-Lokt® Pointed Soft Point	9 ¹ / ₂	2800 2534 2283 2047 1825 1621	2872 2352 1909 1534 1220 963	0.3 0.8 zero -2.3 -6.3 -12.1	2.0 1.7 zero -3.4 -8.7 -25.9 -53.2 0.339
	PRC3006B	168	Core-Lokt® Ultra Bonded	91/2	2800 2546 2306 2079 1866 1668	2924 2418 1984 1613 1299 1037	0.3 0.8 zero -2.3 -6.2 -11.9	1.9 1.7 zero -3.3 -8.5 -25.1 -51.7 0.356
(NEW)	PRA3006C	180	AccuTip [™] Boat Tail	9 ¹ / ₂	2725 2539 2360 2188 2024 1867	2967 2576 2226 1914 1637 1393	0.3 0.8 zero -2.3 -6.1 -11.6	0.9 2.0 zero -3.3 -8.2 -23.7 -47.7 0.480
	RS3006A	180	A-Frame [™] Pointed Soft Point	9 ¹ / ₂	2700 2465 2243 2032 1833 1648	2913 2429 2010 1650 1343 1085	0.0 zero -1.3 -4.2 -8.9 -15.4	2.1 1.8 zero -3.6 -9.1 -26.6 -54.4 0.377
5	PRC3006C	180	Core-Lokt® Ultra Bonded	9 ¹ / ₂	2700 2480 2270 2070 1882 1704	2913 2457 2059 1713 1415 1161	0.0 zero -1.3 -4.2 -8.7 -15.1	2.1 1.8 zero -3.5 -8.9 -25.8 -52.7 0.402
	PRSC3006B	180	Swift Scirocco™ Bonded	9 ¹ / ₂	2700 2522 2351 2186 2028 1878	2913 2542 2208 1910 1644 1409	0.0 zero -1.3 -4.0 -8.3 -14.2	2.0 1.7 zero -3.3 -8.3 -23.9 -47.9 0.500
1	R30064	180	Core-Lokt® Soft Point	9 ¹ / ₂	2700 2348 2023 1727 1466 1251	2913 2203 1635 1192 859 625	0.0 zero -1.5 -4.9 -10.3 -18.3	2.4 2.1 zero -4.3 -11.0 -33.8 -72.8 0.248
	R30065	180	Core-Lokt® Pointed Soft Point	9 ¹ / ₂	2700 2469 2250 2042 1846 1663	2913 2436 2023 1666 1362 1105	0.0 zero -1.3 -4.2 -8.8 -15.4	2.1 1.8 zero -3.5 -9.0 -26.3 -54.0 0.383
	R30066	180	Bronze Point™	9 ¹ / ₂	2700 2485 2280 2084 1899 1725	2913 2468 2077 1736 1441 1189	0.0 zero -1.3 -4.2 -8.7 -15.0	2.1 1.8 zero -3.5 -8.8 -25.5 -52.0 0.412
	R30067	220	Core-Lokt® Soft Point	9 ¹ / ₂	2410 2130 1870 1632 1422 1246	2837 2216 1708 1301 988 758	0.1 zero -2.0 -6.2 -12.9 -22.4	1.3 zero -3.5 -9.5 -18.4 -46.4 -91.6 0.294
300 Savage	R30SV2	150	Core-Lokt® Pointed Soft Point	9 ¹ / ₂	2630 2354 2095 1853 1631 1432	2303 1845 1462 1143 886 685	0.0 zero -1.5 -4.8 -10.1 -17.6	2.4 2.1 zero -4.1 -10.4 -30.9 -64.6 0.314
000.00	R30SV3	180	Core-Lokt® Soft Point	9 ¹ / ₂	2350 2025 1728 1467 1252 1098	2207 1639 1193 860 626 482	0.2 zero -2.3 -7.1 -14.7 -25.9	1.5 zero -4.0 -10.9 -21.3 -54.8 -110.3 0.248
300 Win. Mag.	R300W1	150	Core-Lokt® Pointed Soft Point	9 ¹ / ₂ M	3290 2950 2634 2340 2065 1810	3605 2897 2311 1823 1420 1091	0.0 0.5 zero -1.6 -4.4 -8.7	1.3 1.2 zero -2.4 -6.3 -18.9 -39.8 0.294
	RL300W1	150	Core-Lokt® Pointed Soft Point	9 ¹ / ₂	2650 2373 2113 1870 1646 1446	2339 1875 1486 1164 902 696	-0.1 zero -1.5 -4.7 -9.9 -17.2	1.0 zero -2.7 -7.4 -14.3 -35.8 -70.3 0.314
2	PRC300WA	150	Core-Lokt® Ultra Bonded	9 ¹ / ₂ M	3290 2967 2666 2384 2120 1873	3605 2931 2366 1893 1496 1168	-0.1 0.5 zero -1.6 -4.3 -8.5	1.2 1.2 zero -2.4 -6.1 -18.4 -38.5 0.310
8	PRSC300WB	180	Swift Scirocco™ Bonded	9 ¹ / ₂ M	2960 2274 2595 2424 2259 2100	3501 3075 2692 2348 2039 1762	0.1 0.6 zero -1.8 -4.9 -9.4	1.5 1.4 zero -2.6 -6.7 -19.3 -38.7 0.507
~	PRC300WC	180	Core-Lokt [®] Ultra Bonded	9 1/2 M	2960 2774 2505 2294 2093 1903	3501 2971 2508 2103 1751 1448	0.1 0.6 zero -1.9 -5.2 -10.0	2.7 3.1 2.2 zero -3.8 -16.4 -37.0 0.402

CENTERFIRE BALLISTICS

(300 Win. Mag - 45-70 Government)

U LI		INDEX/EDI	WT.		PRIMER	VELOCITY (FT./SEC.)	ENERGY (FTLBS.)	SHORT-RANGE ¹ TRAJECTORY*	LONG-RANGE ² TRAJECTORY*	BALLISTIC
CALIBER		NUMBER	(GRS.)	BULLET STYLE	NUMBER	MUZZLE 100 200 300 400 500	MUZZLE 100 200 300 400 500	50 100 150 200 250 300		CO-EFFICIENT
300 Win. Mag	g. (cont.)	PRA300WC	180	AccuTip [™] Boat Tail	9 ¹ / ₂ M	2960 2764 2577 2397 2224 2058	3501 3053 2653 2295 1976 1693	0.1 0.6 zero -1.8 -4.9 -9.5	1.5 1.4 zero -2.7 -6.8 -19.6 -39.5	0.481
		R300W2	180	Core-Lokt [®] Pointed Soft Point	9 ¹ / ₂ M	2960 2715 2482 2262 2052 1856	3501 2945 2463 2044 1683 1375	0.1 0.6 zero -1.9 -5.3 -10.2	1.7 1.5 zero -2.9 -7.4 -21.3 -43.7	0.383
		RM300W7	190	MatchKing® BTHP	9 ¹ / ₂ M	2900 2725 2557 2395 2239 2089	3547 3133 2758 2420 2115 1840	0.1 0.6 zero -1.9 -5.1 -9.8	1.6 1.4 zero -2.7 -6.9 -19.9 -39.8	0.533
		RS300WA	200	A-Frame [™] Pointed Soft Point	9 1/2 M	2825 2595 2377 2169 1971 1786	3544 2990 2508 2088 1726 1416	0.2 0.8 zero -2.2 -5.9 -11.2	1.8 1.6 zero -3.2 -8.0 -23.4 -47.8	0.395
300 WSM	NEW	R300WSM1	150	Core-Lokt [®] Pointed Soft Point	9 1/2 M	3320 2977 2660 2364 2087 1830	3671 2952 2356 1861 1451 1116	-0.1 0.4 zero -1.5 -4.3 -8.5	1.2 1.2 zero -2.4 -6.2 -18.6 -39.0	0.294
	NEW	PRA300WSMB	180	AccuTip [™] Boat Tail	9 1/2 M	3010 2812 2622 2440 2265 2097	3621 3159 2746 2378 2050 1757	0.1 0.6 zero -1.8 -4.8 -9.1	2.5 2.9 2.1 zero -3.4 -14.8 -32.9	0.480
	NEW	PRSC300WSMB	180	Swift Scirocco [™] Bonded	9 1/2 M	2980 2793 2614 2442 2276 2116	3549 3118 2730 2382 2070 1790	0.1 0.6 zero -1.8 -4.8 -9.2	1.5 1.3 zero -2.6 -6.6 -19.0 -38.1	0.507
308 Win.		RL308W1	125	Core-Lokt [®] Pointed Soft Point	9 ¹ /2	2660 2382 2121 1878 1653 1453	1964 1575 1249 978 759 586	-0.1 zero -1.5 -4.7 -9.8 -17.1	1.0 zero -2.7 -7.3 -14.1 -35.5 -69.6	0.314
		PRSC308WA	150	Swift Scirocco [™] Bonded	9 ¹ /2	2820 2611 2410 2219 2037 1863	2648 2269 1935 1640 1381 1156	0.0 zero -1.1 -3.6 -7.6 -13.2	1.8 1.6 zero -3.1 -7.8 -22.7 -46.0	0.435
		PRC308WA	150	Core-Lokt [®] Ultra Bonded	9 ¹ /2	2820 2546 2288 2046 1819 1611	2648 2159 1744 1394 1102 864	0.2 zero -1.2 -3.9 -8.2 -14.4	1.9 1.7 zero -3.4 -8.6 -25.5 -53.1	0.331
		R308W1	150	Core-Lokt [®] Pointed Soft Point	91/2	2820 2533 2263 2009 1774 1560	2648 2137 1705 1344 1048 810	0.0 zero -1.2 -3.9 -8.4 -14.7	2.0 1.7 zero -3.4 -8.8 -26.2 -54.8	0.314
		PRSC308WB	165	Swift Scirocco™ Bonded	9 ¹ / ₂	2700 2513 2333 2161 1996 1839	2670 2313 1994 1711 1459 1239	0.0 zero -1.3 -4.0 -8.4 -14.4	2.0 1.7 zero -3.3 -8.4 -24.3 -48.9	0.475
		PRA308WB	165	AccuTip [™] Boat Tail	91/2	2700 2501 2311 2129 1956 1792	2670 2292 1957 1661 1401 1176	-0.1 zero -1.3 -4.1 -8.5 -14.7	2.0 1.8 zero -3.4 -8.6 -24.8 -50.1	0.447
		RM308W1	168	MatchKing® BTHP	9 ¹ / ₂	2680 2493 2314 2143 1979 1823	2678 2318 1998 1713 1460 1239	0.0 zero -1.3 -4.1 -8.5 -14.7	2.1 1.8 zero -3.4 -8.6 -24.7 -49.9	0.475
		PRC308WC	180	Core-Lokt® Ultra Bonded	9 ¹ / ₂	2620 2404 2198 2002 1818 1644 2000 2074 1055 1000 1414 1010	2743 2309 1930 1601 1320 1080	0.0 zero -1.4 -4.5 -9.4 -16.3	2.3 2 zero -3.8 -9.5 -27.7 -56.4	0.402
		R308W2	180	Core-Lokt [®] Soft Point	9 ¹ / ₂	2620 2274 1955 1666 1414 1212	2743 2066 1527 1109 799 587	0.0 zero -1.7 -5.3 -11.2 -19.7	2.6 2.3 zero -4.6 -11.8 -36.3 -78.2	0.248
		R308W3	180	Core-Lokt [®] Pointed Soft Point	9 ¹ / ₂	2620 2393 2178 1974 1782 1604	2743 2288 1896 1557 1269 1028	0.0 zero -1.5 -4.6 -9.5 -16.5	2.3 2.0 zero -3.8 -9.7 -28.3 -57.8	0.383
300 Wby. Mag	g.	R300WB1	180	Core-Lokt [®] Pointed Soft Point	9 1/2 M	3120 2866 2626 2398 2181 1976	3890 3282 2755 2298 1902 1561	0.0 0.5 zero -1.7 -4.6 -9.0	1.4 1.3 zero -2.5 -6.4 -18.9 -38.7	0.383
303 British		R303B1	180	Core-Lokt [®] Soft Point	9 ¹ / ₂	2460 2124 1817 1542 1311 1137	2418 1803 1319 950 687 517	0.1 zero -2.0 -6.3 -13.2 -23.1	1.3 zero -3.6 -9.8 -19.1 -49.4 -99.9	0.247
7.62x39mm		R762391	125	Pointed Soft Point	7 ¹ / ₂	2365 2062 1783 1533 1320 1154	1552 1180 882 652 483 370	0.1 zero -2.2 -6.7 -14.0 -24.5	1.5 zero -3.8 -10.4 -20.1 -51.3 -102.5	0.267
300 Remingto Short Action	on	PR300SM1	150	Core-Lokt [®] Ultra Bonded	9 1/2 M	3200 2901 2622 2359 2112 1880	3410 2803 2290 1854 1485 1177	0.1 0.5 zero -1.6 -4.6 -8.9	1.3 1.2 zero -2.5 -6.4 -19.1 -39.6	0.330
Ultra Mag [™]		PR300SM2	165	Core-Lokt [®] Poined Soft Point	9 1/2 M	3075 2792 2527 2276 2040 1819	3464 2856 2339 1898 1525 1213	0.1 0.6 zero -1.8 -5.0 -9.7	1.5 1.4 zero -2.7 -7.0 -20.7 -42.1	0.339
		PR300SM4	180	Core-Lokt [®] Ultra Bonded	9 1/2 M	2960 2727 2506 2295 2094 1904	3501 2972 2509 2105 1753 1449	0.1 0.6 zero -1.9 -5.2 -10.0	1.6 1.4 zero -2.8 -7.1 -20.9 -42.6	0.403
		RM300SM7	190	MatchKing® BTHP	9 1/2 M	2900 2725 2557 2395 2239 2089	3547 3133 2758 2420 2115 1840	0.1 0.6 zero -1.9 -5.1 -9.8	1.6 1.4 zero -2.7 -6.9 -19.9 -39.8	0.533
300 Remingto	n	PR300UM5	150	Swift Scirocco [™] Bonded	9 ¹ / ₂ M	3450 3208 2980 2762 2556 2358	3964 3427 2956 2541 2175 1852	0.0 0.3 zero -1.2 -3.4 -6.7	1.7 2.1 1.5 zero -2.6 -11.2 -25.3	0.435
Ultra Mag™		PR300UM3	180	Swift Scirocco™ Bonded	9 1/2 M	3250 3048 2856 2672 2495 2325	4221 3714 3260 2853 2487 2160	0.0 0.4 zero -1.4 -3.9 -7.5	2.0 2.3 1.7 zero -2.8 -12.3 -27.3	0.500
		PR300UM4	180	Core-Lokt [®] Ultra Bonded	9 1/2 M	3250 2988 2742 2508 2287 2076	4221 3568 3003 2513 2088 1721	0.0 0.4 zero -1.5 -4.2 -8.1	2.1 2.5 1.8 zero -3.1 -13.6 -30.7	0.382
	NEW	RS300UM2	200	A-Frame [™] Pointed Soft Point	9 1/2 M	3032 2791 2562 2345 2138 1942	4083 3459 2916 2442 2030 1675	0.1 0.6 zero -1.8 -4.9 -9.5	1.5 1.4 zero -2.7 -6.8 -19.9 -40.7	0.395
32-20 Win.		R32201	100	Lead	61/2	1210 1021 913 834 769 712	325 231 185 154 131 113	zero -5.7 -19.7 -43.1 -76.9 -122.2	zero -11.2 -31.7 -62.7 -105.2 -228.5 -410.8	0.166
32 Win. Speci	ial	R32WS2	170	Core-Lokt [®] Soft Point	91/2	2250 1921 1626 1372 1175 1044	1911 1393 998 710 521 411	0.3 zero -2.6 -8.0 -16.7 -29.3	1.7 zero -4.5 -12.4 -24.1 -62.1 -125.3	0.239
8mm Rem. M		RS8MMRA	200	A-Frame [™] Pointed Soft Point	9 ¹ / ₂ M	2900 2623 2361 2115 1885 1672	3734 3054 2476 1987 1577 1241	0.2 0.7 zero -2.1 -5.8 -11.2	1.8 1.6 zero -3.1 -8.0 -23.9 -49.6	0.332
8mm Mauser		R8MSR	170	Core-Lokt [®] Soft Point	9 ¹ /2	2360 1969 1622 1333 1123 997	2102 1463 993 671 476 375	0.2 zero -2.4 -7.6 -16.1 -28.6	1.6 zero -4.4 -12.0 -23.7 -62.8 -128.9	0.205
338 Win. Mag	,	RS338WA	225	A-Frame [™] Pointed Soft Point	9 ¹ / ₂ M	2785 2517 2266 2029 1808 1605	3871 3165 2565 2057 1633 1286	0.0 zero -1.2 -4.0 -8.5 -14.8	2.0 1.8 zero -3.5 -8.8 -26.1 -54.1	0.337
550 Will. Way	j.	R338W1	225	Core-Lokt [®] Pointed Soft Point	9 1/2 M	2780 2572 2374 2184 2003 1832	3860 3305 2815 2383 2004 1676	0.0 0.8 zero -2.2 -5.9 -11.4	1.9 1.7 zero -3.2 -8.1 -23.4 -47.5	0.435
		PRC338WA	225		9 1/2 M					0.456
				Core-Lokt® Ultra Bonded		2780 2582 2392 2210 2036 1871	3860 3329 2858 2440 2071 1748	0.2 0.8 zero -2.2 -5.9 -11.2	1.9 1.6 zero -3.2 -7.9 -23.0 -46.5	
000 Dansiante		R338W2	250	Core-Lokt® Pointed Soft Point	9 1/2 M	2660 2456 2261 2075 1898 1731	3927 3348 2837 2389 1999 1663	0.0 zero -1.4 -4.3 -8.9 -15.4	2.1 1.9 zero -3.5 -8.9 -26.0 -52.7	0.431
338 Remingto Ultra Mag™	n	PR338UM2	250	Core-Lokt [®] Pointed Soft Point	9 1/2 M	2860 2647 2443 2249 2064 1887	4540 3888 3314 2807 2363 1977	0.2 0.7 zero -2.1 -5.6 -10.6	1.7 1.5 zero -3.0 -7.6 -22.0 -44.7	0.431
		PR338UM1	250	A-Frame [™] Pointed Soft Point	9 1/2 M	2860 2645 2440 2244 2057 1879	4540 3882 3303 2794 2347 1960	0.2 0.7 zero -2.0 -5.6 -10.7	1.7 1.5 zero -3.0 -7.6 -22.1 -44.9	0.427
35 Remington	1	R35R1	150	Core-Lokt® Pointed Soft Point	9 ¹ / ₂	2300 1874 1506 1218 1039 934	1762 1169 755 494 359 291	0.3 zero -2.7 -8.6 -18.2 -32.6	1.8 zero -4.9 -13.7 -27.1 -73.0 -150.8	0.184
		R35R2	200	Core-Lokt [®] Soft Point	9 ¹ /2	2080 1698 1376 1140 1001 911	1921 1280 841 577 445 369	0.5 zero -3.5 -10.7 -22.6 -40.1	2.3 zero -6.1 -16.7 -33.0 -86.6 -174.8	0.192
35 Whelen		R35WH1	200	Pointed Soft Point	9 1/2 M	2675 2378 2100 1842 1606 1399	3177 2510 1958 1506 1145 869	0.0 zero -1.5 -4.7 -9.9 -17.3	2.3 2.0 zero -16.8 -33.1 -86.9 -175.4	0.294
		R35WH3	250	Pointed Soft Point	9 1/2 M	2400 2197 2005 1823 1652 1496	3197 2680 2230 1844 1515 1242	0.1 zero -1.9 -5.7 -11.8 -20.4	1.3 zero -3.2 -8.6 -16.6 -40.0 -76.3	0.409
350 Remingto	on Mag	R350M1	200	Core-Lokt [®] Pointed Soft Point	9 1/2 M	2775 2471 2186 1921 1678 1461	3419 2711 2122 1639 1250 947	-0.1 zero -1.3 -4.2 -9.0 -15.8	2.1 1.8 zero -3.6 -9.4 -28.3 -59.7	0.293
375 H&H Mag] .	R375M1	270	Soft Point	9 1/2 M	2690 2363 2060 1780 1530 1317	4338 3347 2543 1900 1403 1039	0.4 1.0 zero -2.8 -7.6 -14.8	2.4 2.1 zero -4.1 -10.6 -32.3 -69.0	0.267
		PR375UM3	300	A-Frame [™] Pointed Soft Point	9 ½ M	2522 2280 2051 1836 1637 1458	4238 3462 2802 2245 1786 1415	0.0 zero -1.7 -5.2 -10.8 -18.7	2.6 2.2 zero -4.3 -10.9 -32.2 -66.5	0.350
375 Remingto	on	PR375UM2	270	Soft Point	9 ¹ / ₂ M	2900 2558 2241 1947 1678 1442	5041 3922 3010 2272 1689 1246	0.0 0.8 zero -2.3 -6.3 -12.3	1.9 1.7 zero -3.5 -8.9 -27.0 -57.6	0.267
Ultra Mag™		PR375UM3	300	A-Frame [™] Pointed Soft Point	9 ¹ / ₂ M	2760 2505 2263 2035 1822 1624	5073 4178 3412 2759 2210 1757	0.3 0.8 zero -2.4 -6.4 -12.4	2.0 1.8 zero -3.5 -8.8 -26.1 -53.9	0.350
416 Rem. Ma	ıgnum	RS416RA	400	A-Frame [™] Pointed Soft Point	9 ¹ /2 M	2400 2175 1962 1763 1579 1414	5115 4201 3419 2760 2214 1775	0.1 zero -1.9 -5.9 -12.1 -20.8	1.3 zero -3.3 -8.9 -17.0 -41.9 -80.8	0.367
44-40 Win.		R4440W	200	Soft Point	21/2	1190 1006 900 822 756 699	629 449 360 300 254 217	zero -5.9 -20.3 -44.5 -79.3 -125.9	zero -11.5 -32.7 -64.5 -108.2 -235.3 -423.0	0.161
44 Rem. Mag	num	R44MG2	240	Soft Point	21/2	1760 1380 1114 970 878 806	1650 1015 661 501 411 346	zero -2.1 -8.7 -21.2 -40.6 -68.2	zero -5.6 -17.0 -35.4 -61.9 -143.8 -270.9	0.166
		R44MG3	240	Semi-Jacketed Hollow Point	21/2	1760 1380 1114 970 878 806	1650 1015 661 501 411 346	zero -2.1 -8.7 -21.2 -40.6 -68.2	zero -5.6 -17.0 -35.4 - 61.9 - 143.8 - 270.9	0.166
		RH44MGA	240	Core-Lokt [®] JHP	2 1/2	1580 1293 1093 976 896 832	1524 1020 730 582 490 422	1.4 zero -6.6 -19.4 -39.6 -67.9	zero -6.6 -19.4 -39.6 -67.9 -152.8 -281.1	0.100
444 Mar.										
	mont	R444M	240	Soft Point	9 ¹ / ₂	2350 1815 1377 1087 941 846	2942 1755 1010 630 472 381	0.3 zero -2.9 -9.3 -20.4 -37.4	1.9 zero -5.4 -15.5 -31.5 -86.8 -181.5	0.146
45-70 Govern	iment	R4570L	300	Semi-Jacketed Hollow Point	9 ¹ /2	1810 1497 1244 1073 969 895	2182 1492 1031 767 625 533	zero -1.7 -7.3 -17.6 -33.5 -56.0	zero -4.7 -14.2 -29.2 -50.9 -117.6 -221.3	0.213
1		R4570G	405	Soft Point	9 ¹ / ₂	1330 1168 1055 977 918 869	1590 1227 1001 858 758 679	zero -4.1 -14.6 -32.2 -57.6 -91.4	zero -8.4 -24.0 -47.3 -79.0 -170.4 -303.0	0.281

Note: These ballistics reflected a test barrel length of 24" except those for 30 Carbine and 44 Remington Magnum which are 20" barrels. Specifications are nominal. Ballistics figures established in test barrels. Individual rifles may vary from test barrel results. "zero" indicates yardage at which rifle was sighted in. * Inches above or below line of sight. Hold low for positive numbers, high for negative numbers. † 280 Remington and 7mm Express, Remington are interchangeable.

‡ 6mm Remington and 244 Remington are interchangeable.

1 Bullet does not rise more than 1" above line of sight from muzzle to sighting-in range. 2 Bullet does not rise more than 3" above line of sight from muzzle to sighting-in range.

Premier[®] Core-Lokt[®] Ultra Bonded

Premier[®] Swift Scirocco Bonded (page 52)

Premier[®] A-Frame (page 53)

Premier[®] AccuTip[™] (page 52)

(page 50-51)

RIFLE SPECIFICATIONS

MODEL 504" RIFLE DIMENSIONS / AVERAGE WEIGHTS

MODEL	ORDER NUMBER	ACTION TYPE	BARREL LENGTH	OVERALL Length	AVG. WT. (LBS.)	STOCK Mat'l	STOCK Finish	BBL MAT ³ L	BBL FINISH
504 [™] -T LS HB	26493 26495	Bolt (22 LR) Bolt (17 HMR)	20"	39 ½" 1	8 ½	Brown Laminate	Satin	Carbon Steel	Satin Blued
504™	26500 26502	Bolt (22 LR) Bolt (17 HMR)	20"	39 ½" ²	6	American Walnut	Satin	Carbon Steel	Satin Blued

Nominal stock dimensions: 13³/₄" length of pull, 1 ¹/₈" drop at comb, 1³/₄" drop at heel.
 Nominal stock dimensions: 13³/₄" length of pull, 1 ¹/₈" drop at comb, 1 ¹/₄" drop at heel.

MODEL 552"/572" RIFLE DIMENSIONS / AVERAGE WEIGHTS

MODEL	ORDER NUMBER	ACTION Type	MAG/CLIP Capacity	BARREL Length	OVERALL Length	AVG. WT. (LBS.)	STOCK Mat ³ L	STOCK Finish	BBL Mat'l	BBL FINISH
552 [™] BDL NRA Edition	25972	Autoloading (22, S, L, LR)	15 ²	21"	40" ¹	5 ³ /4	American Walnut	Gloss	Carbon Steel	Polished Blue
552 [™] BDL Deluxe Speedmaster [®]	25594	Autoloading (22, S, L, LR)	15 ²	21"	40" ¹	5 ³/4	American Walnut	Gloss	Carbon Steel	Polished Blue
572 [™] BDL Deluxe Fieldmaster®	25624	Pump (22, S, L, LR)	15 ²	21"	40" ¹	5 ³ /4	American Walnut	Gloss	Carbon Steel	Polished Blue

Nominal stock dimensions: 13 ³/₈" length of pull, 1 ³/₈" drop at comb, 2 ⁵/₈" drop at heel.
 Capacity is 15 22 Long Rifle, 17 22 Long and 20 22 Short.

MODEL 597[™] RIFLE DIMENSIONS / AVERAGE WEIGHTS

MODEL	ORDER Number	ACTION TYPE	BARREL Length	OVERALL Length	AVG. WT. (LBS.)	STOCK Mat'l	STOCK Finish	BBL MAT ³ L	BBL FINISH
597™	26550	Autoloading (22 LR)	20"	40"	5 ¹ / ₂	Gray Synthetic	Matte	Carbon Steel	Satin Blue
597™ LSS	26556	Autoloading (22 LR)	20"	40"	5 ¹ / ₂	Brown Laminate	Satin	416 Stainless	Satin Stainless
597™ SS	26565	Autoloading (22 LR)	20"	40"	5 ¹ / ₂	Gray Synthetic	Matte	416 Stainless	Satin Stainless
597™ Magnum	26560 26516	Autoloading (22 WMR) Autoloading (17 HMR)	20"	40"	5 ¹ / ₂	Black Synthetic	Matte	Carbon Steel	Satin Blue
597™ HB LS	26579	Autoloading (22 LR)	20"	40"	6	Brown Laminate	Satin	Carbon Steel	Satin Blue
597 [™] HB LS Magnum	26581 26514	Autoloading (22 WMR) Autoloading (17 HMR)	20"	40"	6	Brown Laminate	Satin	Carbon Steel	Satin Blue
Naminal stack o	limonoione	14" longth of pull 11/"	dran at aa	mh 01/#	drop at baa				

Nominal stock dimensions: 14" length of pull, 1 1/2" drop at comb, 2 1/4" drop at heel.

MODEL FIVE™ RIFLE DIMENSIONS / AVERAGE WEIGHTS

CALIBER	ORDER NUMBER	BARREL LENGTH	OVERALL Length	AVG. WT. (LBS.)	STOCK Mat'l	STOCK Finish	BBL MAT ³ L	BBL FINISH
22 LR	89913	22"	40 ³ /4"	6 ³ / ₄	Brown Laminate	Satin	Carbon Steel	Polished Blue
22 WMR	89914	22"	40 3/4"	6 ³ / ₄	Brown Laminate	Satin	Carbon Steel	Polished Blue

Nominal stock dimensions: 13 $^{\prime\prime}\!\!/_{\!\!s}"$ length of pull, 1 $^{\prime\prime}\!\!/_{\!\!s}"$ drop at comb, 1 $^{\prime\prime}\!/_{\!\!s}"$ drop at heel.

MODEL 799[™] RIFLE DIMENSIONS / AVERAGE WEIGHTS

CALIBER	ORDER NUMBER	BARREL LENGTH	OVERALL LENGTH	AVG. WT. (LBS.)	STOCK Mat ³ L	STOCK Finish	BBL MAT ³ L	BBL Finish	
22 Hornet	89852	22"	39 1/2"	6 ³ /4	Brown Lam.	Satin	Carbon Steel	Polished Blue	
222 Rem	89851	22"	39 1/2"	6 ³ / ₄	Brown Lam.	Satin	Carbon Steel	Polished Blue	
22-250 Rem	89854	22"	39 1/2"	6 ³ / ₄	Brown Lam.	Satin	Carbon Steel	Polished Blue	
223 Rem	89850	22"	39 1/2"	6 ³ / ₄	Brown Lam.	Satin	Carbon Steel	Polished Blue	
7.62x39	89853	22"	39 1/2"	6 ³ /4	Brown Lam.	Satin	Carbon Steel	Polished Blue	
Nominal stock dimensions: 13 ³ / ₈ " length of pull, 1 ¹ / ₈ " drop at comb, 1 ³ / ₈ " drop at heel.									

MODEL 798[™] RIFLE DIMENSIONS / AVERAGE WEIGHTS

CALIBER	ORDER NUMBER	BARREL LENGTH	OVERALL LENGTH	AVG. WT. (LBS.)	STOCK Mat ³ L	STOCK FINISH	BBL MAT ¹ L	BBL FINISH
243 Win	89831	22"	42 ¹ /4"	7	Brown Lam.	Satin	Carbon Steel	Polished Blue
308 Win	89832	22"	42 ¹ /4"	7	Brown Lam.	Satin	Carbon Steel	Polished Blue
30-06 Sprg	89830	22"	42 ¹ /4"	7	Brown Lam.	Satin	Carbon Steel	Polished Blue
270 Win	89833	22"	42 ¹ /4"	7	Brown Lam.	Satin	Carbon Steel	Polished Blue
7mm Mag	89834	24"	44 ¹ /4"	7	Brown Lam.	Satin	Carbon Steel	Polished Blue
300 Win	89835	24"	44 ¹ /4"	7	Brown Lam.	Satin	Carbon Steel	Polished Blue
375 H&H Mag	89836	26"	46 ¹ /4"	7	Brown Lam.	Satin	Carbon Steel	Polished Blue
458 Win Mag	89837	26"	46 ¹ /4"	7	Brown Lam.	Satin	Carbon Steel	Polished Blue

Nominal stock dimensions: 13 $^{3}\!/_{\!s}"$ length of pull, 1 $^{1}\!/_{\!s}"$ drop at comb, 1 $^{3}\!/_{\!s}"$ drop at heel.

MODEL SEVEN" RIFLE DIMENSIONS / AVERAGE WEIGHTS

MODEL	BARREL Length	OVERALL Length	AVG. WT. (LBS.)	STOCK Mat ³ L	STOCK Finish	BBL MAT ⁷ L	BBL FINISH		
Seven [™] CDL	20"	39 1⁄4"	6 ½	Walnut	Satin	Carbon Steel	Satin		
Seven [™] CDL Magnum	22"	41 1⁄4"	7 ¾	Walnut	Satin	Carbon Steel	Satin		
Seven [™] SS Magnum	22"	41 ¼"	7 1/8	Black Synthetic	Matte	416 Stainless	Satin Stainless		
Seven [™] SS	20"	39 ¼"	6 1⁄4	Gray Synthetic	Matte	416 Stainless	Satin Stainless		
Nominal stock dimensions: 13 ³ / ₄ " length of pull, 1 ¹ / ₄ " drop at comb, 1 ¹ / ₂ " drop at heel.									

MODEL SEVEN	CALIBER LIS	lings		
CALIBERS	TWIST – R-H, 1 TURN IN	SEVEN [™] CDL	SEVEN [™] SS	SEVEN™ YOUTH SYN.
204 Ruger	12"	26411	—	—
22-250 Remington	14"	26415	—	_
223 Remington	12"	26413	—	29539
243 Winchester	9 1⁄8"	26417	24739	29541
260 Remington	9"	26419	24751	29545
6.8mm Rem SPC	9"	27373	24736	27381
270 WSM	10"	26361	—	_
7mm-08 Remington	9 1/4"	26421	24741	29547
7mm Remington SA Ultra Mag	9 1/4"	26363	29551	_
300 WSM	10"	26367	—	_
308 Winchester	10"	26423	24743	_
300 Remington SA Ultra Mag	10"	26365	29553	_
350 Remington Magnum	16"	26369	—	_

Magazine capacity in 223 Rem. is 5, 7mm Rem SAUM and 300 Rem SAUM is 3, all others 4. All Model Seven" barrel lengths are 20" except magnums that are 22". 350 Rem Mag has 20" barrel with sights. NOTE: Model Seven Mannlicher is available from the Remingtor® Custom Shop through your local dealer.

MODEL 7	600™/	7400"	" RIFLE		SIONS / A	VERAGE	WEIGHTS
MODEL	BARREL LENGTH	OVERALL Length	AVG. WT. (LBS.)	STOCK Mat ⁹ L	STOCK FINISH	BBL MAT ³ L	BBL FINISH
7400 [™] Synthetic	22"	42 %"	7 ½	Black Synthetic	Matte	Carbon Steel	Matte Blue
7400 [™] Synthetic Carbine (30-06 only)	18 ½"	39 1⁄8"	7 ¼	Black Synthetic	Matte	Carbon Steel	Polished Blue
7600™	22"	42 %"	7 ½	American Walnut	Satin or High Gloss	Carbon Steel	Polished Blue
7600 [™] Synthetic	22"	42 %"	7 ½	Black Synthetic	Matte	Carbon Steel	Matte Blue
7600 [™] Synthetic Carbine	18 ½"	39 1⁄8"	7 ¼	Black Synthetic	Matte	Carbon Steel	Matte Blue
7600[™] Carbine (30-06 only)	18 ½"	39 1⁄4"	7 ¼	American Walnut	Satin	Carbon Steel	Polished Blue

Nominal stock dimensions: 13 1/2" length of pull, 1 3/16" drop at comb, 2 1/4" drop at heel.

MODEL 74	00 [™] SYNTHETIC CALIBER	LISTINGS
CALIBERS	TWIST - R-H, 1 TURN IN	BLACK SYNTHETIC
243 Winchester	9 1⁄8"	29793
270 Winchester	10"	29794
30-06 Carbine	10"	29783
30-06	10"	29796
308 Winchester	10"	29797
	alle and to d	

Magazine capacity for all calibers is 4.

MODEL 7600[™] CALIBER LISTINGS

CALIBERS	TWIST – R-H, 1 TURN IN	WALNUT HIGH-GLOSS	WALNUT SATIN	BLACK SYNTHETIC
243 Winchester	9 1⁄8"	_	24653	25143
270 Winchester	10"	24667	24655	25145
30-06 Carbine	10"	—	24661	25153
30-06	10"	24671	24657	25149
308 Winchester	10"	—	24659	25151
Magazine capacity for all c	alibers is 4.			

MODEL 750" WOODSMASTER" RIFLE DIMENSIONS / AVERAGE WEIGHTS BARREL OVERALL STOCK STOCK MAT'L BBL AVG. WT. (LBS.) BBL MAT'L CALIRER 22" 42 %" Walnut Satin Carbon Steel Polished Blue 750 Woodsmaster™ 7 ½ 7 1/4 750 Woodsmaster[™] Carbine 18 ½" 39 1/8" Walnut Satin Carbon Steel Polished Blue Nominal stock dimensions: 13 1/2" length of pull, 1 5/8" drop at comb, 2 1/2" drop at heel.

	MODEL 75	0 [™] WOODSMASTE	ER™ CALIBER LIST	INGS
I	CALIBERS	twist – r-h, 1 turn in	750 woodmaster [™]	750 woodmaster [™] carbine
1	243 Winchester	9 1⁄8"	27055	_
	308 Winchester	10"	27057	27075
	270 Winchester	10"	27059	-
	30-06	10"	27061	27077
	35 Whelen	16"	27063	27079

MODEL 7	'00 [™] RIFLE				/ AVERAGE WEIGH				AVERA
MODEL	ACTION TYPE	BARREL LENGTH	OVERALL LENGTH	AVG.WT. (LBS.)	STOCK MATERIAL	STOCK FINISH	BBL MATERIAL	BBL FINISH	÷
	Ultra Magnum	26"	46 1/2"	7 5/8					CALIBER
700 [™] CDL [™]	Magnum	26"	46 1/2"	7 5/8	American Walnut	Satin	Carbon Steel	Satin Blue	204 Ruge
TOU GDL	Long Action	24"	44 1/2"	7 1/2	American Wallut	odulli	Galboll Steel	Saun Diue	ZOT Huge
	Short Action	24"	43%"	7 3⁄8					223 Rem
	Ultra Magnum	26"	46 1/2"	7 %					
700 [™] XCR [™]	Magnum	26"	46 1/2"	7 5⁄8	Black Synthetic	Matte	Stainless	TriNyte™	22-250 R
NOU AON	Long Action	24"	44 1/2"	7 3⁄8	w/Overmold	matto	w/TriNyte™	Satin	Nominal sto
	Short Action Mag	24"	43 1/8"	7 3⁄8					Noninita Stor
700 [™] XCR [™] RMEF	Short Action Mag	24"	43 5⁄%"	7 3⁄8	Camo Synthetic w/ Overmold	Realtree Hardwoods Gray HD	Stainless w/TriNyte™	TriNyte™ Satin	MODE
700 [™] SPS [™]	Magnum	26"	46 1/2"	7 5/8		7			
Stainless	Long Action	24"	44 1/2"	7 3/8	Black Synthetic	Matte	416 Stainless	Matte Stainless	CALIBER
Stamless	Short Action	24"	43 5%"	7 1/4	,				
	Ultra Magnum	26"	46 1/2"	7 5⁄8					243 Win
	Magnum	26"	46 1/2"	7 5/8					
700 [™] SPS [™]	Long Action	24"	44 1/2"	7 3/8	Black Synthetic	Matte	Carbon Steel	Matte Blue	243 Win
	Short Action Mag	24"	43 5/8"	7 3/8					Youth ¹
	Short Action	24"	43 1/8"	7 1/4					
700™ SPS™ Youth	Short Action	20"	39 5⁄8"	6 3⁄4	Black Synthetic	Matte	Carbon Steel	Matte Blue	270 Win
100 353 10000	Long Action	22"	39 5⁄8"	7 1/8	Didek Sylluleuc	Walle	Galboll Sleel	IVIALLE DILLE	
	Magnum	26"	46 1/2"	7 %					30-06
700™ SPS™ DM	Long Action	24"	44 1/2"	7 3⁄8	Black Synthetic	Matte	Carbon Steel	Matte Blue	Springfiel
	Short Action	24"	43 1/8"	7 1/4					
	Ultra Magnum	26"	46 1/2"	7 %					7mm
700 [™] BDL [™]	Magnum	24"	44 1/2"	7 1⁄2	American Walnut	Gloss	Carbon Steel	Polished Blue	Rem Mag
	Long Action	22"	42 1/2"	7 3⁄8	Anonour Wanac	01000	ourbon otoor	I ONOTICE DIGO	192
	Short Action	22"1	41 5⁄8"	7 1⁄4					300 Win I
	Long Action	22"	42 1/2"	5 1/2	Carbon-Fiber				
700™ Titanium	Short Action Mag	24"	43 1/8"	6 3/8	Synthetic	Matte	416 Stainless	Satin Stainless	Nominal sto
	Short Action	22"	41 5⁄8"	5 1⁄4	· ·				
700 [™] CDL SF Ltd.	Long Action	24"	44 1/2"	7 %	American Walnut	Satin	416 Stainless	Satin Stainless	
700 [™] Mountain	Long Action	22"	42 1/2"	6 %	American Walnut	Satin	Carbon Steel	Satin Blue	MODE
Rifle DM	Short Action	22"	41 5⁄8"	6 1/2	, anonour manut	ouun		Suur Sido	500
700 [™] Mountain	Long Action	22"	42 1/2"	6 %	Brown Laminated	Satin	416 Stainless	Satin Stainless	CALIBER
Rifle LSS	Short Action	22"	41 5/8"	6 1/2					
700 [™] VLS	Short Action	26"	45 ¾"	9 3/8	Brown Laminated	Satin	Carbon Steel	Satin Blue	22 LR
700 [™] VS SF II	Short Action	26"	45 3/4"	8 1/2	H.S. Precision Black Amarid Fiber Reinf.	Matte	416 Stainless	Polished Stainless	
700 [™] VSF	Short Action	26"	45 ¾"	8 1/2	H.S. Precision Tan Amarid Fiber Reinf.	Matte	Carbon Steel	Satin Blue	Footnote app
700 [™] LV SF	Short Action	22"	41 5⁄8"	6 3/4	Black Composite	Matte	416 Stainless	Satin Stainless	1 24" barrel
700 [™] Sendero SF II	Magnum	26"	45 ¾"	8 1/2	H.S. Precision Black Amarid Fiber Reinf.	Matte	416 Stainless	Polished Stainless	

EL XR-100[™] RANGEMASTER® RIFLE DIMENSIONS / AGE WEIGHTS

CALIBER	ORDER NUMBER	BARREL Length	OVERALL Length	AVG. WT. (LBS.)	STOCK Mat ³ L	STOCK Finish	BBL MAT ³ L	BBL Finish
204 Ruger	25839	26"	45 %"	9 1/8	Black Laminate Satin		Carbon Steel	Satin
223 Rem	25841	26"	45 %"	9 1/8	Black Laminate Satin		Carbon Steel	Satin
22-250 Rem	25843	26"	45 %"	9 1/8	Black Laminate	Satin	Carbon Steel	Satin
Nominal stock of	limensions:	13 ½" lei	ngth of pull,	1 ¼" drop a	t comb, 2 ³/₅" drop a	t heel.		

EL 710™ RIFLE DIMENSIONS / AVERAGE WEIGHTS

CALIBER	ORDER NUMBER	BARREL LENGTH			STOCK Finish	BBL MAT'L	BBL FINISH	
243 Win	27416	22"	42 ½"	7 1⁄%	Gray Synthetic	Matte	Carbon Steel	Matte
243 Win Youth ¹	27418	20"	39 ½"	6 %	Gray Synthetic	Matte	Carbon Steel	Matte
270 Win	27408	22"	42 ½"	7 1/8	Gray Synthetic	Matte	Carbon Steel	Matte
30-06 Springfield	27410	22"	42 ½"	7 1/8	Gray Synthetic	Matte	Carbon Steel	Matte
7mm Rem Mag	27412	22"	42 ½"	7 1/8	Gray Synthetic	Matte	Carbon Steel	Matte
300 Win Mag	27414	22"	42 ½"	7 1/8	Gray Synthetic	Matte	Carbon Steel	Matte

nck dimensions: 13 3/s" length of pull, 1 1/s" drop at comb, 1 3/s" drop at heel. 1 12 3/s" youth length of pull

2	MODE	EL 412	2™ YO	UTH F	RIFLE D	IMENSI	ONS /	AVERAGE	WEIGHTS
	CALIBER	ORDER NUMBER	BARREL Length	OVERALL Length	AVG. WT. (LBS.)	STOCK Mat ³ L	STOCK FINISH	BBL MAT ³ L	BBL FINISH
	22 LR	89901	19 ¾"	35 ½"	4 1/4	Hardwood	Matte	Carbon Steel	Matte Blue

plies to Model 700 Rifle Dimensions at left I in 17 Remington, 222 Remington, 223 Remington, 22-250 Remington and 25-06 Remington; 43 %" overall length.

MODEL 700[™] CALIBER LISTINGS

	MAGAZINE	BARREL	TWIST — R-H, 1 TURN IN	MOUNTAIN RIFLE DM	MOUNTAIN RIFLE LSS			SPS™ STAINLESS			VLS (Laminated Stock)		VSF (VARMINT SYNTHETIC	SENDERO SF II		CDL SF (STAINLESS FLUTED) LTD. ED.		
CALIBERS 17 Remington	5	22"	1 TURN IN 9"	DM	LSS	BDL™	XCR™	STAINLESS	SPS™	SPS™ DM	STOCK)	VS SF II	• FLUTED)	SFII	TITANIUM	LTD. ED.	CDL	LV SF 26183
17 Remington	э 5	22 24"	9 9"	_	_	25801	_	_	_	_	_	_	_	_	_	_	_	20103
204 Ruger	5	22"	12"	-	—	—	—	—	_	-	—	-	—	-	—	_	—	26196
	5	24"	12"	-	—	—	-	27131	27349	-	_	_	—	-	—	—	—	-
220 Swift	5	26" 26"	12" 14"	-	_	_	_	_		_	27467	26333 26339	—	_	-	_	_	-
220 SWIII 221 Rem Fireball	4 5	20	14			_		_		_		20339		_	_			26185
222 Remington	5	24"	14"	-	_	25781	_	_		_	_	-		_	_	_		20103
223 Remington	5	22"	12"	-	_			_	_	_	_	-		_	_	_		26187
, i i i i i i i i i i i i i i i i i i i	5	24"	12"	_	_	25798	_	27133	27351	_	_	-	_	_	_	-	27101(L)	_
	5	26"	12"	-	_	_	_	_	_	_	27491	26337	27259(R)/27277(L)	_	—	_	—	—
22-250 Remington	4	22"	14"	-	—	_	-	_	—	-	—	-	—	-	—	—	—	26189
	4	24"	14"	-	—	25783	—	27135	27353	-	-	_	—	-	—	-	—	-
6mm Dominaton	4	26" 26"	14" 9 1/8"		_	_		_		_	27489 27493	26335	27257(R)/27275(L)		_	_	_	-
6mm Remington 243 Win.	4	20"	9 1/8" 9 1/8"	_		_		_	27475(Y)	_	27493	_		_	_			_
275 Hill.	4	20	9 1/8" 9 1/8"	_	_	25787		_	2/4/0(1)	_	_	_	_	_	_	_	_	_
	4	24"	9 1/8"	_	_		_	27263	27355	27338	_	_	_	_	_	_	27007(R)/27103(L)	_
	4	26"	9 1/8"	_	_	_	_	_	_	_	27495	-	_	_	_	_		
25-06 Remington	4	24"	10"	-	—	25789	<u> </u>	27251	—	—	—	-	—	—	— —	—	27009	—
260 Remington	4	22"	9"	25845	26279	—	—	_	_	_	-	-	—	_	26360	—	—	—
264 Win. Mag	3	26"	9"	-	_	_	—	_	_	_	-	-	—	27307	_	_	—	-
6.8mm Rem SPC	3	24"	9"	-		-	_	-	27371	-	-	-	_	-	_	_	_	-
270 Win.	4 4	22" 24"	10" 10"	25851	26281	25791			27479(Y)	 27335	-	-	—	—	26362	-		_
270 WSM	3	24	10"	-			27165 27173	27267 27253	27361 27331	2/335		_			-	_	27011(R)/27105(L)	_
280 Remington	4	22"	9 1/4"	25857	_	_				_	_	_		_	_	_		_
7mm-08 Remington	4	22"	9 1/4"	25855	26285	_		_	_	_	-	-		_	26364	_		-
.	4	24"	9 1/4"	_	_	_	_	27265	27357	27341	_	-	_	_	_	_	27015	_
7mm Remington Mag.	3	24"	9 1⁄4"	-	—	25803	—	—	—	—	—	-	—	-	—	—	—	-
	3	26"	9 1⁄4"	-	—	-	27169	27271	27385	27343	—	-	—	27311	—	—	27047(R)/27109(L)	
7mm Rem SAUM	2	24"	9 1/4"	-	_	_	_	-	_	-	-	-	_	_	26368	_		-
7mm Rem Ultra Mag	3	26" 22"	9 1⁄2" 10"			26408	27179	_	0740100	_	_	-		27315		_	27051	-
30-06 Springfield	4	22 24"	10"	25859	26287	25793	27167	27269	27481(Y) 27363	27337	_	_	_	_	26366	26425	27017(R)/27107(L)	_
300 WSM	3	24"	10"	-	_		27146(Camo)/27175	27255	27333		_	_	_	_	_	20423		
300 Win. Mag	3	24"	10"	-	_	25807	27171	_		_	_	-		27313	_	_		-
, i i i i i i i i i i i i i i i i i i i	3	26"	10"	_	_	_	_	27273	27387	27339	_	-	_	_	_	-	27049	_
308 Win.	4	20"	10"	-	—	-	-	—	27477(Y)	—	-	-	-	_	—	_	_	-
	4	22"	10"	-	-	-	-	_	_	—	—	-	—	—	26356	-	—	-
	4	24"	10"	-	—	—	—	27136	27359	_	-	-	—	-	—	-	—	-
300 Remington SAUM	2	26" 24"	12" 10"	-			_	_			27499	_	27261(R)/27279(L)		26354	_		-
300 Rem. Ultra Mag	3	26"	10"	_		26410	27181	27140	27389	_		_		27318	20304		27053(R)/27111(L)	
338 Rem. Ultra Mag	3	26"	10"	_		20410	27183			_		_			_			-
338 Win Mag	3	26"	10"	-	_	-	27177	_		_	_	-	_	-	—	_	_	-
35 Whelen	4	24"	16"	-	_	-	_	_	_	_	_	-	_	_	—	_	27019	-
375 H&H	3	24"	12"	_	—	—	27191†	—	—	—	—	_	_	—	—	—	—	—
375 Rem. Ultra Mag.	3	24"	12"	-	—	—	27193†	—	—	—	—	-	—	—	—	_	—	-
Stock Dimensions:		ength of Pu		13 3/8"	13 3/8"	13 3/8"	13 3/8"	13 3⁄8"	13 3⁄8"	13 3⁄8"	13 1/2"	13 3⁄8"	13 3/8"	13 3⁄8"	13 3/8"	13 1/2"	13 1/2"	13 3/8"
		op at Com		1 1/8"	1 1/8"	1"	1 1/8"	1 1/8"	1 1/8"	1 1/8"	1"	1 1/4"	1 1/4"	1 1/4"	1 1/8"	1 1/8"	1 1/8"	1 1/8"
+ Fauipped with Iron Sights		rop at Hee		1 1/8"	1 1/8"	1 5/8" (B) Bight-ha	1 3/8"	1 3/8"	1 3/8"	1 3/8"	1 3/8"	1 1/2"	1 1/2"	1 1/2"	1 3/8"	1 3⁄8"	1 3/8"	1 3/8"

† Equipped with Iron Sights. (Y) Youth stock 12³/₈" length of pull. (L) Left-hand model. (R) Right-hand model.

SHOTGUN SPECIFICATIONS

PREMIER OVER &	UNDER SHOTGUN DIMENSIONS	/ AVERAGE WEIGHTS
----------------	--------------------------	-------------------

MODEL	GAUGE	BBL LENGTH/ ORDER NO.	BARREL TYPE	SIGHTS	BARREL FINISH	RECEIVER FINISH	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	STOCK Material	STOCK Finish	AVG. WT. (LBS.)
Premier Competition STS	12	28"/ 89591 30"/ 89590	10mm Rib/Vented Filets	lvory Bead Front, Steel Middle	Polished Blue	Titanium PVD	45 ¼" 47 ¼"	14 %"	1 ½"	2 3⁄8"	Walnut	Hi-Gloss	7 ½ 7 ¾
Premier Field Grade	12 12 20 20 28 28 28	26"/ 89582 28"/ 89581 26"/ 89709 28"/ 89708 26"/ 89751 28"/ 89750	7mm/Solid Filets	lvory Bead Front, Steel Middle	Polished Blue	Nickel	43 1/8" 45 1/8" 43 1/8" 45 1/8" 45 1/8" 43 1/8" 45 1/8"	14 1⁄4"	1 1⁄2"	2 3⁄8"	Walnut	Satin	7 7 ½ 6 ½ 6 ¾ 6 ¾ 6 ½ 6 ¾
Premier Upland Special	12 12 20 20 28 28	26"/ 89586 28"/ 89585 26"/ 89712 28"/ 89711 26"/ 89755 28"/ 89754	7mm/Solid Filets	lvory Bead Front, Steel Middle	Polished Blue	Case-Colored	43 1/8" 45 1/8" 43 1/8" 45 1/8" 45 1/8" 43 1/8" 45 1/8"	14 ¹ ⁄4"	1 ½"	2 ³ ⁄8"	Walnut	Oil	7 7 ½ 6 ½ 6 ¾ 6 ¾ 6 ½ 6 ¾

MODEL 105" CTI SHOTGUN DIMENSIONS / AVERAGE WEIGHTS												
GAUGE	MAG. CAPACITY	BBL LENGTH/ ORDER NO.	BARREL TYPE ²	SIGHTS	METAL FINISH	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)
12	4	26"/ 29523 28"/ 29521	Vent Rib, ProBore Choke ¹	Twin Bead	TriNyte Black	46 1/4" 48 1/4"	14 ¼"	1 1⁄2"	2 1⁄2"	American Walnut	Satin	7
_			NUGE MAG. CAPACITY ORDER NO. 12 4 26"/ 29523	MUGE MAG. CAPACITY ORDER NO. BARREL TYPE ² 12 4 26°/29523 Vont Dib DroBoro Choko ¹	MAG. CAPACITY ORDER NO. BARREL TYPE ² SIGHTS 12 4 26 ¹⁷ /29523 Mont Dib. Persons Choke ¹ Twin Read	NUGE MAG. CAPACITY ORDER NO. BARREL TYPE ² SIGHTS METAL FINISH 12 A 26 ¹ /29523 Viort Dib. DroPore Chake ¹ Twin Read Tribute Disck	NUGE MAG. CAPACITY ORDER NO. BARREL TYPE ² SIGHTS METAL FINISH LENGTH	NUGE MAG. CAPACITY ORDER NO. BARREL TYPE ² SIGHTS METAL FINISH LENGTH OF PULL	NUGE MAG. CAPACITY ORDER NO. BARREL TYPE ² SIGHTS METAL FINISH LENGTH OF PULL (COMB)	NUGE MAG. CAPACITY ORDER NO. BARREL TYPE ² SIGHTS METAL FINISH LENGTH OF PULL (COMB) (HEEL)	NUGE MAG. CAPACITY ORDER NO. BARREL TYPE ² SIGHTS METAL FINISH LENGTH OF PULL (COMB) (HEEL) MATERIAL	NUGE MAG. CAPACITY ORDER NO. BARREL TYPE ² SIGHTS METAL FINISH LENGTH OF PULL (COMB) (HEEL) MATERIAL STOCK FINISH

2 Model 105" CTi shotguns have 3" chambers and will handle 2 3/4" and 3" shotshells oved Cylinder, Modified and Full Choke Tubes.

MODEL GAUGE BBL LENGTH/ ORDER NO. BARREL TYPE ² SIGHTS METAL FINISH OVERALL LENGTH DROP OF PULL DROP (MEEL) STOC MATER 26 ⁷ /25239 Light Contrav Mort Dib 1 Light		STOCK AVG. WT.									
26 ¹⁷ / 25239 Light Contrar Met Dis 1 Light Contrar Met Dis	ODEL	FINISH (LBS.)									

odel 332^m comes equipped with Improved Cylinder, Modified and Full Choke tubes. 2 Model 332^m shotguns have 3^m chambers and will handle 2⁺/^m and 3^m shotshells.

COMPETITION SHOTGUN DIMENSIONS / AVERAGE WEIGHTS

MODEL	GAUGE	MAG. Capacity	BBL LENGTH/ ORDER NO.	BARREL TYPE ⁵	SIGHTS	METAL FINISH	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)
1100 [™] Competition	12	4	30"/ 26919	Vent Rib ProBore [™] Choke	Twin Bead	Nickel Teflon®	50 1⁄4"	14 1⁄4"	1 1⁄2"	21⁄4"	Semi-Fancy Amer. Walnut	Hi-Gloss	8
1100 [™] Competition (w/Adjustable Comb Stock)	12	4	30"/ 26923	Vent Rib ProBore™ Choke	Twin Bead	Nickel Teflon®	50 ¹ ⁄4"	14 ¼"	1 ½"	2 ¹ /4"	Semi-Fancy Amer. Walnut	Hi-Gloss	8
870 [™] Classic Trap	12	4	30"/ 24857	Lt. Contour Vent Rib Rem $^{\scriptscriptstyle \rm TM}$ Choke $^{\rm 1}$	Twin Bead	High Polish Blued	50 1⁄2"	14 1⁄2"	1 7/16"	2"	Semi-Fancy Amer. Walnut	Hi-Gloss	8 1⁄4
1100 [™] Classic Trap	12	4	30"/ 25333	Lt. Contour Vent Rib Rem $^{\scriptscriptstyle \rm T\!M}$ Choke $^{\rm 1}$	Twin Bead	High Polish Blued	50 1⁄2"	14 1⁄2"	1 7/16"	2"	Semi-Fancy Amer. Walnut	Hi-Gloss	8 1⁄4
1100 [™] Tournament Skeet	12 20	4	26"/ 25241 26"/ 29595	Lt. Contour Vent Rib $\text{Rem}^{\scriptscriptstyle \text{\tiny M}}$ Choke ${}^{\textbf{4}}$	Twin Bead	High Polish Blued	46 ³ ⁄4"	14 ³ ⁄16"	1 ½"	2 ¹ /4"	Semi-Fancy Amer. Walnut	Hi-Gloss	8
1100 [™] Sporting 12	12	4	28"/ 25315	Lt. Contour Vent Rib Rem $^{\scriptscriptstyle \mathrm{M}}$ Choke 2	Twin Bead	High Polish Blued	49"	14 ³ ⁄16"	1 1⁄2"	2 1⁄4"	Semi-Fancy Amer. Walnut	Hi-Gloss	8
1100 [™] Sporting 20 (LT)	20	4	28"/ 25399	Lt. Contour Vent Rib Rem $^{\scriptscriptstyle \rm M}$ Choke ${}^{\mathbf 2}$	Twin Bead	High Polish Blued	49"	14"	1 1⁄2"	2 1/2"	Semi-Fancy Amer. Walnut	Hi-Gloss	7
1100 [™] Sporting 28	28	4	27"/ 29583	Vent Rib Rem [™] Choke ²	Twin Bead	High Polish Blued	47 ¾"	14"	1 1⁄2"	2 1/2"	Semi-Fancy Amer. Walnut	Hi-Gloss	6 1⁄2
1100 [™] Sporting 410	410 bore	4	27"/ 29549	Vent Rib Rem [™] Choke ^{2,6}	Twin Bead	High Polish Blued	47 ¾"	14"	1 1⁄2"	2 1/2"	Semi-Fancy Amer. Walnut	Hi-Gloss	6 1⁄2

 1
 These guns are supplied with special Rem[®] Chokes, Mid Handicap (J034[®]), and Long Handicap (J04[®]).
 2
 NOTE: Model 1100[®] Sporting Shotguns are equipped with four extended Briley Rem[®] Choke tubes (Skeet, Improved Cylinder, Light Modified and Modified.)

 3
 Improved Cylinder, Modified and Rifle choke tubes supplied. See page 73 for information on extra barrels.
 4
 Supplied with extended Briley Rem[®] Choke tubes (Improved Cylinder and Skeet.)
 5
 Model 1100[®] shotguns have 2^{*}/.[®] chambers, unless otherwise noted.

 6
 Model 1100[®] Sporting 410 shotguns have 3[®] chambers and will cycle 2^{*}/.[®]</sup> and 3[®] shotshells.
 4
 Supplied with extended Briley Rem[®] Choke tubes (Improved Cylinder and Skeet.)
 5
 Model 1100[®] shotguns have 2^{*}/.[®] chambers, unless otherwise noted.

MODEL 11-87™ P	REMIER	R® SHOT	GUN DIM	ENSIONS / AVERAGE	WEIGHTS								
MODEL	GAUGE	MAG. Capacity	BBL LENGTH/ ORDER NO.	BARREL TYPE ³	SIGHTS	METAL FINISH	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	STOCK Material	STOCK Finish	AVG. WT. (LBS.)
11-87 [™] Premier®	12	4	30"/ 25287 28"/ 25289 26"/ 25291	Light Contour Vent Rib Rem [™] Choke 2	Twin Bead	High Polish Blued	50 ½" 48 ¼" 46"	14 1⁄4"	1 1⁄2"	2 1⁄2"	American Walnut	Hi-Gloss	7 ¾ 7 ¾ 7 %
11-87 [™] Premier [©]	20	4	28"/ 29591 26"/ 29593	Vent Rib Rem [™] Choke ²	Twin Bead	High Polish Blued	48 ¼" 46"	14"	1 1⁄2"	2 1⁄2"	American Walnut	Hi-Gloss	7 6 ¾
11-87 [™] Premier [©] Left Handed	12	4	28"/ 29909	Light Contour Vent Rib Rem™ Choke 2	Twin Bead	High Polish Blued	48 ¹ /4"	14 ¹ ⁄4"	1 ½"	2 ½"	American Walnut	Hi-Gloss	7 ¾
11-87 [™] Premier [®] Cantilever Scope Mount Deer Gun	12	4	21"/ 29831 ¹	Fully Rifled	Cantilever Scope Mount	High Polish Blued	41 ½"	14"	1 %"	2 1/8"	American Walnut	Satin	8
11-87™ Upland Special	12 20	4	23"/ 25357 23"/ 25359	Lt. Contour Vent Rib Rem Choke ${\bf ^2}$	Twin Bead	High Polish Blued	43 ½"	14"	1 1⁄2"	2 1⁄2"	American Walnut	Satin	7 ¼ 6 ½

1 Model 11-87" Deer barrels are not equipped with a pressure-compensating gas system, and will not function with target or light field loads. 2 NOTE: All Model 11-87" Premier[®] and Upland Special shotguns with a Rem[®] Choke barrel come equipped with Improved Cylinder, Modified and Full Rem[®] Choke tubes. 3 Model 11-87" Premier[®] shotguns have 3" chambers and will cycle 2¹/₄" and 3"shotshells.

MODEL 11-87" SPORTSMAN" MAGNUM SHOTGUN DIMENSIONS / AVERAGE WEIGHTS													
MODEL	GAUGE	MAG. CAPACITY	BBL LENGTH/ ORDER NO.	BARREL TYPE ³	SIGHTS	METAL FINISH	OVERALL Length	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	STOCK Material	STOCK Finish	AVG. WT. (LBS.)
11-87™ Sportsman™ Synthetic	12 12 20 20	4	28"/ 29879 26"/ 29881 28"/ 29827 26"/ 29827	Rem [™] Choke Mod ²	Single Bead	Matte Black, Non-Reflective	48" 46" 48" 46"	14"	1 ½"	2 ½"	Synthetic	Black Matte	8 1⁄4 8 1⁄8 7 7⁄8 7 3⁄4
11-87 [™] Sportsman [™] NRA Edition	20	4	28"/ 29915	Rem [™] Choke Mod ²	Single Bead	Matte Black, Non-Reflective	48"	14"	1 1⁄2"	2 1⁄2"	Synthetic	Mossy Oak® New Break Up®	8 1⁄4
11-87 [™] Sportsman [™] Synthetic	12 20	4	21"/ 29858 ¹ 21"/ 29877	Fully Rifled	Cantilever Scope Mount	Matte Black, Non-Reflective	41"	14"	1 ½"	1 %"	Synthetic	Black Matte	8 ½ 7 ½
11-87 [™] Youth Sportsman [™] Synthetic	20	4	21"/ 29891	Rem [™] Choke Mod ²	Single Bead	Matte Black, Non-Reflective	40 ¼"	13"	1 ½"	2 ¹ ⁄2"	Synthetic	Black Matte	6 ½

1 Model 11-87" Deer barrels are not equipped with a pressure-compensating gas system, and will not function with target or light field loads. 3 Model 11-87" Sportsman^a shotguns with a Rem^a Choke barrel come equipped with Modified Rem^a Choke tubes.

MODEL 11-	MODEL 11-87" SUPER MAGNUM" SHOTGUN DIMENSIONS / AVERAGE WEIGHTS												
MODEL	GAUGE	MAG. CAPACITY 1	BBL LENGTH/ ORDER NO.	BARREL TYPE ³	SIGHTS	METAL FINISH	OVERALL Length	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	STOCK Material	STOCK FINISH	AVG. WT. (LBS.)
11-87 [™] SPS [™] Super Magnum	12 (3 ½")	3(3 1/2"), 4(2 3/4" & 3")	28"/ 25337 26"/ 25339	Vent Rib Rem [™] Choke ^{1,2}	Twin Bead	Matte Black, Non-Reflective	48" 45 ¾"	14"	1 1⁄2"	2 1⁄2"	Synthetic	Black Matte	8 ¼ 8 1⁄8
11-87™ SPS™ Camo Super Magnum	12 (3 ½")	3(3 1/2"), 4(2 3/4" & 3")	28"/ 29513	Vent Rib Rem [™] Choke ^{1,2}	Twin Bead	Mossy Oak® Break-Up®	48"	14"	1 1⁄2"	2 1⁄2"	Synthetic	Mossy Oak® Obsession®	8 1⁄4
11-87 [™] Premier Super Magnum	12 (3 ½")	3(3 ¹ / ₂ "), 4(2 ³ / ₄ " & 3")	28"/ 25303	Vent Rib Rem [™] Choke ^{1,2}	Twin Bead	High Polish Blued	48"	14"	1 ½"	2 ½"	American Walnut	Hi-Gloss	8 ¹ /4

1 NOTE: Model 11-87" and Model 11-87" Super Magnum^T shotguns with a Rem^T Choke vent rib barrel come equipped with Improved Cylinder, Modified and Full Rem^T Choke tubes. 2 WARNING: Model 11-87 barrels and Model 11-87 Super Magnum barrels are not interchangeable. 3 Model 11-87" Super Magnum^T shotguns have 3 ½" chambers and will cycle 2 ½" 3 dram 1 ½ oz. shotshells or heavier, 3" and 3 ½" shotshells.

MODEL 11-87	" SPE	ECIAL PU	RPOSE	SHOTGUN DIME	NSIONS	/ AVERAGE WEIGH	HTS				
MODEL	GAUGE	MAG. CAPACITY	BBL LENGTH/ ORDER NO.	BARREL TYPE	SIGHTS	METAL FINISH	OVERALL Length	LENGTH DROP DROP OF PULL (COMB) (HEEL)	STOCK Material	STOCK FINISH	AVG. WT. (LBS.)
11-87 [™] SP [™] Thumbhole	12	4	21"/ 29919	Fully Rifled	Cantilever	Matte Black, Non-Reflective	43"	14" 1½" 2½"	Laminate	Satin	8
11-87 [™] SP-T [™] Super Magnum Thumbhole	12 (3 ½") 1	3(3 ½") 4(2 ¾" & 3")	23"/ 29517	Rem [™] Choke ^{2,3}	Tru-Glo®	Mossy Oak® Obsession®	43"	14" 1½" 2½"	Synthetic	Mossy Oak® Obsession®	8
11-87™ SPS-T™ Super Magnum	12 (3 ½")	3(3 ½") 4(2 ¾" & 3")	23"/ 29519	Rem [™] Choke ^{2,3}	Twin Bead	Mossy Oak® Obsession®	43"	14" 1½" 2½"	Synthetic	Mossy Oak® Obsession®	8
11-87 [™] SPS [™] Super Mag Camo ³	12 (3 ½")	3 (3 ½") 4(2 ¾" & 3")	28"/ 29513	Vent Rib Rem [™] Choke ^{4,5}	Twin Bead	Mossy Oak® Obsession®	48"	14" 1½" 2½"	Synthetic	Mossy Oak® Obsession®	8 1⁄4
11-87™ SPS™ Camo ⁶	12	4	26"/ 29501	Vent Rib Rem [™] Choke ^{4,5}	Twin Bead	Mossy Oak® Obsession®	46"	14" 1 ½" 2 ½"	Synthetic	Mossy Oak® Obsession®	8 ½
11-87 [™] SPS [™] Waterfowl ⁶	12	4	28"/ 29883	Vent Rib Rem [™] Choke ^{4,5}	Hi-Viz®	Mossy Oak® New Shadowgrass™	48 1⁄4"	14" 1 ½" 2 ½"	Synthetic	Mossy Oak® New Shadowgrass™	8 ¹ /4

1 All 3" and 3'/" chambers handle 2'/" shells. 2 Note: Model 11-87" SPS-T and Model 870" SPS-T Turkey guns supplied with Turkey Super Full choke tube. 3 NOTE: All Model 870" Super Magnums & 11-87" Super Magnum series are not interchangeable. 6 Model 11-87 Super Magnum barrels are not interchangeable. 6 Model 11-87" SPS shotguns have 3" chambers and will cycle 2'/" and 3" shotshells.

MODEL SP-1	MODEL SP-10" MAGNUM AUTOLOADING SHOTGUN DIMENSIONS / AVERAGE WEIGHTS												
MODEL	GAUGE	MAG. CAPACITY	BBL LENGTH/ ORDER NO.	BARREL TYPE	SIGHTS	METAL FINISH	OVERALL LENGTH		DROP (COMB)	DROP (HEEL)	STOCK Material	STOCK FINISH	AVG. WT. (LBS.)
SP-10 [™] Magnum ²	10	2	30"/ 24808	Vent Rib Rem [™] Choke ¹	Twin Bead	Matte Black Non Reflect.	51 ½"	14"	1 1⁄2"	2 ½"	American Walnut	Satin	11
SP-10" Camo RC/VT ³ 10 2 26"/ 24828 Vent Rib Rem" Choke ⁴ Twin Bead Mossy 0ak ^e Obsession [®] 47 ½" 14" 1½" 2½" Synthetic Mossy 0ak ^e Obsession [®] 10%													
1 Madel 00 40° statemen werte dutte Full and Nad Dan ¹⁰ Okale state. 9 HD007HUT HOTT. Official expression including the based ball according to the Descendence I do second ball of 0.40° and alter provide the pression and interview of the Descendence I do second ball of 0.40° and alter provide the pression and interview of the Descendence I do second ball of 0.40° and alter provide the pression and the pression													

 1
 Model SP-10" shotguns supplied with Full and Mod Rem" Choke tubes.
 2
 IMPORTANT NOTE: Critical components – including the barrel, bolt assembly and trigger plate assembly of the Remington Model SP-10" and other manufacturers' 10-gauge shotguns – are not interchangeable.

 3
 IMPORTANT NOTE: Critical components – including the barrel, bolt assembly of the Remington Model SP-10" and other manufacturers' 10-gauge shotguns – are not interchangeable.
 4
 Model SP-10" shotguns supplied with Modified and Full Rem" Choke tubes.

MODEL	GAUGE	MAG. Capacity	BBL LENGTH/ ORDER NO.	BARREL TYPE ¹	SIGHTS	METAL FINISH	OVERALL Length	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)
1100 [™] Classic Field	12 12 16 16 20 28 410 ²	4	26"/ 24481 28"/ 24479 28"/ 25257 26"/ 25253 26"/ 25427 25"/ 24487 25"/ 24491	Vent Rib Rem [™] Choke	Twin Bead	High Polish Blued	48" 46" 48" 46" 46" 46" 46"	14"	1 1⁄2"	2 1⁄2"	American Walnut	Semi-Gloss	8 7 ⁷ /8 8 7 ⁷ /8 7 7 7 7 7

1 Model 1100TH shotguns have 2³/₄TH chambers, unless otherwise noted. 2 Will cycle 2¹/₂TH and 3TH shotshells.

SHOTGUN SPECIFICATIONS

MODEL SPR453 [™]	SHOTGU	IN DIMENSION	S / AVER	AGE WEIGHTS									
MODEL	GAUGE	MAG. CAPACITY	BBL LENGTH/ ORDER NO.	CHOKE	RIB	METAL FINISH	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	STOCK Material	STOCK FINISH	AVG. WT. (LBS.)
SPR 453™	12	4 + 1	26"/ 89462 24"/ 89460	SC-4	VT	Matte	47 ½" 45 ½"	14 ½"	1 1⁄2"	2 1⁄2"	Synthetic	Black Matte	8 1⁄8 8
SPR 453™	12	4 + 1	28"/ 89430 26"/ 89432 24"/ 89434	SC-4	VT	Mossy Oak® New Break-Up®	49 ½" 47 ½" 45 ½"	14 ½"	1 1⁄2"	2 1⁄2"	Synthetic	Mossy Oak® New Break-Up®	8 ¼ 8 1⁄8 8
17 - Last Bib SC 4 - CV 10 ND 21 All have approved for stards ID - Instrumed Oxford ID - Instrumed Marifed ID - Full													

VT = Vent Rib SC-4 = CYL, IC, MD, FL (All tubes approved for steel) IC = Improved Cylinder MD = Modified IM = Improved Modified FL = Full

MODEL 87	′o™ WINC	GMASTER	° SHOTGL	JN DIMENSIONS / A	VERAGE	WEIGHTS							
MODEL	gauge ³	MAG. CAPACITY	BBL LENGTH/ ORDER NO.	BARREL TYPE	SIGHTS	METAL FINISH	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	STOCK Material	STOCK Finish	AVG. WT. (LBS.)
Wingmaster® Super Magnum	12 (3 ½")	3 (3 ½") 1 4 (2 ¾" & 3")	28"/ 26921	Light Contour Vent Rib Rem [™] Choke ²	Twin Bead	High Polish Blued	48 ½"	14 ¹ ⁄4"	1 1⁄2"	2 1⁄2"	American Walnut	Hi-Gloss	7 1⁄2
Wingmaster® Classic Trap	12	4	30"/ 24857	Light Contour Vent Rib Rem [™] Choke ²	Twin Bead	High Polish Blued	50 ½"	14 ½"	1 7/16"	2"	Semi-Fancy American Walnut	Hi-Gloss	8
Wingmaster®	12	4	30"/ 26925 28"/ 26927 26"/ 26929	Light Contour Vent Rib Rem [™] Choke ²	Twin Bead	High Polish Blued	50 ½" 48 ½" 46 ½"	14 ¼"	1 1⁄2"	2 1⁄2"	American Walnut	Hi-Gloss	7 ¼ 7 6 ¾
Wingmaster®	16 (2 ³ ⁄4")	4	28"/ 26941 26"/ 26943	Vent Rib Rem [™] Choke ²	Twin Bead	High Polish Blued	48 ½" 46 ½"	14 ¼"	1 1⁄2"	2 1⁄2"	American Walnut	Hi-Gloss	7 ¼ 7
Wingmaster®	20	4	28"/ 26947 26"/ 26949	Vent Rib Rem [™] Choke ²	Twin Bead	High Polish Blued	48 ½" 46 ½"	14"	1 1⁄2"	2 1⁄2"	American Walnut	Satin (28") Hi-Gloss (26")	6 ½ 6 ¾
Wingmaster® Dale Earnhardt	20	4	26"/ 26213	Vent Rib Rem [™] Choke ²	Twin Bead	High Polish Blued	46 1⁄2"	14"	1 1⁄2"	2 ¹ /2"	American Walnut	Satin (28") Hi-Gloss (26")	6 3⁄4
Wingmaster®	28 (2 ³ /4")	4	25"/ 24983	Vent Rib Rem [™] Choke ²	Twin Bead	High Polish Blued	45 1/2"	14"	1 1⁄2"	2 ¹ /2"	American Walnut	Satin	6
Wingmaster®	.410 Bore	4	25"/ 24991	Vent Rib Modified	Twin Bead	High Polish Blued	45 1/2"	14"	1 1⁄2"	2 1/2"	American Walnut	Satin	6
Wingmaster [®] Jr.	20	4	18 ³ /4"/ 26460	Vent Rib Rem [™] Choke ²	Twin Bead	High Polish Blued	37 1⁄4"	12"	1 1⁄2"	2"	American Walnut	Hi-Gloss	6

1 All Model 870" Wingmaster[®] shotguns have 3" and 3 ½" chambers and will cycle 2 ½" shotshells. 2 NOTE: All Model 870" Wingmaster[®] and Model 870" Wingmaster[®] Super Magnum" shotguns with a Rem" Choke barrel come equipped with Improved Cylinder, Modified and Full Rem" Choke tubes. 3 Model 870" Wingmaster[®] shotguns have 3" chambers, unless otherwise noted, and will cycle 2 ½" and 3" shotshells. 410 bore will cycle both 2 ½" and 3" shotshells.

MODEL 870 [™] SPECIAL PURPOSE SHOTGUN DIMENSIONS /	AVERAGE WEIGHTS
MODEL 0/0 SFLORE FORFOSE SHOTAGE DIMIENSIONS /	

MODEL	GAUGE	MAG. CAPACITY	BBL LENGTH/ ORDER NO.	BARREL TYPE	SIGHTS	METAL FINISH	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)
870 [™] SP-T [™] Super Mag Thumbhole	12 (3 ½") ¹	3(3 ½"), 4(2 ¾" & 3")	23"/ 25189	Rem [™] Choke ²	Tru-Glo®	Mossy Oak® Obsession®	44 ¹ ⁄2"	14 ½"	1 5⁄8"	2 ³ ⁄4"	Laminate	Mossy Oak® Obsession®	8 ½
870™ SP [™] Thumbhole	12 (3") ¹	4(2 ³ ⁄4" & 3")	23"/ 25005	Fully Rifled	Cantilever Scope	Matte Black, Non-Reflective	44 1⁄2"	14 ½"	1 5⁄8"	2 3⁄4"	Laminate	Satin	8 1/8
870™ SPS-T Super Mag Camo ⁵	12 (3 ½") ¹	3(3 1/2"), 4(2 3/4" & 3")	23"/ 25007 ³	Vent Rib Rem [™] Choke ²	Twin Bead	Mossy Oak® Obsession®	44 ½"	14"	1 1⁄2"	2 1⁄2"	Synthetic	Mossy Oak® Obsession®	7 1⁄4

1 All 3" and 3 %" chambers handle 2 %" shells. 2 Note: Model 11-87" SPS-T and Model 870" SPS-T Turkey guns supplied with Turkey Super Full choke tube. 3 Note: 21" Model 11-87" Turkey and Deer barrels and 23" Model 11-87" Super Magnum barrels are not pressurecompensated. Not for use with target or light field loads. 4 Note: Supplied with Turkey Extra Full and Turkey Super Full choke tubes. 5 Note: All Model 870" Super Magnums have 3 %" chambers except Deer barrel which has 3" chamber. Super Magnums can shoot 2¹/", 3" and 3%" shells interchangeably.

MODEL 870 [™] SPE		PURPOS		E MAGNUM"	SHOTGUN	DIMENSIONS / A	/ERAGE \	WEIGH	TS				
MODEL	GAUGE	MAG. Capacity	BBL LENGTH/ ORDER NO.	BARREL TYPE	SIGHTS	METAL FINISH	OVERALL Length	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	STOCK MATERIAL	STOCK Finish	AVG.WT. (LBS.)
870 [™] Marine Magnum ^{® 2}	12 1	6	18"/ 25012	Cylinder Choke	Single Bead	Electroless Nickel-Plated	38 ½"	14"	1 1⁄2"	2 ½"	Synthetic	Black Matte	7 ½
1 Model 870 [™] Marine Magnum® shotg	guns have 3" d	hambers and will	cycle 23/4" and 3" s	hotshells. 2 Will not acc	ept law enforcement acc	essories.							

MODEL 870 [™] E	EXPRES	SS® SUPER M	AGNUM"	SHOTGUN DIME	NSIONS / A	VERAGE WEIGI	HTS						
MODEL	GAUGE ²	MAG. Capacity	BBL LENGTH/ ORDER NO.	BARREL TYPE	SIGHTS	METAL FINISH	OVERALL LENGTH	length of pull	DROP (COMB)	DROP (HEEL)	STOCK Material	STOCK FINISH	AVG.WT. (LBS.)
870 [™] Express [®] Super Mag	12 (3 ¹ /2")	3 (3 ½") 4 (2 ¾" & 3")	30"/ 25135	Vent Rib Rem [™] Choke (Mod)	Single Bead	Mossy Oak® Shadowgrass	50"	14"	1 ¹ /2"	2 ½"	Synthetic	Mossy Oak [®] Shadowgrass	7 ³ /4
870 [™] Express [®] Super Mag Turkey	12 (3 ¹ /2")	3 (3 ½") 4 (2 ¾" & 3")	23"/ 25106	Vent Rib Rem [™] Choke (Turkey Extra Full)	Twin Bead	Matte Black Non-Reflect	44 ¹ /2"	14"	1 ¹ /2"	2 ¹ / ₂ "	Synthetic	Black Matte	7 1⁄4
870 [™] Express [®] Super Mag Turkey Camo	12 (3 ½")	3 (3 ½") 4 (2 ¾" & 3")	23"/ 25131	Vent Rib Rem [™] Choke (Turkey Extra Full)	Twin Bead	Mossy Oak [®] Break-Up®	44 ¹ /2"	14"	1 ¹ /2"	2 1⁄2 "	Synthetic	Mossy Oak® Break-Up®	7 1⁄4
870 [™] Express [®] Super Mag	12 (3 1⁄2")	3 (3 ½") 4 (2 ¾" & 3")	28"/ 25100	Vent Rib Rem [™] Choke (Mod)	Single Bead	Matte Black Non-Reflect	48"	14"	1 ¹ /2"	2 1/2 "	Laminate	Satin	7 1/2
870 [™] Express [®] Super Mag Synthetic	12 (3 ½")	3 (3 ½") 4 (2 ¾" & 3")	26"/ 25102 28"/ 25103	Vent Rib Rem [™] Choke (Mod)	Single Bead	Matte Black Non-Reflect	46" 48"	14"	1 ¹ /2"	2 1⁄2 "	Synthetic	Black Matte	7 1⁄4
870 [™] Express [®] Super Mag Combo	12 (3 ½") ¹	3 (3 ½") 4 (2 ¾" & 3")	26"/ 20"/ 25114	Vent Rib Rem [™] Choke (Mod) Fully Rifled (Deer)	Single Bead (Vent Rib) Rifle Sights (Deer)	Matte Black Non-Reflect	$\begin{array}{c} 46'' (VR) \\ 40^{1/_2}'' (Deer) \end{array}$	14"	1 ¹ /2"	2 ¹ /2 "	Laminate	Satin	7 1⁄4

1 Combo Deer barrel has 3" chamber. 2 Model 870" Express[®] Super Magnum shotguns have 3 ½" chambers, unless otherwise noted, and will cycle 2 ½", 3" and 3 ½" shotshells.

MODEL 870[™] EXPRESS[®] SHOTGUN DIMENSIONS / AVERAGE WEIGHTS

MODEL	GAUGE ²	MAG. Capacity	BBL LENGTH/ ORDER NO.	BARREL TYPE	SIGHTS	METAL FINISH	OVERALL Length	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	STOCK Material	STOCK FINISH	AVG. WT. (LBS.)
870™ Express®	12	4	28"/ 25568 26"/ 25569	Vent Rib Rem [™] Choke (Mod)	Single Bead	Matte Black Non-Reflect	48 1/2" 46 1/2"	14"	1 ¹ /2"	2 1/2"	Laminate	Satin	7 1/2 7 1/4
870™ Express®	20	4	28"/ 25583 26"/ 25582	Vent Rib Rem [™] Choke (Mod)	Single Bead	Matte Black Non-Reflect	48 1/2" 46 1/2"	14"	1 ¹ /2"	2 ¹ /2"	Laminate	Satin	6 ½ 6 ¼
870™ Express® Youth	20	4	21"/ 25561	Vent Rib Rem [™] Choke (Mod)	Single Bead	Matte Black Non-Reflect	40 1/2"	13"	1 1⁄2"	2 1⁄4 "	Laminate	Satin	6 1⁄2
870™ Express® Synthetic	12	4	28"/ 25587 26"/ 25589	Vent Rib Rem [™] Choke (Mod)	Single Bead	Matte Black Non-Reflect	48 1/2" 46 1/2"	14"	1 ½"	2 ¹ /2"	Synthetic	Black Matte	7 1/2 7 1/4
870™ Express® Turkey Camo ¹	12	4	21"/ 25152	Vent Rib Rem [™] Choke Turkey (Extra Full)	Twin Bead	Matte Black Non-Reflect	42 ¹ /2"	14"	1 ¹ /2"	2 ¹ /2"	Synthetic	Mossy Oak® Break-Up®	7 ¹ ⁄4
870™ Express® Jr. Jakes Gun	20	4	18 ³/4"/ 26443	Vent Rib Rem [™] Choke (Full)	Single Bead	Matte Black Non-Reflect	37 ¼"	12"	1 ¹ /2"	2"	Laminate	Mossy Oak [∞] Break-Up [∞]	6
870™ Express® Turkey	12	4	21"/ 25573	Vent Rib Rem [™] Choke (Extra Full)	Twin Bead	Matte Black Non-Reflect	42 1/2"	14"	1 1⁄2"	2 1/2"	Laminate	Satin	7 1⁄4
870™ Express® Turkey Youth	20	4	21"/ 25157	Vent Rib Rem [™] Choke (Full)	Twin Bead	Matte Black Non-Reflect	40 1⁄2"	13"	1 1⁄2"	2 1⁄4"	Synthetic	Mossy Oak® Break-Up®	6
870 [™] Express [®] Synthetic Fully Rifled Deer	12	4	20"/ 25097	Fully Rifled	Rifle Sights	Matte Black Non-Reflect	40 ½"	14"	1 ¹ /2"	1 7/8"	Monte Carlo Synthetic	Black Matte	7
870™ Express® Deer	12	4	20"/ 25565	Fixed Imp. Cyl. Choke	Rifle Sights	Matte Black Non-Reflect	40 ½"	14"	1 1⁄2"	1 7/8"	Monte Carlo Laminate	Satin	7 1⁄4
870 [™] Express [®] Deer Youth	20	4	20"/ 25555	Fully Rifled	Rifle Sights	Matte Black Non-Reflect	39 ¹ /2"	13"	1 1⁄2"	2 1⁄4"	Laminate	Satin	6
870 [™] Express [®] Fully Rifled Deer	12	4	20"/ 25575	Fully Rifled	Rifle Sights	Matte Black Non-Reflect	40 ¹ /2"	14"	1 1⁄2"	1 7/8"	Monte Carlo Laminate	Satin	7 1⁄4
870 [™] Express [®] Synthetic Fully Rifled Cantilever	12 20	4	23"/ 25090 18 1/2"/ 25183	Fully Rifled Heavy Contour	Cantilever Scope Mount	Matte Black Non-Reflect	43 ¹ /4" 38 ³ /4"	14"	1 ¹ /2"	1 ⁷ /8"	Monte Carlo Synthetic	Black Matte	8 7 ½
870 [™] Express [®] Left Hand	12	4	28"/ 25577	Vent Rib Rem [™] Choke (Mod)	Single Bead	Matte Black Non-Reflect	48 1⁄2"	14"	1 1⁄2"	2 1⁄2"	Laminate	Satin	7 1/2
870 [™] Express [®] Synthetic	12	4	28"/ 25577	Vent Rib Rem [™] Choke (Mod)	Single Bead	Matte Black Non-Reflect	48 1⁄2"	14"	1 1⁄2"	2 1/2"	Laminate	Satin	7 1/2
870 [™] Express [®] Synthetic 18"	12	4	18"/ 25549	Fixed Cylinder Choke	Single Bead	Matte Black Non-Reflect	38 1⁄2"	14"	1 1⁄2"	2 1⁄2"	Synthetic	Black Matte	7 1⁄4
870 [™] Express [®] Synthetic w/7-Round Magazine	12	7	18"/ 25077	Fixed Cylinder Choke	Single Bead	Matte Black Non-Reflect	38 ½"	14"	1 1⁄2"	2 ¹ /2"	Synthetic	Black Matte	7 1⁄2

1 Stock and fore-end in Skyline® Excel" camo. 2 Model 870" Express® shotguns have 3" chambers, unless otherwise noted, and will cycle 2³/₄" and 3" shotshells.

MODEL 87	70™ E	XPRE	SS° COMBO SHOTGUN	DIMENSIONS /	AVERAGE WE	IGHTS							
MODEL	gauge ¹	MAG. CAPACITY	BBL LENGTH/ORDER NO.	BARREL TYPE	SIGHTS	METAL Finish	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	STOCK Material	STOCK Finish	AVG. WT. (LBS.)
870 [™] Express [®] Combo	12	4	28"(Vent Rib)/20" (Imp. Cyl. Deer)/25571 26"(Vent Rib)/20" (Fully Rifled Deer)/25578	Vent Rib Rem [™] Choke (Mod.) I.C. Deer or Fully Rifled Deer	Single Bead (Vent Rib) Rifle Sights (Deer BBL)	Matte Black Non-Reflect	48 1/2", 46 1/2" (Vent Rib) 40 1/2" (Deer BBL)	14"	1 ¹ /2"	2 ¹ /2"	Laminate	Satin	7 1/2 (Vent Rib) 7 1/4 (Deer BBL)
870 [™] Express® Combo	20	4	28" (Vent Rib)/20" (Imp. Cyl. Deer)/25585 26" (Vent Rib)/20" (Fully Rifled Deer)/25597	Vent Rib Rem [™] Choke (Mod.) I.C. Deer or Fully Rifled Deer	Single Bead (Vent Rib) Rifle Sights (Deer BBL)	Matte Black Non-Reflect	48 1/8", 46 1/2" (Vent Rib) 40 1/2" (Deer BBL)	14"	1 ¹ /2"	2 ¹ /2"	Laminate	Satin	6 1/2 (Vent Rib) 6 1/2 (Deer BBL)
870 [™] Express [®] Syn. Youth Combo	20	4	21" (Vent Rib)/25659 20" (Fully Rifled)/25659	Vent Rib Rem [™] Choke (Mod.) Fully Rifled	Single Bead (Vent Rib) Rifle Sights (Deer BBL)	Matte Black Non-Reflect	40 1⁄2" (Vent Rib) 39 1⁄2" (Deer BBL)	13"	1 ¹ /2"	2 ¹ /4"	Synthetic	Black Matte	6 (Vent Rib) 6 (Deer BBL)

1 Model 870" Express® shotguns have 3" chambers, unless otherwise noted, and will cycle 23/4" and 3" shotshells.

TACTICAL SHOTGUN DIMENSIONS / AVERAGE WEIGHTS

MODEL	GAUGE	MAG. Capacity	BBL LENGTH/ ORDER NO.	BARREL TYPE ⁵	SIGHTS	METAL FINISH	OVERALL Length	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	STOCK MATERIAL	STOCK Finish	AVG. WT. (LBS.)
870 [™] Tactical SFIV	12	6	18"/ 26431	Fixed Imp. Cylinder	Single Bead	OD Green	38 1/2"	14"	1 1⁄2"	2 1⁄2"	Synthetic	Black Matte	7 1/2
870 [™] Tactical SpecOps	12	6	18"/ 26433	Fixed Imp. Cylinder	Single Bead	OD Green	38 1/2"	12"-16"	1 1⁄2"	2 1⁄2"	Synthetic	Black Matte	7 1/2
870 [™] Tactical SFIV	12	7	20"/ 26471	Fixed Imp. Cylinder	Single Bead	OD Green	40 1/2"	14"	1 1⁄2"	2 1/2"	Synthetic	Black Matte	7 3⁄4
1100 [™] Tactical SFIV	12	6	18"/ 26435	Fixed Imp. Cylinder	Single Bead	OD Green	38 1/2"	14"	1 1⁄2"	2 1⁄2"	Synthetic	Black Matte	7 1/2
1100 [™] Tactical Synthetic	12	8	22"/ 26437	Rem Choke Vent Rib	Hi-Vis	OD Green	42 1/2"	14"	1 1⁄2"	2 1⁄2"	Synthetic	Black Matte	7 3⁄4

MODEL	SPR310 [™]	OVER	& UNDE	R SHOTG	UN DIM	ENSION	S / AVEI	RAGE W	EIGHTS							
MODEL	ORDER NO.	GAUGE	CHAMBER	BBL LENGTH	TRIGGER	EJECTOR Extractor	RECEIVER	RIB	STOCK/ Fore-end	BUTT	CHOKE	OA LENGTH	LOP	DC	DH	WT (LBS.)
	89560	12	3"	28"			Blue				SC-4	45 ¹ /2"				7 ¹ / ₂
	89564	12	3"	28"			Nickel				SC-4	45 ¹ / ₂ "				7 1/2
	89566	12	3"	26"			Nickel				SC-4	43 ¹ / ₂ "				7 1/2
	89576	12	3"	28"			Nickel				SC-4					
	89660	16	2 ³ / ₄ "	28"			Blue				SC-4	45 ¹ / ₂ "				7 1/2
	89664	16	2 ³ / ₄ "	28"			Nickel				SC-4	45 ¹ / ₂ "				7 1/2
SPR310	89700	20	3"	26"	SST	ASE	Blue	VT	Walnut	Pad	SC-4	43 ¹ / ₂ "	14 ¹ /2"	1 1/2"	2 ¹ /2"	7 ¹ / ₂
Grinoro	89706	20	3"	26"	001	NOL	Nickel	•	Walliot	1 dd	SC-4	43 ¹ / ₂ "	14 / 4	1 /2	2 /-	7 ¹ / ₂
	89704	20	3"	28"			Nickel				SC-4	45 ¹ / ₂ "				7 ¹ / ₂
	89716	20	3"	26"			Nickel				SC-4					
	89740	28	2 ³ /4"	26"			Blue				IC/MD	43 ¹ /2"				7 ¹ / ₄
	89744	28	2 ³ /4"	26"			Nickel				IC/MD	43 ¹ / ₂ "				7 ¹ / ₄
	89780	410	3"	26"			Blue				IM/FL	43 ¹ / ₂ "				7 ¹ / ₄
8	89784	410	3"	26"			Nickel				IM/FL	43 ¹ / ₂ "				7 1/4
SPR310S	89570	12	3"	29 1/2" Ported	SST	ASE	Nickel	VT	Walnut	Pad	SC-4	47"	14 1/2"	1 1/2"	2 ¹ /2"	7 1/2
51 113103	89702	20	3	28 1/2" Ported	001	AUL	NIGKEI	VI	wallfut	i au	00-4	46"	17 /2	1 /2	∠ 12	1 /2

SST = Single Selective Trigger VT = Vent Rib SC-4 = CYL, IC, MD, FL (CYL and IC are approved for steel) IC = Improved Cylinder MD = Modified IM = Improved Modified FL = Full ASE = Automatic Selective Ejector EXT = Editactor 3105 = Sporting Model with Ported Barrels, Right-Hand Palm Swell, Target Fore-end, Wide Rib

SHOTGUN SPECIFICATIONS

MODEL	ORDER NO.	GAUGE	CHAMBER	BBL LENGTH	TRIGGER	EJECTOR EXTRACTOR	RECEIVER	RIB	STOCK/ Fore-end	BUTT	CHOKE	OA LENGTH	LOP	DC	DH	WT (LBS.)
SINGLE TRIGGER																
	89524	12	3"	26"			Nickel				SC-4	41 ³ /4"				6 ³ / ₄
	89522	12	3"	28"			Nickel				SC-4	43 3/4"				7
	89520	12	3"	28"			Blue				SC-4	43 3/4"				7
	89650	16	2 ³ /4"	28"			Blue				SC-4	41 ³ / ₄ "				6 ³ / ₄
	89682	20	2 ³ /4"	26"			Nickel				SC-4	41 ³ / ₄ "				6 ³ / ₄
000040	89680	20	3"	26"	007	405	Blue	SB	Malaut	Devi	SC-4	41 ³ /4"	101/1	at 17.11	0.1/1	6 ³ / ₄
SPR210	89720	28	2 ³ /4"	26"	SST	ASE	Blue	SK	Walnut	Pad	IC/MD	41 ³ / ₄ "	13 1/2"	1 1/2"	2 ¹ /2"	6 ³ / ₄
	89724	28	2 ³ /4"	26"			Nickel				IC/MD	41 ³ / ₄ "				6 ³ / ₄
	89770	410	3"	26"			Blue				IM/FL	41 ³ /4"				6 ³ / ₄
	89774	410	3"	26"			Nickel				IM/FL	41 ³ /4"				6 ³ / ₄
	89600	12	2 ³ /4"	20"			Blue				SC-4	35 3/4"				6 ¹ / ₄
	89684	20	3"	20"			Blue				SC-4	35 3/4"				6 ¹ / ₄
DOUBLE TRIGGER																
	89548	12	2 ³ /4"	20"	DT		Blue		Hardwood	Plate	CYL/CYL					
	89546	12	2 ³ / ₄ "	20"	DT/FH		Blue		Walnut	Steel	SC-4					
SPR220	89540	12	3"	28"	DT	EXT	Blue	SB	Hardwood	Plate	CYL/CYL	35 3/4"	13 1/2"	1 1/2"	2 ¹ /2"	6 ¹ / ₄
5PR220	89552	12	2 ³ / ₄ "	20"	DT	EXI	Nickel	ЪŔ	Walnut	Pad	SC-4	30 %	13 1/2	1 1/2	Z 1/2	0 74
	89694	20	3"	20"	DT		Nickel		Walnut	Pad	SC-4					
	89690	20	3"	26"	DT		Blue		Walnut	Pad	SC-4					

r = Single Selective Trigger DT = Double Trigger FH = Functional Hammers SR = Solid Rib SC-4 = CYL, IC, MD, FL (CYL and IC are approved for steel) IC = Improved Cylinder MD = Mox ified FL = Full ASE = Automatic Selective Ejector EXT = Extractor dified IM = Improved M

MODEL SPR100" SINGLE-SHOT SHOTGUN DIMENSIONS / AVERAGE WEIGHTS

MODEL	ORDER NO.	GAUGE	CHAMBER	BBL LENGTH	TRIGGER	EJECTOR EXTRACTOR	RECEIVER	RIB	STOCK/ Fore-end	BUTT	CHOKE	OA LENGTH	LOP	DC	DH	WT (LBS.)
	89504	12		29 1/2"			Nickel		Walnut		SC-4	44 ¹ /2"				6 ¹ / ₂
	89500	12		28"			Blue		Hardwood		MD	44 ¹ / ₂ "				6 ¹ / ₂
SPR100	89672	20	3"	28 ¹ / ₂ "	ST	EJC/EXT	Nickel	VT	Walnut	Pad	SC-4	43 ¹ / ₂ "	14 ¹ /2"	1 1/2"	2 ¹ /2"	6 ¹ / ₂
	89670	20	3	26"	31	EJU/EAT	Blue	VI	Hardwood	Fdu	MD	43 1/2"	14 /2	1 /2	Z /2	6 ¹ / ₂
	89790	410		26"			Blue		Hardwood		IM	43 ¹ /2"				6 ¹ / ₂
	89766	410		26"			Nickel		Walnut		IM	43 ¹ / ₂ "				6 ¹ / ₄
	89674	20					Blue		Hardwood		MD					6 ¹ / ₄
SPR100 (Youth)	89764	410	3"	24"	ST	EJC/EXT	Nickel	VT	Walnut	Pad	IM	43 1/2"	13"	1"	1 ¹ /2"	6 ¹ / ₄
	89760	410					Blue		Hardwood		IM					6 ¹ / ₄

ST = Single Trigger EJC/EXT = Selective Ejector/Extractor VT = Vent Rib SC-4 = CVL, IC, MD, FL, (CYL and IC are approved for steel) IC = Improved Quinder MD = Modified IM = Improved Modified FL = Full * Youth model fitted w/rubber recoil pad.

MODEL	. SPR94™ (OVER & UNDE	R RIFLES	/SHOTGI	JNS DIM	ENSION	IS / AVE	RAGE W	EIGHTS	\$					
MODEL	ORDER NO.	GAUGE	CHAMBER	BBL LENGTH	TRIGGER	EJECTOR EXTRACTOR	RECEIVER	STOCK/ Fore-end	BUTT	CHOKE	OA LENGTH	LOP	DC	DH	WT (LBS.)
	89392	410 / 22 LR			SST										7 ¹ / ₂
	89390	410 / 17 HMR			SST										7 ¹ / ₂
SPR94	89394	410 / 22 WMR	3"	24"	SST	EXT	Blue	Walnut	Pad	SC-3	40 1/2"	14 ¹ /4"	1 1/2"	2 1/2"	7 ¹ / ₂
3r n 34	89330	12 / 223 Rem	5	24	DT	LAI	Diuc	wainut	rau	30-3	40 /2	14 /4	1 72	Z 12	8
	89338	12 / 30-06 Sprg			DT										8
	89334	12 / 308 Win			DT										8

SST = Single Selective Trigger DT = Double Trigger EXT = Extractor SC-3 = IC, MD, FL IC = Improved Cylinder MD = Modified FL = Full

	SPR22 [™] \$	SIDE-BY-SIDE RI	IFLES DI	MENSION	S / AVERA	GE WEIGH	TS						
MODEL	ORDER NO.	CALIBER	BBL LENGTH	TRIGGER	EJECTOR EXTRACTOR	RECEIVER	STOCK/ Fore-end	BUTT	OA LENGTH	LOP	DC	DH	WT (LBS.)
SPR22	89976 89980	30-06 Sprg 45-70 Govt	23 1/2"	DT	EXT	Blue	Walnut	Pad	40 1/2"	14 ¹ /4"	1 1/2"	2 ¹ /4"	7 1/2

DT = Double Trigger EXT = Extractor

MODEL S	SPR18N"	SINGLE-SHOT	RIFLES I	DIMENSIO	NS / AVER	AGE WEIG	iHTS						
MODEL	ORDER NO.	CALIBER	BBL LENGTH	TRIGGER	EJECTOR EXTRACTOR	RECEIVER	STOCK/ Fore-end	BUTT	OA LENGTH	LOP	DC	DH	WT (LBS.)
	89942	223 Rem											
	89944	243 Rem											
SPR18N	89946	270 Win	23 ¹ / ² "	ST	EXT	Nickel	Walnut	Pad	39 ³ /4"	14"	1 ¹ /2"	2 1/4"	6 ³ / ₄
	89948	30-06 Sprg											
	89950	308 Win											
ST = Single Trigger	EXT = Extracto	or											

KNIFE SPECIFICATIONS

TRAD	ITIONAL COLLECTIBLE KNIVES	;					
ORDER #	DESCRIPTION	HANDLE	BLADE MATERIAL	BLADES	LENGTH	SHEATH	PACKAGE
18987	2006 "Trail Boss" Bullet® Knife	Black Cherry Jig Bone	High Carbon SS	3" Drop & 4 1/4" Spey	5 1/4" Closed	—	Boxed
18982	2006 Outdoor Exploration – East Knife	Genuine Jig Bone	High Carbon SS	3 1/8" Clip & 3" Spey	4 1/2" Closed	—	Boxed

TRAD	ITIONAL FOLDERS & LO	OCKBACK KNIVES					
ORDER #	DESCRIPTION	HANDLE	BLADE MATERIAL	BLADES	LENGTH	SHEATH	PACKAGE
18567	Delrin® Stag – Gentleman's Lockback	Delrin [®] Stag	440 A SS	2 1/4" Drop	3" Closed	—	Boxed
18564	Delrin® Stag - Upland Folder	Delrin [®] Stag	440 A SS	3" Clip, Bird Hook, 12 & 20-ga. Choke Tube Tool	3 7/8" Closed	—	Boxed
18565	Delrin® Stag - Waterfowl Folder	Delrin [®] Stag	440 A SS	3 $^{1}\!/\!^{_{4}}$ Clip, 2 $^{7}\!/_{^{16}}$ Saw, 12 & 20-ga. Choke Tube Tool, Pin Punch	4 1/4" Closed	—	Boxed
18566	Delrin® Stag - Big Game Lockback	Delrin [®] Stag	440 A SS	3 $^{3}\!/_{^{4}}$ Clip, 3 $^{5}\!/_{^{8}}$ Saw & Gut Hook	5" Closed	Brown Leather	Boxed

MODE	ERN FOLDER KNIVES						
ORDER #	DESCRIPTION	HANDLE	BLADE MATERIAL	BLADES	LENGTH	SHEATH	PACKAGE
18337	Model 830 - Bead Blast Grey Handle (Pocket Clip)	Grey 6061 Aircraft Aluminum	440 A SS	2 3/4" Drop Point	3 ⁵ /8" closed"	—	Clampack
18338	Model 830 - Bead Blast Black Handle (Pocket Clip)	Black 6061 Aircraft Aluminum	440 A SS	2 3/4" Drop Point	3 5/8" Closed	—	Clampack
19368	Model 830 - Bead Blast Grey Handle (Pocket Clip)	Grey 6061 Aircraft Aluminum	440 A SS	2 3/4" Drop Point	3 5/8" closed"	_	Boxed
19369	Model 830 – Bead Blast Black Handle (Pocket Clip)	Black 6061 Aircraft Aluminum	440 A SS	2 3/4" Drop Point	3 5/8" Closed	_	Boxed
18353	M Series – Medium Drop Point (Pocket Clip)	Black 6061 Aircraft Aluminum	440 A SS	3" Drop Point	4 ⁵ /16" Closed	_	Clampack
18351	M Series – Medium Clip Point (Pocket Clip)	Black 6061 Aircraft Aluminum	440 A SS	3" Clip Point	4 5/18" Closed	_	Clampack
18350	M Series – Large Clip Point (Pocket Clip)	Black 6061 Aircraft Aluminum	440 A SS	3 3/8" Clip Point	4 13/16" Closed	_	Clampack
18352	M Series – Large Drop Point (Pocket Clip)	Black 6061 Aircraft Aluminum	440 A SS	3 3/8" Drop Point	4 13/16" Closed	_	Clampack
19363	M Series – Medium Drop Point (Pocket Clip)	Black 6061 Aircraft Aluminum	440 A SS	3" Drop Point	4 5/18" Closed	_	Boxed
19361	M Series – Medium Clip Point (Pocket Clip)	Black 6061 Aircraft Aluminum	440 A SS	3" Clip Point	4 5/18" Closed	_	Boxed
19360	M Series – Large Clip Point (Pocket Clip)	Black 6061 Aircraft Aluminum	440 A SS	3 3/8" Clip Point	4 13/16" Closed	_	Boxed
19362	M Series – Large Drop Point (Pocket Clip)	Black 6061 Aircraft Aluminum	440 A SS	3 3/8" Drop Point	4 13/16" Closed	_	Boxed

ASSI	STED OPENING KNIVES						
ORDER #	DESCRIPTION	HANDLE	BLADE MATERIAL	BLADES	LENGTH	SHEATH	PACKAGE
18912	Swift Lokt [™] Assisted Opening (Pocket Clip)	Grey Anodized Aluminum	High Carbon SS	3 1/8" Modified Point	4 1/2" closed	—	Boxed
18913	Swift Lokt" Assisted Opening (Pocket Clip)	Grey Anodized Aluminum	High Carbon SS	3 1/8" Serrated Modified Point	4 1/2" closed	—	Boxed

FIXED	D BLADE KNIVES						
ORDER #	DESCRIPTION	HANDLE	BLADE MATERIAL	BLADES	LENGTH	SHEATH	PACKAGE
18334	D Series – Skinner w/Gut Hook	Black 6061 Aircraft Aluminum	420 High Carbon	3 1/2" Skinner w/Gut Hook	7 5/8" overall	Black Leather	Clampack
18335	D Series – Clip Point	Black 6061 Aircraft Aluminum	420 High Carbon	4 1/4" Clip Point	8 3/8" overall	Black Leather	Clampack
18336	D Series – Drop Point	Black 6061 Aircraft Aluminum	420 High Carbon	4" Drop Point	8 3/8" overall	Black Leather	Clampack
19375	D Series – Skinner w/Gut Hook	Black 6061 Aircraft Aluminum	420 High Carbon	3 1/2" Skinner w/Gut Hook	7 ⁵ /8" overall	Black Leather	Boxed
19376	D Series – Clip Point	Black 6061 Aircraft Aluminum	420 High Carbon	4 1/4" Clip Point	8 3/8" overall	Black Leather	Boxed
19377	D Series – Drop Point	Black 6061 Aircraft Aluminum	420 High Carbon	4" Drop Point	8 3/8" overall	Black Leather	Boxed
18327	D Series – Camo (Mossy Oak® Break-Up®) Skinner w/Gut Hook	Camo 6061 Aircraft Aluminum	420 High Carbon	3 1/2" Skinner w/Gut Hook	7 ⁵ /8" overall	Black Leather	Clampack
18328	D Series – Camo (Mossy Oak® Break-Up®) Clip Point	Camo 6061 Aircraft Aluminum	420 High Carbon	4 1/4" Clip Point	8 3/8" overall	Black Leather	Clampack
18329	D Series - Camo (Mossy Oak® Break-Up®) Drop Point	Camo 6061 Aircraft Aluminum	420 High Carbon	4" Drop Point	8 3/8" overall	Black Leather	Clampack
19372	D Series – Camo (Mossy Oak® Break-Up®) Skinner w/Gut Hook	Camo 6061 Aircraft Aluminum	420 High Carbon	3 1/2" Skinner w/Gut Hook	7 5/8" overall	Black Leather	Boxed
19373	D Series – Camo (Mossy Oak® Break-Up®) Clip Point	Camo 6061 Aircraft Aluminum	420 High Carbon	4 1/4" Clip Point	8 3/8" overall	Black Leather	Boxed
19374	D Series – Camo (Mossy Oak $^{\otimes}$ Break-Up $^{\otimes})$ Drop Point	Camo 6061 Aircraft Aluminum	420 High Carbon	4" Drop Point	8 3/8" overall	Black Leather	Boxed

SPOR	TSMAN [™] SERIES KNIVES						
ORDER #	DESCRIPTION	HANDLE	BLADE MATERIAL	BLADES	LENGTH	SHEATH	PACKAGE
18214	F.A.S.T. Camo Folder – Black Blade w/Black Pocket Clip in Mossy Oak® Obsession®	Rubber Coated Stainless Steel	440 SS	3 5/8" Clip Serrated	5" Closed	—	Clampack
18215	F.A.S.T. Camo Folder – Black Blade w/Black Pocket Clip in Advantage® Max-4®	Rubber Coated Stainless Steel	440 SS	3 5/8" Clip Serrated	5" Closed	—	Clampack
18216	F.A.S.T. Camo Folder – Stainless Steel Blade w/Stainless Pocket Clip in Mossy Oak® Obsession®	Rubber Coated Stainless Steel	440 SS	3 5/8" Clip Serrated	5" Closed	—	Clampack
18218	F.A.S.T. Camo Folder – Stainless Steel Blade w/Stainless Pocket Clip in Advantage® Max-4 $^{\circ}$	Rubber Coated Stainless Steel	440 SS	3 5/8" Clip Serrated	5" Closed	—	Clampack
18219	F.A.S.T. Matte Black Folder – Black Blade w/Black Pocket Clip	Rubber Coated Stainless Steel	440 SS	3 5/8" Clip Serrated	5" Closed	—	Clampack
18220	F.A.S.T. Matte Black Folder – Stainless Steel Blade w/Stainless Pocket Clip	Rubber Coated Stainless Steel	440 SS	3 5/8" Clip Serrated	5" Closed	—	Clampack
18208	F.A.S.T. Camo Folder – Black Blade w/Black Pocket Clip in Mossy Oak® Obsession®	Rubber Coated Stainless Steel	440 SS	3 5/8" Clip Serrated	5" Closed	—	Boxed
18209	F.A.S.T. Camo Folder – Black Blade w/Black Pocket Clip in Advantage® Max-4®	Rubber Coated Stainless Steel	440 SS	3 5/8" Clip Serrated	5" Closed	—	Boxed
18210	F.A.S.T. Camo Folder – Stainless Steel Blade w/Stainless Pocket Clip in Mossy Oak® Obsession®	Rubber Coated Stainless Steel	440 SS	3 5/8" Clip Serrated	5" Closed	—	Boxed
18211	F.A.S.T. Camo Folder – Stainless Steel Blade w/Stainless Pocket Clip in Advantage® Max-4 $^{\circ}$	Rubber Coated Stainless Steel	440 SS	3 5/8" Clip Serrated	5" Closed	—	Boxed
18212	F.A.S.T. Matte Black Folder – Black Blade w/Black Pocket Clip	Rubber Coated Stainless Steel	440 SS	3 5/8" Clip Serrated	5" Closed	—	Boxed
18213	F.A.S.T. Matte Black Folder – Stainless Steel Blade w/Stainless Pocket Clip	Rubber Coated Stainless Steel	440 SS	3 5/8" Clip Serrated	5" Closed	—	Boxed
18601	Folding Camp Saw w/Silver Anodized Extruded Aluminum Shaft	Impack Resistant black ABS	High Carbon Steel	18 3/4" High Carbon tool steel	22 1/2" closed	_	Clampack

KNIFE SPECIFICATIONS

nmomesotherAddAddAddAddAddAddAdd1111Addrades fairsContonAdd StAdd StAd	SPOR	TSMAN [™] SERIES KNIVES (continued)						
1151 Oxosen 446.53 3.7. * for yourd P 3 own Bask type Owners 1160 Constructures Vinit A Oxosen 446.53 2.7.* 4.5 * 7.0 pp Nrt 7.5 × 1.5 * 7			HANDLE	BLADE MATERIAL	BLADES	LENGTH	SHEATH	PACKAGE
1100 Constable Joshes - Small Operator 64.04.50 21/1 54/1 Corp Front 92.4 Star Corp Based 1100 Constable Joshes - Small Operator - Market Small 30.0 Corp Based Based Small Based	18184	Cocobola Lockback – Small	Cocobola	440 A SS	2 ⁵ /16" Drop Point	3 1/8" Closed	_	Clampack
10100 Concols Lobus, Smith Decision 440.8.8 P. 2. **	18185	Cocobola Lockback – Large	Cocobola	440 A SS	3 %/16" Drop Point	5" Closed	Black Nylon	Clampack
1999 Oxobia induxia - Large 9 Oxobia induxia - Large 9 Bios Nucl. Bios Nucl. <td>18180</td> <td>Cocobola Lockback Knife Set</td> <td>Cocobola</td> <td>440 A SS</td> <td>2 5/16" & 3 9/16" Drop Point</td> <td>5" & 3 1/8" Closed</td> <td>Black Nylon</td> <td>Clampack</td>	18180	Cocobola Lockback Knife Set	Cocobola	440 A SS	2 5/16" & 3 9/16" Drop Point	5" & 3 1/8" Closed	Black Nylon	Clampack
1984 Controls inducts indicates indi	19385	Cocobola Lockback – Small	Cocobola	440 A SS	2 5/16" Drop Point	3 1/8" Closed	_	Boxed
1910 Bits Detrif 440.55 2.7% Draphel 9 Casel 0.7% Draphel 9 Casel Detrip Detrip 1937 Sak Detrif 440.55 3.7% Draphel 9 Casel Bits Detrif 440.55 3.7% Draphel 9 Casel Bits Detrif 440.55 3.7% Draphel 9 Casel Bits Detrif 440.55 3.7% Draphel 3.7% Drast Bits Detrif 440.55 3.7% Draphel 3.7% Drast 3.7% Drast Bits Detrif 440.55 3.7% Draphel 3.7% Drast 3.7% Drast Drast 1930 Drast Draft Detrif-Detrif Bits Aptrif 444.85 2.7% Drash 3.7% Drast Bast 1930 Drast Draft Detrif Bits Aptrif 444.85 2.7% Drash 3.7% Drast Bits Detrif Bast Bast Bast	19386	Cocobola Lockback – Large	Cocobola	440 A SS	3 ⁹ /16" Drop Point	5" Closed	Black Nylon	Boxed
1977 Bioc.Darif Jooghan-Saragi 9 Bioc.Darif Jooghan-Sa	19384	Cocobola Lockback Knife Set	Cocobola	440 A SS	2 5/16" & 3 9/16" Drop Point	5" & 3 1/8" Closed	Black Nylon	Boxed
1937Bask Darier Lackas - Lage1940. Sing2 * /* Sing Pink 2 of Dark9 * Dask- East1938Bask Darier Lackas - LageBask Darier440. Sing0 * 2 * /* Darp Net3 * 0* Coast 0* Carge K1939Dark Dark Zelf Foler - Noact Dark Darkagin InBask Zelf4408 Sing2 * /* Darp Net3 * 0* Coast 0* Carge K1939Dark Zelf Foler - Noact Dark Darkagin InBask Zelf4408 Sing2 * /* Darp Net3 * 0* Coast 0* Carge K1939Dark Zelf Foler - Noact Darkagin InBask Zelf4408 Sing2 * /* Darp Net3 * 0* Coast 0* Carge K1939Dark Zelf Foler - Noact Darkagin InBask Zelf4408 Sing2 * /* Darp Net3 * 0* Coast 0* Carge K1939Into Zelf Foler - Noact Darkagin InBask Zelf4408 Sing2 * /* Darp Net 0* Coast 0* Carge K1939Into Zelf Foler - Noact Darkagin InBask Zelf4408 Sing 0* Coast 0* Coast 0* Coast1939Into Zelf Foler - Noact Darkagin InBask Zelf- 4005 Sing 0* Coast 0* Coast 0* Coast1939Into Self Foler - Noact Darkagin InBask Zelf 0* Coast 0* Coast 0* Coast 0* Coast1939Into Self Foler - Noact Darkagin InBask Zelf 0* Coast 0* Coast 0* Coast1939Into Self Foler - Noact Darkagin InBask Zelf 0* Coast 0* Coast 0* Coast1939Into Self Foler - Noact Darkagin In <td>18186</td> <td>Black Delrin® Lockback – Small</td> <td>Black Delrin®</td> <td>440 A SS</td> <td>2 5/16" Drop Point</td> <td>3" Closed</td> <td>_</td> <td>Clampack</td>	18186	Black Delrin® Lockback – Small	Black Delrin®	440 A SS	2 5/16" Drop Point	3" Closed	_	Clampack
1938 Bink Definit Bank Definit Structure Bank Definit <	18187	Black Delrin® Lockback – Large	Black Delrin®	440 A SS	3 %/16" Drop Point	5" Closed	Black Nylon	Clampack
1919. Open Pare Z and Foods — Poscil C publicity Tm Back Zhut 44083 2 2 // Tom 3 // Toma 7 Charges 1919. Dan Zyte Foods — Poscil C publicity Tm Back Zhut 44085 2 // Tom 3 // Toma 3 // Toma Bask Zhut 1919. Dan Zhut Zhan Foods — Poscid D c Wickstry Tm Back Zhut 440 SS 2 // Tom 3 // Toma Bask Zhut 1928. Dan Zyte Foods — Poscid C Ly witchigty Tm Back Zhut 440 SS 2 // Tom 3 // Toma Bask Zhut 1918. Lon Zyte Foods — Poscid C Ly witchigty Tm Back Zhut Char 440 Das Shi toma - Zhut Char Anore Zhut Cha	19387	Black Delrin® Lockback – Small	Black Delrin®	440 A SS	2 5/16" Drop Point	3" Closed	_	Boxed
11910 Operation 2 and Cape on	19388	Black Delrin® Lockback – Large	Black Delrin®	440 A SS	3 %/16" Drop Point	5" Closed	Black Nylon	Boxed
1919 Dime Zutt Forkerbookt Dip weibigs Tm Bink Zutt 4408 St 2.9.1 Minut 3.9.7 Dead Based 1919 Dip Pink Zuft Forkerbookt Dip weibigs Tm Bink Zutt 4408 St 2.1% Dip Pink Zuft Forkerbookt Dip weibigs Tm Bink Zutt Bink	18188	Drop Point Zytel Folder – Pocket Clip w/Display Tin	Black Zytel	440 SS	2 3/4" Drop Point	3 1/2" Closed	_	Clampack
1989 Open Pint Qui Pinter – shorts Op Wager Tm Bisk April 449 SS 2.4 W Cor Piort 3.W Conc — Baser 1980 Open Pint Qui Pinter Ar-More Op Wager Tm Bisk April 440 SS 2.W Cor Piort 3.W Conc — Baser 1981 Marcing Martin – Darp forts Cat Max Bisk April 420 SS 4.4 V Cor Pint 9.V Concil Back Latter Charge 1981 Marcing Martin – Darp forts Cat Max Bisk April 420 SS 4.4 V Cor Pint 9.V Concil Back Latter Charge 19814 Marcing Marcina – Darp fort Bisk Synthe 420 SS 4.4 V Cor Pint 9.V Concil Back Latter Charge 19875 Marcing Marcina – Darp fort Bisk Synthe 420 SS 4.4 V Cor Pint 9.V Concil Bisk Latter Bask Synthe 8.00 SW Sinter 9.V Concil Bisk Latter Bisk Synthe Bisk Synthe 8.00 SW Sinter 9.V Concil Bisk Latter Bisk Latter </td <td>18189</td> <td>Clip Point Zytel Folder – Pocket Clip w/Display Tin</td> <td>Black Zytel</td> <td>440 SS</td> <td>2 3/4" Clip Point</td> <td>3 1/2" Closed</td> <td>_</td> <td>Clampack</td>	18189	Clip Point Zytel Folder – Pocket Clip w/Display Tin	Black Zytel	440 SS	2 3/4" Clip Point	3 1/2" Closed	_	Clampack
1990 Qip Port 2 for foreir - robust Dip willingen Tim Bask Zydd 440 SS 2 '/' C (P willingen Tim) Sect Bost Zydd Mask Zydd Zydd Mask Zydd Zy	18190	Tanto Zytel Folder – Pocket Clip w/Display Tin	Black Zytel	440 SS	2 3/4" Tanto	3 1/2" Closed	_	Clampack
1931 Babe Zyni Color — Novel Clay ordinglay Im Hales Zyni 440.85 2.V° Length 9.4° Dong Base Zyni 1838 Nor-Sib Mande - Drag Neal Base X James Chargoex 18194 Nor-Sib Mande - Drag Neal Base X James 420 SS 4.V° Drag Neal Base X James Chargoex 18175 Nor-Sib Mande - Drag Neal Base X James 420 SS 4.V° Drag Neal Base X James	19389	Drop Point Zytel Folder – Pocket Clip w/Display Tin	Black Zytel	440 SS	2 3/4" Drop Point	3 1/2" Closed	—	Boxed
1313 Non-Sign India – Ong Pairt al Hoxk Back Synthetic 420 SS 41/10 Oper Number 1000 Pairt Back Leatter Charapack 1819 Non-Sign India – Dog Pairt Bick Synthetic 420 SS 41/10 Dog Pairt Bick Synthetic 420 SS 41/10 Dog Pairt Bick Leatter Charapack 18105 Non-Sign India – Dog Pairt Bick Synthetic 420 SS 41/10 Oper Natt 91% Oweral Bick Leatter Charapack 18105 Non-Sign India – Song Pairt Cal Hook Bick Synthetic 420 SS 41/10 Oper Natt 91% Oweral Bick Leatter Banek 18172 Non-Sign India – Song Pairt Cal Hook Bick Synthetic 420 SS 41/10 Oper Natt 91% Oweral Bick Leatter Banek 18173 Non-Sign India – Song Pairt Cal Hook Bick Synthetic 420 SS 41/10 Op Point 91% Oweral Bick Leatter Banek Banek <td< td=""><td>19390</td><td>Clip Point Zytel Folder – Pocket Clip w/Display Tin</td><td>Black Zytel</td><td>440 SS</td><td>2 3/4" Clip Point</td><td>3 1/2" Closed</td><td>—</td><td>Boxed</td></td<>	19390	Clip Point Zytel Folder – Pocket Clip w/Display Tin	Black Zytel	440 SS	2 3/4" Clip Point	3 1/2" Closed	—	Boxed
13191 Nor-Sip India – Org Part Bick Sprinter 2023 4 '// Org Part 9 '// Oranil Bick Latter Compact 13184 Nor Sip India – Sorrer Bick Sprinter 420 SS 4 '// Op Part Bick Latter Compact 13192 Nor Sip India – Sorrer Med. Cip Part Bick Sprinter 420 SS 3 '/- Somr Mort Not 9 '/' Oranil Bick Latter Compact 13170 Nor Sip India – Orap Part I disk Bick Sprinter 420 SS 4 '/' Dop Part Wolf Hob 9 '/' Oranil Bick Latter Boot 13170 Nor Sip India – Sorrer Bick Sprinter 420 SS 4 '/' Dop Part Wolf Hob 9 '/' Oranil Bick Latter Boot 13170 Nor Sip India – Sorrer Med. Cip Part Bick Sprinter 420 SS 4 '/' Op Part 9 '/' Oranil Bick Latter Boot 13171 Nor Sip India – Sorrer Med. Cip Part Bick Sprinter 420 SS 4 '/' Op Part 9 '/' Oranil Boot Latter Boot 13171 Nor Sip India – Cip Part Bick Sprinter 420 Sarrar SS 4 '/' Dip Part Wolf Hob 9 '/' Corail Boon Latter	19391	Tanto Zytel Folder – Pocket Clip w/Display Tin	Black Zytel	440 SS	2 3/4" Tanto	3 1/2" Closed	—	Boxed
13144 Non-Sip Inded – Skiner (Mac C) Print Busk Synthet: 420 SS 4.1/* Cip Front 9.1/* Centre Busk Latter Compack 13185 Nin-Sip Inded – Clip Print Black Synthet: 420 SS 3.1/* Somer Mc C) Print 91/* Overal Black Latter Compack 13173 Nin-Sip Inded – Clip Print Black Synthet: 420 SS 4.1/* Cip Print 91/* Overal Black Latter Boord 13178 Nin-Sip Inded – Skinner Mc C) Print Black Synthet: 420 SS 4.1/* Cip Print 91/* Overal Black Latter Boord 13178 Non-Sip Inded – Skinner Md C) Print Black Synthet: 420 SS 4.1/* Cip Print 91/* Overal Black Latter Boord 13178 Non-Sip Inded – Skinner Md C) Print Black Synthet: 420 SS 3.1/* Skinner 61/* Overal Brown Latter Compack 13233 Bridzey Magle Sold Moord Inded A: Skinner Md C) Print Block Moord Inded A: Skinner Md C) Print 91/* Overal Brown Latter Compack 13233 Bridzey Magle Sold Moord Inded A: Skinner Md C) Broke Magle 440 German SS 4.1/* Cip Print 91/* Overal <td>18193</td> <td>Non-Slip Handle – Drop Point Gut Hook</td> <td>Black Synthetic</td> <td>420 SS</td> <td>4 5/8" Drop Point w/Gut Hook</td> <td>9 3/16" Overall</td> <td>Black Leather</td> <td>Clampack</td>	18193	Non-Slip Handle – Drop Point Gut Hook	Black Synthetic	420 SS	4 5/8" Drop Point w/Gut Hook	9 3/16" Overall	Black Leather	Clampack
19195 Non-Sigh Indedi – Spin Parl Busk Synthetic 420 SS 41 '' Dop Parl 91 '' Down! Busk Leather Campack 19182 Non-Sigh Indedi – Skinner Med. Cip Parl 91 '' Down! 91	18191	Non-Slip Handle – Drop Point	Black Synthetic	420 SS	4 5/8" Drop Point	9 3/4" Overall	Black Leather	Clampack
1812 Nex-Sip Hardle - Skinner Med. Clip Point 9 17.0 Skinser Med. Clip Point 9 17.0 Nor-Sip Hardle - Drop Yolt Gui Hook Black Lather Black Synthetic 420 SS 4.0 "Or print with Hook 9 17.0 Nor-Sip Hardle - Strop Yolt Gui Hook 9 17.0 Nor-Sip Hardle - Strop Yolt Gui Hook 9 17.0 Nor-Sip Hardle - Strop Yolt Gui Hook 9 17.0 Nor-Sip Hardle - Strop Yolt 9 17.0 Nor-Sip Hardle - Strong Yolt Black Lather Bood 18171 Nor-Sip Hardle - Strong Yolt Black Synthetic 420 SS 4 17.0 Ip Yolt 9 17.0 Nor-Sip Hardle - Strong Yolt Bood Bood Black Lather Bood 18333 Birdsey Maple Sold Wood Hardle Strong Yolt Birdsey Maple 440 German SS 4 17.0 Ip Or Point Wind Hook Brown Lather Clampack 18323 Birdsey Maple Sold Wood Hardle Jop Point Wind Hook Birdsey Maple Sold Wood Hardle Jop Point Wind Hook Birdsey Maple 440 German SS 4 17.0 Ip Or Point Wind Hook 97.0 Or Point	18194	Non-Slip Handle – Skinner	Black Synthetic	420 SS	4 %/16" Skinner	9 3/4" Overall	Black Leather	Clampack
18173 Mon Sip Hande - Drop Paint Gut Hook Biack Synthetic 420 SS 4 '/' Drop Paint With Hook 9 '/' Oweral Biack Latther Bioad 18170 Non-Sip Hande - Sonner Point Biack Synthetic 420 SS 4 '/'' Shreen Point Pi'' Oweral Biack Latther Bood 18178 Non-Sip Hande - Sonner Mod. Op Point Biack Synthetic 420 SS 4 '/'' Shreen Mod. Op Point Bood Bood 18178 Non-Sip Hande - Sonner Mod. Op Point Biack Synthetic 420 SS 3 '/s' Shreen Mod. Op Point Bood Bood 18333 Bidaey Maple Sold Wood Hande Jr. Skinner Biade Birdsey Maple 440 Garman SS 3 '/s' Skinner 6 '/s' Ororal Brown Latther Campack 18333 Birdsey Maple Sold Wood Hande Drop Print Wol Hook Birdsey Maple 440 Garman SS 4 '/s' Drop Paint Wol Hood 6' Vororal Brown Latther Bood 18333 Birdsey Maple Sold Wood Hande Drop Print Wol Hook Birdsey Maple 440 Garman SS 4 '/s' Drop Paint Wol Hook 6' Vororal Brown Latther Bood 18343 Birdsey Maple Sold Wood Hande Drop Print Wol Hook Birdsey Maple	18195	Non-Slip Handle – Clip Point	Black Synthetic	420 SS	4 1/4" Clip Point	9 3/8" Overall	Black Leather	Clampack
13170 Men-Sip Isends – Spineri Biack Synthetic 4/20 SS 4/1* Org Piert 9/1* Organil Biack Latter Biack La	18192	Non-Slip Handle – Skinner Med. Clip Point	Black Synthetic	420 SS	3 11/16" Skinner Med. Clip Point	9 3/4" Overall	Black Leather	Clampack
18176 Mon-Silp Handle – Skinner Blick Synthetic 420 SS 4 '/' Sinner 9 '/ Orenall Blick Leather Bload 18178 Mon-Silp Fandle – Skinner Med. Op Point Blick Leather Bload	18173	Non-Slip Handle – Drop Point Gut Hook	Black Synthetic	420 SS	4 ⁵ /s" Drop Point w/Gut Hook	9 3/16" Overall	Black Leather	Boxed
18179 Non-Sip Handle - Clip Point Black Synthetic 420 SS 4 //* Clip Point 9 //* Overall Black Lattert Black 18171 Non-Sip Handle - Schner Mad. Dip Point Black Synthetic 440 German SS 3 '/ '. Skinner M.d. Dip Point Black Lattert Black 1833 Birdsny Malejs Soidt Wood Hande Drop Point Birdsny Marej 440 German SS 4 //* Drop Point 9'' Overall Brown Lattert Clampack 1833 Birdsny Marejs Soidt Wood Hande Drop Point Wordt Hock Birdsny Marej 440 German SS 4 //* Orop Point Wordt Hock 9'' Overall Brown Lattert Clampack 18342 Birdsny Marejs Soidt Wood Hande Drop Point Wordt Hock Birdsny Marejs 440 German SS 4 //* Clop 9'' Overall Brown Lattert Boadd 18342 Birdsny Marejs Soidt Wood Hande Drop Point Wordt Hock Birdsny Marejs 440 German SS 4 //* Clop Point Wordt Hock 9''Overall Brown Lattert Boadd 18343 Birdsny Marejs Soidt Wood Hande Drop Point Wordt Hock Birdsny Marejs Soidt Wood Hande Drop Point Wordt Hock Birdsny Marejs Soidt Wood Hande Drop Point Wordt Hock Birdsny Marejs Soidt Wood Hande Clip Back Birdsny Marejs Soidt Wo	18170	Non-Slip Handle – Drop Point	Black Synthetic	420 SS	4 5/8" Drop Point	9 3/4" Overall	Black Leather	Boxed
18171 Non-Sip Handle – Simmer Med. Clip Point Black Synthetic 442 CSS 3 "//" Simmer Med. Clip Point Black Leather Board 18333 Birdsey Maple Sidd Wood Handle Jr. Sknner Blade Birdsey Maple Sidd Wood Handle Drop Point Girdsey Maple Sidd Wood Handle Drop Point Girdsey Maple Sidd Wood Handle Drop Point Wicht Hook Girdsey Maple Sidd Wood Handle Drop Point Wicht Hook Birdsey Maple Sidd	18176	Non-Slip Handle – Skinner	Black Synthetic	420 SS	4 ⁹ /16" Skinner	9 3/4" Overall	Black Leather	Boxed
1833 Birdage Maple Solid Wood Handle Jr. Skinner Blade Birdage Maple Solid Wood Handle Dro Point Birdage Maple Solid Wood Handle Dro Point WGIH Hook Birdage Maple Solid Wood Handle Dro Point WGIH Hook Birdage Maple Solid Wood Handle Dro Point WGIH Hook Birdage Maple Solid Wood Handle Dro Point WGIH Hook Birdage Maple Solid Wood Handle Dro Point WGIH Hook Birdage Maple Solid Wood Handle Dro Point WGIH Hook Birdage Maple Solid Wood Handle Dro Point WGIH Hook Birdage Maple Solid Wood Handle Dro Point WGIH Hook Birdage Maple Solid Wood Handle Dro Point WGIH Hook Birdage Maple Solid Wood Handle Dro Point WGIH Hook Birdage Maple Solid Wood Handle Dro Point WGIH Hook Birdage Maple 440 German SS 41/1 Dro Point WGIH Hook Birdage Maple Solid Wood Handle Dro Point WGIH Hook Birdage Maple Solid Wood Handle Dro Point WGIH Hook Birdage Maple Solid Wood Handle Dro Point WGIH H	18179	Non-Slip Handle – Clip Point	Black Synthetic	420 SS	4 1/4" Clip Point	9 3/8" Overall	Black Leather	Boxed
Bitslaye Maple Solid Wood Handle Drop Polint Birdseye Maple 440 German SS 4 //* Drop Polint 9° Overall Brown Leather Clampack 18332 Birdseye Maple Solid Wood Handle Drop Polint WGut Hook Birdseye Maple 440 German SS 4 //* Drop Polint WGut Hook 9° Overall Brown Leather Clampack 18342 Birdseye Maple Solid Wood Handle Drop Polint Birdseye Maple 440 German SS 3" Jr. Skinner 6 //* Overall Brown Leather Board 18342 Birdseye Maple Solid Wood Handle Drop Polint Birdseye Maple 440 German SS 4 //* Drop Polint 6' //* Overall Brown Leather Board 18348 Birdseye Maple Solid Wood Handle Drop Polint Birdseye Maple 440 German SS 4 //* Dip 9° Overall Brown Leather Board 18341 Birdseye Maple Solid Wood Handle Drop Polint WGut Hook Birdseye Maple 440 German SS 4 //* Dip 9° Overall Brown Leather Board 18331 Birdseye Maple Solid Wood Handle Drop Polint Birdseye Maple Solid Wood Handle Drop Polint WGut Hook 9° Overall Brown Leather Board 18333 Birdseye Maple Solid Wood Handle Drop	18171	Non-Slip Handle – Skinner Med. Clip Point	Black Synthetic	420 SS	3 11/16" Skinner Med. Clip Point	9 3/4" Overall	Black Leather	Boxed
Birdseye Maple Solid Wood Handle Drop Point WGut Hook Birdseye Maple 440 German SS 4 '/' Drop Point WGut Hook 9' Overall Brown Leather Clampack 18330 Birdseye Maple Solid Wood Handle Drop Point WGut Hook Birdseye Maple Solid Wood Handle Drop Point Birdseye Maple Solid Wood Handle Drop Point WGut Hook<	18333	Birdseye Maple Solid Wood Handle Jr. Skinner Blade	Birdseye Maple	440 German SS	3" Jr. Skinner	6 1/4" Overall	Brown Leather	Clampack
Birdseye Maple Solid Wood Handle Clip BladeBirdseye Maple440 German SS4.4% Clip9° OverallBrown LeatherClampack18342Birdseye Maple Solid Wood Handle J.Skinner BladeBirdseye Maple440 German SS3°. Jr. Skinner6°.//° OverallBrown LeatherBood18343Birdseye Maple Solid Wood Handle Drap Point WGut HookBirdseye Maple440 German SS4.1/° Drap Point WGut Hook9° OverallBrown LeatherBood18344Birdseye Maple Solid Wood Handle Drap Point WGut HookBirdseye Maple440 German SS4.1/° Drap Point WGut Hook9° OverallBrown LeatherBood18345Birdseye Maple Solid Wood Handle Drap Point WGut HookBirdseye Maple440 German SS4.1/° Clamp9° OverallBrown LeatherBood18345Birdseye Maple Solid Wood Handle Drap Point WGut HookBirds Seye Maple440 German SS4.1/° Clamp9° OverallBrown LeatherBood18345Birdseye Maple Solid Wood Handle Drap Point WGut HookBirds Seye Maple440 German SS4.1/° Clamp9° OverallBrown LeatherBood18345Birdseye Maple Solid Wood Handle Drap Point WGut HookBirdseye Maple440 German SSClip Seye Shorefoot4.1/° Clamp9° OverallBrown LeatherBood18045Birdseye Maple Solid Wood Handle Drap Point WGut HookBirdseye Maple Solid Wood Handle Drap Point4.05Clip Seye Shorefoot3.1/° ClosedClampack18046Birds Seye MapleBirdseye MapleBirds Seye Maple440 SSClip Seye Shoref	18331	Birdseye Maple Solid Wood Handle Drop Point	Birdseye Maple	440 German SS	4 3/4" Drop Point	9" Overall	Brown Leather	Clampack
Birdsey Maple Solid Wood Handle Jr. Skinner Blade Birdsey Maple 440 German SS 3" Jr. Skinner 6 % / 0 verall Brown Leather Bonder 18330 Birdseys Maple Solid Wood Handle Drop Point Birdseys Maple Solid Wood Handle Drop Point Birdseys Maple Solid Wood Handle Drop Point Brown Leather Boord 18340 Birdseys Maple Solid Wood Handle Drop Point Si Colid Daws Birdseys Maple Solid Wood Handle Drop Point Si Colid Daws Envol Leather Fold Passes 18030 Back Delrim Folder - Mant Folder - Mant Folder - Mant Folder - Mant Fo	18332	Birdseye Maple Solid Wood Handle Drop Point w/Gut Hook	Birdseye Maple	440 German SS	4 1/2" Drop Point w/Gut Hook	9" Overall	Brown Leather	Clampack
Bindesye Maple Solid Wood Handle Drop Point Bindesye Maple 440 German SS 4 '/'. Drop Point 9° Overall Brown Leadmer Boodel 18340 Bindseye Maple Solid Wood Handle Drop Point Widt Hook Bindseye Maple Solid Wood Handle Drop Point Widt Hook Bindseye Maple Solid Wood Handle Drop Point Widt Hook Bindseye Maple Solid Wood Handle Drop Point Widt Hook Bindseye Maple Solid Wood Handle Drop Point Widt Hook Bindseye Maple Solid Wood Handle Drop Point Widt Hook Bindseye Maple Solid Wood Handle Drop Point Widt Hook Bindseye Maple Solid Wood Handle Drop Point Widt Hook Bindseye Maple Solid Wood Handle Drop Point Widt Hook Bindseye Maple Solid Wood Handle Drop Point Widt Hook Bindseye Maple Solid Wood Handle Drop Point Widt Hook Bindseye Maple Solid Wood Handle Drop Point Widt Hook Bindseye Maple Solid Wood Handle Drop Point Widt Hook Bindseye Maple Solid Wood Handle Drop Point Widt Hook Bindseye Maple Solid Wood Handle Drop Point Widt Hook Bindseye Maple Solid Wood Handle Drop Point Widt Hook Bindseye Maple Solid Wood Handle Drop Point Widt Hook Bindseye Maple Solid Wood Handle Drop Point Mintsey Bindsey Maple Solid Hood Handle Drop Point Mintsey Bindseye Maple Solid Wood Handle Drop Point Mintsey All Widt Hood Solid Wood Handle Drop Point Mintsey All Widt Hood Solid Wood Handle Drop Point Mintsey All Widt Hood Solid Wood Handle Drop Point Solid Hook All Widt Hood Solid Hood Handle Drop Point Solid Hook All Widt Hood Solid Hood Handle Drop Point Solid	18330	Birdseye Maple Solid Wood Handle Clip Blade	Birdseye Maple	440 German SS	4 3/4" Clip	9" Overall	Brown Leather	Clampack
Birdseye Maple Solid Wood Handle Drup Point w/Gut Hook Birdseye Maple 440 German SS 4 '/.' Drup Point w/Gut Hook 9 '' Overall Brown Leather Boown 18341 Birdseye Maple Solid Wood Handle Drup Point w/Gut Hook 9 '' Overall Brown Leather Boown	18342	Birdseye Maple Solid Wood Handle Jr. Skinner Blade	Birdseye Maple	440 German SS	3" Jr. Skinner	6 1/4" Overall	Brown Leather	Boxed
18141Birdseye Maple440 Berman SS4 // * Clip9 ° OverallBrown LeatherBoxed18031Black Defint* Polder – Large SkotkmanBlack Defint*440 SSClip, Spey & Sheepfoot4 // * ClosedClampack18039Black Defint* Polder – Mult-Faiding Hunter wPocket ClipBlack Defint*440 SSClip with Thumb Stud4" ClosedClampack18040Black Defint* Polder – Min TargperBlack Defint*440 SSSpear, Can Opener, Punch, Screwdriver & Cap Lifter3 //* ClosedClampack18042Black Defint* Polder – Marlum StockmanBlack Defint*440 SSClip & Spery3 //* ClosedClampack18042Black Defint* Polder – Marlum StockmanBlack Defint*440 SSClip, Spery & Sheepfoot3 //* ClosedClampack18042Black Defint* Folder – Small Texas JackBlack Defint*440 SSClip, Spery & Sheepfoot3 //* ClosedClampack18043Black Defint* Folder – Small Texas JackBlack Defint*440 SSClip, Spery & Sheepfoot3 //* ClosedClampack18045Black Defint* Folder – Small Texas JackBlack Defint*440 SSClip, Short Clip & Pen3 //* ClosedClampack18045Black Defint* Folder – MunterBlack Defint*440 SSClip, Short Clip & Sheepfoot3 //* ClosedClampack18045Black Defint* Folder – MunterBlack Defint*440 SSClip, Short Clip & Sheepfoot3 //* ClosedClampa	18339	Birdseye Maple Solid Wood Handle Drop Point	Birdseye Maple	440 German SS	4 3/4" Drop Point	9" Overall	Brown Leather	Boxed
Black Delrin* Folder – Large StockmanBlack Delrin*440 SSClip, Spey & Sheeptoot4 // * ClosedClampack18030Black Delrin* Folder – Mid-Folding Hunter wPocket ClipBlack Delrin*440 SSClip wth Thumb Stud4* OcsedClampack18040Black Delrin* Folder – Mini TrapperBlack Delrin*440 SSSpear, Can Opener, Punch, Screwdriver & Cap Lifer3 //* ClosedClampack18040Black Delrin* Folder – Medium StockmanBlack Delrin*440 SSSpear, Can Opener, Punch, Screwdriver & Cap Lifer3 //* ClosedClampack18042Black Delrin* Folder – Medium StockmanBlack Delrin*440 SSClip, Spey & Sheeptoot3 //* ClosedClampack18043Black Delrin* Folder – Small Texas JackBlack Delrin*440 SSClip, Short Clip & Pen3 //* ClosedClampack18043Black Delrin* Folder – WhittlerBlack Delrin*440 SSClip, Chock Tube Tolo & Bind Hook3 //* ClosedClampack18035Black Delrin* Folder – UplandBlack Delrin*440 SSClip, Chock Tube Tolo & Bind Hook3 //* ClosedClampack18036Black Delrin* Folder – Laped StockmanBlack Delrin*440 SSClip, Short Clip & Pen3 //* ClosedClampack18036Black Delrin* Folder – MittlerBlack Delrin*440 SSClip, Short Clip & Short3 //* ClosedClampack18036Black Delrin* Folder – MittlerBlack Delrin*440 SSClip, Short Cl	18340	Birdseye Maple Solid Wood Handle Drop Point w/Gut Hook	Birdseye Maple	440 German SS	4 1/2" Drop Point w/Gut Hook	9" Overall	Brown Leather	Boxed
Black Delrin* Folder – Mid-Folding Hunter w/Pocket ClipBlack Delrin*440 SSClip with Thumb Stud4* ClosedClampack18040Black Delrin* Folder – Min TrapperBlack Delrin*440 SSSpear, Can Opener, Funch, Screwdriver & Cap Liffer3 /* ClosedClampack18041Black Delrin* Folder – Campers KnifeBlack Delrin*440 SSSpear, Can Opener, Funch, Screwdriver & Cap Liffer3 /* ClosedClampack18042Black Delrin* Folder – Medum StockmanBlack Delrin*440 SSClip Spey & Sheepfoot3 /* ClosedClampack18033Black Delrin* Folder – Small Texas JackBlack Delrin*440 SSClip & Pen3 /* ClosedClampack18034Black Delrin* Folder – VenutterBlack Delrin*440 SSClip & Nen3 /* ClosedClampack18035Black Delrin* Folder – VenutterBlack Delrin*440 SSClip Aten3 /* ClosedClampack18035Black Delrin* Folder – VenutterBlack Delrin*440 SSClip Aten3 /* ClosedClampack18036Black Delrin* Folder – CanteeBlack Delrin*440 SSClip Aten3 /* ClosedClampack18035Black Delrin* Folder – CanteeBlack Delrin*440 SSClip Aten3 /* ClosedClampack18036Black Delrin* Folder – CanteeBlack Delrin*440 SSClip Aten3 /* ClosedClampack18036Black Delrin* Folder – Melne SturdBlack	18341	Birdseye Maple Solid Wood Handle Clip Blade	Birdseye Maple	440 German SS	4 3/4" Clip	9" Overall	Brown Leather	Boxed
Black Delrin* Folder – Mini Trapper Black Delrin* 440 SS Clip & Spey 3 //* Closed — Clampack 18041 Black Delrin* Folder – Campers Knife Black Delrin* 440 SS Spear, Can Opener, Punch, Screwdriver & Cap Lifter 3 //* Closed — Clampack 18042 Black Delrin* Folder – Medium Stockman Black Delrin* 440 SS Clip, Spey & Sheepfoot 3 //* Closed — Clampack 18042 Black Delrin* Folder – Medium Stockman Black Delrin* 440 SS Clip, Spey & Sheepfoot 3 //* Closed — Clampack 18042 Black Delrin* Folder – Medium Stockman Black Delrin* 440 SS Clip, Spey & Sheepfoot 3 //* Closed — Clampack 18033 Black Delrin* Folder – Vinitter Black Delrin* 440 SS Clip, Spey & Shrepfoot 3 //* Closed — Clampack 18035 Black Delrin* Folder – Gance Black Delrin* 440 SS Clip, Spear & Pen 3 //* Closed — Clampack 18036 Black Delrin* Folder – Gance Black Delrin* 440 SS Clip, Spear & Pen 3 //* Closed — Clampack 18037 Black Delrin* Folder – C	18031	Black Delrin® Folder – Large Stockman	Black Delrin®	440 SS	Clip, Spey & Sheepfoot	4 1/4" Closed	—	Clampack
18041Black Delrin* Folder - Campers KnifeBlack Delrin*Adu SSSpear, Can Opener, Punch, Screwdriver & Cap Lifter3 ¼* ClosedClampack18032Black Delrin* Folder - Medium StockmanBlack Delrin*440 SSClip, Spey & Sheepfoot3 ¼* ClosedClampack18033Black Delrin* Folder - Small Texas, JackBlack Delrin*440 SSClip, & Pen3 ¼* ClosedClampack18033Black Delrin* Folder - PeanutBlack Delrin*440 SSClip, & Pen2 ¼* ClosedClampack18034Black Delrin* Folder - UplandBlack Delrin*440 SSClip, Choke Tube Tool & Bird Hook3 ¼* ClosedClampack18035Black Delrin* Folder - CanceBlack Delrin*440 SSClip, Choke Tube Tool & Bird Hook3 ¼* ClosedClampack18036Black Delrin* Folder - Gentleman'sBlack Delrin*440 SSSpear & Pen3 ¼* ClosedClampack18037Black Delrin* Folder - Bird HunterBlack Delrin*440 SSClip & Bird Hook3 ¼* ClosedClampack18038Black Delrin* Folder - Large StockmanBlack Delrin*440 SSClip & Bird Hook3 ¼* ClosedClampack18040Black Delrin* Folder - MulterBlack Delrin*440 SSClip & Bird Hook3 ¼* ClosedClampack18041Black Delrin* Folder - Bird HunterBlack Delrin*440 SSClip & Bird Hook3 ¼* ClosedBlack18042Black Delrin* Folde	18039	Black Delrin® Folder – Mid-Folding Hunter w/Pocket Clip	Black Delrin®	440 SS	Clip with Thumb Stud	4" Closed	—	Clampack
Black Delrin* Folder – Medium StockmanBlack Delrin*440 SSClip, Spey & Sheepfoot3 '/* ClosedClampack18042Black Delrin* Folder – Small Texas JackBlack Delrin*440 SSClip & Pen3 '/* ClosedClampack18033Black Delrin* Folder – Small Texas JackBlack Delrin*440 SSClip & Pen2 '/* ClosedClampack18034Black Delrin* Folder – VentitterBlack Delrin*440 SSClip, Short Clip & Pen3 '/* ClosedClampack18035Black Delrin* Folder – VentitterBlack Delrin*440 SSClip, Choke Tube Tool & Bird Hook3 '/* ClosedClampack18036Black Delrin* Folder – CanneeBlack Delrin*440 SSClip, Choke Tube Tool & Bird Hook3 '/* ClosedClampack18037Black Delrin* Folder – CanneeBlack Delrin*440 SSClip, Choke Tube Tool & Bird Hook3 '/* ClosedClampack18038Black Delrin* Folder – CanneeBlack Delrin*440 SSClip, Spey & Sheepfoot4 '/* ClosedClampack18039Black Delrin* Folder – Large StockmanBlack Delrin*440 SSClip, Spey & Sheepfoot4 '/* ClosedBlack18049Black Delrin* Folder – Mid-Folder – Mid-Folder Jupter Mocket ClipBlack Delrin*440 SSClip, Spey & Sheepfoot4 '/* ClosedBoxed18040Black Delrin* Folder – Small Texas JackBlack Delrin*440 SSClip, Spey & Sheepfoot3 '/* ClosedBoxed <td>18040</td> <td>Black Delrin® Folder – Mini Trapper</td> <td>Black Delrin®</td> <td>440 SS</td> <td>Clip & Spey</td> <td>3 1/2" Closed</td> <td>_</td> <td>Clampack</td>	18040	Black Delrin® Folder – Mini Trapper	Black Delrin®	440 SS	Clip & Spey	3 1/2" Closed	_	Clampack
18042Black Delrin® Folder – Small Texas JackBlack Delrin®440 SSClip & Pen3 //* ClosedClampack18033Black Delrin® Folder – VhittlerBlack Delrin®440 SSClip & Pen2 //* ClosedClampack18034Black Delrin® Folder – WhittlerBlack Delrin®440 SSClip, Short Clip & Pen3 //* ClosedClampack18035Black Delrin® Folder – UplandBlack Delrin®440 SSClip, Choke Tube Tool & Bird Hook3 //* ClosedClampack18036Black Delrin® Folder – CanoeBlack Delrin®440 SSSpear & Pen3 //* ClosedClampack18037Black Delrin® Folder – Gentleman'sBlack Delrin®440 SSClip & Bird Hook3 //* ClosedClampack18038Black Delrin® Folder – Gentleman'sBlack Delrin®440 SSClip & Bird Hook3 //* ClosedClampack18039Black Delrin® Folder – Large StockmanBlack Delrin®440 SSClip & Bird Hook3 //* ClosedClampack18030Black Delrin® Folder – Large StockmanBlack Delrin®440 SSClip & Spey & Sheepfoot4 //* ClosedBlack18040Black Delrin® Folder – Large StockmanBlack Delrin®440 SSClip & Spey3 //* ClosedBlack18040Black Delrin® Folder – Mini TrapperBlack Delrin®440 SSClip & Spey3 //* ClosedBlack18040Black Delrin® Folder – Small Texas JackBlack Delrin®440 SS<	18041	Black Delrin® Folder – Campers Knife	Black Delrin®	440 SS	Spear, Can Opener, Punch, Screwdriver & Cap Lifter	3 3/4" Closed	_	Clampack
18033Black Delrin* Folder – PeanutBlack Delrin*440 SSClip & Pen2 '/* Closed—Clampack18034Black Delrin* Folder – WhittlerBlack Delrin*440 SSClip, Short Clip & Pen3 '/* Closed—Clampack18035Black Delrin* Folder – UplandBlack Delrin*440 SSClip, Choke Tube Tool & Bird Hook3 '/* Closed—Clampack18036Black Delrin* Folder – CanceBlack Delrin*440 SSSpear & Pen3 '/* Closed—Clampack18037Black Delrin* Folder – GanceBlack Delrin*440 SSDrop Point3'' Closed—Clampack18038Black Delrin* Folder – GanceBlack Delrin*440 SSClip & Bird Hook3 '/* Closed—Clampack18038Black Delrin* Folder – GanceBlack Delrin*440 SSClip & Bird Hook3 '/* Closed—Clampack18039Black Delrin* Folder – Mint FraperBlack Delrin*440 SSClip & Spear, Can Opener, Punch, Screwdriver & Cap Lifter3 '/* Closed—Block18120Black Delrin* Folder – Mint TrapperBlack Delrin*440 SSClip & Spear, Can Opener, Punch, Screwdriver & Cap Lifter3 '/* Closed—Block18120Black Delrin* Folder – Mint TrapperBlack Delrin*440 SSClip & Spear, Can Opener, Punch, Screwdriver & Cap Lifter3 '/* Closed—Block18120Black Delrin* Folder – Mint TrapperBlack Delrin*440 SSClip & Spear, Can Open	18032	Black Delrin® Folder – Medium Stockman	Black Delrin®	440 SS	Clip, Spey & Sheepfoot	3 5/8" Closed	_	Clampack
18034Black Delrin* Folder – WhittlerBlack Delrin*440 SSClip, Short Clip & Pen3 '/' ClosedClampack18035Black Delrin* Folder – UplandBlack Delrin*440 SSClip, Choke Tube Tool & Bird Hook3 '/* ClosedClampack18036Black Delrin* Folder – CanoeBlack Delrin*440 SSSpear & Pen3 '/* ClosedClampack18037Black Delrin* Folder – Gentleman'sBlack Delrin*440 SSDrop Point3" ClosedClampack18038Black Delrin* Folder – Bird HunterBlack Delrin*440 SSClip & Bird Hook3 '/* ClosedClampack18039Black Delrin* Folder – Large StockmanBlack Delrin*440 SSClip & Spear & Pen3 '/* ClosedClampack18196Black Delrin* Folder – Mid-Folding Hunter wPocket ClipBlack Delrin*440 SSClip & Spear & Spear for4 '/* ClosedBlack18204Black Delrin* Folder – Mid-Folding Hunter wPocket ClipBlack Delrin*440 SSClip with Thumb Stud4" ClosedBoxed18205Black Delrin* Folder – Main-Folder – Small TraperBlack Delrin*440 SSSpear, Can Opener, Punch, Screwdriver & Gau Lift3 '/* ClosedBoxed18206Black Delrin* Folder – Medium StockmanBlack Delrin*440 SSClip & Spear & Deno3 '/* ClosedBoxed18207Black Delrin* Folder – Small Texas JackBlack Delrin*440 SSClip & Spear & Deno3 '/* Closed <td< td=""><td>18042</td><td>Black Delrin® Folder – Small Texas Jack</td><td>Black Delrin®</td><td>440 SS</td><td>Clip & Pen</td><td>3 1/2" Closed</td><td>_</td><td>Clampack</td></td<>	18042	Black Delrin® Folder – Small Texas Jack	Black Delrin®	440 SS	Clip & Pen	3 1/2" Closed	_	Clampack
Black Delrin* Folder - UplandBlack Delrin*440 SSClip, Choke Tube Tool & Bird Hook3 '/.* Closed-Clampack18036Black Delrin* Folder - CanoeBlack Delrin*440 SSSpear & Pen3 '/.* Closed-Clampack18037Black Delrin* Folder - Gentleman'sBlack Delrin*440 SSDrop Point3" Closed-Clampack18038Black Delrin* Folder - Bird HunterBlack Delrin*440 SSClip & Bird Hook3 '/.* Closed-Clampack18038Black Delrin* Folder - Large StockmanBlack Delrin*440 SSClip & Bird Hook3 '/.* Closed-Boxed18104Black Delrin* Folder - Mid-Folding Hunter w/Pocket ClipBlack Delrin*440 SSClip with Thumb Stud4" Closed-Boxed18205Black Delrin* Folder - Mid-Folding Hunter w/Pocket ClipBlack Delrin*440 SSClip & Spear, Can Opener, Punch, Screwdriver & Cap Lifter3 '/.* Closed-Boxed18206Black Delrin* Folder - Medium StockmanBlack Delrin*440 SSClip & Spear, Can Opener, Punch, Screwdriver & Cap Lifter3 '/.* Closed-Boxed18207Black Delrin* Folder - Medium StockmanBlack Delrin*440 SSClip & Spear, Can Opener, Punch, Screwdriver & Cap Lifter3 '/.* Closed-Boxed18208Black Delrin* Folder - Medium StockmanBlack Delrin*440 SSClip & Spear, Can Opener, Punch, Screwdriver & Cap Lifter-Boxed18207Black Delrin* Folder - Medium StockmanBlack Delrin*440 SSClip	18033	Black Delrin® Folder – Peanut	Black Delrin®	440 SS	Clip & Pen	2 7/8" Closed	_	Clampack
18036Black Delrin* Folder - CanoeBlack Delrin*440 SSSpear & Pen3 '/'' ClosedClampack18037Black Delrin* Folder - Gentteman'sBlack Delrin*440 SSDrop Point3'' ClosedClampack18038Black Delrin* Folder - Bird HunterBlack Delrin*440 SSClip & Bird Hook3 '/'' ClosedClampack18038Black Delrin* Folder - Large StockmanBlack Delrin*440 SSClip & Bird Hook3 '/'' ClosedBoxed18196Black Delrin* Folder - Mid-Folding Hunter w/Pocket ClipBlack Delrin*440 SSClip with Thumb Stud4'' ClosedBoxed18204Black Delrin* Folder - Amin TrapperBlack Delrin*440 SSClip with Thumb Stud4'' ClosedBoxed18205Black Delrin* Folder - Campers KnifeBlack Delrin*440 SSSpear & Can Depener, Punch, Screwdriver & Cap Lifter3 '/'' ClosedBoxed18206Black Delrin* Folder - Ameris KnifeBlack Delrin*440 SSClip & Spery & Sheepfoot3 '/'' ClosedBoxed18207Black Delrin* Folder - Small Texas JackBlack Delrin*440 SSClip & Spery & Sheepfoot3 '/'' ClosedBoxed18208Black Delrin* Folder - PeanutBlack Delrin*440 SSClip & Spery & Sheepfoot3 '/'' ClosedBoxed18208Black Delrin* Folder - WittlerBlack Delrin*440 SSClip & Spery & Sheepfoot3 '/'' ClosedBoxed <tr<tr>18209<td>18034</td><td>Black Delrin® Folder – Whittler</td><td>Black Delrin®</td><td>440 SS</td><td>Clip, Short Clip & Pen</td><td>3 1/2" Closed</td><td>_</td><td>Clampack</td></tr<tr>	18034	Black Delrin® Folder – Whittler	Black Delrin®	440 SS	Clip, Short Clip & Pen	3 1/2" Closed	_	Clampack
18037Black Delrin* Folder - Gentleman'sBlack Delrin*440 SSDrop Point3" ClosedClampack18038Black Delrin* Folder - Bird HunterBlack Delrin*440 SSClip & Bird Hook3 '/." ClosedClampack18038Black Delrin* Folder - Large StockmanBlack Delrin*440 SSClip, Spey & Sheepfoot4 '/." ClosedBoxed18204Black Delrin* Folder - Mid-Folding Hunter w/Pocket ClipBlack Delrin*440 SSClip with Thumb Stud4" ClosedBoxed18205Black Delrin* Folder - Mini TrapperBlack Delrin*440 SSClip & Spey3 '/." ClosedBoxed18206Black Delrin* Folder - Campers KnifeBlack Delrin*440 SSSpear, Can Opener, Punch, Screwdriver & Cap Lifter3 '/." ClosedBoxed18207Black Delrin* Folder - Small Texas JackBlack Delrin*440 SSClip & Pen3 '/." ClosedBoxed18198Black Delrin* Folder - PeanutBlack Delrin*440 SSClip & Pen3 '/." ClosedBoxed18199Black Delrin* Folder - UplandBlack Delrin*440 SSClip, Short Clip & Pen3 '/." ClosedBoxed18204Black Delrin* Folder - UplandBlack Delrin*440 SSClip, Choke Tube Tool & Bird Hook3 '/." ClosedBoxed18205Black Delrin* Folder - UplandBlack Delrin*440 SSClip, Choke Tube Tool & Bird Hook3 '/." ClosedBoxed18206Black Delrin* Folder	18035	Black Delrin® Folder – Upland	Black Delrin®	440 SS	Clip, Choke Tube Tool & Bird Hook	3 7/8" Closed		Clampack
18038Black Delrin® Folder – Bird HunterBlack Delrin®440 SSClip & Bird Hook3 ¼" Closed—Clampack18196Black Delrin® Folder – Large StockmanBlack Delrin®440 SSClip, Spey & Sheepfoot4 ¼". Closed—Boxed18204Black Delrin® Folder – Mid-Folding Hunter w/Pocket ClipBlack Delrin®440 SSClip with Thumb Stud4" Closed—Boxed18205Black Delrin® Folder – Mini TrapperBlack Delrin®440 SSClip & Spey3 ½". Closed—Boxed18206Black Delrin® Folder – Campers KnifeBlack Delrin®440 SSSpear, Can Opener, Punch, Screwdriver & Cap Lifter3 ¼". Closed—Boxed18207Black Delrin® Folder – Small Texas JackBlack Delrin®440 SSClip, Spey & Sheepfoot3 ½". Closed—Boxed18198Black Delrin® Folder – PeanutBlack Delrin®440 SSClip, Spey & Sheepfoot3 ½". Closed—Boxed18199Black Delrin® Folder – VenittlerBlack Delrin®440 SSClip, Spey & Sheepfoot3 ½". Closed—Boxed18199Black Delrin® Folder – VenittlerBlack Delrin®440 SSClip, Short Clip & Pen3 ½". Closed—Boxed18200Black Delrin® Folder – UplandBlack Delrin®440 SSClip, Short Clip & Pen3 ½". Closed—Boxed18201Black Delrin® Folder – CanoeBlack Delrin®440 SSClip, Choke Tube Tool & Bird Hook3 ½". Closed—Boxed18202Black Delrin® Fo	18036	Black Delrin® Folder – Canoe	Black Delrin®	440 SS	Spear & Pen	3 5/8" Closed		Clampack
18196Black Delrin® Folder - Large StockmanBlack Delrin®440 SSClip, Spey & Sheepfoot4 '\" ClosedBoxed18204Black Delrin® Folder - Mid-Folding Hunter w/Pocket ClipBlack Delrin®440 SSClip with Thumb Stud4" ClosedBoxed18205Black Delrin® Folder - Mini TrapperBlack Delrin®440 SSClip & Spey3 '\z" ClosedBoxed18206Black Delrin® Folder - Campers KnifeBlack Delrin®440 SSSpear, Can Opener, Punch, Screwdriver & Cap Lifter3 '\z" ClosedBoxed18197Black Delrin® Folder - Medium StockmanBlack Delrin®440 SSClip, Spey & Sheepfoot3 '\z" ClosedBoxed18207Black Delrin® Folder - Small Texas JackBlack Delrin®440 SSClip & Pen3 '\z" ClosedBoxed18198Black Delrin® Folder - PeanutBlack Delrin®440 SSClip, Spey & Sheepfoot3 '\z" ClosedBoxed18199Black Delrin® Folder - WhittlerBlack Delrin®440 SSClip, Short Clip & Pen3 '\z" ClosedBoxed18200Black Delrin® Folder - UplandBlack Delrin®440 SSClip, Choke Tube Tool & Bird Hook3 '\z" ClosedBoxed18201Black Delrin® Folder - CanoeBlack Delrin®440 SSClip, Choke Tube Tool & Bird Hook3 '\z" ClosedBoxed18202Black Delrin® Folder - Genteman'sBlack Delrin®440 SSClip, Choke Tube Tool & Bird Hook3 '\z" ClosedBoxe	18037	Black Delrin® Folder – Gentleman's	Black Delrin®	440 SS	Drop Point	3" Closed	_	Clampack
18204Black Delrin® Folder - Mid-Folding Hunter w/Pocket ClipBlack Delrin®440 SSClip with Thumb Stud4" ClosedBoxed18205Black Delrin® Folder - Amin TrapperBlack Delrin®440 SSClip & Spey3 ½" ClosedBoxed18206Black Delrin® Folder - Campers KnifeBlack Delrin®440 SSSpear, Can Opener, Punch, Screwdriver & Cap Lifter3 ¼" ClosedBoxed18207Black Delrin® Folder - Medium StockmanBlack Delrin®440 SSClip, Spey & Sheepfoot3 ¼" ClosedBoxed18207Black Delrin® Folder - Small Texas JackBlack Delrin®440 SSClip & Pen3 ½" ClosedBoxed18198Black Delrin® Folder - PeanutBlack Delrin®440 SSClip, Spey & Sheepfoot3 ½" ClosedBoxed18199Black Delrin® Folder - WhittlerBlack Delrin®440 SSClip, Short Clip & Pen3 ½" ClosedBoxed18200Black Delrin® Folder - UplandBlack Delrin®440 SSClip, Choke Tube Tool & Bird Hook3 ½" ClosedBoxed18201Black Delrin® Folder - CanoeBlack Delrin®440 SSSpear & Pen3 ½" ClosedBoxed18202Black Delrin® Folder - Gentteman'sBlack Delrin®440 SSClip, Choke Tube Tool & Bird Hook3 ½" ClosedBoxed18202Black Delrin® Folder - Gentteman'sBlack Delrin®440 SSSpear & Pen3 ½" ClosedBoxed18202Black Delrin® Folder	18038	Black Delrin® Folder – Bird Hunter	Black Delrin®	440 SS	Clip & Bird Hook	3 7/8" Closed	_	Clampack
18205Black Delrin® Folder – Mini TrapperBlack Delrin®440 SSClip & Spey3 ½" Closed—Boxed18206Black Delrin® Folder – Campers KnifeBlack Delrin®440 SSSpear, Can Opener, Punch, Screwdriver & Cap Liffer3 ½" Closed—Boxed18197Black Delrin® Folder – Medium StockmanBlack Delrin®440 SSClip, Spey & Sheepfoot3 ½" Closed—Boxed18207Black Delrin® Folder – Small Texas JackBlack Delrin®440 SSClip & Pen3 ½" Closed—Boxed18198Black Delrin® Folder – VenuttBlack Delrin®440 SSClip & Pen2 ½" Closed—Boxed18198Black Delrin® Folder – WhittlerBlack Delrin®440 SSClip, Spey & Sheepfoot3 ½" Closed—Boxed18199Black Delrin® Folder – UplandBlack Delrin®440 SSClip, Spott Clip & Pen3 ½" Closed—Boxed18201Black Delrin® Folder – CanoeBlack Delrin®440 SSClip, Choke Tube Tool & Bird Hook3 ½" Closed—Boxed18202Black Delrin® Folder – CanoeBlack Delrin®440 SSClip, Choke Tube Tool & Bird Hook3 ½" Closed—Boxed18203Black Delrin® Folder – GanceBlack Delrin®440 SSClip, Choke Tube Tool & Bird Hook3 ½" Closed—Boxed18204Black Delrin® Folder – CanoeBlack Delrin®440 SSSpear & Pen3 ½" Closed—Boxed18205Black Delrin® Folder – CanoeBlack Delrin®440 SS <td>18196</td> <td>Black Delrin® Folder – Large Stockman</td> <td>Black Delrin®</td> <td>440 SS</td> <td>Clip, Spey & Sheepfoot</td> <td>4 1/4" Closed</td> <td>_</td> <td>Boxed</td>	18196	Black Delrin® Folder – Large Stockman	Black Delrin®	440 SS	Clip, Spey & Sheepfoot	4 1/4" Closed	_	Boxed
18206Black Delrin® Folder - Campers KnifeBlack Delrin®440 SSSpear, Can Opener, Punch, Screwdriver & Cap Lifter3 ¼" ClosedBoxed18197Black Delrin® Folder - Medium StockmanBlack Delrin®440 SSClip, Spey & Sheepfoot3 ½" ClosedBoxed18207Black Delrin® Folder - Small Texas JackBlack Delrin®440 SSClip, Spey & Sheepfoot3 ½" ClosedBoxed18198Black Delrin® Folder - PeanutBlack Delrin®440 SSClip, Spey & Sheepfoot3 ½" ClosedBoxed18198Black Delrin® Folder - WhittlerBlack Delrin®440 SSClip, Spey & Sheepfoot3 ½" ClosedBoxed18199Black Delrin® Folder - WhittlerBlack Delrin®440 SSClip, Short Clip & Pen3 ½" ClosedBoxed18200Black Delrin® Folder - UplandBlack Delrin®440 SSClip, Choke Tube Tool & Bird Hook3 ½" ClosedBoxed18201Black Delrin® Folder - CanoeBlack Delrin®440 SSSpear & Pen3 ½" ClosedBoxed18202Black Delrin® Folder - Gentleman'sBlack Delrin®440 SSSpear & Pen3 ½" ClosedBoxed18203Black Delrin® Folder - Gentleman'sBlack Delrin®440 SSSpear & Pen3 ½" ClosedBoxed18204Black Delrin® Folder - GaneeBlack Delrin®440 SSSpear & Pen3 ½" ClosedBoxed18205Black Delrin® Folder - Gentleman'sBlack Delrin® </td <td>18204</td> <td>Black Delrin® Folder - Mid-Folding Hunter w/Pocket Clip</td> <td>Black Delrin®</td> <td>440 SS</td> <td>Clip with Thumb Stud</td> <td>4" Closed</td> <td>_</td> <td>Boxed</td>	18204	Black Delrin® Folder - Mid-Folding Hunter w/Pocket Clip	Black Delrin®	440 SS	Clip with Thumb Stud	4" Closed	_	Boxed
18197Black Delrin® Folder - Medium StockmanBlack Delrin®440 SSClip, Spey & Sheepfoot3 ¼" ClosedBoxed18207Black Delrin® Folder - Small Texas JackBlack Delrin®440 SSClip & Pen3 ½" ClosedBoxed18198Black Delrin® Folder - PeanutBlack Delrin®440 SSClip & Pen2 ½" ClosedBoxed18199Black Delrin® Folder - WhittlerBlack Delrin®440 SSClip, Short Clip & Pen3 ½" ClosedBoxed18200Black Delrin® Folder - UplandBlack Delrin®440 SSClip, Choke Tube Tool & Bird Hook3 ½" ClosedBoxed18201Black Delrin® Folder - CanoeBlack Delrin®440 SSSpear & Pen3 ¼" ClosedBoxed18202Black Delrin® Folder - Gentleman'sBlack Delrin®440 SSSpear & Pen3 ¼" ClosedBoxed18202Black Delrin® Folder - Gentleman'sBlack Delrin®440 SSSpear & Pen3 ¼" ClosedBoxed	18205	Black Delrin® Folder – Mini Trapper	Black Delrin®	440 SS	Clip & Spey	3 1/2" Closed	_	Boxed
18207Black Delrin® Folder - Small Texas JackBlack Delrin®440 SSClip & Pen3 ½" ClosedBoxed18198Black Delrin® Folder - PeanutBlack Delrin®440 SSClip & Pen2 ¼" ClosedBoxed18199Black Delrin® Folder - WhittlerBlack Delrin®440 SSClip, Short Clip & Pen3 ½" ClosedBoxed18200Black Delrin® Folder - UplandBlack Delrin®440 SSClip, Choke Tube Tool & Bird Hook3 ½" ClosedBoxed18201Black Delrin® Folder - CanoeBlack Delrin®440 SSClip, Short Clip & Pen3 ½" ClosedBoxed18202Black Delrin® Folder - Gentleman'sBlack Delrin®440 SSSpear & Pen3 ½" ClosedBoxed18202Black Delrin® Folder - Gentleman'sBlack Delrin®440 SSDrop Point3" ClosedBoxed	18206	Black Delrin® Folder – Campers Knife	Black Delrin®	440 SS	Spear, Can Opener, Punch, Screwdriver & Cap Lifter	3 3/4" Closed	_	Boxed
18198 Black Delrin® Folder – Peanut Black Delrin® 440 SS Clip & Pen 2 ½" Closed — Boxed 18199 Black Delrin® Folder – Whittler Black Delrin® 440 SS Clip, Short Clip & Pen 3 ½" Closed — Boxed 18200 Black Delrin® Folder – Upland Black Delrin® 440 SS Clip, Choke Tube Tool & Bird Hook 3 ½" Closed — Boxed 18201 Black Delrin® Folder – Canoe Black Delrin® 440 SS Clip, Choke Tube Tool & Bird Hook 3 ½" Closed — Boxed 18202 Black Delrin® Folder – Canoe Black Delrin® 440 SS Spear & Pen 3 ½" Closed — Boxed 18202 Black Delrin® Folder – Gentleman's Black Delrin® 440 SS Spear & Pen 3 "Losed — Boxed 18202 Black Delrin® Folder – Gentleman's Black Delrin® 440 SS Drop Point 3 "Losed — Boxed	18197	Black Delrin® Folder – Medium Stockman	Black Delrin®	440 SS	Clip, Spey & Sheepfoot	3 5/8" Closed	_	Boxed
18199 Black Delrin® Folder – Whittler Black Delrin® 440 SS Clip, Short Clip & Pen 3 ½" Closed — Boxed 18200 Black Delrin® Folder – Upland Black Delrin® 440 SS Clip, Choke Tube Tool & Bird Hook 3 ½" Closed — Boxed 18201 Black Delrin® Folder – Canoe Black Delrin® 440 SS Spear & Pen 3 ½" Closed — Boxed 18202 Black Delrin® Folder – Gentleman's Black Delrin® 440 SS Spear & Pen 3 "b" Closed — Boxed 18202 Black Delrin® Folder – Gentleman's Black Delrin® 440 SS Drop Point 3 "Closed — Boxed	18207	Black Delrin® Folder – Small Texas Jack	Black Delrin®	440 SS	Clip & Pen	3 1/2" Closed	_	Boxed
Black Delrin® Folder – Upland Black Delrin® 440 SS Clip, Choke Tube Tool & Bird Hook 3 ½" Closed — Boxed 18201 Black Delrin® Folder – Canoe Black Delrin® 440 SS Spear & Pen 3 ½" Closed — Boxed 18202 Black Delrin® Folder – Gentleman's Black Delrin® 440 SS Spear & Pen 3 " Closed — Boxed 18202 Black Delrin® Folder – Gentleman's Black Delrin® 440 SS Drop Point 3 " Closed — Boxed	18198	Black Delrin® Folder – Peanut	Black Delrin®	440 SS	Clip & Pen	2 7/8" Closed	_	Boxed
18201 Black Delrin® Folder - Canoe Black Delrin® 440 SS Spear & Pen 3 ½" Closed — Boxed 18202 Black Delrin® Folder - Gentleman's Black Delrin® 440 SS Drop Point 3" Closed — Boxed	18199	Black Delrin® Folder – Whittler	Black Delrin®	440 SS	Clip, Short Clip & Pen	3 1/2" Closed	_	Boxed
18202 Black Delrin® Folder – Gentleman's Black Delrin® 440 SS Drop Point 3" Closed — Boxed	18200	Black Delrin® Folder – Upland	Black Delrin®	440 SS	Clip, Choke Tube Tool & Bird Hook	3 7/8" Closed	_	Boxed
	18201	Black Delrin® Folder – Canoe	Black Delrin®	440 SS	Spear & Pen	3 5/8" Closed	_	Boxed
18203 Black Delrin® Folder – Bird Hunter Black Delrin® 440 SS Clip & Bird Hook 3 ½" Closed — Boxed	18202	Black Delrin® Folder – Gentleman's	Black Delrin®	440 SS	Drop Point	3" Closed	_	Boxed
	18203	Black Delrin® Folder – Bird Hunter	Black Delrin®	440 SS	Clip & Bird Hook	3 7/8" Closed	_	Boxed

UTIL	ITY TOOL						
ORDER #	DESCRIPTION	HANDLE	BLADE MATERIAL	BLADES	LENGTH	SHEATH	PACKAGE
18866	Bird Hunter's Tool (Ultimate Upland/Waterfowl Multi Tool)	Stainless Steel	Stainless Steel	Gameshears, 12 & 20 ga. Choke Tube Tool, 3" Clip Point Knife, Saw, Flathead Screw Driver, Metric Ruler	Folds to 4 1/2" x 1 1/4"	Black Nylon	Clampack

BARREL SPECIFICATIONS

MODEL 870 [™] EXTRA BARRELS /	3" CHAMBE	RS	
LENGTH & CHOKE	12-ga.	16-ga.	20-ga.*
Field Grade, Vent Rib, Wingmaster®			
30" Rem [™] Choke, Light Contour	26215	—	_
30" Rem [™] Choke	24576	_	
28" Rem [™] Choke, Light Contour	26217	_	
28" Rem [™] Choke	24580	—	24606
26" Rem [™] Choke, Light Contour	26219	—	
26" Rem [™] Choke	24582	_	24608
Deer Barrel, Super Slug Cantilever Scope Mount, New Contour			
23" Fully Rifled	24551	—	_
Deer Barrel, Cantilever Scope Mount, Wingmaster®			
20" Fully Rifled	24557	—	—
Deer Barrel, Rifle Sights			
20" Rem [™] Choke2	24545	24495	—
20" Fully Rifled	24558	—	—
20" Imp. Cyl.	—	—	24578
SP [™] Deer Barrel, Cantilever Scope Mount			
20" Fully Rifled	26229	—	—
20" Fully Rifled Camo [†]	26203	—	—
20" Rem [™] Choke ¹	26227	—	—
SP [™] Deer, Rifle Sights			
20" Rem [™] Choke ²	24549	—	—
Express [®] Vent Rib	24589	_	_
Express® Deer, Rifle Sights (20"), Imp. Cyl.	24622	_	_
Express [®] Deer, Fully Rifled, Rifle Sights (20") ³	24611	_	24609
SP™, Vent Rib			
30" Rem [™] Choke	24590	—	—
28" Rem [™] Choke	26225		
26" Rem [™] Choke	24592	_	—

Model 870" extra barrels with 3" chambers used on Super Magnum" and Magnum receivers will handle both 2 1/4" and 3" shells only. Use only 2 ²/^a shells when these barrels are used on non-Magnum receivers. ²20-gauge 870" Lightweight barrels will not fit 20-gauge standard 870" guns. 1 Cantilever Rem^{an} Choke Deer barrels supplied with Improved Cylinder and Extended Rifled Choke tubes. **2** Rifle-sighted Rem^{an} Choke Deer barrels supplied with Rifled and Improved Cylinder Choke tubes. 3 Express® 20-ga. Fully Rifled Deer barrel has 2 3/1" chamber. Model 870" extra barrels with 2 3/4" chambers will fit both Magnum and 2 3/4" receivers. Use only 2 3/4" shells in these barrels. **†** Carno Mossy Oak® Break-Up® Pattern.

INGTH & CHOKE	12-GA.	20- GA.*
Deer Barrel, Cantilever Scope Mount		
21" Fully Rifled	29615	_
Deer Barrel, Rifle Sights		
21" Fully Rifled	29606	29563 ³
21" Rem [™] Choke ²	29623	_
SP™ Deer Barrel, Cantilever Scope Mount		
21" Fully Rifled	24645	_
21" Fully Rifled Camo [†]	29537	_
21" Rem [™] Choke ¹	24647	_
SP [™] Deer Barrel, Rifle Sights		
21" Rem [™] Choke ²	29627	_
21" Fully Rifled	29609	_
SP™ Magnum, Vent Rib		
30" Rem [™] Choke ⁴	24638	_
28" Rem [™] Choke ⁴	29611	_
26" Rem [™] Choke ⁴	24640	_
Premier [®] Vent Rib		
30" Rem [™] Choke, Light Contour	29600	_
28" Rem [™] Choke, Light Contour	29602	_
28" Rem [™] Choke	24644	_
26" Rem [™] Choke, Light Contour	29604	_
	2" CHAMBERS	
SP™ Magnum Deer Barrel, Rifle Sights		
23" Rem [™] Fully Rifled w/Rifle Sights	24629	_

Model 11-87" Deer barrels are not equipped with a pressure-compensating gas system, and will not function with target or light field loads Fitting Standard Barrels on Light Contour Shotguns - The fore-ends on our Light Contour Model 11-87TM shotguns are shaped to follow the curve of the slimmer-profiled LC barrel, which means that a standard Vent Rib or Deer barrel cannot be fitted to your gun unless you do one of two things: have your LC fore-end wood opened up by a competent gunsmith or stockmaker; or purchase a standard profile fore-end from our Arms Service Division by writing to: Arms Service Division. Reminaton Arms Co., P.O. Box 700. Madison, NC 27025-0700 or visit our website at: www.reminaton.com. 1 Cantilever Rem" Choke Deerbarels supplied with Improved Cylinder and Extended Rifled Choke hubes. 2 Rifle-sighted Rem" Choke Deer bar supplied with Rifled and Improved Cylinder Choke tubes. 3 2 ½" chamber. 4 3 ½" chamber. † Camo Mossy Cak[®] Break-Up[®] Pattern.

MODEL SP-10 [™] MAGNUM EXTRA BARRELS /	′ 3 ¹/₂" CHAMBERS
LENGTH & CHOKE	10-ga.
SP™ Magnum, Vent Rib	
30" Rem [™] Choke	27594
26" Rem [™] Choke	27598

MODEL 1100™ EXTRA BARRELS	/ 2 ³ /4" CHAMB	ERS
LENGTH & CHOKE	12-ga.	20-ga. LT-201
Field Grade Deer, Cantilever Scope Mount		
21" Fully Rifled	26595	-
Field Grade Deer, Rifle Sights		
21" Fully Rifled	29570	-
21" Rem [™] Choke ²	29565	-
21" Imp. Cyl.	—	24438
SP™ Deer, Rifle Sights		
21" Rem [™] Choke ²	29571	-
Steel Shot Barrel, Vent Rib ³ (See ammunition note below)		
30" Rem [™] Choke	29505	-
26" Rem [™] Choke	29509	-
Field Grade, Vent Rib		
30" Rem [™] Choke	24488	—
28" Rem [™] Choke	24464	24484
26" Rem [™] Choke	24466	24486
Skeet, Vent Rib		
26" Rem [™] Choke	24490	-

1 NOTE: LT-20, 20-gauge Lightweight barrels (4000 Series) will not fit pre-1977 20-gauge Lightweight or standard 20-gauge Model 1100" shotguns. (Refer to parts list for pre-1977 barrels.) 2 Rifle-sighted Rem[™] Choke Deer barrels supplied with Rifled and Imp. Cyl. Choke tubes 3 Supplied with Full Choke only.

Please note the following amounition recommendations for use with the Model 1100° steel shot harrel

When used with Model 1100" Magnum shotguns:

Use 2 ¼" magnum or 3" magnum steel shotshells.
 Use 2 ¼" magnum or 3" magnum lead shotshells.
 When used with Model 1100™ non-Magnum shotguns:

Use 2 3/1" magnum or 3" magnum steel shotshells

- Use 2 3/4" magnum lead shotshells. Do not use 3" magnum lead shotshells in non-Magnum Model 1100" shotguns, as this will cause extra wear and decrease the life of the gun.

300, ADL, Accelerator, BDL, Bandit, Bore, BriteBore, Bronze Point, BuckHammer, Bullet, CBEE 22, CDL Classic, Conquest, Copper-Lokt, Copper Solid, Core-Lokt, Cyclone, D-Series, Deer Hunter, Disintegrator, DriLube, Driving Band, Duplex, ETA, EtronX, Express, Express-Steel, EZ, F.A.S.T., Fieldmaster, Figure 8, Fireball, Gamemaster, Genesis, Green Color, Golden, Golden Saber, Grizzly, Gun Club, Hi-Speed, Ideal, Kleanbore, Lead-Lokt, LV SF, M-Series, Managed-Recoil, Marine Magnum, Model Five, Model Seven, Model 105 CTi, Model 11-87, Model 32, Model 332, Model 365, Model 40-X Model 40-XB, Model 40-XBBR, Model 40-XC, Model 40-XR, Model 40-XRBR, Model 412, Model 504, Model 504-T, Model 552, Model 572, Model 597, Model 673, Model 700, Model 710, Model 750, Model 798, Model 799, Model 830, Model 870, Model 1100, Model 7400, Model 7600, Model SP-10, Nitro 27, Nitro CLP, Nitro Mag, Nitro Turkey, Nitro-Steel, Parker, Peters, Pheasant, Power-Lokt, Power Piston, Premier, ProBore, Quick Look, R, R-P, R3 and R3 logo, Rangemaster, Ready, Rem, Rem Dri 35, Rem DriLube, RemCloth, RemGrip, Rem-Line, Rem-Lite, Rem-Tech, Remington, Remington Fieldmaster, Remington Law Enforcement, Remington Leadless, Remington Racing, Remington Shooting School and Remington Shooting School logo, Remington Targetmaster, Remington Ultra, Rustless, Sendero, ShurShot, Slugger, SP, SPR18, SPR100, SPR210, SPR22, SPR220, SPR310, SPR310S, SPR453, SPR94, SPS, SP-T, SPS-T, Speedmaster, Sportsman, STS, Subsonic, Super Magnum, SWIFT-LOKT, Targetmaster, Thunderbolt, TorchCam, TriNyte, Ultra Mag, UMC, Unibody, Viper, VLS, Vortex and Vortex logo, VS, VSF, VS SF, Weathermaster, Wetproof, Wingmaster, Woodsmaster, XR-100 and Yellow Jacket are trademarks of RA Brands, L.L.C., Madison, NC 27025. Palusol is a trademark of BASF. Bushnell and Sharpshooter are trademarks of Bushnell. Delrin, Kevlar, Teflon and Tyvek are trademarks of DuPont. Sierra Match King is a trademark of Sierra Bullet Co. Swift, A-Frame and Scirocco are trademarks of Swift Bullet Co. Mossy Oak, Break-Up, New Break-Up, New ShadowGrass and Obsession are trademarks of Haas Outdoors, Inc. V-Max is a trademark of Hornady Manufacturing Company. Hogue is a trademark of Hogue, Inc. Advantage, Advantage Max-4, Advantage Timber and Realtree are trademarks of Jordan Outdoor Enterprises, Ltd. SpecOps is a trademark of Knoxx Industries, LLC. Black Out, Capmaster, Cyclone, Wonder Lube and Wonder Wads are trademarks of Ox-Yoke Originals, Inc. Kraton is a trademark of Shell. Speedfeed is a trademark of Speedfeed, Inc. LimbSaver is a trademark of Steven Sims, Inc. TRUGLO is a trademark of Truglo, Inc. Skyline, Excel and Fall Flight are trademarks of Skyline Cover, LLC. Williams is a trademark of Williams Gun Sight Co.

Weights, stock dimensions, checkering pattern and wood grain may vary according to the individual firearm. Remington reserves the right to change or modify its products without notice. Pricing may vary by model, specification, color, size and availability. Follow the safety rules printed in firearms instruction books and on ammunition boxes. If you do not have an instruction book for your Remington firearm, write to Remington Arms Company, Inc., 870 Remington Drive, PO Box 700, Madison, NC 27025, for a free copy or visit our website at www.remington.com/manuals. Please specify the model and serial number. The firearms herein have been photographed with their actions closed to properly showcase their features. In actual practice, any firearm not in use must be left with ammunition removed, action open and safety on. Consumer Information, Arms Service, Parts and Repairs and Custom Shop: (800) 243-9700. Visit us on the web at: www.remington.com.

FOR ADDITIONAL INFORMATION. VISIT US AT WWW.REMINGTON.COM



RIFLE CARTRIDGE

Remington

and the second

For additional information visit www.remington.com or call 1-800-243-9700

Printed in USA

©2006 Remington Arms Company, Inc., Madison, NC 27025 For Consumer Information, Arms Service, Parts and Repairs and Custom Shop: Call (800) 243-9700 or visit www.remington.com

RM1250