

2007

FIREARMS

AMMUNITION

ACCESSORIES



The History of Weatherby..... Mark XXII® Rifles ...... Vanquard® Performance ...... Vanguard Rifles . Vanguard Youth/Compact and Package ..... 10 Vanguard Traditional Wood.... Vanguard SUB-MOA/Varmint ... Vanguard Custom Rifles . Mark V® Performance...... Mark V Ultra Lightweight / Accumark®/SVM .... Mark V Synthetic/Fibermark®/SVR ......22 Mark V Traditional Wood ...... Mark V CFP Mark V Custom Rifles ... Rifle Specifications. **Authorized Service Centers... Ballistics Specifications.** Side-By-Side Shotgun Performance....... 38 Side-By-Side Shotguns... Semi-Automatic Shotgun Performance ..... 42 Semi-Automatic Shotguns ..... Athena® Shotguns .. Orion® Shotauns.. Accessories ... Weatherby Collectors Association......55 History of Your Rifle...

"We are extremely proud of the continuing educational efforts of the Foundation..."

ED WEATHERBY

#### 2007 MARKS THE 50TH ANNIVERSARY OF THE WEATHERBY HUNTING AND CONSERVATION AWARD,

presented annually by the Weatherby Foundation International (formerly the Roy E. Weatherby Foundation). We are extremely proud of the continuing educational efforts of the Foundation to promote the benefits of ethical sport hunting among the non-hunting public.



MANY OF THE WORLD'S BIGGEST performance and unique styling of Weatherby rifles and shotguns. As the legend grew, so too did its presence amon many of these high profile, public figure

his entrepreneurial spirit when

he introduced the Weatherby

Vanguard® action, borrowing

many of the characteristics and

design elements of the Mark V,

Mauser-style action. Over the

performance, quaranteed

years, the Vanguard has steadily

accuracy and exceptional value.

gained in popularity for its superior

The Weatherby lineage continued i 1986 when Roy's son, Ed Weatherby assumed the leadership mantle of the company. Under Ed's guidance the company has seen growth

THE HISTORY

OF WEATHERBY

began in the mid-1940s when a young

Weatherby set out to change the world

cartridge "wildcatter" named Roy

of firearm performance. Contrary to

then-popular thinking (heavy bullets

pushed at slow speeds), Roy believed

super high speeds provided the best

combination for one-shot kills. Based

that lightweight bullets traveling at

and expansion both in Mark V and Vanguard rifle offerings, as well as a full line of Over/Under, Side-by-Side and Semi-Automatic shotguns, and shooting and hunting accessories.

performance associated with the Weatherby name spans more than 60 years. Yet, while our place in history is firmly established, it is the prospects for the future that shine brightest of all.

ROY WEATHERBY was famous for demonstrating

upon that philosophy, he spent the next and French Brevex Magnum decade developing the high-powered Mauser actions. However in 1957 Weatherby® Magnum cartridges for Roy would again catch the which the company is known today attention of the shooting and (.224, .240, .257, .270, 7mm, .300, hunting world with a proprietary .30-378, .340, .338-378, .375, .378, action that is today recognized .416 and .460). Throughout that period, around the world as the Mark V®

Roy began producing rifles designed

velocity ammunition. At that time, he

specifically to accommodate his hyper

was producing his rifles on FN Mauser

ROY WEATHERBY congratulates his son Ed Weatherby on taking his first lion on safari in Mozambique. 1970.



SEND US YOUR FAVORITE photo with your Weatherby®! If you have a photo of yourself, or a member of your family with a Weatherby rifle or shotaun, we'd love to see it. Send a photo print (or high resolution digital file) and a few words about your hunt, and we may use it in a future Weatherby catalog or on the Weatherby web site. Sorry, photos cannot be returned.

Formerly known as the Roy E. Weatherby Foundation, the mission of the non-profit, tax-exempt Foundation is to educate the non-hunting public on the beneficial role of ethical sport hunting and its contributions to wildlife conservation. Active in its mission, the Foundation currently leads a national initiative to foster the development of educational outdoor expositions, sponsoring 78 events to date in 19 states, with combined attendance figures of nearly 1 million people. The Foundation also annually sponsors the Weatherby Hunting and Conservation Award (2007 marks the 50th presentation of the Award). For more information, write P.O. Box 1027, Turlock, CA 95381-1027 (209) 634-4400: FAX (209) 634-5454 www.weatherby-foundation.org



## WEATHERBY®



Of particular note is the growing success of their Outdoor Exposition series, to date reaching nearly 1 million people with 78 events in 19 states. Nearly 40% of our country's geography has benefited from the good—and vitally important—work of the Foundation. For more information on Weatherby Foundation International, visit www.weatherby-foundation.org

And speaking of "foundations," we are also pleased to introduce our new Mark XXII® rifle. For many of us, the .22 was our introduction into the shooting sports—taking instruction from Dad or Grandpa, plinking with friends, or honing your shooting eye on targets at the range or on small game. Our new Mark XXII (pages 4-5) is a testament to that heritage, as well as a shining example of Weatherby style and performance. And, it comes with a factory-shot target as your assurance of guaranteed accuracy. As you might expect, we're very excited about the new Mark XXII and we hope you will be, too. You can learn more about it and all our products at www.weatherby.com

We hope you enjoy your time with our 2007 catalog. And from everyone here at Weatherby, thank you for your continued support. God Bless and good shooting,



The foundation for the Mark V was the need for a stronger, safer action, able to withstand tremendous pressure, and the possibility of blown primers and ruptured case heads (due to the unpredictability of early handloaded and wildcat cartridges). After nearly a half century of proven performance, the Mark V continues to be known as

The innovation and pacesetting "the world's strongest bolt action." In 1970, Roy once again showed but based on a dual-opposed lug

> the power of his magnum cartridges in dramatic fashion. Here he examines the results of shooting a tree with a .300 Weatherby Magnum.



"Wow! I haven't had this much fun shooting a .22 since I was a kid. The Mark XXII is the real deal."

BRAD PASKEY {MINNESOTA}

## MARK XXII®



OUR NEW MARK XXII was developed with the discriminating shooter in mind, combining celebrated design, superior performance and unmatched fit and finish. Akin to our legendary Mark V® Deluxe, the Mark XXII is as much fun to shoot as it is to look at-offering guaranteed accuracy with a factory-shot target in every box. Our signature raised comb Monte Carlo wood stock is perfectly matched with a smooth, nonbinding bolt action. Exceptional wood-to-metal fit, near custom embellishments and attention to detail. On small game, or at the range, the Mark XXII makes its mark with distinction in every way.

UNIQUE BOLT DESIGN features special cam cocking mechanism with target type bolt handle. Precision CNC machining assures smooth, non-binding action, cycle after cycle.

Bolt is easily removed and breaks for ease of cleaning and oiling.

YOUR WEATHERSY MARK YOU DARCET

GUARANTEED ACCURACY — Each Mark XXII rifle comes with a factory-shot target in every box—your assurance of snot anger in every and superior performance at the range or in the field.

{MSRP \$899\*.22 LR/MSRP \$949\*.17 HMR} LEGENDARY STOCK DESIGN — A true Weatherby, the Mark XXII® features our legendary raised comb Monte Carlo stock design with raised cheekpiece, maplewood spacers and rosewood forend and grip cap. Beauty and function come together as the stock design naturally allows for faster eye-to-scope alignment and target acquisition, enhancing shooter comfort and accuracy. Features rubber rifle pad to promote firm shoulder contact with the rifle.

SCOPE MOUNTING OPTIONS — Offers both a dovetail mounting option with 11mm dovetail receiver rail, as well as drilled and tapped for ring and base scope mounts. Dovetail system fits popular mounts from Bushnell, Leupold, Redfield, Simmons, Talley, Warne and Weaver.

 $\label{eq:RECESSED BOLT FACE-Specially designed, recessed bolt face surrounds the cartridge head for complete support. Cartridge guide and claw extractor assures positive cartridge feeding and extraction of the complete support of the cartridge feeding and extraction of the cartridge$ 



FULLY ADJUSTABLE SINGLE STAGE TRIGGER allows for precise adjustment of sear engagement and let-off weight from 2 to 4.4 pounds (factory set at 2.5 pounds). You get a clean, crisp trigger that will break precisely—a key component of superior accuracy. (Sear engagement adjustments must be performed by a Weatherby Service Center or a qualified gunsmith.)

PRECISION-CUT CHECKERING — The select walnut stock features a high gloss finish with precision-cut, fineline diamond point checkering at 18 LPL Provides a custom look and a sure grip in all conditions.

QUICK RELEASE MAGAZINE — The Mark XXII comes standard with a 5-shot (.22 LR) or 4-shot (.17 HMR) magazine that is precision fit. Releases at the push of a button.

ACCESSORY MAGAZINES — Additional 5-shot (.22 LR), 10-shot (.22 LR) and 4-shot (.17 HMR) accessory magazines for the Mark XXII are also available.

features an 8-groove, target grade, button-rifled barrel with target crown.

Built to exacting Olympic competition specifications.

EXCEPTIONAL FIT AND FINISH — Hand selected walnut is similar to that used in our popular Vanguard® Deluxe. In typical Weatherby fashion, the Mark XXII offers superior wood-to-metal fit and exceptional craftsmanship throughout.



ENGRAVED TRIGGERGUARD -Machined steel alloy triggerguard and floorplate features the famous Weatherby Flying "W" in gold. Superior fit, finish and Weatherby craftsmanship.

DXT17HMR30





"...guaranteed to shoot a 1 1/2" or better 3-shot group at 100 yards from a cold barrel."

{WEATHERBY VANGUARD ACCURACY GUARANTEE}

INTRODUCED IN 1970, the Vanguard® action first served as an economical alternative to the Mark V<sup>®</sup>. Over the years however, the Vanguard has continued to gain in popularity among all hunters who simply can no longer ignore the exceptional combination of value, wide range of features and guaranteed accuracy. Based on a Mauser-style dual-opposed lug design, the Vanguard offers many of the same design elements and superior materials as the Mark V. The result is a highly accurate and dependable rifle that delivers year after year. With models starting at just a few hundred dollars, Vanguard is perhaps the finest rifle value on the market today. And, it is the only production rifle that comes with a factory-shot assurance of guaranteed accuracy.

A KEY FEATURE OF THE VANGUARD®

is its massive M16-style claw extractor (left), ensuring reliable and positive extraction. Extracts and ejects the fired case without the necessity of full bolt retraction.



ONE-PIECE FORGED BOLT provides maximum strength and structural integrity. Knurled bolt knob adds to the functionality and the value of this popular rifle.

FLUTED BOLT BODY - Features three gas ports to allow high pressure gases to escape laterally in the event of an accidental case rupture. Longitudinal flutes reduce weight and bearing surface area, while minimizing binding for smooth action.

INTEGRAL RECOIL LUG - One-piece

forged and machined receiver features

an integral recoil lug for the utmost in

strength and structural integrity.

Features	Weatherby Vanguard Synthetic	Browning Composite Stalker	Remington SPS	Savage 11 F	Tikka T3 Lite
Accuracy Guarantee	Yes - 1 1/2"	No	No	No	Yes - 1"
Factory-Shot Target	Yes	No	No	No	No
1-Piece Forged Receiver	Yes	No	No	No	No
1-Piece Forged Bolt	Yes	No	No	No	No
Enclosed Bolt Sleeve	Yes	Yes	No	Yes	Yes
Fluted Bolt	Yes	Yes	No	No	No
Bolt Knob	Knurled	Smooth	Checkered	Smooth	Smooth

Specification information is from current competitor-published catalogs and Web sites.

HINGED FLOORPLATE — Vanguard's one-piece bottom metal and hinged

floorplate are constructed from a combination of steel and lightweight alloy.

Provides easy access to unfired cartridges in the magazine.

VANGUARD®

FULLY ENCLOSED BOLT SLEEVE - (Le eatures an easy-to-see cocking indicate for an extra measure of safety in the field 3 RINGS OF STEEL — The cartridge case head is encased in three rings of steel for greater safety. The recessed bolt face is surrounded by the barre el receiver, creating an extra measure of ngth and structural integrity.



WOMBER OF SHOTS 188674 RANGE 100 YANG

for sear engagement (factory set at .008 to .014) and let-off weight (factory set at approximately 4 pounds). break precisely. This is a key component in delivering GROOVED TRIGGER — Weatherby Vanguard rifles feature a special grooved trigger shoe surface for improved "feel" and control. by a Weatherby Service Center or a qualified gunsmith.)

FULLY ADJUSTABLE TRIGGER — Precise adjustments With a Weatherby, you get a clean, crisp trigger that will improved accuracy and can help make a better shot of any shooter. (Sear engagement adjustments must be performed

**COLD HAMMER forged 24"** barrel produces a guaranteed 1 1/2" or better 3-shot group at 100 yards when used with premium (non-Weatherby calibers) or Weatherby factory ammunition. The longer 24" barrel helps maximize velocity.

VANGUARD stock is an injection-molded composite that delivers superior accuracy and durability. The Monte Carlo design with raised comb is cast off to allow for quicker eye-to-scope alignment and faster target acquisition, and to reduce felt recoil. The forearm is dual tapered (back and upward) to deliver better grip and control under recoil, and is flat-bottomed to provide a steady, stable rest. Unlike most composite stocks that utilize a hard rifle pad, the Vanguard pad features a lower density material that greatly increases recoil

"Thanks for making my first Wyoming pronghorn hunt a success. One shot with my Weatherby® at 265 yards and it was time to call the taxidermist."

BRUCE DIXON {CALIFORNIA}



ALL WEATHERBY® VANGUARD® RIFLES are guaranteed to shoot a 1 1/2" or better 3-shot group at 100 yards from a cold barrel when used with premium (non-Weatherby calibers) or Weatherby factory ammunition. Each rifle comes with a factory-shot target as your

#### VANGUARD® SYNTHETIC

This is perhaps the best rifle value on the market today. The Vanguard Synthetic will outperform rifles costing hundreds more and is guaranteed accurate. All metalwork is matte black, with a 24" barreled action bed to a Monte Carlo, injection-molded composite stock. An adjustable trigger lets you custom tune the rifle to your personal taste (within factory pre-set limits). Comes with a factory-shot target to assure guaranteed accuracy. See page 30 for complete specifications

## VANGUARD® STAINLESS

At 7 1/2 lbs, the Vanguard Stainless is the ideal choice for rugged durability and all-weather performance. Stainless steel is bead blasted to a matte finish to eliminate game-spooking glare while fighting off the effects of rain and snow. Bed to a Monte Carlo, injection-molded composite stock. Comes with factoryshot target and accuracy guarantee. For complete specifications, see page 30.

## VANGUARD® VARMINT SPECIAL

Our Varmint Special will catch the eve of the most serious varmint hunting enthusiast. Features an injection-molded Monte Carlo synthetic stock with tan pebble grain finish and distinctive black spiderwebbing. A 22" #3 contour barrel (.740 muzzle dia.) is bead blasted to a matte finish and features a recessed target crown for consistent accuracy and protection of the rifling. Guaranteed accurate (1 1/2" or better 3-shot group) and comes with a factory-shot target in every box. For specifications, see page 31.

.270 Winchester

.308 Winchester .30-06 Springfield

7mm Rem. Mag

.300 Wby. Mag.


.22-250 Rem. .243 Winchester .30-06 Springfield 7mm Rem Man .300 WSM

.223 Rem. VBR223RR20 .22-250 Rem. .308 Winchester



Lightweight Vanguard® mounts by Talley featuring a unique one-piece design of 7000 series billet alloy are available for our Vanquard rifles. Available in matte





# SYNTHETIC/STAINLESS/VARMINT





"The .257 Weatherby Magnum dropped him in his tracks at 337 yards. I am very confident taking a shot like this with my Weatherby®."

KEVIN FENIMORE {PENNSYLVANIA}



THE VANGUARD SYNTHETIC PACKAGE with rifle, scope, mounts, sling and case is factory bore-sighted and "ready to go" to the range right out of the box. Also includes a factory-shot target as your assurance of guaranteed accuracy-1 1/2 or better 3-shot group when used with premium (non-Weatherby calibers or Weatherby factory ammunition.

#### **VANGUARD®** YOUTH/COMPACT

Here is the ideal rifle that literally grows with the youth or female shooter. It features a lighter Vanguard short action (20" #1 contour barrel) bed to a scaled-down hardwood stock with a shorter 12 1/2" length of pull (finished in non-reflective black). The rifle also comes with a full-size injection molded composite stock (\$139 retail value) that allows the rifle to grow with the shooter. Performance, value and the ideal way to bring a new hunter into the Weatherby family. See page 30.

## VANGUARD® SYNTHETIC PACKAGE

Rifleman rings and bases, world-renowned Add a deer tag to our Vanguard Synthetic for their rock-solid durability. Each Package and you have everything a serious rifle/scope package is then individually hunter needs to get started. The Package mounted and bore-sighted at the begins with our popular Vanguard Synthetic Weatherby Custom Shop. And to top off rifle—proven performance from the get-go this exceptional value, you get an and guaranteed accurate with a factory-Uncle Mikes® nylon sling and a Plano® shot target included with each rifle. Then, PRO-MAX™ injection-molded gun case. we add a Bushnell® Banner 3-9x40mm The Vanguard Synthetic Package—more riflescope with phase-coated optics and value, more performance and more 1/4-minute click adjustments. You get reasons than ever to choose a Weatherby® rugged dependability and a bright, clear For complete specifications, see page 30. view in all light conditions. Anchoring

the scope to the rifle is a set of Leupold® .308 Winchester

.270 Winchester .30-06 Springfield .257 Wby. Mag. .270 WSM 7mm Rem. Mag.

.300 WSM

WP300NSR4

# YOUTH/COMPACT & PACKAGE





\*Price may vary by model and deale

"For us, wild reindeer in Norway is as close to the heart of hunting as you can get, and there is no better rifle than a .300 Weatherby® for doing it!"

TORBJORN LINDSKOG {SWEDEN}

# TRADITIONAL WOOD



VANGUARDS feature a knurled bolt knob for a sure grip in all conditions. Trigger is adjustable for let-off weight to match individual preferences (within factory pre-set minimums). Sear engagemen adjustments must be performed by a Weatherby Service Center or qualified gunsmith.

#### VANGUARD® DELUXE

What do you get when you combine a raised comb. Monte Carlo walnut stock with maplewood spacers and rosewood forend and grip cap, high gloss blued metalwork and quaranteed accuracy with a factory-shot target in every box? The answer is the Vanguard Deluxe. Sharing many of the same features of the Mark V® Deluxe, the Vanguard Deluxe offers exceptional wood quality and outstanding performance in a remarkably affordable package. For specifications, see page 30.

#### VANGUARD® SPORTER

The performance and value of the popular Vanguard is also available for wood stock enthusiasts. Features a handsome walnut stock with satin urethane finish fineline diamond point checkering and a contrasting rosewood forend tip. All metalwork is matte blued to a low lustre finish. Comes with a factory-shot target that is your assurance of guaranteed accuracy (1 1/2" or better 3-shot group at 100 yards from a cold barrel). For complete specifications, see page 30.

### VANGUARD®

For a strikingly different and distinctive combination of metal and wood, we proudly offer the Vanguard Sporter SS. It features a walnut stock with satin urethane finish, fineline diamond point checkering and a contrasting rosewood forend tip, set against the stainless steel barrel and receiver. All metalwork is bead blasted to a matte finish. Comes with a factory-shot target in every box See page 30 for complete specifications.

.270 Winchester

.30-06 Springfield

300 Wby. Mag.

.22-250 Rem.

.243 Winchester

.270 Winchester

.308 Winchester

.30-06 Springfield

.257 Wby. Mag.

.338 Win. Mag.

.270 WSM 7mm Rem. Mag. .300 Win. Mag. .300 WSM

.25-06 Rem.\*\*

VDM243NR40

.22-250 Rem. .243 Winchester .270 Winchester .308 Winchester .30-06 Springfield .257 Wby. Mag. .270 WSM 7mm Rem. Mag. .300 Win. Mag. .300 WSM .300 Wbv. Mag.



VANGUARD RIFLES come with a factory-shot target to guarantee accuracy of a 1 1/2" or better 3-shot group at 100 yards from a cold barrel using premium (non-Weatherby calibers) or Weatherby factory ammunition.



"I know the importance of anchoring a mountain goat dead in his tracks. My Weatherby® dropped this magnificent billy where he stood."

TYLER JOHNERSON - GUIDE {MONTANA}

# SUB-MOA/VARMINT





#### WHAT IS SUB-MOA?

In ballistics terms, a Minute of Angle (MOA) is the arc formed by an angle of one minute (1/60th of a degree) at any range. At 100 yards, MOA is 1.047". Selected Weatherby® rifles are guaranteed to shoot a 3-shot group of .99" or less at 100 yards (SUB-MOA) when used with specified Weatherby factory or premium grade ammunition. Each SUB-MOA rifle is test fired, hand selected and comes with a factory-shot target. Put simply, a Weatherby SUB-MOA is the most accurate production rifle you can buy, quaranteed.

#### VANGUARD® SUB-MOA

The Vanguard SUB-MOA ups the ante on value and accurate performance. Guaranteed to shoot a 3-shot group of .99" or less at 100 yards when used with specified Weatherby factory or premium grade ammunition. It features a pillar-bedded Fiberguard™ composite stock with legendary Monte Carlo, raised cheekpiece and non-slip black spiderwebbing. Adjustable trigger and Pachmayr® Decelerator® pad. See page 31 for complete specifications.

#### **VANGUARD® SUB-MOA STAINLESS**

Accuracy, form and function come together in this performance-packed rifle. You get a pillar-bedded Fiberguard stock with our legendary Monte Carlo design with raised cheekpiece. Grey spiderwebbing accents the stock for a distinctive look. The stainless steel barreled action is bead blasted to a matte finish and provides all-weather protection for all metalwork. Fully adjustable trigger and a Pachmayr Decelerator pad. See page 31 for complete specifications.

#### **VANGUARD® SUB-MOA VARMINT**

Long shots at small targets are just what the new SUB-MOA Varmint was built for. Guaranteed to shoot a 3-shot group of .99" or less when used with premium ammunition. The hand-laminated, tan Monte Carlo composite stock features black spiderwebbing and a CNC-machined aluminum bedding plate for a solid, stable platform for the barreled action. A 22" #3 contour barrel with recessed target crown enhances accuracy in a portable package. For complete specifications, see page 31.

#### VANGUARD® SUB-MOA STAINLESS

VMM300WR40

VMM338NR40

.270 Winchester

308 Winchester

7mm Rem. Mag

.300 Win. Mag.

.338 Win. Mag.

.270 WSM

.300 WSM .300 Wby. Mag.

.30-06 Springfield

.223 Rem. VSM223RR40 .22-250 Rem. .243 Winchester VSM243NR40 .270 Winchester .308 Winchester VSM308NRA0 .30-06 Springfield VSM306SR40 .270 WSM 7mm Rem. Mag .300 Win. Mag. .300 WSM VSM300WR40 .300 Wby. Mag. VSM338NR40

.22-250 Rem. VSR222RR20 .308 Winchester



IN NEAR-CUSTOM fashion the Vanguard SUB-MOA includes a Pachmayr® Decelerator® recoil pad. Compare to other production rifles that offer far less in embellishments.



hand selected, and shipped with a factory-shot target and written guarantee to shoot a 3-shot group of .99" or less at 100 yards, when used



used with premium ammunition

for use with a bipod and a sling. As with all SUB-MOA rifles, we test fire, hand select and ship with a factory-shot target to guarantee a 3-shot group of .99" or less when

"For tack-driving accuracy and performance, I'll put my Vanguard Custom up against any other rifle out there."

LARRY KNIGHT {UTAH}

GIVE YOUR VANGUARD® a custom touch with stock and metal upgrades and a host of other personalized embellishments available from the Weatherby Custom Shop. Start your Vanguard Custom by choosing a pillar-bedded Fiberquard<sup>™</sup>, composite Accuguard<sup>™</sup> (with CNC-machined aluminum bedding plate) or upgraded wood stock. Then, add performance-based options such as longitudinal barrel flutes (to dissipate heat and reduce weight), accuracy-enhancing recessed field or 11-degree parabolic target crowns, or recoil-reducing Accubrake™ (page 17). For complete information on how to customize your Vanguard, contact the Weatherby Custom Shop at (805) 227-2600.



ADD TO THE PERFORMANCE of your curacy and protects the rifling of the barre

			ACCUBRAKE™ PERF	ORMANCE		
Cartridge	Bullet Weight (Grains)	Bullet Type	Rifle Weight: Scope & Mount Average lbs.	Recoil Energy Ft. lbs.	Recoil Energy w/Accubrake™ Ft. lbs.	Estimated Felt Recoil Comparison
.270 Win.	130	SP	8 3/4	18.07	9.04	.243 Win.
7MM Rem.	160	Partition	8 3/4	23.91	11.95	7MM-08 Rem.
.30-06 Sprg.	150	SP	8 3/4	20.46	8.75	.243 Win.
.300 Win.	180	Barnes X	8 3/4	31.47	15.73	.308 Win.
.338 Win.	225	SP	8 3/4	37.84	18.92	.280 Rem.
.257 Wby.	100	SP	8 3/4	23.76	11.88	7MM-08 Rem.
.300 Wby.	180	Partition	8 3/4	41.39	20.69	.30-06 Sprg.

by adding a recoil-reducing Accubrake. Cuts felt recoil by up to 53% without any adverse effects on accuracy (see chart at left). Constructed of stress proof steel alloy or 420 Series stainless steel in high polish, matte blue or matte stainless

# CUSTOM VANGUARD®



#### **DESIGN YOUR OWN WEATHERBY®**

Our Custom Shop can create a Weatherby rifle that is uniquely your own. From custom stock dimensions to wood checkering and finish options, our custom gunmakers can create the rifle or shotgun of your dreams. The "Design Your Own Weatherby" feature is available on our web site at www.weatherby.com. This step-by-step interactive design area lets you look at different options, compare pricing and create the exact rifle you want. Your design will then be printable which you can take to your Weatherby dealer for final pricing and ordering.





the Weatherby Custom Shop offers a wood stock upgrade for your Vanguard® rifle, Each year, our stock blanks for grain structure, color, contrast and

> overall appeal. The hand-selected Claro walnut stock is finished with a rosewood forend and grip cap with maplewood spacers and Weatherby signature

"I was confident in the purchase of my .270 since I am also the proud owner of a Weatherby® .300 Mag. and a Weatherby<sup>®</sup> .340 Mag.

GRANT GARDNER {KENTUCKY}

#### IN 1957, ROY WEATHERBY changed the face of

American firearms with the introduction of the Mark V...billed as the world's strongest bolt action. Three rings of steel surrounding the case head. Fluted bolt body with three gas ports. Nine locking lugs and a short 54-degree bolt lift. For those who want the ultimate in speed and power, particularly on the biggest and most dangerous animals, the Weatherby Mark V Magnum system has no equal.

If you prefer less rifle weight for still hunting or climbing mountainous terrain, we offer the Mark V for standard calibers. Virtually identical in design, but dimensionally smaller and lighter, the standard caliber action gives deer hunters all the inherent benefits of the Magnum Mark V in a size that accommodates up to .30-06 cartridge length (including the .240 Wby. Mag.).



Air gauge sampling insures bore uniformity throughout the length of the barrel, while our CNC-machining process assures critical concentricity in bore-to-chamber alignment. All Mark V rifles are finished with one of several application-specific, accuracy-enhancing crowns. Our barrels are renowned for their quality and their ability to maintain repeatable accuracy, shot after shot. Among all production rifles, you can simply do no better than a Weatherby.

THE FINEST FACTORY TUNED TRIGGER — Weatherby Mark V trigger assemblies are tested and profiled for optimum sear engagemen for a clean, crisp break. The chart below illustrates the precise measurements that are taken on each trigger. Trigger Profile [lbs/inch]

POINT OF RELEASE - Bold dot on chart shows where the trigger released the sear. POINT OF IMPACT - Bold dot on chart shows where the firing pin contacts the primer. LOCK TIME - Time interval between the point of release and the point of impact in milliseconds (4.0). PEAK FORCE (LBS.) - Indicates let-off pressure. TRAVEL TO ACTUATE - Indicates sear



THE ONE-PIECE forged Mark V® bolt (magnum and standard) features longitudinal flutes that reduce weight and bearing surface for smooth operation and action. Positive cartridge extraction ejects the fired case without the need for full bolt extraction.



MAGNUM OR STANDARD CARTRIDGES - The Mark V action for Magnum cartridges (9 lug) is available in 24" and 26" barrels. The Mark V action for standard cartridges (6 lug) is available in 22", 24", and 26" barrels (depending on model). Virtually identical in design, the standard cartridge action is dimensionally smaller and weighs 28% less (25.9 ounces versus 35.9 ounces). Each forged receiver features a one-piece integral recoil lug for superior strength and structural integrity. For specific chamberings by model, see pages 31-32.



MARK V®



COCKING INDICATOR - An industry first, Visually indicates whether the rifle is cocked or uncocked.

DIRECT STRIKER intervention safety offers direct, positive locking of the firing pin. Locks bolt in engaged position and disengages the sear to render the trigger inoperable. The safety operates easily with a rolling action of the thumb, and is virtually silent with a controlled

THREE GAS PORTS - In the event of a pierced primer or case rupture, these ports allow high pressure gases entering the bolt body to escape laterally for increased shooter safety.

54-DEGREE BOLT LIFT - the shortes

follow-up shots and greater bolt-to-scope

clearance for fewer battered knuckles.

in the industry — is made possible by

ONE-PIECE forged and machined steel receiver with integral recoil lug provides superior strength and structural integrity for the strongest action anywhere.

BOLT SLEEVE (above) completely enshrouds rear of action — an industry first. Provides protection from remaining high pressure gases and brass particles in the event of a pierced primer or case rupture.

Travel to Actuate [fractions of an inch]

3 RINGS OF STEEL - The cartridge case head is encased in three rings of steel for greater safety. The recessed bolt face is surrounded by the barrel, which is surrounded by the forged and machined steel receiver, creating an extra measure of safety.

OUR MONTE CARLO STOCK is specifically designed to improve shooter performance and accuracy. FLOORPLATE/TRIGGERGUARD ASSEMBLY - All Weatherby® Mark V® rifles The raised comb is cast off to allow for quicker eve-to-scope alignment and faster target acquisition and to reduce felt recoil. The forearm is dual tapered (back and upward) to deliver better grip and control under recoil, and is flat-bottomed to provide a steady, stable rest. All Mark V rifles feature three predetermined bedding points...strategically and precisely placed to consistently deliver the highest level of accuracy (Accumark® rifles feature free-floated barrels).


feature a one-piece alloy triggerguard frame for exceptional strength and fit and finish. Floorplate assembly is engraved with flying "W" monogram — just one of the custom touches you get with every Weatherby Mark V rifle.

FULLY ADJUSTABLE TRIGGER - Precise adjustments for sear engagement (factory set at

.008 to .014) and let-off weight (factory set at approximately 4 pounds). With a Weatherby, you get a clean, crisp trigger that will break precisely. This is a key component in delivering improved accuracy and can help make a better shot of any shooter. (Sear engagement adjustments must be performed by a Weatherby Service Center or a qualified gunsmith.)

"I can carry the Ultra Lightweight all day long and I know I can count on it when it comes time to shoot."

CHAD KELLER. JR. WITH AUSTIN CASTRO {CALIFORNIA}



WE TRIMMED every available ounce of weight to give the Ultra Lightweight its feathery feel. It features state-of-the-art alloy materials



#### MARK V® ULTRA LIGHTWEIGHT

The Ultra Lightweight is just that and so much more, weighing in at just 5 3/4 pounds (6 3/4 pounds on magnum models) The 24" or 26" fluted stainless steel barrel (blackened to reduce game-spooking glare) 6061 T-6 aluminum bedding plate. A delivers maximum velocity and features a recessed field crown (.583 for magnum and .547 for standard calibers). The Bell & Carlson tan composite stock with spiderweb target crown. Available in both pattern is finished with the renowned right- and left-hand models. See Pachmayr® Decelerator® recoil pad. page 31 for complete specifications. Left-hand model also available. See page 31

hand-laminated, raised comb Monte Carlo gel coat finish, spiderweb accents and composite stock with beavertail forend for a Pachmayr Decelerator recoil pad. The stable rest. Also features black spiderwebbing Mark V action is bed to an aircraft-grade for a better grip and a Pachmayr Decelerator recoil pad. A CNC-machined aluminum button-rifled, heavy contour free-floated bedding block stiffens the receiver area for barrel delivers maximum velocity and a stable platform for the barreled action. A button-rifled. fluted stainless steel barrel is features a .705 muzzle diameter with finished with an 11-degree parabolic target crown, while an adjustable trigger rounds out this high performance varmint rig. See page 32.

.270 Winchester 7mm-08 Rem. .308 Winchester .30-06 Springfield .257 Wby. Mag. 7mm Rem Mar

LEFT HAND

.300 Win. Mag.

.257 Wby. Mag. UTM257WL60 UTM300WL60

UTM300WR60

7mm Wby. Mag. .338-378 Wby. Mag.

LEFT HAND (NOT PICTURED)

.223 Rem. VRS222RR60 .243 Winchester

# ULTRA LIGHTWEIGHT/ACCUMARK'SVM





"For us, hunting is very much a family affair. I have passed the Weatherby® tradition on to my children and I have no doubt they will do the same for theirs!"

DAVID DUFFY WITH JOHN AND STACY DUFFY (SOUTH DAKOTA)

# SYNTHETIC/SVR





## design and structural integrity of the Mark V. renowned as the strongest in the world. See page 18–19 for complete details.

#### MARK V® FIBERMARK® COMPOSITE

The Fibermark takes production

a full host of performance-enhancing

rifles. The platform for the rifle starts

with a special hand-laminated, raised

is finished with the added touch of a

Mark V® barreled action features a

Pachmayr® Decelerator® recoil pad. The

Superior performance and uncompromised quality comes together in our most affordable Mark V® rifle. Hard-working. No nonsense. The Mark V Synthetic features a lightweight, injection-molded raised comb Monte Carlo stock. All metalwork is bead blasted and matte blued and features a button-rifled barrel in 24" or 26". See page 32 for complete specifications.

button-rifled barrel with accuracyenhancing target crown, secured to the stock at three predetermined bedding composites to an all-new level...offering points. Pillar bedding reduces torque on the action to maintain repeatable. features not found on other production quaranteed accuracy that is the standard for all Mark V rifles, Dependable, consistent accuracy and knockdown power. Exceptional designed, hand-laminated, raised comb comb, Monte Carlo composite stock (a value. Available in Magnum calibers only. combination of Aramid, fiberglass and For complete specifications, see page 32. graphite unidirectional fibers). The stock

#### MARK V® SVR

Back by popular demand, the SVR gives you superior performance in a short barrel varmint rig. The 22" button-rifled chrome moly barrel features a .739 muzzle diameter and 11-degree target crown. The barreled action is bed to a specially Monte Carlo composite stock with a CNC-machined aluminum bedding block for stable, rigid platform. Gray spiderwebbing yields a non-slip grip and better concealment, Pachmayr Decelerator recoil pad. Available in .22-250 only. See page 32 for complete specifications.

.243 Winchester .25-06 Rem. .270 Winchester 7mm-08 Rem. .280 Rem. .308 Winchester .30-06 Springfield .270 Wby. Mag. 7mm Rem. Mag. 7mm Wby. Mag. .300 Win. Mag. .300 Wby. Mag. .30-378 Wby. Mag. .338-378 Wby. Mag. .375 H&H Mag. SNM375HR40

7mm Wby. Mag. FRM7MMWR4 .300 Win. Mag. .340 Wby. Mag. FBM340WR60 .375 H&H Mag.

MARK V® SVR

.22-250 Rem. VXS222RR20





Picatinney-style mounting system gives you the ease and convenience of easy on, easy off mounting. The unique base and ring system lets you slide the scope forward or backward to accommodate today's larger lens optics.

\*Price may vary by model and deale

"This is my second ram with my Weatherby" .300. I shot this Marco Polo at 700 yards at 16,000 feet!"

SCOTT FAILOR {PENNSYLVANIA}

# TRADITIONAL WOOD





## WEATHERBY CRAFTSMEN take great care to bed, fit and finish each of the walnut stocks. Rosewood forends and pistol grip caps with inlays and maplewood spacers are carefully selected to match color and grain, then shaped and sanded to feel like a single piece of wood.



The Ultramark bridges the legendary Mark V® Deluxe and a custom built rifle. We start with a hand-selected blank of highly figured, exhibition grade walnut. (The walnut stock to the critically-acclaimed stock alone costs more than some rifles!) stock receives elaborate 20 LPI checkering and maplewood/ebony spacers on the forend and pistol grip cap. All metalwork is polished to a high lustre finish. A beautifully inlay. Fineline checkering provides an elegant and distinctive representative of the additional custom touch. For complete gunmaking craft. See page 32.

copied rifle in the world. From the beautiful Mark V® action, form and function come together to deliver superior performance. The Monte Carlo stock is accented with a rosewood forend tip and pistol grip cap with maplewood spacers and diamond specifications, see page 32.

#### MARK V<sup>®</sup> LAZERMARK<sup>®</sup>

This distinctive rifle features the same walnut stock as the Mark V Deluxe, with a laser-carved oak leaf pattern in lieu of point checkering. All metalwork is polished to a high gloss finish. The Lazermark combines modern technology and the legendary performance of the Mark V action with a look that is unique yet fully functional for all types of hunting. See page 32 for complete specifications.

#### MARK V® SPORTER

Quality and performance in an affordable wood stock design. Metalwork is bead blasted and matte blued to a low lustre finish, while the walnut stock sports a satin urethane finish, fineline diamond point checkering and contrasting rosewood forend tip. The Sporter evokes an element of pride, both in the rack and in the field. For complete specifications, see page 32.



IN TYPICAL Weatherby fashion, the recoil pad is precisely fit and finished to match the contour of the wood stock for a custom look

.300 Wby. Mag.

.243 Winchester .240 Wby. Mag. .270 Winchester 7mm-08 Rem. .308 Winchester .30-06 Springfield .257 Wby. Mag. .270 Wby. Mag. 7mm Wby. Mag. .300 Wby. Mag. .416 Wby. Mag. DXM416WR8B DXM460WR8B .460 Wby. Mag.

#### MARK V® LAZERM

.257 Wby. Mag. LMM257WR60 .270 Wby. Mag. LMM270WR60 LMM7MMWR60 7mm Wby. Mag. .300 Wby. Mag. .340 Wby. Mag. LMM340WR60

SPM257WR60 .270 Wby. Mag. SPM270WR60 7mm Rem. Mag 7mm Wby. Mag. .300 Win, Mag. .300 Wby. Mag. SPM300WR60



WEATHERBY® wood stock rifles feature steel rods strategically epoxied in the action mortice to aid in strengthening the stock in the action area.

\*Price may vary by model and deale



"On a working ranch, coyotes cause all kinds of problems. I work hard at keeping them under control. The CFP makes me more effective and makes the job more fun."

JIM MARTINEZ {CALIFORNIA}



WITH THE LEGENDARY MARK V® action for standard calibers, the CFP one-piece forged bolt

features a 6-lug design. The non-binding action is smooth and stable with a 54-degree bolt lift for faster cycling on follow-up shots.

MARK V® COMPACT FIRING PLATFORM

For big game and varmint hunters looking for an added challenge, the Mark V® CFP fits the bill. This exciting firearm offers all the legendary features and performance advantages of the traditional Mark V action in a compact, 27 1/2" package that tips the scales at just 5 1/4 lbs. The CFP features a Fibermark® composite stock (a combination of Aramid, graphite and unidirectional fibers) with tan pebble grain in .223 Remington, .22-250 Remington, finish. Black spiderwebbing provides a

sure, positive grip and a distinctive look. A button-rifled, #2 contour 16" chrome moly (4140) barrel is pillar-bedded and is finished with a custom target crown for consistent, repeatable accuracy. All metalwork is bead blasted to a matte blue to reduce game spooking glare. As with all Mark V rifles, the CFP is guaranteed to shoot a 1 1/2" or better 3-shot group from a cold barrel at 100 yards (when

used with premium ammunition). Available

.243 Winchester and 7mm-08 Remington.

offering proven popular chamberings for a diverse range of game from varmints to whitetails. For complete specifications, see page 31.

.22-250 Rem. CFPI222RR10 .243 Winchester 7mm-08 Rem.

THE MARK V® CFP FEATURES an ambidextrous grip design for right- or left-hand shooters (bolt setup is on right-hand side). The grip area is pre-formed to match the natural shape of the hand for a sure, comfortable feel.

\*Price may vary by model and dealer

## CFP





repeatable accuracy of the CFP.

"The last thing I wanted was a rifle I would second guess. My Weatherby® performed just as I expected when this Cape Buffalo decided he wanted to play by his rules."

BRYAN STAVE {NEBRASKA}

FROM CUSTOM WOOD. CHECKERING, metalwork, inlays and engraving, as well as synthetic stocks, the Weatherby Custom Shop can build a rifle to your exact specifications. Our 6/3/1 Grading System lets you choose similar grade embellishments for a matching look that is uniquely your own.



# MARK V®CUSTOM



VISIT WWW.WEATHERBY.COM and "Design Your Own," choose from one of several popular existing "custom" models (page 29) or contact the Weatherby Custom Shop at (805) 227-2600. Our skilled gunsmiths and craftsmen are ready to build you the rifle of your dreams—a source of pride and performance that is worthy of passing from generation to generation.



CUSTOM FLOORPLATE ENGRAVING is available in three different grades (6/3/1), as well as options for rosewood or ebony pistol grip caps with inlaid diamonds in maple or gold (wood stock rifles).

THE BOLT SLEEVE AND RECEIVER of your rifle can also be engraved, choosing from three different engraving patterns (6/3/1).



TO ADD TO THE PERSONALIZATION of an existing Weatherby® rifle, or to create a custom rifle of your dreams, choose from a variety of floorplate embellishments, as well as engraving for your name on the bolt. Bolts can also be damascened and checkered to add a distinctive and elegant look to the rifle.

FOR A CLASSIC SAFARI LOOK, add the option of an adjustable ramp (left) with gold-filled "V" and a hooded barrel band front sight.



OUR DROP BOX FLOORPLATE (left) expands the capacity of Mark V® Magnum rifles

with 3 cartridges (or 4 depending on caliber) in the magazine +1 in the chamber.

(.257 Wby. Mag. through .460 Wby. Mag.). This easy to install accessory kit allows you to hunt



and bases are available in Grade & (top), Grade 3 (middle), and Grade 1 (bottom). Each offers options of different engraving patterns and gold overlays.



AS A CUSTOM OPTION on select calibers of Accumark® and Super VarmintMaster® (SVM) rifles, Weatherby will quarantee a SUB-MOA (.99 in. or less) 3-shot group from a cold barrel at 100 yards (with specific calibers only) We will select the rifle and provide a factory-shot test target along with the specific ammunition load information. The floorplate will feature a distinctive engraved "SUB-MOA." For more information, contact the Custom Shop.



	VANGUARD® RIFLE SPECIFICATIONS  MSRP (may vary by Barreled Overall Magazine Length/ Rifling Length at Monte at													
	Caliber	Product Code		Barreled Action	Weight <sup>1</sup>	Overall Length	Magazine Capacity		Rifling (twist)	Length of Pull		Monte Carlo		
	.223 Rem.	VGW223RR40	\$525	RH 24"	7 1/2 lbs.	44"	5+1	24" #2	1-12"	13 5/8	7/8"	1/2"	1 1/4"	
	.22-250 Rem.	VGW222RR40	\$525	RH 24"	7 1/2 lbs.	44"	5+1	24" #2	1-14"	13 5/8	7/8"	1/2"	1 1/4"	
	.243 Winchester	VGW243NR40	\$525	RH 24"	7 1/2 lbs.	44"	5+1	24" #2	1-10"	13 5/8	7/8"	1/2"	1 1/4"	
	.25-06 Rem.**	VGW256RR40	\$525	RH 24"	7 1/2 lbs.	44"	5+1	24" #2	1-10"	13 5/8	7/8"	1/2"	1 1/4"	
	.270 Winchester	VGW270NR40	\$525	RH 24"	7 1/2 lbs.	44 1/2"	5+1	24" #2	1-10"	13 5/8	7/8"	1/2"	1 1/4"	
<u>ગ</u>	.308 Winchester	VGW308NR40	\$525	RH 24"	7 1/2 lbs.	44"	5+1	24" #2	1-12"	13 5/8	7/8"	1/2"	1 1/4"	
SYNTHETIC	.30-06 Springfield	VGW306SR40	\$525	RH 24"	7 1/2 lbs.	44 1/2"	5+1	24" #2	1-10"	13 5/8	7/8"	1/2"	1 1/4"	
N	.257 Wby. Mag.	VGW257WR40	\$525	RH 24"	7 1/2 lbs.	44 1/2"	3+1	24" #2	1-10"	13 5/8	7/8"	1/2"	1 1/4"	
S	.270 WSM	VGW270NSR40	\$543	RH 24"	7 1/2 lbs.	44"	3+1	24" #2	1-10"	13 5/8	7/8"	1/2"	1 1/4"	
	7mm Rem. Mag.	VGW7MMRR40	\$525	RH 24"	7 1/2 lbs.	44 1/2"	3+1	24" #2	1-9 1/2"	13 5/8	7/8"	1/2"	1 1/4"	
	.300 Win. Mag.	VGW300NR40	\$525	RH 24"	7 1/2 lbs.	44 1/2"	3+1	24" #2	1-10"	13 5/8	7/8"	1/2"	1 1/4"	
	.300 WSM	VGW300NSR40	\$543	RH 24"	7 1/2 lbs.	44"	3+1	24" #2	1-10"	13 5/8	7/8"	1/2"	1 1/4"	
	.300 Wby. Mag.	VGW300WR40	\$525	RH 24"	7 1/2 lbs.	44 1/2"	3+1	24" #2	1-10"	13 5/8	7/8"	1/2"	1 1/4"	
	.338 Win. Mag.	VGW338NR40	\$525	RH 24"	7 1/2 lbs.	44 1/2"	3+1	24" #2	1-10"	13 5/8	7/8"	1/2"	1 1/4"	
	.223 Rem.	VGS223RR40	\$656	RH 24"	7 1/2 lbs.	44"	5+1	24" #2	1-12"	13 5/8	7/8"	1/2"	1 1/4"	
	.22-250 Rem.	VGS222RR40	\$656	RH 24"	7 1/2 lbs.	44"	5+1	24" #2	1-14"	13 5/8	7/8"	1/2"	1 1/4"	
	.243 Winchester	VGS243NR40	\$656	RH 24"	7 1/2 lbs.	44"	5+1	24" #2	1-10"	13 5/8	7/8"	1/2"	1 1/4"	
	.270 Winchester	VGS270NR40	\$656	RH 24"	7 1/2 lbs.	44 1/2"	5+1	24" #2	1-10"	13 5/8	7/8"	1/2"	1 1/4"	
S	.308 Winchester	VGS308NR40	\$656	RH 24"	7 1/2 lbs.	44"	5+1	24" #2	1-12"	13 5/8	7/8"	1/2"	1 1/4"	
STAINLESS	.30-06 Springfield	VGS306SR40	\$656	RH 24"	7 1/2 lbs.	44 1/2"	5+1	24" #2	1-10"	13 5/8	7/8"	1/2"	1 1/4"	
Z	.257 Wby. Mag.	VGS257WR40	\$656	RH 24"	7 1/2 lbs.	44 1/2"	3+1	24" #2	1-10"	13 5/8	7/8"	1/2"	1 1/4"	
STA	.270 WSM	VGS270NSR40	\$678	RH 24"	7 1/2 lbs.	44"	3+1	24" #2	1-10"	13 5/8	7/8"	1/2"	1 1/4"	
0,	7mm Rem. Mag.	VGS7MMRR40	\$656	RH 24"	7 1/2 lbs.	44 1/2"	3+1	24" #2	1-9 1/2"	13 5/8	7/8"	1/2"	1 1/4"	
	.300 Win. Mag.	VGS300NR40	\$656	RH 24"	7 1/2 lbs.	44 1/2"	3+1	24" #2	1-10"	13 5/8	7/8"	1/2"	1 1/4"	
	.300 WSM	VGS300NSR40	\$678	RH 24"	7 1/2 lbs.	44"	3+1	24" #2	1-10"	13 5/8	7/8"	1/2"	1 1/4"	
	.300 Wby. Mag.	VGS300WR40	\$656	RH 24"	7 1/2 lbs.	44 1/2"	3+1	24" #2	1-10"	13 5/8	7/8"	1/2"	1 1/4"	
	.338 Win. Mag.	VGS338NR40	\$656	RH 24"	7 1/2 lbs.	44 1/2"	3+1	24" #2	1-10"	13 5/8	7/8"	1/2"	1 1/4"	
	.223 Rem.	VWP223RR40	\$664	RH 24"	8 3/4 lbs.	44"	5+1	24" #2	1-12"	13 5/8	7/8"	1/2"	1 1/4"	
	.22-250 Rem.	VWP222RR40	\$664	RH 24"	8 3/4 lbs.	44"	5+1	24" #2	1-14"	13 5/8	7/8"	1/2"	1 1/4"	
	.243 Winchester	VWP243NR40	\$664	RH 24"	8 3/4 lbs.	44"	5+1	24" #2	1-10"	13 5/8	7/8"	1/2"	1 1/4"	
щ	.25-06 Rem.**	VWP256RR40	\$664	RH 24"	8 3/4 lbs.	44"	5+1	24" #2	1-10"	13 5/8	7/8"	1/2"	1 1/4"	
(AG	.270 Winchester	VWP270NR40	\$664	RH 24"	8 3/4 lbs.	44 1/2"	5+1	24" #2	1-10"	13 5/8	7/8"	1/2"	1 1/4"	
AC	.308 Winchester	VWP308NR40	\$664	RH 24"	8 3/4 lbs.	44"	5+1	24" #2	1-12"	13 5/8	7/8"	1/2"	1 1/4"	
. P.	.30-06 Springfield	VWP306SR40	\$664	RH 24"	8 3/4 lbs.	44 1/2"	5+1	24" #2	1-10"	13 5/8	7/8"	1/2"	1 1/4"	
	.257 Wby. Mag	VWP257WR40	\$664	RH 24"	8 3/4 lbs.	44 1/2"	3+1	24" #2	1-10"	13 5/8	7/8"	1/2"	1 1/4"	
SYNTHETIC PACKAGE	.270 WSM	VWP270NSR40	\$686	RH 24"	8 3/4 lbs.	44"	3+1	24" #2	1-10"	13 5/8	7/8"	1/2"	1 1/4"	
X	7mm Rem. Mag.	VWP7MMRR40	\$664	RH 24"	8 3/4 lbs.	44 1/2"	3+1	24" #2	1-9 1/2"	13 5/8	7/8"	1/2"	1 1/4"	
S	.300 Win. Mag.	VWP300NR40	\$664	RH 24"	8 3/4 lbs.	44 1/2"	3+1	24" #2	1-10"	13 5/8	7/8"	1/2"	1 1/4"	
	.300 WSM	VWP300NSR40	\$686	RH 24"	8 3/4 lbs.	44"	3+1	24" #2	1-10"	13 5/8	7/8"	1/2"	1 1/4"	
	.300 Wby. Mag.	VWP300WR40	\$664	RH 24"	8 3/4 lbs.	44 1/2"	3+1	24" #2	1-10"	13 5/8	7/8"	1/2"	1 1/4"	
	.338 Win. Mag.	VWP338NR40	\$664	RH 24"	8 3/4 lbs.	44 1/2"	3+1	24" #2	1-10"	13 5/8	7/8"	1/2"	1 1/4"	

** New for 2007. Custom rifles are also available. Consult your Weatherby® dealer or the Weatherby Custom Shop for specifications. All rifles are
drilled and tapped for scope mounts. Specifications subject to change without notice. "Weight approximate. Varies due to stock density and
bore diameter. <sup>20</sup> Magazine capacity plus one round in chamber. <sup>30</sup> Available with Weatherby Accubrake™ only. <sup>40</sup> Measurement includes Accubrake.

		\	ANGUAR	N® RII	FI F SPI	CIFIC	ATION	ς						
	Caliber	Product Code	MSRP (may vary by model & dealer)	Barreled Action	Weight <sup>1</sup>	Overall Length	Magazine Capacity	Barrel Length/ Contour	Rifling (twist)	Length of Pull	Drop at Comb	Monte Carlo	Drop at Heel	
	.223 Rem.	VDM223RR40	\$672	RH 24"	7 3/4 lbs.	44"	5+1	24" #2	1-12"	13 5/8	5/8"	3/8"	1 1/8"	ı
	.22-250 Rem.	VDM222RR40	\$672	RH 24"	7 3/4 lbs.	44"	5+1	24" #2	1-14"	13 5/8	5/8"	3/8"	1 1/8"	ı
	.243 Winchester	VDM243NR40	\$672	RH 24"	7 3/4 lbs.	44"	5+1	24" #2	1-10"	13 5/8	5/8"	3/8"	1 1/8"	ı
	.25-06 Rem.**	VDM256RR40	\$672	RH 24"	7 3/4 lbs.	44"	5+1	24" #2	1-10"	13 5/8	5/8"	3/8"	1 1/8"	ı
	.270 Winchester	VDM270NR40	\$672	RH 24"	7 3/4 lbs.	44 1/2"	5+1	24" #2	1-10"	13 5/8	5/8"	3/8"	1 1/8"	ı
~	.308 Winchester	VDM308NR40	\$672	RH 24"	7 3/4 lbs.	44"	5+1	24" #2	1-12"	13 5/8	5/8"	3/8"	1 1/8"	ı
SPORTER	.30-06 Springfield	VDM306SR40	\$672	RH 24"	7 3/4 lbs.	44 1/2"	5+1	24" #2	1-10"	13 5/8	5/8"	3/8"	1 1/8"	ı
POF	.257 Wby. Mag.	VDM257WR40	\$672	RH 24"	7 3/4 lbs.	44 1/2"	3+1	24" #2	1-10"	13 5/8	5/8"	3/8"	1 1/8"	ı
S	.270 WSM	VDM270NSR40	\$694	RH 24"	7 3/4 lbs.	44 1/2"	3+1	24" #2	1-10"	13 5/8	5/8"	3/8"	1 1/8"	ı
	7mm Rem. Mag.	VDM7MMRR40	\$672	RH 24"	7 3/4 lbs.	44 1/2"	3+1	24" #2	1-9 1/2"	13 5/8	5/8"	3/8"	1 1/8"	ı
	.300 Win. Mag.	VDM300NR40	\$672	RH 24"	7 3/4 lbs.	44 1/2"	3+1	24" #2	1-10"	13 5/8	5/8"	3/8"	1 1/8"	ı
	.300 WSM	VDM300NSR40	\$694	RH 24"	7 3/4 lbs.	44"	3+1	24" #2	1-10"	13 5/8	5/8"	3/8"	1 1/8"	ı
	.300 Wby. Mag.	VDM300WR40	\$672	RH 24"	7 3/4 lbs.	44 1/2"	3+1	24" #2	1-10"	13 5/8	5/8"	3/8"	1 1/8"	ı
	.338 Win. Mag.	VDM338NR40	\$672	RH 24"	7 3/4 lbs.	44 1/2"	3+1	24" #2	1-10"	13 5/8	5/8"	3/8"	1 1/8"	l
	.223 Rem.	VWS223RR40	\$810	RH 24"	7 3/4 lbs.	44"	5+1	24" #2	1-12"	13 5/8	5/8"	3/8"	1 1/8"	
	.22-250 Rem.	VWS222RR40	\$810	RH 24"	7 3/4 lbs.	44"	5+1	24" #2	1-14"	13 5/8	5/8"	3/8"	1 1/8"	
	.243 Winchester	VWS243NR40	\$810	RH 24"	7 3/4 lbs.	44"	5+1	24" #2	1-10"	13 5/8	5/8"	3/8"	1 1/8"	
	.270 Winchester	VWS270NR40	\$810	RH 24"	7 3/4 lbs.	44 1/2"	5+1	24" #2	1-10"	13 5/8	5/8"	3/8"	1 1/8"	
S	.308 Winchester	VWS308NR40	\$810	RH 24"	7 3/4 lbs.	44"	5+1	24" #2	1-12"	13 5/8	5/8"	3/8"	1 1/8"	
SPORTER SS	.30-06 Springfield	VWS306SR40	\$810	RH 24"	7 3/4 lbs.	44 1/2"	5+1	24" #2	1-10"	13 5/8	5/8"	3/8"	1 1/8"	
RTE	.257 Wby. Mag.	VWS257WR40	\$810	RH 24"	7 3/4 lbs.	44 1/2"	3+1	24" #2	1-10"	13 5/8	5/8"	3/8"	1 1/8"	
POI	.270 WSM	VWS270NSR40	\$837	RH 24"	7 3/4 lbs.	44"	3+1	24" #2	1-10"	13 5/8	5/8"	3/8"	1 1/8"	
S	7mm Rem. Mag.	VWS7MMRR40	\$810	RH 24"	7 3/4 lbs.	44 1/2"	3+1	24" #2	1-9 1/2"	13 5/8	5/8"	3/8"	1 1/8"	
	.300 Win. Mag.	VWS300NR40	\$810	RH 24"	7 3/4 lbs.	44 1/2"	3+1	24" #2	1-10"	13 5/8	5/8"	3/8"	1 1/8"	
	.300 WSM	VWS300NSR40	\$837	RH 24"	7 3/4 lbs.	44"	3+1	24" #2	1-10"	13 5/8	5/8"	3/8"	1 1/8"	
	.300 Wby. Mag.	VWS300WR40	\$810	RH 24"	7 3/4 lbs.	44 1/2"	3+1	24" #2	1-10"	13 5/8	5/8"	3/8"	1 1/8"	
	.338 Win. Mag.	VWS338NR40	\$810	RH 24"	7 3/4 lbs.	44 1/2"	3+1	24" #2	1-10"	13 5/8	5/8"	3/8"	1 1/8"	
	.270 Winchester	VGX270NR40	\$908	RH 24"	7 3/4 lbs.	44 1/2"	5+1	24" #2	1-10"	13 5/8	5/8"	3/8"	1 1/8"	ı
ш	.30-06 Springfield	VGX306SR40	\$908	RH 24"	7 3/4 lbs.	44 1/2"	5+1	24" #2	1-10"	13 5/8	5/8"	3/8"	1 1/8"	ı
.UXE	.257 Wby. Mag.	VGX257WR40	\$908	RH 24"	7 3/4 lbs.	44 1/2"	3+1	24" #2	1-10"	13 5/8	5/8"	3/8"	1 1/8"	ı
DEL	7mm Rem. Mag.**	VGX7MMRR40	\$908	RH 24"	7 3/4 lbs.	44 1/2"	3+1	24" #2	1-9 1/2"	13 5/8	5/8"	3/8"	1 1/8"	ı
	.300 Win. Mag.**	VGX300NR40	\$908	RH 24"	7 3/4 lbs.	44 1/2"	3+1	24" #2	1-10"	13 5/8	5/8"	3/8"	1 1/8"	ı
	.300 Wby. Mag.	VGX300WR40	\$908	RH 24"	7 3/4 lbs.	44 1/2"	3+1	24" #2	1-10"	13 5/8	5/8"	3/8"	1 1/8"	ı
돌	.22-250 Rem.	VGC222RR00	\$605	RH 20"	6 3/4 lbs.	38 7/8"	5+1	20" #1	1-14"	12 1/2"	3/4"	3/8"	1 1/8"	
1/10	.243 Winchester	VGC243NR00	\$605	RH 20"	6 3/4 lbs.	38 7/8"	5+1	20" #1	1-10"	12 1/2"	3/4"	3/8"	1 1/8"	
PACT	7mm-08 Rem.	VGC7M8RR00	\$605	RH 20"	6 3/4 lbs.	38 7/8"	5+1	20" #1	1-9 1/2"	12 1/2"	3/4"	3/8"	1 1/8"	
COMPACT/YOUTH	.308 Winchester	VGC308NR00	\$605	RH 20"	6 3/4 lbs.	38 7/8"	5+1	20" #1	1-12"	12 1/2"	3/4"	3/8"	1 1/8"	
								L						1

AUTHORIZED SERVICE CENTERS Weatherby Authorized Service Centers have been carefully screened and selected for their ability to perform the highest quality of service to exacting standards. Service work includes both metal and wood work and all internal components. For the center nearest you call us at (805) 227-2600 or by FAX at (805) 237-0427. By mail, 1605 Commerce Way, Paso Robles, CA 93446 or visit www.weatherby.com.

		٧	ANGUAR	D® RII	FLE SPI	CIFIC	ATION:	S					
	Caliber	Product Code	MSRP (may vary by model & dealer)	Barreled Action	Weight <sup>1</sup>	Overall Length	Magazine Capacity	Barrel Length/ Contour	Rifling (twist)	Length of Pull	Drop at Comb	Monte Carlo	Drop at Heel
	.223 Rem.	VMM223RR40	\$856	RH 24"	7 3/4 lbs.	44"	5+1	24" #2	1-12"	13 5/8	3/4"	5/8"	1 1/2
	.22-250 Rem.	VMM222RR40	\$856	RH 24"	7 3/4 lbs.	44"	5+1	24" #2	1-14"	13 5/8	3/4"	5/8"	1 1/2'
	.243 Winchester	VMM243NR40	\$856	RH 24"	7 3/4 lbs.	44"	5+1	24" #2	1-10"	13 5/8	3/4"	5/8"	1 1/2
	.25-06 Rem.**	VMM256RR40	\$856	RH 24"	7 3/4 lbs.	44"	5+1	24" #2	1-10"	13 5/8	3/4"	5/8"	1 1/2
ш	.270 Winchester	VMM270NR40	\$856	RH 24"	7 3/4 lbs.	44 1/2"	5+1	24" #2	1-10"	13 5/8	3/4"	5/8"	1 1/2
SUB-MOA MATTE	.308 Winchester	VMM308NR40	\$856	RH 24"	7 3/4 lbs.	44"	5+1	24" #2	1-12"	13 5/8	3/4"	5/8"	1 1/2
A	.30-06 Springfield	VMM306SR40	\$856	RH 24"	7 3/4 lbs.	44 1/2"	5+1	24" #2	1-10"	13 5/8	3/4"	5/8"	1 1/2
8	.257 Wby. Mag.	VMM257WR40	\$856	RH 24"	7 3/4 lbs.	44 1/2"	3+1	24" #2	1-10"	13 5/8	3/4"	5/8"	1 1/2
<del>_</del>	.270 WSM	VMM270NSR40	\$884	RH 24"	7 3/4 lbs.	44"	3+1	24" #2	1-10"	13 5/8	3/4"	5/8"	1 1/2
S	7mm Rem. Mag.	VMM7MMRR40	\$856	RH 24"	7 3/4 lbs.	44 1/2"	3+1	24" #2	1-9 1/2"	13 5/8	3/4"	5/8"	1 1/2
	.300 Win. Mag.	VMM300NR40	\$856	RH 24"	7 3/4 lbs.	44 1/2"	3+1	24" #2	1-10"	13 5/8	3/4"	5/8"	1 1/2
	.300 WSM	VMM300NSR40	\$884	RH 24"	7 3/4 lbs.	44"	3+1	24" #2	1-10"	13 5/8	3/4"	5/8"	1 1/2
	.300 Wby. Mag.	VMM300WR40	\$856	RH 24"	7 3/4 lbs.	44 1/2"	3+1	24" #2	1-10"	13 5/8	3/4"	5/8"	1 1/2
	.338 Win. Mag.	VMM338NR40	\$856	RH 24"	7 3/4 lbs.	44 1/2"	3+1	24" #2	1-10"	13 5/8	3/4"	5/8"	1 1/2
	.223 Rem.	VSM223RR40	\$994	RH 24"	7 3/4 lbs.	44"	5+1	24" #2	1-12"	13 5/8	3/4"	5/8"	1 1/2
	.22-250 Rem.	VSM222RR40	\$994	RH 24"	7 3/4 lbs.	44"	5+1	24" #2	1-14"	13 5/8	3/4"	5/8"	1 1/2
	.243 Winchester	VSM243NR40	\$994	RH 24"	7 3/4 lbs.	44"	5+1	24" #2	1-10"	13 5/8	3/4"	5/8"	1 1/2
SS	.270 Winchester	VSM270NR40	\$994	RH 24"	7 3/4 lbs.	44 1/2"	5+1	24" #2	1-10"	13 5/8	3/4"	5/8"	1 1/2
STAINLESS	.308 Winchester	VSM308NR40	\$994	RH 24"	7 3/4 lbs.	44"	5+1	24" #2	1-12"	13 5/8	3/4"	5/8"	1 1/2
H	.30-06 Springfield	VSM306SR40	\$994	RH 24"	7 3/4 lbs.	44 1/2"	5+1	24" #2	1-10"	13 5/8	3/4"	5/8"	1 1/2
S	.257 Wby. Mag.	VSM257WR40	\$994	RH 24"	7 3/4 lbs.	44 1/2"	3+1	24" #2	1-10"	13 5/8	3/4"	5/8"	1 1/2
40	.270 WSM	VSM270NSR40	\$1027	RH 24"	7 3/4 lbs.	44"	3+1	24" #2	1-10"	13 5/8	3/4"	5/8"	1 1/2
SUB-MOA	7mm Rem. Mag.	VSM7MMRR40	\$994	RH 24"	7 3/4 lbs.	44 1/2"	3+1	24" #2	1-9 1/2"	13 5/8	3/4"	5/8"	1 1/2
S	.300 Win. Mag.	VSM300NR40	\$994	RH 24"	7 3/4 lbs.	44 1/2"	3+1	24" #2	1-10"	13 5/8	3/4"	5/8"	1 1/2
	.300 WSM	VSM300NSR40	\$1027	RH 24"	7 3/4 lbs.	44"	3+1	24" #2	1-10"	13 5/8	3/4"	5/8"	1 1/2
	.300 Wby. Mag.	VSM300WR40	\$994	RH 24"	7 3/4 lbs.	44 1/2"	3+1	24" #2	1-10"	13 5/8	3/4"	5/8"	1 1/2
	.338 Win. Mag.	VSM338NR40	\$994	RH 24"	7 3/4 lbs.	44 1/2"	3+1	24" #2	1-10"	13 5/8	3/4"	5/8"	1 1/2

<sup>\*\*</sup> New for 2007.

	VANGUARD® RIFLE SPECIFICATIONS														
	Caliber	Product Code	MSRP (may vary by model & dealer)	Barreled Action	Weight <sup>1</sup>	Overall Length	Magazine Capacity	Barrel Length/ Contour	Rifling (twist)	Length of Pull	Drop at Comb	Monte Carlo	Drop at Heel		
₫	.204 Ruger**	VBR204RG20	\$655	RH 22"	8 1/4 lbs.	41 1/2"	5+1	22" #3	1-12"	13 5/8"	3/4"	1/2"	1 1/8"		
SPECIAL	.223 Rem.	VBR223RR20	\$605	RH 22"	8 1/4 lbs.	41 1/2"	5+1	22" #3	1-12"	13 5/8"	3/4"	1/2"	1 1/8"		
VARMINT	.22-250 Rem.	VBR222RR20	\$605	RH 22"	8 1/4 lbs.	41 1/2"	5+1	22" #3	1-14"	13 5/8"	3/4"	1/2"	1 1/8"		
\A	.308 Winchester	VBR308NR20	\$605	RH 22"	8 1/4 lbs.	41 1/2"	5+1	22" #3	1-12"	13 5/8"	3/4"	1/2"	1 1/8"		
¥	.204 Ruger**	VSR204RG20	\$979	RH 22"	8 1/4 lbs.	41 1/2"	5+1	22" #3	1-12"	13 5/8"	3/4"	3/8"	1 1/8"		
VARMINT	.223 Rem.	VSR223RR20	\$929	RH 22"	8 1/4 lbs.	41 1/2"	5+1	22" #3	1-12"	13 5/8"	3/4"	3/8"	1 1/8"		
-MOA	.22-250 Rem.	VSR222RR20	\$929	RH 22"	8 1/4 lbs.	41 1/2"	5+1	22" #3	1-14"	13 5/8"	3/4"	3/8"	1 1/8"		
SB.	.308 Winchester	VSR308NR20	\$929	RH 22"	8 1/4 lbs.	41 1/2"	5+1	22" #3	1-12"	13 5/8"	3/4"	3/8"	1 1/8"		

<sup>\*\*</sup> New for 2007.

MARK V® COMPACT FIRING PLATFORM SPECIFICATIONS													
Caliber	Product Code	MSRP (may vary by model & dealer)	Barreled Action	Weight <sup>1</sup>	Overall Length	Magazine Capacity	Barrel Length/ Contour	Rifling (twist)	Length of Pull	Drop at Comb	Monte Carlo	Drop at Heel	
.223 Rem.	CFPI223RR10	\$1,579	RH 16"	5 1/4 lbs.	27 1/2"	5+1	16" #2	1-12"	NA	NA	NA	NA	
.22-250 Rem.	CFPI222RR10	\$1,579	RH 16"	5 1/4 lbs.	27 1/2"	4+1	16" #2	1-14"	NA	NA	NA	NA	
.243 Winchester	CFPI243NR10	\$1,544	RH 16"	5 1/4 lbs.	27 1/2"	5+1	16" #2	1-10"	NA	NA	NA	NA	
7mm-08 Rem.	CFPI7M8RR10	\$1,579	RH 16"	5 1/4 lbs.	27 1/2"	5+1	16" #2	1-9 1/2"	NA	NA	NA	NA	
	.223 Rem. .22-250 Rem. .243 Winchester	.223 Rem. CFPI223RR10 .22-250 Rem. CFPI222RR10 .243 Winchester CFPI243NR10	Caliber         Product Code model & dealer)         (may vary by model & dealer)           .223 Rem.         CFPI223RR10         \$1,579           .22-250 Rem.         CFPI222RR10         \$1,579           .243 Winchester         CFPI243NR10         \$1,544	Caliber         Product Code         MSRP (may vary by model & dealer)         Barreled Action           .223 Rem.         CFPI223RR10         \$1,579         RH 16"           .22-250 Rem.         CFPI222RR10         \$1,579         RH 16"           .243 Winchester         CFPI243NR10         \$1,544         RH 16"	Caliber         Product Code         MSRP (may vary by model & dealer)         Barreled Action         Weight*           .223 Rem.         CFPI223RR10         \$1,579         RH 16"         5 1/4 lbs.           .22-250 Rem.         CFPI222RR10         \$1,579         RH 16"         5 1/4 lbs.           .243 Winchester         CFPI243NR10         \$1,544         RH 16"         5 1/4 lbs.	Caliber         Product Code         MSRP (may vary by model & dealer) and sealer         Barreled Action         Weight¹         Overall Length           .223 Rem.         CFPI223RR10         \$1,579         RH 16"         5 1/4 lbs.         27 1/2"           .22-250 Rem.         CFPI222RR10         \$1,579         RH 16"         5 1/4 lbs.         27 1/2"           .243 Winchester         CFPI243NR10         \$1,544         RH 16"         5 1/4 lbs.         27 1/2"	Caliber         Product Code         MSRP (may vary by model & dealer)         Barreled Action         Weight'         Overall Length         Magazine Capacity           .223 Rem.         CFPI223RR10         \$1,579         RH 16"         5 1/4 lbs.         27 1/2"         5+1           .22-250 Rem.         CFPI222RR10         \$1,579         RH 16"         5 1/4 lbs.         27 1/2"         4+1           .243 Winchester         CFPI243NR10         \$1,544         RH 16"         5 1/4 lbs.         27 1/2"         5+1	MSRP (may vary by model & dealer)	Caliber         Product Code (may vary by model & dealer)         Barreled (may vary by model & dealer)         Barreled Action         Weight!         Overall Length Capacity         Barrel Length/ Contour (twist)           .223 Rem.         CFPI223RR10         \$1,579         RH 16"         5 1/4 lbs.         27 1/2"         5+1         16" #2         1-12"           .22-250 Rem.         CFPI222RR10         \$1,579         RH 16"         5 1/4 lbs.         27 1/2"         4+1         16" #2         1-14"           .243 Winchester         CFPI243NR10         \$1,544         RH 16"         5 1/4 lbs.         27 1/2"         5+1         16" #2         1-10"	Caliber   Product Code   Product Code   (may vary by model & dealer)   Rifling   Length   Capacity   Contour   (twist)   Contour   Capacity   Capacity   Contour   Capacity   Contour   Capacity   Capacity   Capacity   Contour   Capacity   Capacity	MSRP	MSRP (may vary by model & dealer)	

MARK V® RIFLE SPECIFICATIONS

.243 Winchester UTS243NR40 \$1,754 RH 24" 5 3/4 lbs. 44" 5+1 24" #1 1-10" 13 5/8" 3/4" 3/8" 1 1/8"

		.240 Wby. Mag.	UTS240WR40	\$1,754	RH 24"	5 3/4 lbs.	44"	5+1	24" #1	1-10"	13 5/8"	3/4"	3/8"	1 1/8'
		.25-06 Rem.	UTS256RR40	\$1,754	RH 24"	5 3/4 lbs.	44"	5+1	24" #1	1-10"	13 5/8"	3/4"	3/8"	1 1/8'
		.270 Winchester	UTS270NR40	\$1,754	RH 24"	5 3/4 lbs.	44"	5+1	24" #1	1-10"	13 5/8"	3/4"	3/8"	1 1/8'
	法	7mm-08 Rem.	UTS7M8RR40	\$1,754	RH 24"	5 3/4 lbs.	44"	5+1	24" #1	1-9 1/2"	13 5/8"	3/4"	3/8"	1 1/8'
		.280 Rem.	UTS280RR40	\$1,754	RH 24"	5 3/4 lbs.	44"	5+1	24" #1	1-10"	13 5/8"	3/4"	3/8"	1 1/8'
	LIGHTWEIGHT	.308 Winchester	UTS308NR40	\$1,754	RH 24"	5 3/4 lbs.	44"	5+1	24" #1	1-12"	13 5/8"	3/4"	3/8"	1 1/8'
	97	.30-06 Springfield	UTS306SR40	\$1,754	RH 24"	5 3/4 lbs.	44"	5+1	24" #1	1-10"	13 5/8"	3/4"	3/8"	1 1/8'
	₹	.257 Wby. Mag.	UTM257WR60	\$1,841	RH 26"	6 3/4 lbs.	46 5/8"	3+1	26" #1	1-10"	13 5/8"	1"	3/8"	1 1/2'
	ULTRA	.270 Wby. Mag.	UTM270WR60	\$1,841	RH 26"	6 3/4 lbs.	46 5/8"	3+1	26" #1	1-10"	13 5/8"	1"	3/8"	1 1/2'
		7mm Rem. Mag.	UTM7MMRR40	\$1,841	RH 24"	6 3/4 lbs.	44 5/8"	3+1	24" #1	1-9 1/2"	13 5/8"	1"	3/8"	1 1/2'
		7mm Wby. Mag.	UTM7MMWR60	\$1,841	RH 26"	6 3/4 lbs.	46 5/8"	3+1	26" #1	1-10"	13 5/8"	1"	3/8"	1 1/2'
		.300 Win. Mag.	UTM300NR40	\$1,841	RH 24"	6 3/4 lbs.	44 5/8"	3+1	24" #1	1-10"	13 5/8"	1"	3/8"	1 1/2'
		.300 Wby. Mag.	UTM300WR60	\$1,841	RH 26"	6 3/4 lbs.	46 5/8"	3+1	26" #1	1-10"	13 5/8"	1"	3/8"	1 1/2'
	AND AND	.257 Wby. Mag.	UTM257WL60	\$1,911	LH 26"	6 3/4 lbs.	46 5/8"	3+1	26" #1	1-10"	13 5/8"	1"	3/8"	1 1/2'
	UUTRA Lightweight Left Hand	.300 Wby. Mag.	UTM300WL60	\$1,911	LH 26"	6 3/4 lbs.	46 5/8"	3+1	26" #1	1-10"	13 5/8"	1"	3/8"	1 1/2'
		.22-250 Rem.**	AMS222RR40	\$1,750	RH 24"	7 1/4 lbs.	44"	5+1	24" #3	1-14"	13 5/8"	3/4"	5/8"	1 3/4'
		.243 Winchester**	AMS243NR40	\$1,750	RH 24"	7 1/4 lbs.	44"	5+1	24" #3	1-10"	13 5/8"	3/4"	5/8"	1 3/4'
		.240 Wby. Mag.**	AMS240WR40	\$1,750	RH 24"	7 1/4 lbs.	44"	5+1	24" #3	1-10"	13 5/8"	3/4"	5/8"	1 3/4'
		.25-06 Rem.**	AMS256RR40	\$1,750	RH 24"	7 1/4 lbs.	44"	5+1	24" #3	1-10"	13 5/8"	3/4"	5/8"	1 3/4'
		.270 Winchester**	AMS270NR40	\$1,750	RH 24"	7 1/4 lbs.	44"	5+1	24" #3	1-10"	13 5/8"	3/4"	5/8"	1 3/4'
		.308 Winchester**	AMS308NR40	\$1,750	RH 24"	7 1/4 lbs.	44"	5+1	24" #3	1-10"	13 5/8"	3/4"	5/8"	1 3/4'
٦	*	.257 Wby. Mag.	AMM257WR60	\$1,814	RH 26"	8 3/4 lbs.	46 5/8"	3+1	26" #3	1-10"	13 5/8"	3/4"	5/8"	1 3/4'
	ACCUMARK	.270 Wby. Mag.	AMM270WR60	\$1,814	RH 26"	8 3/4 lbs.	46 5/8"	3+1	26" #3	1-10"	13 5/8"	3/4"	5/8"	1 3/4'
	3	7mm Rem. Mag.	AMM7MMRR60	\$1,814	RH 26"	8 3/4 lbs.	46 5/8"	3+1	26" #3	1-9 1/2"	13 5/8"	3/4"	5/8"	1 3/4'
	AC	7mm Wby. Mag.	AMM7MMWR60	\$1,814	RH 26"	8 3/4 lbs.	46 5/8"	3+1	26" #3	1-10"	13 5/8"	3/4"	5/8"	1 3/4'
		.300 Win. Mag.	AMM300NR60	\$1,814	RH 26"	8 3/4 lbs.	46 5/8"	3+1	26" #3	1-10"	13 5/8"	3/4"	5/8"	1 3/4'
U		.300 Wby. Mag.	AMM300WR60	\$1,814	RH 26"	8 3/4 lbs.	46 5/8"	3+1	26" #3	1-10"	13 5/8"	3/4"	5/8"	1 3/4'
p		3.30-378 Wby. Mag.	AMM303WR8B	\$2,073	4RH 28"	9 lbs.	448 5/8"	2+1	428" #3	1-10"	13 5/8"	3/4"	5/8"	1 3/4'
		<sup>3</sup> .338-378 Wby. Mag.	AMM333WR8B	\$2,073	⁴RH 28"	9 lbs.	448 5/8"	2+1	428" #3	1-10"	13 5/8"	3/4"	5/8"	1 3/4'
		.340 Wby. Mag.	AMM340WR60	\$1,814	RH 26"	8 3/4 lbs.	46 5/8"	3+1	26" #3	1-10"	13 5/8"	3/4"	5/8"	1 3/4'
	ACCUMARK® Left hand	.257 Wby. Mag.	AMM257WL60	\$1,884	LH 26"	8 3/4 lbs.	46 5/8"	3+1	26" #3	1-10"	13 5/8"	3/4"	5/8"	1 3/4'
	100 E	.300 Wby. Mag.	AMM300WL60	\$1,884	LH 26"	8 3/4 lbs.	46 5/8"	3+1	26" #3	1-10"	13 5/8"	3/4"	5/8"	1 3/4'

<sup>\*\*</sup> New for 2007.

	MARK V® XXII RIFLE SPECIFICATIONS													
	MSRP (may vary by model & dealer)  Caliber Product Code model & dealer)  MSRP (may vary by model & dealer)  Action Weight Length Capacity  Contour (twist) of Pull Comb Carlo Heel													
IIXX	.22 LR	DXT22LR30	\$899	RH 23"	6 1/2 lbs.	40 7/8"	5+1	23" #1	1-16"	13 5/8"	3/4"	1/2"	1 1/8"	
X	17 HMR	DXT17HMR30	\$949	RH 23"	6 1/2 lbs.	40 7/8"	4+1	23" #1	1-9"	13 5/8"	3/4"	1/2"	1 1/8"	

			MARK V	® RIFL	LE SPEC	IFICAT	TIONS						
	Caliber	Product Code	MSRP (may vary by model & dealer)	Barreled Action	Weight <sup>1</sup>	Overall Length	Magazine Capacity	Barrel Length/ Contour	Rifling (twist)	Length of Pull	Drop at Comb	Monte Carlo	Drop at Heel
_	.223 Rem.	VRS223RR60	\$1,825	RH 26"	8 1/2 lbs.	46"	5+1	26" #4	1-12"	13 5/8"	3/4"	3/8"	1 1/8"
SVM	.22-250 Rem.	VRS222RR60	\$1,825	RH 26"	8 1/2 lbs.	46"	4+1	26" #4	1-14"	13 5/8"	3/4"	3/8"	1 1/8"
	.243 Winchester	VRS243NR60	\$1,825	RH 26"	8 1/2 lbs.	46"	5+1	26" #4	1-10"	13 5/8"	3/4"	3/8"	1 1/8"
SVR	.22-250 Rem.	VXS222RR20	\$1,176	RH 22"	7 1/4 lbs.	42"	5+1	22" #3	1-14"	13 5/8"	3/4"	3/8"	1 1/8"
	.22-250 Rem.	SNS222RR40	\$1,132	RH 24"	6 3/4 lbs.	44"	5+1	24" #1	1-14"	13 5/8"	3/4"	3/8"	1 1/8"
	.243 Winchester	SNS243NR40	\$1,132	RH 24"	6 1/2 lbs.	44"	5+1	24" #1	1-10"	13 5/8"	3/4"	3/8"	1 1/8"
	.240 Wby. Mag.	SNS240WR40	\$1,132	RH 24"	6 3/4 lbs.	44"	5+1	24" #1	1-10"	13 5/8"	3/4"	3/8"	1 1/8"
	.25-06 Rem.	SNS256RR40	\$1,132	RH 24"	6 3/4 lbs.	44"	5+1	24" #1	1-10"	13 5/8"	3/4"	3/8"	1 1/8"
	.270 Winchester	SNS270NR40	\$1,132	RH 24"	6 1/2 lbs.	44"	5+1	24" #1	1-10"	13 5/8"	3/4"	3/8"	1 1/8"
	7mm-08 Rem.	SNS7M8RR40	\$1,132	RH 24"	6 1/2 lbs.	44"	5+1	24" #1	1-9 1/2"	13 5/8"	3/4"	3/8"	1 1/8"
	.280 Rem.	SNS280RR40	\$1,132	RH 24"	6 3/4 lbs.	44"	5+1	24" #1	1-10"	13 5/8"	3/4"	3/8"	1 1/8"
ے	.308 Winchester	SNS308NR40	\$1,132	RH 24"	6 1/2 lbs.	44"	5+1	24" #1	1-12"	13 5/8"	3/4"	3/8"	1 1/8"
區	.30-06 Springfield	SNS306SR40	\$1,132	RH 24"	6 1/2 lbs.	44"	5+1	24" #1	1-10"	13 5/8"	3/4"	3/8"	1 1/8"
臣	.257 Wby. Mag.	SNM257WR60	\$1,195	RH 26"	8 lbs.	46 5/8"	3+1	26" #2	1-10"	13 5/8"	7/8"	1/2"	1 1/8"
SYNTHETIC	.270 Wby. Mag.	SNM270WR60	\$1,195	RH 26"	8 lbs.	46 5/8"	3+1	26" #2	1-10"	13 5/8"	7/8"	1/2"	1 1/8"
S	7mm Rem. Mag.	SNM7MMRR40	\$1,195	RH 24"	8 lbs.	44 5/8"	3+1	24" #2	1-9 1/2"	13 5/8"	7/8"	1/2"	1 1/8"
	7mm Wby. Mag.	SNM7MMWR60	\$1,195	RH 26"	8 lbs.	46 5/8"	3+1	26" #2	1-10"	13 5/8"	7/8"	1/2"	1 1/8"
	.300 Win. Mag.	SNM300NR40	\$1,195	RH 24"	8 lbs.	44 5/8"	3+1	24" #2	1-10"	13 5/8"	7/8"	1/2"	1 1/8"
	.300 Wby. Mag.	SNM300WR60	\$1,195	RH 26"	8 lbs.	46 5/8"	3+1	26" #2	1-10"	13 5/8"	7/8"	1/2"	1 1/8"
	3.30-378 Wby. Mag.	SNM303WR8B	\$1,411	4RH 28"	8 1/2 lbs.	448 5/8"	2+1	428" #3	1-10"	13 5/8"	7/8"	1/2"	1 1/8"
	<sup>3</sup> .338-378 Wby. Mag.	SNM333WR8B	\$1,411	⁴RH 28"	8 1/2 lbs.	448 5/8"	2+1	428" #3	1-10"	13 5/8"	7/8"	1/2"	1 1/8"
	.340 Wby. Mag.	SNM340WR60	\$1,195	RH 26"	8 lbs.	46 5/8"	3+1	26" #2	1-10"	13 5/8"	7/8"	1/2"	1 1/8"
	.375 H&H Mag.	SNM375HR40	\$1,195	RH 24"	8 1/4 lbs.	44 5/8"	3+1	24" #3	1-12"	13 5/8"	7/8"	1/2"	1 1/8"
ш	.257 Wby. Mag.	FBM257WR60	\$1,350	RH 26"	8 lbs.	46 5/8"	3+1	26" #2	1-10"	13 5/8"	3/4"	5/8"	1 3/4"
FIBERMARK® COMPOSITE	.270 Wby. Mag.	FBM270WR60	\$1,350	RH 26"	8 lbs.	46 5/8"	3+1	26" #2	1-10"	13 5/8"	3/4"	5/8"	1 3/4"
요	7mm Rem. Mag.	FBM7MMRR60	\$1,350	RH 26"	8 lbs.	46 5/8"	3+1	26" #2	1-9 1/2"	13 5/8"	3/4"	5/8"	1 3/4"
8	7mm Wby. Mag.	FBM7MMWR60	\$1,350	RH 26"	8 lbs.	46 5/8"	3+1	26" #2	1-10"	13 5/8"	3/4"	5/8"	1 3/4"
ی	.300 Win. Mag.	FBM300NR60	\$1,350	RH 26"	8 lbs.	46 5/8"	3+1	26" #2	1-10"	13 5/8"	3/4"	5/8"	1 3/4"
AS I	.300 Wby. Mag.	FBM300WR60	\$1,350	RH 26"	8 lbs.	46 5/8"	3+1	26" #2	1-10"	13 5/8"	3/4"	5/8"	1 3/4"
₹	3.30-378 Wby. Mag.	FBM303WR8B	\$1,620	4RH 28"	8 1/2 lbs.	448 5/8"	2+1	428" #3	1-10"	13 5/8"	3/4"	5/8"	1 3/4"
岡	.340 Wby. Mag.	FBM340WR60	\$1,350	RH 26"	8 lbs.	46 5/8"	3+1	26" #2	1-10"	13 5/8"	3/4"	5/8"	1 3/4"
IŒ	.375 H&H Mag.	FBM375HR40	\$1,350	RH 24"	8 1/4 lbs.	44 5/8"	3+1	24" #3	1-12"	13 5/8"	3/4"	5/8"	1 3/4"
ARK~	.257 Wby. Mag.	UMM257WR60	\$2,780	RH 26"	8 1/2 lbs.	46 5/8"	3+1	26" #2	1-10"	13 5/8"	7/8"	3/8"	1 3/8"
ULTRAMARK	.300 Wby. Mag.	UMM300WR60	\$2,780	RH 26"	8 1/2 lbs.	46 5/8"	3+1	26" #2	1-10"	13 5/8"	7/8"	3/8"	1 3/8"

\*\*New for 2007. Custom rifles are also available. Consult your Weatherby® dealer or the Weatherby Custom Shop for specifications. All rifles are drilled and tapped for scope mounts. Specifications subject to change without notice. ("Weight approximate. Varies due to stock density and bore diameter. ("Magazine capacity plus one round in chamber. ("Available with Weatherby Accubrake" only. ("Measurement includes Accubrake.")

			MARK V	® RIFI	E SPEC	IFICA	TIONS						
	Caliber	Product Code	MSRP (may vary by model & dealer)	Barreled Action	Weight <sup>1</sup>	Overall Length	Magazine Capacity	Barrel Length/ Contour	Rifling (twist)	Length of Pull	Drop at Comb	Monte Carlo	Drop at Heel
	.243 Winchester**	DXS243NR40	\$2,062	RH 24"	6 3/4 lbs.	44"	5+1	24" #1	1-10"	13 5/8"	7/8"	3/8"	1 3/8"
	.240 Wby. Mag.**	DXS240WR40	\$2,062	RH 24"	6 3/4 lbs.	44"	5+1	24" #1	1-10"	13 5/8"	7/8"	3/8"	1 3/8"
	.270 Winchester**	DXS270NR40	\$2,062	RH 24"	6 3/4 lbs.	44"	5+1	24" #1	1-10"	13 5/8"	7/8"	3/8"	1 3/8"
	7mm-08 Rem.**	DXS7M8RR40	\$2,062	RH 24"	6 3/4 lbs.	44"	5+1	24" #1	1-9 1/2"	13 5/8"	7/8"	3/8"	1 3/8"
	.308 Winchester**	DXS308NR40	\$2,062	RH 24"	6 3/4 lbs.	44"	5+1	24" #1	1-12"	13 5/8"	7/8"	3/8"	1 3/8"
ш	.30-06 Springfield**	DXS306SR40	\$2,062	RH 24"	6 3/4 lbs.	44"	5+1	24" #1	1-10"	13 5/8"	7/8"	3/8"	1 3/8"
DELUXE	.257 Wby. Mag.	DXM257WR60	\$2,125	RH 26"	8 1/2 lbs.	46 5/8"	3+1	26" #2	1-10"	13 5/8"	7/8"	3/8"	1 3/8"
핍	.270 Wby. Mag.	DXM270WR60	\$2,125	RH 26"	8 1/2 lbs.	46 5/8"	3+1	26" #2	1-10"	13 5/8"	7/8"	3/8"	1 3/8"
	7mm Wby. Mag.	DXM7MMWR60	\$2,125	RH 26"	8 1/2 lbs.	46 5/8"	3+1	26" #2	1-10"	13 5/8"	7/8"	3/8"	1 3/8"
	.300 Wby. Mag.	DXM300WR60	\$2,125	RH 26"	8 1/2 lbs.	46 5/8"	3+1	26" #2	1-10"	13 5/8"	7/8"	3/8"	1 3/8"
	.340 Wby. Mag.	DXM340WR60	\$2,125	RH 26"	8 1/2 lbs.	46 5/8"	3+1	26" #2	1-10"	13 5/8"	7/8"	3/8"	1 3/8"
	<sup>3</sup> .378 Wby. Mag.	DXM378WR8B	\$2,501	4RH 28"	9 lbs.	448 5/8"	2+1	428" #3	1-12"	13 7/8"	7/8"	3/8"	1 3/8"
	<sup>3</sup> .416 Wby. Mag.	DXM416WR8B	\$2,501	⁴RH 28"	9 lbs.	448 5/8"	2+1	428" #3	1-14"	13 7/8"	7/8"	3/8"	1 3/8"
	<sup>3</sup> .460 Wby. Mag.	DXM460WR8B	\$2,939	4RH 28"	10 lbs.	448 3/4"	2+1	428" #4	1-16"	14"	7/8"	3/8"	1 3/8"
<b>~</b>	.257 Wby. Mag.	LMM257WR60	\$2,313	RH 26"	8 1/2 lbs.	46 5/8"	3+1	26" #2	1-10"	13 5/8"	7/8"	3/8"	1 3/8"
ARI	.270 Wby. Mag.	LMM270WR60	\$2,313	RH 26"	8 1/2 lbs.	46 5/8"	3+1	26" #2	1-10"	13 5/8"	7/8"	3/8"	1 3/8"
₹	7mm Wby. Mag.	LMM7MMWR60	\$2,313	RH 26"	8 1/2 lbs.	46 5/8"	3+1	26" #2	1-10"	13 5/8"	7/8"	3/8"	1 3/8"
LAZERMARK®	.300 Wby. Mag.	LMM300WR60	\$2,313	RH 26"	8 1/2 lbs.	46 5/8"	3+1	26" #2	1-10"	13 5/8"	7/8"	3/8"	1 3/8"
_	.340 Wby. Mag.	LMM340WR60	\$2,313	RH 26"	8 1/2 lbs.	46 5/8"	3+1	26" #2	1-10"	13 5/8"	7/8"	3/8"	1 3/8"
	.257 Wby. Mag.	SPM257WR60	\$1,402	RH 26"	8 lbs.	46 5/8"	3+1	26" #2	1-10"	13 5/8"	1"	1/2"	1 5/8"
	.270 Wby. Mag.	SPM270WR60	\$1,402	RH 26"	8 lbs.	46 5/8"	3+1	26" #2	1-10"	13 5/8"	1"	1/2"	1 5/8"
黑	7mm Rem. Mag.	SPM7MMRR40	\$1,402	RH 24"	8 lbs.	44 5/8"	3+1	24" #2	1-9 1/2"	13 5/8"	1"	1/2"	1 5/8"
SPORTER	7mm Wby. Mag.	SPM7MMWR60	\$1,402	RH 26"	8 lbs.	46 5/8"	3+1	26" #2	1-10"	13 5/8"	1"	1/2"	1 5/8"
SP(	.300 Win. Mag.	SPM300NR40	\$1,402	RH 24"	8 lbs.	44 5/8"	3+1	24" #2	1-10"	13 5/8"	1"	1/2"	1 5/8"
	.300 Wby. Mag.	SPM300WR60	\$1,402	RH 26"	8 lbs.	46 5/8"	3+1	26" #2	1-10"	13 5/8"	1"	1/2"	1 5/8"
	.340 Wby. Mag.	SPM340WR60	\$1,402	RH 26"	8 lbs.	46 5/8"	3+1	26" #2	1-10"	13 5/8"	1"	1/2"	1 5/8"

MARK V® CUSTOM RIFLE SPECIFICATIONS												
	Model	Product Code	Barreled Action	Weight <sup>1</sup>	Overall Length	Magazine Capacity	Barrel Length/ Contour	Rifling (twist)	Length of Pull	Drop at Comb	Monte Carlo	Drop at Heel
	Royal Ultramark Custom <sup>(1)</sup>	RUM300WR60 <sup>(2)</sup>	RH 26"	8 1/2 lbs.	46 5/8"	3+1	26" #2	1-10"	13 5/8"	7/8"	3/8"	1 3/8"
Σ	Crown <sup>(1)</sup>	CRM257WR60(2)	RH 26"	8 1/2 lbs.	46 5/8"	3+1	26" #2	1-10"	13 5/8"	7/8"	3/8"	1 3/8"
)TO	Safari(1)	SFM416WR8B <sup>(2)</sup>	RH 28"(3)	8 3/4 lbs.	48"(3)	2+1	26" #3	1-14"	13 5/8"	3/4"	5/8"	1 3/4"
CUST	DGR <sup>(1)</sup>	DGM375WR40 <sup>(2)</sup>	RH 24"	8 3/4 lbs.	44 5/8"	3+1	24" #3	1-10"	13 5/8"	3/4"	5/8"	1 3/4"
	Outfitter <sup>(1)</sup>	OTS270NR40(2)	RH 24"	5 3/4 lbs.	44"	5+1	24" #1	1-10"	13 5/8"	3/4"	3/8"	1 1/8"
	TRR Magnum <sup>(1)</sup>	TCM333WR8B <sup>(2)</sup>	RH 28"(3)	9 1/4 lbs.	48"(3)	2+1	26" #3	1-10"	13 1/4"-14 3/4"	Adjustable	NA	Adjustabl

(¹)Mark V Custom Rifle specifications vary based on caliber. (²)Not the only calibers available in this model. (³)Available with Weatherby Accubrake™ only.

Weatherby, Inc. reserves the right to make changes in design, materials, specifications and prices or to make product changes as deemed necessary without prior notice. Every effort has been made to avoid printing errors in this catalog, However, if there are any specification or application errors, we must disclaim responsibility, Weatherby®, Mark V®, Accumark®, Fibermark®, Lazermark®, Athena®, Orion® and VarmintMaster® are registered trademarks of Weatherby, Inc. Eurosport™, Eurosport™, Eurosport®, and Accubrake™ are trademarks of Weatherby, Inc. Cordura® is a registered trademark of El. Dupont de Nemours & Company, Pachmayr® is a registered trademark of Pachmayr Ltd. Corporation. Decelerator® is a registered trademark of Lyman Productions Corporation. Nosler®, Partition® and Ballistic Tip® are registered trademarks of Nosler, Inc. Barnes® and Barnes Triple-Shock™ X-Bullet™ are trademarks of Barnes Bullets, Inc. Hornady™ and Interlock™ are trademarks of Hornady Manufacturing Company. A-Square™ and Monolithic Solid™ are trademarks of Arthur B. Alphin, dba A-Square. Norma® is a registered trademark of Norma Precision AB. Federal® is a registered trademark of Federal Cartridge Company, Briley® is a registered trademark of Jess Briley Manufacturing Company, Mossy Qak®, Shadow Grass® and Break-Up® are registered trademarks of Haas Outdoors, Inc. YKK® is a registered trademark of Skyline Camouflage.

Velcro® is a registered trademark of Velcro Industries B.Y. Fall Flight™ and Apparition Excel™ are trademarks of Skyline Camouflage.

UGGESTED USAGE	CARTRIDGE		BULLET	PRODUCT CODE	MSRP	B/C		VEI	LOCITY IN FE	ET PER SECO	IND				ENERGY IN F	OOT-POUNDS				P.	ATH OF BULL	ET*	
		Weight	Bullet		(may vary by			100	200	300	400	500		100	200	300	400	500	100	200	300	400	5
V	.224 Wby.	Grains 55	Type SP	H22455SP	model & dealer) \$44	.235	Muzzle	Yards 3192	Yards 2780	Yards 2403	Yards 2056	Yards	Muzzle	Yards 1244	Yards 944	Yards 705	Yards	Yards	Yards	Yards	Yards	Yards -9.8	-2
V	.240 Wby.	85	Barnes TSX	B24085TSX	\$64	.382	3650 3500	3222	2962	2717	2484	1741 2264	1627 2448	2075	1753	1475	516 1233	370 1024	2.8	3.7	0.0	-8.0	-
v	.240 Hby.	87	SP	H24087SP	\$44	.327	3523	3199	2898	2617	2352	2103	2397	1977	1622	1323	1069	855	2.7	3.4	0.0	-8.4	-
M		95	BST	N24095BST	\$51	.379	3420	3146	2888	2645	2414	2195	2467	2087	1759	1475	1229	1017	2.7	3.5	0.0	-8.4	-
М		100	SP	H240100SP	\$44	.381	3406	3134	2878	2637	2408	2190	2576	2180	1839	1544	1287	1065	2.8	3.5	0.0	-8.4	-
М		100	Partition	N240100PT	\$57	.384	3406	3136	2882	2642	2415	2199	2576	2183	1844	1550	1294	1073	2.8	3.5	0.0	-8.4	-
٧	.257 Wby.	87	SP	H25787SP	\$44	.322	3825	3472	3147	2845	2563	2297	2826	2328	1913	1563	1269	1019	2.1	2.8	0.0	-7.1	-
М		100	SP	H257100SP	\$44	.357	3602	3298	3016	2750	2500	2264	2881	2416	2019	1680	1388	1138	2.4	3.1	0.0	-7.7	-
М		100	Barnes TSX	B257100TSX	\$64	.420	3570	3312	3079	2840	2396	2203	2731	2352	2019	1725	2396	1239	2.9	3.7	0.0	-8.8	-
М		110	Accubond	N257110ACB	\$64	.418	3460	3207	2969	2744	2529	2325	2925	2513	2154	1839	1563	1320	2.7	3.3	0.0	-7.9	-
M		115	BST	N257115BST	\$51	.453	3400	3170	2952	2745	2547	2357	2952	2566	2226	1924	1656	1419	3.0	3.5	0.0	-7.9	-
M		117 120	Rn-Ex Partition	H257117RN N257120PT	\$44 \$64	.243	3402 3305	2984 3046	2595 2801	2240 2570	1921 2350	1639 2141	3007 2910	2320 2472	1742 2091	1302 1760	956 1471	690 1221	3.4	4.3 3.7	0.0	-11.1 -8.9	-
V	.270 Wby.	100	SP	H270100SP	\$44	.307	3760	3396	3061	2751	2462	2190	3139	2560	2081	1681	1346	1065	2.3	3.0	0.0	-7.6	-
, M	.270 Hby.	130	SP	H270130SP	\$44	.409	3375	3123	2885	2659	2444	2240	3288	2815	2402	2041	1724	1448	2.8	3.5	0.0	-8.4	-
м		130	Barnes TSX	B270130TSX	\$64	.466	3400	3176	2963	2761	2567	2382	3338	2912	2536	2201	1903	1638	2.6	3.3	0.0	-7.9	_
M		130	Partition	N270130PT	\$64	.416	3375	3127	2892	2670	2458	2256	3288	2822	2415	2058	1744	1470	2.8	3.5	0.0	-8.3	-
М		140	Accubond	N270140ACB	\$64	.496	3320	3113	2916	2727	2547	2373	3427	3014	2644	2313	2016	1751	2.8	3.4	0.0	-8.1	-
M		140	BST	N270140BST	\$51	.456	3300	3077	2865	2663	2470	2285	3385	2943	2551	2204	1896	1622	2.9	3.6	0.0	-8.4	-
М		150	SP	H270150SP	\$44	.462	3245	3028	2821	2623	2434	2253	3507	3053	2650	2292	1973	1690	3.0	3.7	0.0	-8.7	-
М		150	Partition	N270150PT	\$64	.465	3245	3029	2823	2627	2439	2259	3507	3055	2655	2298	1981	1699	3.0	3.7	0.0	-8.7	-
М	7MM Wby.	139	SP	H7MM139SP	\$44	.392	3340	3079	2834	2601	2380	2170	3443	2926	2478	2088	1748	1453	2.9	3.6	0.0	-8.7	-
M		140	Barnes TSX	B7MM140TSX	\$64	.477	3250	3039	2837	2645	2460	2283	3284	2871	2503	2175	1882	1621	3.0	3.6	0.0	-8.6	
M		140	Partition	N7MM140PT	\$64	.434	3303	3069	2847	2636	2434	2241	3391	2927	2519	2159	1841	1562	2.9	3.6	0.0	-8.5	
M		150 154	BST SP	N7MM150BST H7MM154SP	\$51 \$44	.493	3300	3093 3028	2896 2807	2708 2597	2527 2397	2353 2206	3627 3634	3187 3134	2793 2694	2442 2307	2127 1964	1844 1663	2.8 3.0	3.5	0.0	-8.2 -8.8	
M		160	Accubond	N7MM160ACB	\$64	.433	3260 3050	2868	2694	2596	2364	2206	3306	2923	2578	2267	1986	1733	3.4	4.1	0.0	-8.6	
M		160	Partition	N7MM160PT	\$64	.475	3200	2991	2791	2600	2417	2241	3638	3177	2767	2401	2075	1784	3.1	3.8	0.0	-8.9	
MB		175	SP	H7MM175SP	\$44	.462	3070	2861	2662	2471	2288	2113	3662	3181	2753	2373	2034	1735	3.5	4.2	0.0	-9.9	-
MB	.338-06 A-Square	210	Partition	N386210PT	\$57	.400	2750	2526	2312	2109	1916	1735	3527	2975	2493	2074	1712	1404	4.8	5.7	0.0	-13.5	
М	.300 Wby.	150	SP	H300150SP	\$44	.338	3540	3225	2932	2657	2399	2155	4173	3462	2862	2351	1916	1547	2.6	3.3	0.0	-8.2	-
М		150	Partition	N300150PT	\$64	.387	3540	3263	3004	2759	2528	2307	4173	3547	3005	2536	2128	1773	2.5	3.2	0.0	-7.7	-
М		165	SP	H300165SP	\$44	.387	3390	3123	2872	2634	2409	2195	4210	3573	3021	2542	2126	1765	2.8	3.5	0.0	-8.5	-
MB		165	Barnes TSX	B300165TSX	\$64	.380	3330	3061	2809	2570	2343	2128	4064	3434	2891	2420	2012	1660	2.9	3.7	0.0	-9.0	-
M		165	BST	N300165BST	\$51	.475	3350	3133	2927	2730	2542	2361	4111	3596	3138	2730	2367	2042	2.7	3.4	0.0	-8.1	-
MB		180	SP	H300180SP	\$44	.425	3240	3004	2781	2569	2366	2173	4195	3607	3091	2637	2237	1886	3.1	3.8	0.0	-9.0	-
MB MB		180 180	BST Accubond	N300180BST N300180ACB	\$51 \$64	.507	3250 3250	3051 3051	2806 2861	2676 2678	2503 2503	2334 2335	4223 4223	3721 3721	3271 3271	2867 2868	2504 2505	2178 2179	2.8	3.6 3.6	0.0	-8.4 -8.4	-
MB MB		180	Partition	N300180PT	\$64	.507 .474	3240	3028	2826	2634	2449	2271	4195	3665	3193	2772	2396	2062	3.0	3.7	0.0	-8.6	
MB		200	Partition	N300200PT	\$64	.481	3060	2860	2668	2485	2308	2139	4158	3631	3161	2741	2366	2032	3.5	4.2	0.0	-9.8	
В		220	Rn-Ex	H300220RN	\$44	.300	2845	2543	2260	1996	1751	1530	3954	3158	2495	1946	1497	1143	4.9	5.9	0.0	-14.6	
MB	.340 Wby.	200	SP	H340200SP	\$51	.361	3221	2946	2688	2444	2213	1995	4607	3854	3208	2652	2174	1767	3.3	4.0	0.0	-9.9	-
MB		200	BST	N340200BST	\$64	.414	3221	2980	2753	2536	2329	2133	4607	3944	3364	2856	2409	2020	3.1	3.9	0.0	-9.2	-
MB		210	Partition	N340210PT	\$76	.400	3211	2963	2728	2505	2293	2092	4807	4093	3470	2927	2452	2040	3.2	3.9	0.0	-9.5	-
MB		225	SP	H340225SP	\$51	.397	3066	2824	2595	2377	2170	1973	4696	3984	3364	2822	2352	1944	3.6	4.4	0.0	-10.7	-
В		225	Barnes TSX	B340225TSX	\$76	.386	2970	2726	2495	2276	2267	1871	4408	3714	3111	2588	2136	1749	4.0	4.8	0.0	-11.5	-
В		250	SP	H340250SP	\$51	.431	2963	2745	2537	2338	2149	1968	4873	4182	3572	3035	2563	2150	3.9	4.6	0.0	-11.1	-
B MB	20 270 WL	250	Partition Parnog TCV	N340250PT	\$76	.473	2941	2743	2553	2371	2197	2029	4801	4176	3618	3120	2678	2286	3.9	4.6	0.0	-10.9	-
MB	.30-378 Wby.	165	Barnes TSX	B303165TSX N303165BST	\$107	.511	3450	3243	3046	2858	2678	2504	4757	4204	3709	3264	2865	2506	2.4	3.1	0.0	-7.4 -7.4	
M		165 180	BST Accubond	N303165BS1 N303180ACB	\$102 \$107	.475 .507	3500 3400	3275 3194	3062 2950	2859 2810	2665 2629	2480 2456	4488 4619	3930 4077	3435 3591	2995 3155	2603 2763	2253 2411	2.4 2.5	3.0	0.0	-7.4 -7.6	
M		180	BST	N303180BST	\$107	.507	3420	3213	3015	2826	2645	2471	4676	4126	3634	3193	2797	2411	2.5	3.1	0.0	-7.5	
MB		200	Partition	N303100B31	\$102	.481	3160	2955	2759	2572	2392	2220	4434	3877	3381	2938	2541	2188	3.2	3.9	0.0	-9.1	_
М	.338-378 Wby.	200	BST	N333200BST	\$102	.414	3350	3102	2868	2646	2434	2232	4983	4273	3652	3109	2631	2213	2.8	3.5	0.0	-8.4	-
MB		225	Barnes TSX	B333225TSX	\$107	.482	3180	2974	2778	2591	2410	2238	5052	4420	3856	3353	2902	2501	3.1	3.8	0.0	-8.9	-
MB		250	Partition	N333250PT	\$107	.473	3060	2856	2662	2475	2297	2125	5197	4528	3933	3401	2927	2507	3.5	4.2	0.0	-9.8	-
BA	.375 Wby.	300	Partition	N375300PT	\$89	.398	2800	2572	2366	2140	1963	1760	5224	4408	3696	3076	2541	2084	1.9	0.0	-8.2	-23.9	-
BA	.378 Wby.	270	SP	H378270SP	\$95	.380	3180	2921	2677	2445	2225	2017	6062	5115	4295	3583	2968	2438	1.3	0.0	-6.1	-18.1	-
BA		270	Barnes TSX	B378270TSX	\$120	.503	3060	2868	2684	2507	2337	2174	5615	4932	4319	3770	3276	2834	1.3	0.0	-6.2	-17.9	-
BA		300	Rn-Ex	H378300RN	\$95	.250	2925	2558	2220	1908	1627	1383	5699	4360	3283	2424	1764	1274	1.9	0.0	-9.0	-27.8	-
BA		300	FMJ	H378300FJ	\$95	.275	2925	2591	2280	1991	1725	1489	5699	4470	3461	2640	1983	1476	1.8	0.0	-8.6	-26.1	-
A	.416 Wby.	350	Barnes TSX	B416350TSX	\$133	.521	2880	2702	2530	2365	2207	2054	6448	5674	4977	4349	3785	3279	1.6	0.0	-7.0	-20.4	-
A		400	Rn-Ex	H416400RN	\$126	.311	2700	2417	2152	1903	1676	1470	6474	5189	4113	3216	2493	1918	2.3	0.0	-9.7	-29.3	
A	.460 Wby.	400	1Mono Rarnes TSY	A416400SD	\$133 \$113	.304	2700	2411	2140	1887	1656	1448 1598	6474	5162	4068 4823	3161	2435	1861	2.3	0.0	-9.8 -9.5	-29.7	
A	.400 пру.	450 500	Barnes TSX Rn-Ex	B460450TSX H460500RN	\$113 \$113	.369 .287	2660 2600	2422 2301	2197 2022	1983 1764	1783 1533	1333	7072 7504	5864 5877	4539	3932 3456	3178 2608	2553 1972	2.2	0.0	-9.5 -11.1	-27.8 -33.5	-
		000	TIII'LX	HITOUGUUTIN	\$113	.295	2600	2309	2022	1784	1557	1357	7504	5917	4605	3534	2690	2046	2.5	0.0	-10.9	-33.0	-



WEATHERBY® FACTORY
AMMUNITION PROVIDES
THE ULTIMATE IN
PENETRATION, LARGE
WOUND CHANNELS AND
MORE ONE-SHOT KILLS

#### LEGEND:

SP = Spire Point
Rn-Ex = Round Nose-Expanding
FMJ = Full Metal Jacket
Barnes-TSX = Barnes®
Triple-Shock™ X-Bullet™

Partition = Nosler® Partition® Flat Base
BST = Nosler® Ballistic Tip®

Accubond = Nosler® Accubond®

#### NOTE:


These tables were calculated by computer using a standard modern scientific technique to predict trajectories and recoil energies from the best available data for each cartridge. The figures shown are expected to be reasonably accurate of ammunition behavior under standard conditions. However, the shooter is cautioned that performance will vary because of variations in rifles, ammunition, atmospheric conditions and altitude.

- B.C.: Ballistic Coefficients used for these tables were supplied by the bullet's manufacturers. Listed velocities were determined using 26-inch barrels. Velocities from shorter barrels will be reduced by 30 to 65 feet per second per inch of barrel removed.
- Trajectories were computed with the line-of-sight 1.5 inches above the bore centerline.
- Accubond®, Ballistic Tip® and Partition® are registered trademarks of Nosler, Inc.
- Barnes Triple-Shock<sup>™</sup> X-Bullet<sup>™</sup> is a trademark of Barnes Bullets, Inc.
- / (1) Monolithic Solid™ is a trademark 33 of Arthur B. Alphin, dba A-Square

"Weatherby<sup>®</sup> cartridges are extremely accurate and have unbelievable knockdown power. They have been instrumental in helping me qualify for the SCI World Hunting Award Ring."

WILLIAM A. PAULIN {CALIFORNIA}

## AMMUNITION





ALL WEATHERBY® RIFLES ARE GUARANTEED TO SHOOT A 1 1/2" OR BETTER 3-SHOT group at 100 yards from a cold barrel when used with premium (non-Weatherby calibers) or Weatherby factory ammunition. Together, the Weatherby system (premium ammunition and rifle) forms the flattest shooting, hardest hitting, most accurate combination in the industry today.

#### OVER HALF A CENTURY AGO, ROY WEATHERBY began his

career in the firearms industry as a cartridge "wildcatter," developing his revolutionary ideas about rifle cartridge performance and design. At the time, many industry "experts" were promoting the idea that optimum performance was a result of pushing big bullets at relatively slow speeds. Roy, however, believed just the opposite. It was his opinion that the faster a bullet traveled, the better—the flatter it would shoot, the less it would drop, the harder it would hit—the better its terminal performance. It was a concept that would spawn many an argument among ballistics experts, gun writers and in many a deer camp. But as people began to hear about and experience Roy's notion firsthand, those questions, concerns and doubts were quickly laid to rest. Soon, the entire hunting world would know what Roy had always believed—generate enough speed to create hydrostatic shock in the animal and the result will be more one-shot kills. Today, our ammunition remains true to the concept Roy developed in the 1940s. At the same time, our ammunition also takes advantage of the latest in controlled expansion bullets which are capable of harnessing the higher velocities to create cartridges that provide the ultimate in penetration, large wound channels and more one-shot kills.



tell us it's the finest for reloading) Then we add premium grade primer and bullets from the top names in the business — Hornady,® Nosler® and Barnes. The result is that each produced with the precision of handloading...with the blistering speed and downrange power to deliver the opportunity for more one-shot kills. In virtually every case, no other commerciallyproduced ammunition provides the Maximum Point Blank Range of Weatherby. Nothing shoots flatter, hits harder or is more accurate out of the box than a Weatherby®.

WEATHERBY® AMMUNITION offers a variety of premium and super premium grade bullets that are carefully selected for specific hunting applications. To meet varying needs, we proudly load Hornady® InterLock,® the renowned Barnes TSX,™ the popular Nosler® Partition,® the Nosler Ballistic Tip® and the Nosler® Accubond.® Whichever bullet you prefer, it has been ideally matched to maximize the performance potential of Weatherby ammunition.

A UNIQUE DOUBLE RADIUS Venturi shoulder design increases the velocity of escaping gases without increasing the pressure within the cartridge. This results in higher velocity within standard pressure ranges.

NORMA® HIGH-GRADE PREMIUM POWDER is used in all Weatherby ammunition to deliver maximum attainable velocity and energy. Each lot of powder is tested to assure consistency and to achieve the lowest standard velocity deviation from shot to shot, improving accuracy. Gives the non-handloader handloaded performance and accuracy.

SPECIALLY-DESIGNED PRIMERS
provide positive ignition of the
large powder charges found within
Weatherby Magnum ammunition.




WE USE NORMA PRECISION BRASS, offering CNC-machined primer pockets produced to match-grade specifications... the finest that money can buy.



NOTHING SHOOTS FLATTE HITS HARDER OR IS MORE ACCURAT "Our PH had never had a hunter use a big Weatherby<sup>®</sup> (.30-378). By the time we left, 15 kills later, he wanted one of his own."

AL AND ELAINE HUENINK {GEORGIA}



## ornady

#### INTERLOCK

A tried and true hunting bullet, the InterLock features an exclusive ring that ensures the core and jacket remain locked during expansion. The result is more mass, energy and momentum at impact for greater stopping penetration. Hornady's pioneering secant ogive design offers a high ballistic coefficient with maximum bearing surface for greater stability.



#### HORNADY INTERLOCK WEIGHT RETENTION = 70-80%

WBY\_CALIBER | 224 | 240 | 240 | 257 | 257 | 270 | 270 | 7mm | 7mm | 7mm | 300 | 300 | 300 | 340 | 340 | 340 | 378 | 378 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381 | 381

Bullet weights listed above are available in Weatherby® Magnum Ammunition.

Description, illustrations and weight retention specifications provided by bullet manufacturer.

Impact velocities can significantly affect bullet weight retention.

## BARNES

#### BARNES TRIPLE-SHOCK X (TS)

Upon its introduction, the Barnes X™ bullet was generally regarded as a quantum leap in bullet design, retaining virtually all of its weight upon impact and delivering superior terminal performance with lighter weight bullets. Now, Barnes has taken the X to the next level with the Triple-Shock™ X-Bullet™ (TSX). Made of 100% copper (as opposed to lead), it incorporates a series of precisely positioned rings cut into the body of the bullet. These rings relieve firing pressure, allowing the TSX to be safely loaded at higher velocities. Upon impact, the TSX bullet expands into four sturdy petals with razor-sharp cutting edges that will not come apart. TSX bullets also promise reduced fouling for easier cleaning of the bore. Get greater penetration and more one-shot kills with the world's



## BARNES TRIPLE-SHOCK X WEIGHT RETENTION = 99-100% WBY. CALIBER .240 .257 .270 7mm .300 .30-378 .338-378 .340 .378 .416 .460 WEIGHT (GR) 85 100 130 140 165 165 225 225 270 350 450

Bullet weights listed above are available in Weatherby® Magnum Ammunition.

Description, illustrations and weight retention specifications provided by bullet manufacturer.


Impact velocities can significantly affect bullet weight retention.

# Nosier

#### NOSLER BALLISTIC TIP

In a perfect world there would be no changing winds, no hunting pressure, and no wary, spooked, or running game that might require a fleeting or distant shot. And all it would take to bring down that trophy buck would be a textbook, 100-yard broadside shot.

However, the real world of hunting is a bit more challenging than that. In fact, the more you hunt, the more you realize how unpredictable and unforgiving nature can be—which is why Nosler engineered the Ballistic Tip® Hunting bullet to be very predictable and extremely forgiving...a proven performer for more than 20 years.



## NOSLER BALLISTIC TIP WEIGHT RETENTION = 50% WBY. CALIBER .240 .257 .270 7mm .300 .300 .30-378 .30-378 .338-378 .340 WEIGHT (GR) 95 115 140 150 165 180 165 180 200 200

Bullet weights listed above are available in Weatherby® Magnum Ammunition.

Description, illustrations and weight retention specifications provided by bullet manufacturer.

Impact velocities can significantly affect bullet weight retention.


# **losier**

#### NOSLER ACCUBON

A serious hunting bullet designed to typical Nosler standards, AccuBond® represents the most advanced bonded core bullet technology to date.

Through a proprietary bonding process that eliminates voids in the bullet core, AccuBond marries Nosler's traditional copper alloy jacket with its special lead alloy core. The result is a bullet that flies true, penetrates deep and retains its weight—and won't cause extensive barrel fouling. Nosler's AccuBond—the benchmark by which all bonded core bullets will be measured.

# Favored the world over for its superior penetration and bone-crushing stopping power, the Nosler Partition® bullet provides the ultimate in accuracy, controlled expansion and weight retention in any caliber, on any game, and in any situation. Nosler Partition is truly the standard of excellence and value in big game hunting bullets.



	NOSLER	ACCUBOND W	EIGHT RETENT	TION = 60-709	%				
WBY. CALIBER	.257	.270	7mm	.300	.30-378				
WEIGHT (GR)	110	140	160	180	180				
Dullet weights listed above are evallable in Weatherton Management Assessed									

Bullet weights listed above are available in Weatherby® Magnum Ammunition.

Description, illustrations and weight retention specifications provided by bullet manufacturer.

Impact velocities can significantly affect bullet weight retention.

FULLY TAPERED JACKET ruptures instantly at the thin jacket mouth, yet the gradual thickening along the bullet's axis controls expansion and curls the jacket uniformly outward at high or low velocities.

SPECIAL LEAD ALLOY dual-core construction provides superior mushrooming characteristics at virtually all impact velocities.

INTEGRAL PARTITION supports the expanded mushroom and retains the rear lead alloy core.

 ENCLOSED REAR CORE retains more than half the original bullet weight for deep penetration.

SPECIAL CRIMP LOCKS in the rear core section add strength to resist deformation under the pressure of heavy magnums.

#### NOSLER PARTITION WEIGHT RETENTION = 65-70%

 WBY: CALIBER
 .240
 .257
 .270
 .270
 .7mm
 .7mm
 .300
 .300
 .300
 .303
 .338-378
 .340
 .340
 .375

 WEIGHT (6R)
 100
 120
 130
 150
 140
 160
 150
 180
 200
 200
 250
 210
 250
 250

Bullet weights listed above are available in Weatherby® Magnum Ammunition.

Description, illustrations and weight retention specifications provided by bullet manufacturer.

Impact velocities can significantly affect bullet weight retention.

3

"There's nothing I like better than knocking down a limit of doves. My Weatherby® double really does its job."

ROB NIOA {AUSTRALIA}

## SIDE-BY-SIDE



#### PERHAPS NO OTHER GUN


elicits the devotion and emotional bond as the traditional English side-by-side shotgun. Refined over centuries of use, the double gun is the field standard among wingshooting loyalists.

Weatherby offers an Italian-made side-by-side that is certain to stir a response from the most discriminating enthusiasts, bringing together classic styling and craftsmanship with modern production techniques in a truly stunning way.

First introduced in 2005, we now offer three different models to meet different budgets and tastes. The D'Italia Deluxe is a headturning work of art that is at the pinnacle of the gunmaking craft, complete with intricate renaissance floral engraving with gold inlay. The D'Italia PG features a beautiful walnut stock with rounded pistol grip and semi-beavertail forearm. And for straight grip enthusiasts, we once again present the well-appointed D'Italia.



ALL ATHENA® D'ITALIA shotguns feature a stainless steel Integral Multi-Choke (IMC) system to tailor choke patterns to shooting needs and field situations. Certified for steel shot through modified choke constrictions.



THE ATHENA® D'ITALIA DELUXE features the beauty of intricate



THE ATHENA® D'ITALIA OFFERS checkered engraving on the top lever and safety for a striking look and functional, sure-handed performance



1 1/2"

1 1/2"

2 1/4"

13 5/8" and 14"

13 5/8" and 14" 2 1/4"

Brass front

Brass front

1 1/2" Brass front

6 3/4 - 7 1/4

6 3/4 - 7 1/4

SIDE-BY-SIDE ATHENA D'ITALIA DELUXE (BELOW)

BEAUTIFUL ENGRAVING adds elegance and non-slip

Barrel Length and Product Code

Fixed (IC,M)

12 2 3/4" or 3" 26" ACX1226SGM 28" ACX1228SGM


2 3/4" | 26" | ACX2826SGM | 28" | ACX2828SGM |

O'Italia Deluxe | 20 | 2 3/4" or 3" | 26" | ACX2026SGM | 28" | ACX2028SGM

2 3/4" | 26" | ADX2826SGM |

20 2 3/4" or 3" 26" ADX2026PGM 28 2 3/4" 26" ADX2826PGM

20 2 3/4" or 3" 26" ADX2026SGM



THE ATHENA D'ITALIA DELUXE (above) houses a single mechanical trigger and can be personalized with your initials.

THE DISTINCTIVE WEATHERBY Flying "W" in gold adorns the Athena D'Italia straight grip (shown below) and pistol



feature walnut stocks with deep oil finish for a classic look. Each stock is hand selected for figuring, density and weight. You also get exceptional wood-to-metal fit where the wood forend marries with stylish metal inserts with titanium nitride finish.





"The Weatherby Side-by-Side was a big hit on our ranch. Looks really good and shoots even better."

WILL AND WADE LATHAM - LAFONDA RANCH {TEXAS}

## ATHENA® D'ITALIA





THE ENGLISH SCROLL with ribbons engraving carries the signature of the world-famous

#### SIDE-BY-SIDE ATHENA® D'ITALIA DELUXE

In a word: stunning. Our side-by-side Deluxe is a beautiful testament to the gunmaking craft. The action features sculpted frameheads and is adorned with Bolino-style game scene with renaissance floral engraving, hand-signed by the engraver. The stock is AAA Fancy Turkish walnut with classic straight grip buttstock, 24 LPI hand checkering and hand-rubbed oil finish. For the most discriminating double gun enthusiast, the D'Italia Deluxe is a true work of art. See page 39 for specifications.

### ATHENA® D'ITALIA PG

Identical in action and frame to the Athena D'Italia, it features a rounded pistol grip and finest gunmakers deliver a classic semi-beavertail forearm for exceptional between-the-hands balance. The handselected, oil-finished walnut stock carries laser cut "New Scottish" checkering at 20 LPI. Comes with foam-lined take-down case for the ultimate in portable protection. For complete specifications, see page 39.

#### SIDE-BY-SIDE ATHENA® D'ITALIA

The quality and craftsmanship of Italy's side-by-side that rivals guns costing thousands more. Action is cut from a solid block of alloy steel, hardened and chromed with a coin finish. Unmatched wood-tometal fit and every appointment worthy of a classic field double gun. Available in 12, 20 and 28 gauge models. For complete specifications, see page 39.

12 Gauge 26" Barrel ACX1226SGM 12 Gauge 28" Barrel ACX1228SGM 20 Gauge 26" Barrel ACX2026SGM 20 Gauge 28" Barrel ACX2028SGM 28 Gauge 26" Barrel ACX2826SGM 28 Gauge 28" Barrel ACX2828SGM

#### ATHENA® D'ITALIA PG


12 Gauge 28" Barrel ADX1228PGM 20 Gauge 26" Barrel ADX2026PGM 28 Gauge 26" Barrel ADX2826PGM

12 Gauge 28" Barrel ADX1228SGM 20 Gauge 26" Barrel ADX2026SGM 28 Gauge 26" Barrel ADX2826SGM



THE ATHENA D'ITALIA PG with rounded pistol grip and semibeavertail forend, offers the beauty of outstanding wood-to-metal fit, with exceptional between-thehands balance in the field.


\*Price may vary by model and dealer.



"I think I've found my new favorite turkey gun...really impressed with the Weatherby® SAS."

BRANDON ROTH {CALIFORNIA}

ITALIAN-MADE semi-automatics are renowned for their quality, craftsmanship and reliable function in the field. With the Weatherby SAS, you get every performance feature and advantage at a cost that is hundreds less than other name imports. Our self-compensating gas system significantly reduces felt recoil and delivers dependable, high volume performance. Additional recoil reduction comes as a result of internal dampening, lengthened forcing cones, backboring and recoil pad. A magazine cut-off with smart follower allows for easy loading and quick changeovers (2 3/4" or 3" shells), while a vent-ribbed barrel dissipates heat and reduces "mirage." The modern gas system disassembles quickly and easily for cleaning, and a special drop-out trigger is removed simply by punching out two side-mounted pins. Superior performance. Reduced recoil. Exceptional fit and finish. That's the SAS.



								JAJ	JIIU	IUUN SPELIFILA	HOMS									
Model	Gauge	Chamber			Barrel Length and Product Code						IMC Choke	Overall Length	Length of Pull	Drop at Heel	Drop at Comb	Sight	Approx. Weight (lbs.)			
Slug Shotgun (Monte Carlo 1")	12	3"		SVL1222PGM	-	-	-	-	-	-	-	-	(rifled barrel) 1-18" twist	42"	13 3/4"	2 1/4"	1 1/8"	Cantilever scope mount	7-7 3/4	
SAS (Semi-Automatic Shotgun) Field	12	3"	-	-	-	-	26"	SVF1226PGM	28"	SVF1228PGM	-	-	IC, M, F	46" or 48"	14 1/4"	2 1/4"	1 1/2"	Brass front beads	7-7 3/4	
SAS (Semi-Automatic Shotgun) Synthetic	12	3"	-	-	-	-	26"	SVS1226PGM	28"	SVS1228PGM	-	-	IC, M, F	46" or 48"	14 1/4"	2 1/4"	1 1/2"	Brass front beads	7-7 3/4	
SAS (Semi-Automatic Shotgun) Apparition Excel™	12	3"	-	-	24"	SVT1224PGM	26"	SVT1226PGM	-	-	-	-	M, F, XF	44" or 46"	14 1/4"	2 1/4"	1 1/2"	High-vis front, brass mid bead	7-7 3/4	
SAS (Semi-Automatic Shotgun) Fall Flight™	12	3"	-	-	-	-	26"	SVW1226PGM	28"	SVW1228PGM	-	-	S, IC, M	46" or 48"	14 1/4"	2 1/4"	1 1/2"	High-vis front, brass mid bead	7-7 3/4	
Weight varies by model.																				

CUSTOM FIT the stock of your SAS to your body size and shape with our special shim/spacer system. Spacers can be quickly added, removed or reversed to alter cast on/cast off or drop for improved target acquisition and more "hits."







RECEIVER CONSTRUCTED of CNC-machined, aircraft-grade 7075 T-6 alloy to reduce overall weight, improving handling - - characteristics.

INTERNAL DAMPENING SYSTEM - significantly reduces felt recoil when bolt contacts rear of receiver during the ejection/reload cycle, and reduces stress and abuse on the receiver.



of the SAS is our forcing cones work to reduce felt recoil, curbing shooter fatigue while

m. Simply pushing improving patterns.

he right side of the sy you to remove seembly for easy ps back into place in for fast reassembly.

THE SAS features chrome-lined barrels to withstand the

wear and tear of high-volume shooting. Lengthened

 UNIQUE DROP-OUT TRIGGER SYSTEM can be removed by simply punching out two pins. Allows for quick, easy cleaning and reassembly.

 MAGAZINE CUT-OFF feature provides versatility, allowing for quick load changes and an additional margin of safety when clearing the chamber without completely unloading the shotgun.

--- AMBIDEXTROUS OVERSIZED "DELTA" safety button is located on rear of triggerguard for easy access and fast disengagement in the field. Ideal for use with gloved hands.

SELF-COMPENSATING GAS SYSTEM — Form and function come together in a simple, but highly effective self-compensating gas system (shown at right) for reduced recoil and increased load versatility. The modern, in-line system significantly reduces the size of the forend, improving balance and pointability. The SAS easily handles 1 1/8 oz. 2 3/4" shells to the heaviest 3" duck and goose loads. A special internal dampening system reduces felt recoil to provide greater shooter comfort. The two-piece system is easy to assemble and disassemble for fast, convenient cleaning.

INTEGRAL MULTI-CHOKE SYSTEM — POINTS OF CONSTRICTION										
Gauge	Cylinder	Skeet	Sporting Clays #1	Sporting Clays #1 (Ported)	lmp. Cyl.	Sporting Clays #2 (Ported)	Mod.	lmp. Mod.	Full	Extra Full
12 Ga.	.000	.004	.007	.007	.013	.016	.022	.031	.040	.046



IMC CHOKE SYSTEM — All Weatherby SAS shotguns feature an interchangeable, screw-in Integral Multi-Choke system (IMC) to allow you to tailor your shot pattern for specific needs. Weatherby chokes are crafted from steel and are certified for steel shot (for modified and larger chokes). Available in Extra Full through Cylinder and interchangeable with Briley® choke tubes. SCI and SCII ported choke tubes (right) are available for the sporting clays enthusiast.





SAS SHOTGUNS feature our screwin Integral Multi-Choke system (IMC).
Each shotgun comes with three steel
choke tubes and an easy-to-use
choke wrench. Tube constrictions
are based upon barrel length and
anticipated usage. Fall Flüght<sup>™</sup> and
Apparition Excel<sup>™</sup> models come
with extended choke tubes.

ALL WEATHERBY CHOKES feature an easy-to-use identification system to allow you to quickly identify the proper choke for your shooting situation. The top of each choke has been notched to correspond with the specific choke pattern. The choke pattern is also stamped on the side of each choke.

IMC CHOK	E INFORMATION
Тор	Stamped on Side
0	Extra Full
1	Full
II	Improved Modified
III	Modified
IIII	Improved Cylinder
IIIII	Skeet
IIIIII	Cylinder
1-1	SC I
11 - 11	SC II



WEATHERBY® SAS SHOTGUNS are backbored to .735 to improve shot patterns, reduce recoil and curb shooter fatigue. "I had the turkey hunt of a lifetime with my Weatherby" SAS shotgun. My trophy 'Rio Grande' turkey will be taxidermied into a full body mount, proudly displaying it's 10 1/2-inch beard."

RICHARD E. WISELEY {CALIFORNIA}

WEATHERBY® SAS SHOTGUNS are available with optional 22" rifled slug barrels. Easy to assemble and disassemble. Increase the versatility and function of this hardworking shotgun with

#### SAS FIELD

The SAS Field features a traditional walnut stock for a classic look against the matte blued receiver and metalwork. The modern, self-compensating gas system makes volume shooting easy and comfortable, reducing felt recoil and affording fast and convenient cleaning. To aid in shooter accuracy and pointability, a special shim system lets you adjust the cast on/off or drop for a near custom fit. Built for long days and fast shooting, the SAS comes with adjust cast. Sling swivel studs included. three IMC chokes and wrench for quick changeovers. Available in 12 gauge. For complete specifications, see page 43.

#### SAS SLUG GUN

The quality, performance and value of our SAS is now available for slug gun hunters. The SAS Slug Gun features the same Italian-made, self-compensating gas system for reliable duty and easy maintenance, matched with a 22" rifled barrel (accommodates 2 3/4" and 3" shells) with cantilever base. The SAS Slug Gun also features a walnut Monte Carlo stock with Weatherby's special shim system to For complete specifications, see page 43.

#### OPTIONAL SAS RIFLED BARREL

Increase the versatility of any SAS shotgun with our slug barrel. The 22" rifled barrel with open sights offers exceptional performance and durability in the field.

12 Gauge 28" Barrel SVF1228PGM

12 Gauge 22" Barrel SVL1222PGM

12 Gauge 22" Barrel SVL1222RBO

FOR SLUG GUN ENTHUSIASTS. the self-compensating gas system of the Weatherby SAS is specifically designed to reduce the felt recoil and to reduce the size and weigh of the forend. A special internal dampening system also curbs recoil for greater shooter comfort Assembles and disassembles easily for fast, convenient cleaning

\*Price may vary by model and deal

# SEMI-AUTOMATIC





"Calling in a big tom is never easy. I always count on my Weatherby<sup>®</sup> to finish the job."

AARON SMITH {CALIFORNIA}

# Obatharly &

THE SAS features a smart follower that allows you to quickly change loads in the field. A special magazine cut-off provides an additional margin of safety when clearing the chamber without completely unloading the shotgun.

## SAS SYNTHETIC The SAS Synthetic delivers all the design SAS APPARITION EXCEL®

When concealment in the woods is key, and performance advantages of the SAS this Weatherby SAS is the clear choice. Field in a synthetic stock option. The It features Apparition Excel by Skyline black, injection-molded stock features Camouflage. The mid-point bead and our special shim system that allows righthigh visibility front sight provides fast or left-handed shooters the ability to adjust target acquisition. Features our special cast on/cast off or drop to fit individual shim system that lets you custom fit for preferences. Modern, self-compensating cast on/cast off and drop. Comes with gas system is reliable under heavy sling swivel studs and IMC choke system use, reduces felt recoil and is easy to with three extended choke tubes. disassemble and clean. Comes with sling Available in 12 gauge. For complete swivels and IMC choke system with three chokes. Available in 12 gauge. See page 43 specifications, see page 43. for complete specifications.

#### SAS FALL FLIGHT™

With Fall Flight by Skyline Camouflage, this autoloader is ideally suited to the heavy-duty action of the duck or goose blind. Reliable, self-compensating gas system is built for long days of shooting. Quickly disassembles for fast, easy cleaning. Barrels, available in 26" or 28" length, feature mid-point bead and high visibility front sight to get on target quickly. Stock can be custom fit for cast on/cast off and drop. Comes with sling swivel studs and IMC choke system with three extended choke tubes. Available in 12 gauge. See page 43.

#### SAS SYNTHET

12 Gauge 26" Barrel SVS1226PGM 12 Gauge 28" Barrel SVS1228PGM

100

12 Gauge 24" Barrel SVT1224PGM 12 Gauge 26" Barrel SVT1226PGM

#### FALL FLIGHT™


12 Gauge 26" Barrel SVW1226PGM 12 Gauge 28" Barrel SVW1228PGM

# CASEY TILLARD — WYOMING

NOTHING CAN RUIN A HUNT faster than a shotgun that fails to function. To assure that your SAS will stand up when it counts, Weatherby institutes stringent endurance and function testing that far exceeds industry standards, both at the lab and in the field. From Canadian goose pits to Louisiana gulf coast duck marshes, from the dove fields of Argentina to South Dakota pheasant country tens of thousands of rounds have been put through our test shotguns. You get the confidence of knowing that your Weatherby will pass the most rigorous test of all: yours.

#### \*Price may vary by model and dealer

## SEMI-AUTOMATIC





"I own a lot of different shotguns and my Weatherby® Over/Under is still my favorite to shoot. I just appreciate how naturally it points."

STEVE HARRIS (NORTH CAROLINA)

OVER/UNDER

FLUSHING PHEASANTS. Decoying greenheads. Breaking bobwhites. When your pointing skills are put to the test, that's when you'll appreciate your Weatherby® Over/Under shotgun. The difference starts with a design that has proven itself time and time again since we first introduced it in 1982. The monobloc barrel is narrower and lower in profile to deliver lighter weight, better balance and a livelier feel. Our modified Greener crossbolt action actually "shoots in" with use to retain its rigidity and tight fit—recognized as one of the strongest and most reliably made. And, you get the distinctive beauty of a richly finished, Claro walnut stock, intricately engraved receivers and wood-to-metal fit that is the hallmark of the Weatherby name. From the elegant Athena® to the field-proven Orion,® a Weatherby Over/Under will elicit a true sense of pride, both in the gunrack and in the field.



Chambar	OVER/UNDER SHOTGUN SPECIFICATIONS												
Model Gauge Chamber Barrel Length and Product Code					Overall Length	Length of Pull	Drop at Heel	Drop at Comb	Bead Sight	Approx. Weight (lbs.)			
3" 26" A51226RGM 28	" A51228RGM -	-	-	-	43" or 45"	14 1/4"	2 1/4"	1 1/2"	Brilliant front	7 1/4 - 8			
3" 26" A52026RGM 28	" A52028RGM -	-	-	-	43" or 45"	14 1/4"	2 1/4"	1 1/2"	Brilliant front	6 1/2 - 7 1/4			
3" 26" A31226RGM 28	" A31228RGM -	-	-	-	43" or 45"	14 1/4"	2 1/4"	1 1/2"	Brilliant front	7 1/4 - 8			
3"   26"   A32026RGM   28	" A32028RGM -	-	-	-	43" or 45"	14 1/4"	2 1/4"	1 1/2"	Brilliant front	6 1/2 - 7 1/4			
2 3/4"   26"   A32826RGM   28	" A32828RGM -	-	-	-	43" or 45"	14 1/4"	2 1/4"	1 1/2"	Brilliant front	6 1/2 - 7 1/4			
3" 26" 031226RGG 28	" 031228RGG -	-	-	-	43" or 45"	14 1/4"	2 1/4"	1 1/2"	Brilliant front	7 1/4 - 8			
3" 26" 032026RGG 28	" 032028RGG -	-	-	-	43" or 45"	14 1/4"	2 1/4"	1 1/2"	Brilliant front	6 1/2 - 7 1/4			
3"   26"   021226RGG   28	" 021228RGG 30"	021230RGG	-	-	43", 45"or 47"	14 1/4"	2 1/4"	1 1/2"	Brilliant front	7 1/4 - 8			
3"   26"   022026RGG   28	" 022028RGG -	-	-	-	43" or 45"	14 1/4"	2 1/4"	1 1/2"	Brilliant front	6 1/2 - 7 1/4			
2 3/4"   26"   022826RGG					43"	14 1/4"	2 1/4"	1 1/2"	Brilliant front	6 1/2 - 7 1/4			
3" 26" 0U1226RGG 28	" OU1228RGG -	-	-	-	43" or 45"	14 1/4"	2 1/4"	1 1/2"	Brilliant front	7 1/4 - 8			
3" 26" OU2026RGG 28	" 0U2028RGG -	-	-	-	43" or 45"	14 1/4"	2 1/4"	1 1/2"	Brilliant front	6 1/2 - 7 1/4			
3" - 28	" SS1228PGM 30"	SS1230PGM	32"	SS1232PGM	45", 47" or 49"	14 3/4"	2 1/4"	1 1/2"	Mid point with white front	8			
3" -		- 28" SS1228PGM 30"	- 28" SS1228PGM 30" SS1230PGM	- 28" SS1228PGM 30" SS1230PGM 32"	- 28" SS1228PGM 30" SS1230PGM 32" SS1232PGM	- 28" SS1228PGM 30" SS1230PGM 32" SS1232PGM 45", 47" or 49"	- 28" SS1228PGM 30" SS1230PGM 32" SS1232PGM 45", 47" or 49" 14 3/4"	- 28" SS1228PGM 30" SS1230PGM 32" SS1232PGM 45", 47" or 49" 14 3/4" 2 1/4"	- 28" SS1228PGM 30" SS1230PGM 32" SS1232PGM 45", 47" or 49" 14 3/4" 2 1/4" 1 1/2"	- 28" SS1228PGM 30" SS1230PGM 32" SS1232PGM 45", 47" or 49" 14 3/4" 2 1/4" 1 1/2" Mid point with			

WEATHERBY® OVER/UNDER stocks are precisely crafted for a seamless wood-to-metal fit...an extra measure of attention to detail found only on the finest custom shotguns.

MODIFIED GREENER CROSSBOLT ACTION — one of the strongest

and most reliable made. The crossbolt lockup actually "shoots in" with use to retain its rigidity and tight fit. Shallower in depth and thinner

and target acquisition.

in profile, our 12-gauge receivers are proportionate to most

other 20-gauge guns, generating that sought-after

"between the hands" balance for quicker pointing

stamped on the side of each choke.

feature an easy-to-use identification system to allow you to quickly

identify the proper choke for your

shooting situation. The top of each choke has been notched to correspond with the specific choke pattern. The choke pattern is also

Field/ Classic/ Upland

30" F/M/F Skeet/SCI/ 28" F/M/IC Skeet/SCI/ 26" M/IC/Skeet N/A

IMC CHOR	(E INFORMATION
Тор	Stamped on Side
0	Extra Full
1	Full
Ш	Improved Modified
III	Modified
IIII	Improved Cylinder
IIIII	Skeet
IIIIII	Cylinder
1.1	90.1

II-II SC II

MATTE VENTILATED top rib reduces glare and works with side vents to dissipate heat buildup in the barrels. Improves shooting accuracy.

> BACKBORING TO .735 - on all Weatherby 12-gauge models helps to improve shot patterns, reduce recoil and shooter fatique.

	12 Ga.	.000	.004	.007	.007	.013	.010	.022	.031	.040	.040	
	20 Ga.	.000	.004	.007		.013		.022	.031	.040		
	28 Ga.	.000	.004			.013		.016	.024	.032		
	480	44				480	400	48				
	100	100	ш	THE R.				ш	пп	<b>TI</b>	100	
	2111		ш				1151					
	100	8.00		8	88	1001		18	18 B	81	822 6	
	48	120				ю	. 100	18		81		
	COL	100	2.0	20 C	121 B	ren	600	100	10.0	50.0		
_	-	_							_			

Cylinder Skeet Clays #1 #1 (Ported) Cyl. #2 (Ported) Mod. Mod. Full

ALL WEATHERBY® O/U SHOTGUNS feature an interchangeable, screw-in Multi-Choke System by Briley to allow you to tailor your shot pattern for specific needs. Briley chokes are crafted from stainless steel. Certified for steel shot through modified choke constrictions. In addition, SCI and SCII ported choke (right) tubes are available for the sporting clays enthusiast.

WEATHERBY ATHENA® AND ORION® field shotguns feature our popular classic field stock designs (right), with a rounded pistol grip and slender forearm for better balance and a livelier feel. Our SSC model (below and right) features a target-style pistol grip and Schnaubel forend for better fit and feel on the sporting clays course.

> THE WEATHERBY CUSTOM SHOP can build you a shotgun with multi-barrel sets (in any combination of 20 gauge, 28 gauge, and .410) which allow you to quickly change barrel gauges and lengths. Tailor your shotgun to the particular shooting situation at the drop of a hat. For more information, contact the Weatherby Custom Shop at (805) 227-2600, or see your Weatherby dealer.



AUTOMATIC EJECTORS — discharge spent shells when receiver is opened. Unfired shells are raised slightly for easy extraction. SPECIAL BREECHING SYSTEM - provides seven points of engagement for a stronger, safer action. SINGLE, SELECTIVE INERTIA TRIGGER - works independently of the safety. This allows the shooter to select a barrel regardless of safety setting. The barrel selector is stamped with "O" and "U" to readily indicate the barrel choices. Gold-plated for corrosion protection. Does not apply to Orion® Super Sporting Clavs (SSC) which does not have this feature. PATENTED SEAR BLOCK SAFETY DESIGN - prevents accidental discharge when loaded shotgun is closed with trigger depressed... even when the safety is in the "off" position. Does not apply to Orion Super Sporting Clays (SSC) which does not have this feature. SLIDING TOP SAFETY - prevents firing unless top barrel release lever is fully engaged. Does not apply to Orion Super Sporting Clavs (SSC) which does not have this feature. accidental discharge if trigger is pulled to near "let-off" and then released. Sear to hammer engagement is fully reset for

a consistently crisp trigger pull.

MONOBLOC BARREL CONSTRUCTION narrower and lower in profile. Delivers lightweight performance, superior balance and a livelier feel.

LENGTHENED FORCING CONES - work to reduce recoil...curbing shooter fatigue and improving patterns. "Opening day of dove season and my Weatherby" Athena". It doesn't get much better than that."

KYLE WEAVER {VIRGINIA}

A HALLMARK of Weatherby® Athena® shotguns is an attention to craftsmanship normally found on double guns of considerably more expense. You get exceptional fit and finish and extra detail, including the beauty of intricate rose and scroll, game scene or floral pattern engraving. Each shotgun carries engraved sideplates, receiver and tang.

## ATHENA® GRADE V CLASSIC FIELD

When you set out to build the world's finest field guns, there's simply no room for compromise. And, the Athena V is more than a worthy result. The beautiful oil-finished stock is "AAA" grade fancy American Claro walnut with 20 LPI diamond point checkering, set against a silver/gray nitride sideplate receiver with delicate and intricate rose and scroll engraving. A rounded pistol grip and slender forearm position the shooter's hands for better control, a livelier feel, quicker pointing and target acquisition. An Old English recoil pad, matte ventilated top rib, side vents and top lever with gold Weatherby flying "W" round out this distinctive shotgun. For complete specifications,

## ATHENA® GRADE III CLASSIC FIELD

From the moment you put this shotgun to your shoulder, you'll recognize and feel a difference as form and function come together in a truly distinctive way. The Athena Grade III features an oil-finished Claro walnut stock ("AA" grade fancy) with intricate checkering, a rounded pistol grip and slender forearm. Gives new meaning to "between-the-hands" balance. Silver/gray nitride sideplates feature rose and scroll engraving with gold inlaid pheasant and quail hunting scenes, while the smoothopening top lever carries the famous Weatherby flying "W." Also features heat dissipating top and side vents (no side vents on 28 gauge models) and Old English recoil pad. See page 49.

#### ATHENA® GRADE V CLASSIC FIELD 12 Gauge 26" Barrel A51226RGM 12 Gauge 28" Barrel A51228RGM

20 Gauge 26" Barrel A52026RGM 20 Gauge 28" Barrel A52028RGM

ATHENA® GRADE III CLASSIC FIELD 12 Gauge 26" Barrel A31226RGM 12 Gauge 28" Barrel A31228RGM 20 Gauge 26" Barrel A32026RGM 20 Gauge 28" Barrel A32028RGM 28 Gauge 26" Barrel A32826RGM 28 Gauge 28" Barrel A32828RGM

#### THE WEATHERBY CUSTOM SHOP can build you a shotgun (left) with multi-barrel sets (in any combination of 20 gauge, 28 gauge, and .410) which allow you to quickly change barrel gauges and lengths. As an option, multibarrel sets can be ordered with a beautiful custom-fitted Weatherby

shotgun case for the ultimate in convenience and protection.

CUSTOM-FITTED CASES (far left) can be ordered separately for all Weatherby® shotguns and rifles. Cases give your custom rifle or shotgun the ultimate protection and a beautiful presentation. Choose from canvas/leather, solid leather or distinctive leather with oak trim. Each case is handmade to order and will accommodate full length rifles, take-down and multi-barrel shotguns. An optional Cordura<sup>™</sup> slipcover is available to provide an extra measure of protection for the exterior of the gun case. For more information on Weatherby custom cases, contact your Weatherby dealer.



\*Price may vary by model and dealer

# ATHENA®





"Whenever a client shows up with a Weatherby," I know we're going to have a good quail hunt."

J.D. RUBY - LAFONDA RANCH {TEXAS}

## ORION®





## ORION® GRADE III CLASSIC FIELD

A stunning combination of aesthetic beauty and field-proven design. The hand-selected "A" grade fancy Claro walnut stock with fineline checkering sports a rich oil finish that complements the silver/gray nitride receiver. Intricate engraving and gold plate waterfowl/upland overlay add a near custom touch. The rounded pistol grip and slender forearm afford "between-the-hands" balance for fast shouldering and pointing. Heat dissipating top vent rib and an Old English recoil pad. For complete specifications, see page 49.

## ALL ORION® GRADE III Over/Under shotguns carry the added beauty of an sinogens can be added begun or ain intricately-engraved receiver with waterfow upland scene in 24K gold plate overlay. Another example of Weatherby's unmatched commitment to form, function and value.



The Orion Grade II shines in every way possible. We start with a rounded pistol grip, Claro walnut fancy grade stock with high lustre finish and Old English recoil pad. You get exceptional balance, a lively feel and fast target acquisition. Receivers carry a distinctive silver/gray nitride finish with engraved waterfowl/upland game scene. The blued barrels are finished with a brilliant front bead sight and matte ventilated top rib to dissipate heat when the action starts. See page 49 for complete specifications.

#### ORION® UPLAND

Our entry level Over/Under is far from ordinary. The high lustre Claro walnut stock (standard grade fancy) features a rounded pistol grip and slender forearm design for exceptional balance, feel and swing-through. The blued receiver and barrels are meticulously fit to the stock, while the triggerguard features the famous Weatherby flying "W" in gold. Adding to the performance of this value-packed shotgun are a brilliant front bead and matte ventilated top rib. See page 49.

#### ORION® SUPER SPORTING CLAYS

The SSC features a satin, oil-finished. standard grade stock with a target-style pistol grip and a Schnaubel forearm. A longer buttstock allows the stock to be cut to fit your exact length of pull requirements. The shallow receiver helps align hands for improved balance and pointability, aided by a 12mm competition grooved rib with mid-bead and side vents. The sliding top safety also includes an integrated barrel selector switch. Ported barrels reduce muzzle jump. See page 49 for specifications.

## ORION® GRADE III CLASSIC FIELD

12 Gauge 26" Barrel 031226RGM 12 Gauge 28" Barrel 031228RGM 20 Gauge 26" Barrel 032026RGM 20 Gauge 28" Barrel 032028RGM

URIUN® GRAD	E II CLAS	SIC FIELD
12 Gauge 26" I		021226RGG
12 Gauge 28" I	Barrel	021228RGG
12 Gauge 30" I	Barrel	021230RGG
20 Gauge 26" I	Barrel	022026RGG
20 Gauge 28" I	Barrel	022028RGG
28 Gauge 26" I	Barrel	022826RGG

#### ORION® UPLAND

12 Gauge 26" Barrel	OU1226RGG
12 Gauge 28" Barrel	OU1228RGG
20 Gauge 26" Barrel	OU2026RGG
20 Gauge 28" Barrel	OU2028RGG

#### ORION® SUPER SPORTING CLAYS

12 Gauge	28"	Barrel	SS1228PGM
12 Gauge	30"	Barrel	SS1230PGM
12 Gauge	32"	Barrel	SS1232PGM



SSC TRIGGER is fully adjustable for length of pull to accommodate different finger lengths.



and improved balance and feel. mm A Pachmayr® Decelerator® sporting clays recoil pad reduces felt recoil, as well

\*Price may vary by model and dealer.







#### WEATHERBY® ACCUBRAKE™

All Weatherby Mark V® and Vanguard® rifles are available with our special Accubrake™ option (standard on .30-378. .338-378, .378, .416 and .460 models). By adding an Accubrake, you can significantly reduce felt recoil up to 53 percent...nearly 10 percent more effective than competitive options (see chart at right).

Accubrakes are available for four different barrel diameters, with checkered thread protector, for a near perfect brake-to-barrel contour match. Because the crown is located at the end of the barrel (not the brake). the lands are protected, with no adverse effect on accuracy. Bullets exit the barrel without contact with brake. preserving accuracy while reducing recoil and muzzle jump.

	ACCUBRAKE™ PERFORMANCE						
	Cartridge	Bullet Weight (Grains)	Bullet Type	Rifle Weight: Scope & Mount Average lbs.	Recoil Energy Ft. lbs.	Recoil Energy w/Accubrake™ Ft. lbs.	Estimated Felt Recoil Comparison
	.240 Wby.	100	SP	8	17.9	8.4	.22-250 Rem.
	.257 Wby.	100	SP	9.25	22.5	10.6	.243 Win.
	.270 Wby.	130	SP	9.25	25.2	11.8	7mm-08 Rem.
	7MM Wby.	154	SP	9.25	27.6	13	.25-06 Rem.
	.300 Wby.	180	SP	9.25	39.2	18.4	.30-06 Springfield
	.340 Wby.	250	SP	10	44.2	20.8	7mm Rem.
	.30-378 Wby.	180	1BX	9.75	55.1	25.9	.270 Wby.
d	.338-378 Wby.	225	1BX	11.75	46.3	21.8	.300 Win.
•	.375 Wby.	300	2NP	10	46.1	21.7	7mm Rem.
	.378 Wby.	270	SP	10.25	71.1	33.4	.300 Wby.
١	.416 Wby.	400	Rn-Ex	10.25	83.5	39.2	.375 H&H
	.460 Wby.	500	RNSP	11.25	99.6	46.8	.375 Wby.

<sup>1</sup>Barnes-X <sup>2</sup>Nosler Partition

RECOIL REDUCTION EFFECTIVENESS							
Cartridge	Brake Type	Reduction					
.416 Wby. Mag.	None	0%					
.416 Wby. Mag.	Recoil Reducer	39%					
.416 Wby. Mag.	KDF Slimline	40.6%					
.416 Wby. Mag.	KDF Regular	49%					
.416 Wby. Mag.	WBY Accubrake	53%					

ALL WEATHERBY ACCUBRAKES are constructed of stress-proof steel alloy or 420 Series stainless steel and are available in high polish or matte blue finish or matte stainless steel.

LEARN THE HISTORY and lineage of your Weatherby firearm, researched and authenticated through our company records. Each certificate is personally signed by Roy E. Weatherby, Jr. and Dean Rumbaugh. Company Historian. \$50 per serial number, (\$75 for Custom Rifles, \$100 for Special Edition or Commemorative rifles). Write to Company Historian, 1605 Commerce Way, Paso Robles, CA 93446 or visit www.weatherby.com.

THE WEATHERBY COLLECTORS

ASSOCIATION was formed with the purpose of "creating an association

where many Weatherby® admirers

could pool their knowledge and

experience for the benefit of all...

Members receive a newsletter

with buy-sell-swap opportunities

and bid opportunities on limited-

edition commemorative firearms

For information, write P.O. Box 478.

Pacific, MO 63069: (636) 271-3336:

E-mail: wcasecretary@aol.com.

## ACCESSORIES





#### MOUNTING SYSTYEMS

Custom gunmakers have long sought the quality and durability of Talley mounts. Available for magnum or standard calibers (please specify when ordering), the Talley system features CNC-machined rings and bases of 2024-T4 aircraft-quality aluminum or cold-rolled carbon steel. Precision tolerances ensure a perfect fit where the ring and base contact. The double recoil shoulder base is rock solid and will withstand the repeated pounding of our largest magnum cartridges. All screws are heat-treated to prevent breakage.

For ease of use, the unique system is available in fixed or quick-detach (QD) models with a lever-lock or screw-lock release. With the QD system. a pre-sighted backup scope and ring system can be quickly installed in the event of a scope failure. Available in matte blue or high gloss in low, medium or high, 1" or 30mm, All rings and bases have been carefully finished to complement the finish of all Weatherby rifles.

**OUR TALLEY-DESIGNED.** Picatinnev-style mounting system (right) gives you the ease and convenience of easy on/easy off mounting. The unique base and ring system lets you slide the scope forward or backward to allow for optimal eve relief.



Our Bino-System uses your

\*Price may vary by model and dealer.

HARD-SIDE LUGGAGE CASES - Fitted cases hold your shotgun (take-down) or rifle and all accessories. Interior features felt-lined, foam padding with blocks and tie-downs for extra protection during transport, Extra compartments for scope, bolt, wrenches, choke tubes and accessories, 1000 Denier DuPont® Cordura® exterior with simulated leather ends, combination locking latches and circular belts. Inside features Weatherby logo embossed on simulated leather patch. Take-down shotgun case accommodates all Weatherby O/U and side-by-side shotguns to 28". | \$179\* Rifle case fits all Weatherby Mark V

and Vanguard rifles. | \$249\*

**BINO SYSTEM** 

shoulders to support the weight of your binoculars, reducing neck fatigue over a long day in the field. Elastic straps allow binoculars to slide up and flex out when in use. Keeps binoculars secure and eliminates bouncing around when walking or on horseback. A quick release hook allows for fast, easy removal of optics. Fits all sizes and is fully adjustable. | \$24\*

MAGNUM ALUMINUM GUN CASES - Produced by Kalispel Case Line, these gun cases offer the ultimate in heavy-duty protection for your rifle(s) or shotgun. Each case is constructed of .080 aluminum with exclusive "Weatherby Gray" powdercoat finish. Extra strong latches, locks and handles provide for years of dependable use, while high-density foam gadded interiors keep firearms from shifting inside. Available to fit single or double rifles with scopes and take-down shotguns. Single Rifle: 52" x 10" x 4 1/2" | \$340\* Double Rifle: 52" x 14" x 4 1/2" | \$365\* Take-down Shotgun: 38" x 12" x 4 1/2" | \$340\*

A MEMBER OF ORGANIZATIONS DEDICATED to the conservation and management of our wildlife and habitat resources, including Ducks Unlimited, Foundation for North American Wild Sheep, Mule Deer Foundation, National Rifle Association, National Shooting Sports Foundation, National Wild Turkey Federation Quail Unlimited Quality Deer Management Association, Rocky Mountain Elk Foundation, Safari Club International and Wildlife Forever. Weatherby proudly sponsors the Resistol Relief Fund of the Professiona Bull Riders Inc. and the National High School Roden Association

WEATHERBY SUPPORTS OR IS

#### **COLLECTIBLES & ACCESSORIES**

Proudly show off your Weatherby® colors by choosing from a full line of high-quality clothing, headwear and shooting accessories.



FIELD LENS CLOTH - Static-free, scratch-resistant lens



cloth in self-contained carry pouch with belt clip. | \$6\*



CARTRIDGE BOARD — Weatherby Magnum cartridges displayed in solid oak frame. | \$199\*



WEATHERBY LUCITE BLOCK DISPLAY - Magnum ammunition in decorative Lucite block. | \$229\*



FIELD KNIFE - Single, 3" drop point 420 Series stainless steel blade can be opened with one hand. Locks open (overall length 7"). Distinctive "grained" handle made of laminate Mycarta™ High tension clip for secure carrying in jeans or hunting pants. | \$19\*



60TH ANNIVERSARY TIN SIGN - Embossed sign with historical image of Roy Weatherby on safari in Eastern Kenya - circa 1953 (14 1/2" x 10 1/2"). | \$21\*



CLEANING KITS FOR RIFLES OR SHOTGUNS - Rods, attachments and oil in laser-engraved walnut case. Rifle kit for all calibers | \$109\* Shotgun kit for all gauges | \$105\*





LONG SLEEVE DELTA T-SHIRT - 100% heavy cotton. Silkscreened front and back in either ash or black. L-XXL. | \$28\*



SHORT SLEEVE DELTA T-SHIRT - 100% heavy cotton. Silk-screened front and back in ash or black. L-XXL. | \$20\*



SILVER BELT BUCKLE - Gold Weatherby logo on 99.9% pure silver electroplate buckle. | \$85\*










WEATHERBY CAPS - (all hats adjustable) (A) A stylish look with black cloth body and camo on bill edge and underbody. Features embroidered Weatherby logo. One size fits all. (B) Hunting cap in International Orange. (C) Mossy Oak® Break-Up® with embroidered Weatherby logo. (D) Mossy Oak® Shadow Grass® with embroidered Weatherby logo. (E) Waxed cotton, saddle brown with embroidered Weatherby logo.


\*Price may vary by model and dealer.



LOGO DECAL - 6" x 2 1/2" die-cut vinyl logo with adhesive back. | \$5\*



DELTA DECAL - 4" adhesive decal with "Performance Delta". | \$3\*



"WEATHERBY, THE MAN, THE GUN. THE LEGEND". Biography written by Grits and Tom Gresham. Proceeds benefit Weatherby Foundation International. | \$30



WEATHERBY DELTA COFFEE MUG Stoneware mug with Weatherby logo and Performance Delta. | \$9\*



1605 Commerce Way Paso Robles, CA 93446 (805) 227-2600 www.weatherby.com