

FIREARMS | AMMUNITION | ACCESSORIES





ntroduction	2
he History of Weatherby	3
anguard® Performance	4
anguard Rifles	6
anguard SUB-MOA	10
anguard Custom Rifles	12
lark V® Action Performance	14
fark V Ultra Lightweight / .ccumark®/SVM	16
lark V Synthetic/Fibermark®	18
fark V Traditional Wood	
lark V CFP	
ustom Shop	24
ifle Specifications	26
allistics Specifications	29
mmunition	30
ide-By-Side Shotgun Performance	32
ide-By-Side Shotguns	34
emi-Automatic Shotgun Performance.	36
emi-Automatic Shotguns	38
ver/Under Shotgun Performance	42
thena® Shotguns	44
rion® Sh <mark>otguns</mark>	46
Veatherby® Performance Wool	48
ccessories	50
Veatherby Foundation International	51
Veatherby Collectors Association	51
istory of Your Rifle	51
uthorized Service Centers	51
ollectibles	Back

ON THE COVER - Taylor Franklin (California) proudly shows off his 7x6 trophy mule deer and Weatherby Mark V Stainless in .270 Wby. Mag. The impressive trophy measured over 34 1/2 and made the SCI record book for both typical and non-typical mule deer. Taylor shot his deer on a Junior Hunt near Bishop, California.

"Those are the principles upon which the Weatherby name has been built over the past 60 years."

ED WEATHERBY

WELCOME TO THE WEATHERBY CATALOG

If there is one thing I've learned over the years, it is that the shooting sports are like so many other "enthusiast" activities. Remaining content with the status guo and resting on your laurels is ultimately a recipe for failure. With that in mind, we are proud to present our 2006 lineup of products – familiar favorites as well as exciting new products that meet the changing tastes and demands of today's shooter; all of which represent the expected performance that has come to define the Weatherby name.



ED WEATHERBY PRESENTS shotgun enthusiast General H. Norman Schwartzkopf a custom Weatherby 20 gauge Athena® shotgun at the 1993 Weatherby Big Game Trophy Award dinner.

WEATHERBY

Centerfire enthusiasts will appreciate the exhibition grade wood of the Mark V® Ultramark, while the addition of the Vanguard Deluxe gives wood stock fans guaranteed accuracy at a most attractive price. For something truly unique, we now offer the Mark V Compact Firing Platform (CFP), a varmint/whitetail firearm that takes its place between the long rifle and the handgun. And with all Weatherby rifles, we continue to pursue improvements and refinements that push our guaranteed accuracy to even tighter levels of control.

On the shotgun side, the stunning look of the Athena® D'Italia Deluxe is certain to capture the attention of the most discriminating side-by-side enthusiast. And, we've added a new rounded pistol grip/semi-beavertail stock option to our Athena D'Italia double gun lineup.

Improving existing products. Aggressively developing new ideas. Promising more performance, quality and value for your hard-earned dollar. Those are the principles upon which the Weatherby name has been built over the past 60 years. They remain so today. Enjoy your time with our catalog and may God bless your time in the field. Good shooting,

The foundation for the Mark V was the need for a stronger, safer action, able to withstand tremendous pressure, and the possibility of blown primers and ruptured case heads (due to the unpredictability of early handloaded and wildcat cartridges). After nearly a half century of proven performance, the Mark V continues to be known as "the world's strongest bolt action." In 1970, Roy once again showed his entrepreneurial spirit when he introduced the Weatherby Vanguard[®] action, borrowing many of the characteristics and design elements of the Mark V,

but based on a two locking lug Mauser-style action. Over the years, the Vanguard has steadily gained in popularity for its superior performance, guaranteed accuracy and exceptional value.

THE HISTORY **OF WEATHERBY**

began in the mid-1940s when a young cartridge "wildcatter" named Roy Weatherby set out to change the world of firearm performance. Contrary to then-popular thinking (heavy bullets pushed at slow speeds), Roy believed that lightweight bullets traveling at super high speeds provided the best combination for one-shot kills. Based

upon that philosophy, he spent the next decade developing the high-powered Weatherby[®] Magnum cartridges for which the company is known today (.224, .240, .257, .270, 7mm, .300, .30-378. .340, .338-378, .375, .378, .416 and .460). Throughout that period, Roy was also producing or re-chambering rifles designed specifically to accommodate his super-charged ammunition. At that time, he was


producing his rifles on FN Mauser and French Brevex Magnum Mauser actions. However in 1957, Roy would again catch the attention of the shooting and hunting world with a proprietary action that is today recognized around the world as the Mark V®

ROY WEATHERBY was also one of the pioneers of using camouflage to get closer to game (shown here with a leopard taken on African safari in 1948).





SEND US YOUR FAVORITE photo with your Weatherby®! If you have a photo of yourself, or a member of your family with a Weatherby rifle or shotaun, we'd love to see it. Send a photo print (or high resolution digital file) and a few words about vour hunt, and we may use it in a future Weatherby catalog or on the Weatherby web site. Sorry, photos cannot be returned.




"WEATHERBY, THE MAN, THE GUN. THE LEGEND". This 290-page biography, written by Grits and Tom Gresham is a fascinating look at the man who began the Weatherby legend and mystique. Proceeds benefit Weatherby Foundation International See your Weatherby dealer or visit www.weatherby.com. | \$30

1983 when Roy's son, Ed Weatherby, assumed the leadership mantle of the company. Under Ed's guidance, the company has seen growth and expansion both in Mark V and Vanguard rifle offerings, as well as a full line of Over/Under, Side-by-Side and Semi-Automatic shotguns, Weatherby Performance Wool hunting clothing, and shooting and hunting accessories.

The innovation and pacesetting performance associated with the Weatherby name spans more than 60 years. Yet, while our place in history is firmly established, it is the prospects for the future that shine brightest of all.

ROY WEATHERBY was famous for demonstrating the power of his magnum cartridges in dramatic fashion. Here he examines the effects of shooting through the Los Angeles phone book.





INTRODUCED in 1970, the Vanguard[®] action first served as an economical alternative to the Mark V[®]. Over the years however, the Vanguard has continued to gain in popularity among all hunters, who simply can no longer ignore the exceptional combination of value, wide range of features and guaranteed accuracy. Based on a two-lug design, the Vanguard offers many of the same design elements and superior materials as the Mark V. The result is a highly accurate and dependable rifle that delivers year after year. With models starting at just a few hundred dollars, Vanguard is perhaps the finest rifle value on the market today. And, it is the only production rifle that comes with a factory-shot target as your assurance of guaranteed accuracy.



FULLY ENCLOSED BOLT SLEEVE – (left) completely enshrouds the rear of the action to protect high pressure gases and brass particles in the event of a case rupture. Also features an easy-to-see cocking indicator for an extra measure of safety in the field.

"...guaranteed to shoot a 1 1/2" 3-shot group at 100 yards from a cold barrel."

{VANGUARD ACCURACY GUARANTEE}

VANGUARD

270 Win. 130 GR. S.P. 188674 ENDER OF SHOP MUMBER OF SHOP MUMBER OF SHOP

2100 EL CAMINO REAL

FULLY ADJUSTABLE TRIGGER – Can be precisely adjusted for let-off weight to match individual shooter preferences (within factory pre-set minimums). Sear engagement adjustments must be performed by a Weatherby Service Center or a qualified gunsmith.

ONE-PIECE BOLT — provides maximum strength and structural integrity. Knurled bolt knob adds to the functionality and the value of this popular rifle.

A KEY FEATURE OF THE VANGUARD[®]

is its massive M16-style claw extractor (left), ensuring reliable and positive extraction. Extracts and ejects the fired case without the necessity of full bolt retraction.

		THE VANGU	ARD COMPETITIVE ADV	NTAGE			
Features	Weatherby Vanguard Synthetic	Howa M-1500 Lightning	Browning Composite Stalker	Remington SPS	Savage 11 F	Tikka T3 Lite	Ruger and Winchester
Accuracy Guarantee	Yes – 1 1/2"	No	No	No	No	Yes – 1"	
Factory-Shot Target	Yes	No	No	No	No	No	
1-Piece Forged Receiver	Yes	Yes	No	No	No	No	
1-Piece Forged Bolt	Yes	Yes	No	No	No	No	NO COMPARABLE
Enclosed Bolt Sleeve	Yes	No	Yes	No	Yes	Yes	MODELS AVAILABLE
Fluted Bolt	Yes	No	Yes	No	No	No	, WILLIER
Bolt Knob	Knurled	Smooth	Smooth	Checkered	Smooth	Smooth	
MSRP Standard Calibers	\$509	\$509	\$705	\$520	\$486	\$559	


Prices and specification information are from current competitor-published price lists, catalogs and web sites. All prices are subject to change without notice.

M.



3 RINGS OF STEEL — The cartridge case head is encased in three rings of steel for greater safety. The recessed bolt face is surrounded by the barrel, which is surrounded by the forged and machined steel receiver, creating an extra measure of strength and structural integrity.

FLUTED BOLT BODY – Features three gas ports to allow high-pressure gases to escape laterally in the event of an accidental case rupture. Longitudinal flutes reduce weight and bearing surface area, while minimizing binding for smooth action. INTEGRAL RECOIL LUG – One-piece forged and machined receiver features an integral recoil lug for the utmost in strength and structural integrity. COLD HAMMER forged barrel produces a guaranteed 1 1/2" or better 3-shot group at 100 yards when used with premium (non-Weatherby calibers) or Weatherby factory ammunition.





with raised comb is cast off to allow for quicker eye-to-scope alignment and faster target acquisition, and to reduce felt recoil. The forearm is dual tapered (back and upward) to deliver better grip and control under recoil and is flat-bottomed to provide a steady, stable rest. Unlike most composite stocks that utilize a hard rifle pad. the Vanguard pad features a lower density material that greatly increases recoil absorption.

"On my first shot with my new Weatherby," I nailed this pig right behind the shoulder. I named my rifle "Pig-Licker" just like Daniel Boone named his rifle "Tick-Licker."

GARRETT ROTH {CALIFORNIA}

SYNTHETIC/STAINLESS

ALL VANGUARD[®] rifles are guaranteed to shoot a 1 1/2" or better 3-shot group at 100 yards from a cold barrel when used with premium (non-Weatherby calibers) or Weatherby factory ammunition.



VANGUARD[®] SYNTHETIC

This is perhaps the best rifle value on the market today. The Vanguard Synthetic will outperform rifles costing hundreds more and is guaranteed accurate. All metalwork is matte black, with a 24" barreled action bed to a Monte Carlo, injection-molded composite stock. An adjustable trigger lets you custom tune the rifle to your personal taste (within factory pre-set limits). Comes with a factory-shot target to assure guaranteed accuracy. See page 26 for complete specifications.

VANGUARD[®] STAINLESS

At 7 1/2 lbs, the Vanguard Stainless is the ideal choice for exceptional value, rugged durability and all-weather performance. Stainless steel is bead blasted to a matte finish to eliminate game-spooking glare while fighting off the effects of rain and snow. Bed to a Monte Carlo, injection-molded composite stock. Comes with factory-shot target and accuracy guarantee. For complete specifications, see page 26.

VANGUARD[®] SYNTHETIC OR STAINLESS COMBINATION PACKAGE

Add a deer tag and our new combination package offers everything a serious hunter needs to get started. The package begins with our popular Vanguard Synthetic or Stainless rifle – proven performance from the get-go and guaranteed accurate with a factory-shot target. Then, we add a Bushnell[®] Banner 3-9x40mm riflescope with phase-coated optics and 1/4-minute click adjustments. You get rugged dependability and a bright, clear view in all light conditions. Anchoring the scope to the rifle is a set of Leupold® Rifleman rings and bases, renowned for their rock-solid durability. Each rifle/scope package is then individually mounted and bore-sighted at the Weatherby Custom Shop. And to finish off this exceptional value you get an Uncle Mikes® nylon sling and a Plano® PRO-MAX[™] injection-molded gun case. The Vanguard Combination Package-more value, more performance and more reasons to choose a Weatherby. For complete specifications, see page 26.

.223 Rem.	VGW223RR40
.22-250 Rem.	VGW222RR40
.243 Winchester	VGW243NR40
.270 Winchester	VGW270NR40
.308 Winchester	VGW308NR40
.30-06 Springfield	VGW306SR40
.257 Wby. Mag.	VGW257WR40
.270 WSM	VGW270NSR40
7mm Rem. Mag.	VGW7MMRR40
.300 Win. Mag.	VGW300NR40
.300 WSM	VGW300NSR40
.300 Wby. Mag	VGW300WR40
.338 Win. Mag.	VGW338NR40

VANGUARD® STAINL	ESS
.223 Rem.	VGS223RR40
.22-250 Rem.	VGS222RR40
.243 Winchester	VGS243NR40
.270 Winchester	VGS270NR40
.308 Winchester	VGS308NR40
.30-06 Springfield	VGS306SR40
.257 Wby. Mag.	VGS257WR40
.270 WSM	VGS270NSR40
7mm Rem. Mag.	VGS7MMRR40
.300 Win. Mag.	VGS300NR40
.300 WSM	VGS300NSR40
.300 Wby. Mag	VGS300WR40
.338 Win. Mag.	VGS338NR40



ETIC PACKAGE
VWP223RR40
VWP222RR40
VWP243NR40
VWP270NR40
VWP308NR40
VWP306SR40
VWP257WR40
VWP270NSR40
VWP7MMRR40
VWP300NR40
VWP300NSR40
VWP300WR40
VWP338NR40



VANGUARD® STAINI	ESS PACKAGE
.223 Rem.	VSP223RR40
.22-250 Rem.	VSP222RR40
.243 Winchester	VSP243NR40
.270 Winchester	VSP270NR40
.308 Winchester	VSP308NR40
.30-06 Springfield	VSP306SR40
.257 Wby. Mag.	VSP257WR40
.270 WSM	VSP270NSR40
7mm Rem. Mag.	VSP7MMRR40
.300 Win. Mag.	VSP300NR40
.300 WSM	VSP300NSR40
.300 Wby. Mag.	VSP300WR40
.338 Win. Mag.	VSP338NR40

*Price may vary by model and dealer



7

"I have killed 14 Boone & Crockett antelope bucks, all with the same .300 Weatherby" Magnum. This buck was at 479 yards – my longest shot ever."

LEN GULDMAN, PRESIDENT, FIRING-LINE {AURORA, COLORADO}

WOOD/COMPACT-YOUTH





VANGUARDS feature a knurled bolt knob for a sure grip in all conditions. Trigger is adjustable for let-off weight to match individual preferences (within factory pre-set minimums). Sear engagement adjustments must be performed by a Weatherby Service Center or qualified gunsmith.

NEW! VANGUARD® DELUXE

What do you get when you combine a raised comb, Monte Carlo walnut stock with maplewood spacers and rosewood forend, polished action, high gloss blued metalwork and guaranteed accuracy with a factory-shot target in every box? The answer is the new Vanguard Deluxe. Nearly identical in appearance to the Mark V[®] Deluxe, the Vanguard Deluxe offers outstanding performance in a remarkably affordable package. For specifications, see page 26.

VANGUARD® SPORTER VANG

The performance and value of the popular Vanguard is now available for wood stock enthusiasts. Features a handsome walnut stock with satin urethane finish, fineline diamond point checkering and a contrasting rosewood forend tip. All metalwork is matte blued to a low lustre finish. Comes with a factory-shot target that is your assurance of guaranteed accuracy (1 1/2" 3-shot group at 100 yards from a cold barrel). For complete specifications, see page 26.

VANGUARD[®] SPORTER SS

For a truly distinctive look in a value-packed rifle, we proudly offer the Vanguard Sporter SS. It features a walnut stock with satin urethane finish, fineline diamond point checkering and a contrasting rosewood forend tip, with stainless steel barrel and receiver. All metalwork is bead blasted to a matte finish. Comes with a factory-shot target in box. See page 26 for complete specifications.

VANGUARD[®] COMPACT

Here is the ideal rifle for a young or female hunter. The Vanguard Compact features our lighter than standard Vanguard short action (20" #1 contour barrel), bed to a scaled-down hardwood stock (finished in non-reflective matte black) with shorter 12 1/2" length of pull. The Compact also includes a full size injection-molded composite stock (\$139 retail value) that lets the Vanguard grow with the shooter. For complete specifications, see page 27.
 VANGUARD® DELUXE -- NEW

 .270 Winchester
 VGX270NR40

 .30-06 Springfield
 VGX306SR40

 .257 Wby. Mag.
 VGX257WR40

 .300 Wby. Mag.
 VGX300WR40

VANGUARD® SPORTE	R
.223 Rem.	VDM223RR40
.22-250 Rem.	VDM222RR40
.243 Winchester	VDM243NR40
.270 Winchester	VDM270NR40
.308 Winchester	VDM308NR40
.30-06 Springfield	VDM306SR40
.257 Wby. Mag.	VDM257WR40
.270 WSM	VDM270NSR40
7mm Rem. Mag.	VDM7MMRR40
.300 Win. Mag.	VDM300NR40
.300 WSM	VDM300NSR40
.300 Wby. Mag	VDM300WR40
.338 Win, Mag.	VDM338NR40



VANGUARD® COMPACT

.22-250 Rem.	VGC222RR00
.243 Winchester	VGC243NR00
.308 Winchester	VGC308NR00
7mm-08 Rem.	VGC7M08RR00



VANGUARD RIFLES come with a factory-shot target to guarantee accuracy of a 1 1/2" 3-shot group at 100 yards from a cold barrel using premium (non-Weatherby calibers) or Weatherby factory ammunition.

*Price may vary by model and dealer.



THE VANGUARD COMPACT (above) with a scaled down hardwood stock is the perfect way to introduce a new shooter to the Weatherby family. Legendary Monte Carlo design, one-piece forged bolt with three gas ports, adjustable trigger and cold hammer forged barrel. Comes with a full size, injection-molded stock that allows the rifle to accomodate a growing shooter, and a factory-shot target for proof-positive assurance of guaranteed accuracy.

"I've been fortunate to have taken many Boone & Crockett trophies, all with Weatherby[®] rifles. I would not consider using any other rifle."

WILLIAM FARLEY, JR. {FARLEY'S INTERNATIONAL ADVENTURES}

SUB-MOA/VARMINT





EACH SUB-MOA RIFLE is test-fired, hand selected, and shipped with a factory-shot target and written guarantee to shoot a 3-shot group of less than .99" at 100 yards, when used with specified Weatherby factory or premium ammunitio

WHAT IS SUB-MOA?

In ballistics terms, a Minute of Angle (MOA) is the arc formed by an angle of one minute (1/60th of a degree) at any range. At 100 yards, MOA is 1.047". Selected Weatherby rifles are guaranteed to shoot a 3-shot group of .99" or less at 100 yards (SUB-MOA) when used with specified Weatherby factory or premium grade ammunition. Each SUB-MOA rifle is test-fired, hand selected and comes with a factory-shot target. Put simply, a Weatherby trigger and Pachmayr® Decelerator® pad. SUB-MOA is the most accurate production rifle you can buy, guaranteed.

VANGUARD[®] SUB-MOA

Available in matte black or stainless, the Vanguard SUB-MOA ups the ante on value and accurate performance. Guaranteed to shoot a 3-shot group of .99" or less at 100 yards when used with specified Weatherby factory or premium grade ammunition. It features a pillar-bedded Fiberguard composite stock with legendary Monte Carlo, raised cheekpiece and non-slip black or grey spiderwebbing. Adjustable See page 27 for complete specifications.

NEW! VANGUARD® SUB-MOA VARMINT

Long shots at small targets are just what the new SUB-MOA Varmint was built for. Guaranteed to shoot a 3-shot group of .99" or less when used with specified Weatherby injection-molded Monte Carlo synthetic factory or premium (non-Weatherby calibers) ammunition. The hand laminated, tan Monte Carlo composite stock features black spiderwebbing and a CNC-machined aluminum bedding plate for a solid, stable platform for the barreled action. A 22" #3 contour barrel with recessed target crown enhances accuracy in a portable package. For complete specifications, see page 27.

NEW! VANGUARD® VARMINT SPECIAL

Our new Varmint Special will catch the eve of the most value-conscious varmint hunting enthusiast. Features a tan, stock with distinctive non-slip black spiderwebbing. A 22" #3 contour barrel (.740 muzzle dia.) is bead blasted to a matte finish and features a recessed target crown for consistent accuracy and protection of the rifling. Guaranteed accurate (1 1/2" 3-shot group) and comes with a factory-shot target in every box. For specifications, see page 27.

VANGUARD® VARMI	NT SPECIAL – NEW
.223 Rem.	VBR223RR20
.22-250 Rem.	VBR222RR20
.308 Winchester	VBR308NR20
	TERSOONNED

VANGUARD® SUB-M	OA MATTE
.223 Rem.	VMM223RR40
.22-250 Rem.	VMM222RR40
.243 Winchester	VMM243NR40
.270 Winchester	VMM270NR40
.308 Winchester	VMM308NR40
.30-06 Springfield	VMM306SR40
.257 Wby. Mag.	VMM257WR40
.270 WSM	VMM270NSR40
7mm Rem. Mag.	VMM7MMRR40
.300 Win. Mag.	VMM300NR40
.300 WSM	VMM300NSR40
.300 Wby. Mag	VMM300WR40
.338 Win. Mag.	VMM338NR40



THE NEW VANGUARD SUB-MOA VARMINT (above) features a special hand-laminated, composite stock with CNC-machined aluminum bedding plate for a strong, stable platform for the barreled action. Also includes double swivel studs on the forearm for use with a bipod and a sling. As with all SUB-MOA rifles, we test-fire, hand select and ship with a factory-shot target to guarantee a 3-shot group of .99" or less at 100 yards when used with specific Weatherby factory or premium ammunition.

VANGUARD® SUB-MOA STAINLESS

.223 Rem.	VSM223RR40
.22-250 Rem.	VSM222RR40
.243 Winchester	VSM243NR40
.270 Winchester	VSM270NR40
.308 Winchester	VSM308NR40
.30-06 Springfield	VSM306SR40
.257 Wby. Mag.	VSM257WR40
.270 WSM	VSM270NSR40
7mm Rem. Mag.	VSM7MMRR40
.300 Win. Mag.	VSM300NR40
.300 WSM	VSM300NSR40
.300 Wby. Mag	VSM300WR40
.338 Win. Mag.	VSM338NR40

VANGUARD[®] SUB-MOA VARMINT - NEW .223 Rem. VSR223RR20 .22-250 Rem. **VSR222RR20** .308 Winchester VSR308RR20



IN NEAR-CUSTOM fashion the Vanguard SUB-MOA includes a Pachmavr® Decelerator® recoil pad. Compare to other production rifles that offer far less in embellishments.

*Price may vary by model and deale

"I shoot Weatherby" because I don't have time for equipment that may not be up to the task...gives me the edge I need."

MARTIN KLITZE {KANSAS}

GIVE YOUR VANGUARD a custom touch with stock and metal upgrades and a host of other personalized embellishments available from the Weatherby Custom Shop. Start your Vanguard Custom by choosing a pillar-bedded Fiberguard[™], composite Accuguard[™] (with CNC-machined aluminum bedding plate) or upgraded wood stock. Then, add performance-based options such as a stainless steel barreled action with longitudinal flutes (to dissipate heat and reduce weight), accuracy-enhancing recessed field, 11-degree parabolic target crowns or recoil-reducing Accubrake[™] (page 13). For complete information on how to customize your Vanguard, contact the Weatherby Custom Shop at (805) 466-1767.



UPGRADE THE LOOK AND PERFO barreled action (matte black or stain dissipate heat to help preserve cri

CUSTOM VANGUARD®



DESIGN YOUR OWN WEATHERBY®

Our Custom Shop can create a Weatherby rifle that is uniquely your own. From custom stock dimensions to wood checkering and finish options, our custom gunmakers can create the rifle or shotgun of your dreams. The "Design Your Own Weatherby" feature is available on our web site at www.weatherby.com. This step-by-step interactive design area lets you look at different options, compare pricing and create the exact rifle you want. Your design will then be printable which you can take to your Weatherby dealer for final pricing and ordering.



MANCE of	your Vanguard® to include longitudinal flutes on the
	ne flutes not only reduce weight, but also actively
l accuracy.	

		A	CCUBRAKE PERFO	RMANCE		
Cartridge	Bullet Weight (Grains)	Bullet Type	Rifle Weight: Scope & Mount Average lbs.	Recoil Energy Ft. lbs.	Recoil Energy w/Accubrake™ Ft. lbs.	Estimated Felt Recoil Comparison
.270 Win.	130	SP	8 3/4	18.07	9.04	.243 Win.
7MM Rem.	160	Partition	8 3/4	23.91	11.95	7MM-08 Rem.
.30-06 Springfield	150	SP	8 3/4	20.46	8.75	.243 Win.
.300 Win.	180	Barnes X	8 3/4	31.47	15.73	.308 Win.
.338 Win.	225	SP	8 3/4	37.84	18.92	.280 Rem.
.257 Wby.	100	SP	8 3/4	23.76	11.88	7MM-08 Rem.
.300 Wby.	180	Partition	8 3/4	41.39	20.69	.30-06 Springfield



CUSTOMIZE YOUR VANGUARD by adding a recoil-reducing Accubrake. Cuts felt recoil by up to 50% without any adverse effects on accuracy (see chart at left). Constructed of stress proof steel alloy or 420 Series stainless steel in high polish, matte blue or matte stainless steel finishes.

FOR A TRULY UNIQUE LOOK, the Weatherby Custom Shop offers a wood stock upgrade fo your Vanguard[®] rifle. The hand-selected, Claro walnut stock features a rosewood forend and grip cap with maplewood spacers and Weatherby signature diamond inlay.



CUSTOM VANGUARD (SHOWN ABOVE) .270 Win. Mag. in High Desert Brown. Features Fiberguard composite stock and chrome moly barreled action with black Teflon® coating.

CIISTOM VANGUARD (SHOWN ABOVI 22-250 Remington in Snow Camo. Features Fiberguard composite stock and tainless steel fluted barreled action with 11-degree parabolic target crown.

CUSTOM VANGUARD (SHOWN ABOVE) .300 Wby. Mag. in Desert Camo. Features Fiberguard composite stock, stainless steel fluted barreled action and Accubrake"

COMPOSITE STOCK UPGRADES are available in a pillar-bedder Fiberguard® or Accuguard® with CNC-machined aluminum bedding block Choose from six distinctive color/camo patterns, including Dark Timber, Desert, Snow, Tan w/Black Web, Black w/Gray Web and Black w/Red Web.





Desert Camo

Snow Camo

Tan w/Black Web



Black w/Grav Web

Black w/Red Web

"This is the first animal I've shot that didn't have wings. Thanks, Weatherby, for making my first big game hunt successful."

BETH OLSON {MINNESOTA}

IN 1957, ROY WEATHERBY changed the face of American firearms with the introduction of the Mark V[®]...billed as the world's strongest bolt action. Three rings of steel surrounding the case head. Fluted bolt body with three gas ports. Nine locking lugs and a short 54-degree bolt lift. For those who want the ultimate in speed and power, particularly on the biggest and most dangerous animals, the Weatherby Mark V Magnum system has no equal.

For hunters who prefer less weight and don't require the speed and power of a magnum, we offer the Mark V action for standard calibers. Virtually identical in design to the Magnum Mark V (but dimensionally smaller and 6 lugs vs. 9), the standard caliber action gives deer hunters all the inherent benefits of the Mark V in a size that accommodates up to .30-06 cartridge lengths (including the .240 Wby. Mag.)



54-DEGREE BOLT LIFT - the short in the industry — is made possible by nine locking lugs. Faster chambering follow-up shots and greater bolt-to-sc clearance for fewer battered k

THREE GAS PORTS - in the event of a pierced primer or case rupture, these ports allow high pressure gases entering the bolt body to escape laterally for increased shooter safety. -,



MARK V®ACTION

DIRECT STRIKER intervention safety offers direct, positive locking of the firing pin. Locks bolt in engaged position and disengages the sear to render the trigger inoperable. The safety operates easily with a rolling action of the thumb, and is virtually silent with a controlled release.

indicates whether the rifle is cocked or uncocked

COCKING INDICATOR - an industry first. Visually




ADJUSTABLE TRIGGER - precise adjustments for sear engagement (factory set at .008 to .014) and let-off weight (factory set at approximately 4 pounds). With a Weatherby, you get a clean, crisp trigger that will break precisely. This is a key component in delivering improved accuracy and can help make a better shot of any shooter

WEATHERBY® MARK V® rifles are the only production rifles to feature barrels by one of the world's foremost custom barrel manufacturers, delivering better accuracy and performance in the



field and better value for your money. All Weatherby Mark V rifles come with a Krieger[™] Criterion[™] button-rifled barrel, finished with one of several application-specific, accuracy-enhancing crowns. These barrels are renowned for their quality and their ability to maintain excellent accuracy, shot after shot. Among all production rifles, you can simply do no better than a Weatherby.

THE FINEST FACTORY TUNED TRIGGER — Weatherby Mark V trigger assemblies are tested and profiled for optimum sear engagemen for a clean, crisp break. The chart below illustrates the precise measurements that are taken on each trigger.



POINT OF RELEASE - Bold dot on chart shows where the trigger released the sear. POINT OF IMPACT - Bold dot on chart shows

where the firing pin contacts the primer. LOCK TIME - Time interval between the point of release and the point of impact in milliseconds (4.0).

PEAK FORCE (LBS.) - Indicates let-off pressure TRAVEL TO ACTUATE - Indicates sear engagement or creep.



ONE-PIECE forged and machined steel receiver with integral recoil lug provides superior strength and structural integrity for the strongest action anywhere.

BOLT SLEEVE (above) completely enshrouds rear of action - an industry first. Provides protection from remaining high pressure gases and brass particles in the event of a pierced primer or case rupture.

3 RINGS OF STEEL - The cartridge case head is encased in three rings of steel for greater safety. The recessed bolt face is surrounded by the barrel, which is surrounded by the forged and machined steel receiver, creating an extra measure of safety.



FLOORPLATE/TRIGGERGUARD ASSEMBLY - all Weatherby® Mark V® rifles feature a one-piece alloy triggerguard frame for exceptional strength and consistent pull. Floorplate assembly is engraved with flying "W" monogram – just one of the custom touches you get with every Weatherby Mark V rifle.



OUR MONTE CARLO STOCK is specifically designed to improve shooter performance and accuracy. The raised comb is cast off to allow for quicker eve-to-scope alignment and faster target acquisition and to reduce felt recoil. The forearm is dual tapered (back and upward) to deliver better grip and control under recoil, and is flat-bottomed to provide a steady, stable rest. All Mark V rifles feature three predetermined bedding points...strategically and precisely placed to consistently deliver the highest level of accuracy (Accumark® rifles feature free-floated barrels).



THE ONE-PIECE forged Mark V bolt (magnum and standard) features longitudinal flutes that reduce weight and bearing surface for smooth operation and action. Positive cartridge extraction ejects the fired case without the need for full bolt extraction.



MAGNUM OR STANDARD CARTRIDGES - The Mark V action for Magnum cartridges (9 lug) is available in 24" and 26" barrels. The Mark V action for standard cartridges (6 lug) is available in 22", 24", and 26" barrels (depending on model). Identical in design, the standard cartridge action is dimensionally smaller and weighs 28% less (25.9 ounces versus 35.9 ounces). Each forged receiver features a one-piece integral recoil lug for superior strength and structural integrity. For specific chamberings by model, see pages 27-28.



"I have hunted with my 7mm Weatherby" all over the world. I shot this magnificent Marco Polo sheep at 445 yards at 16,500 feet."

GABRIEL TABIB {CALIFORNIA}

ULTRA LIGHTWEIGHT/ACCUMARK/SVM



WE TRIMMED every available ounce of weight to give the Ultra Lightweight its feathery feel. It features state-of-the-art alloy materials and "skeletonized" handle and sleeve. Tips the scales at just 5 3/4 lbs. (standard action).

MARK V[®] ULTRA LIGHTWEIGHT

The Ultra Lightweight is just that and so much more, tipping the scales at 5 3/4 pounds (6 3/4 pounds on magnum models). The 24" or 26" fluted stainless steel barrel (blackened to reduce game-spooking glare) delivers maximum velocity and features a recessed field crown (.583 for magnum and .547 for standard calibers). The Bell & Carlson tan composite stock with spiderweb pattern is finished with the renowned Pachmayr® Decelerator® recoil pad. See page 27.

MARK V[®] ACCUMARK[®]

Features a hand-laminated, raised comb, Monte Carlo composite stock with matte gel coat finish, spiderweb accents and Pachmayr Decelerator recoil pad. The Mark V action is bed to an aircraft-grade 6061 T-6 aluminum bedding plate. Krieger™ Criterion™ 26" heavy contour free-floated barrel delivers maximum velocity and features a .705 muzzle diameter with target crown. Available in both right- and left-hand models. See page 27 for complete specifications.

MARK V[®] SVM

The Super VarmintMaster[®] starts with a tan, hand-laminated, raised comb Monte Carlo composite stock with black spiderwebbing and Pachmayr Decelerator recoil pad. A CNC-machined aluminum bedding block stiffens the receiver area for a stable platform for the barreled action. A Krieger™ Criterion™ 26" fluted stainless steel barrel features an 11- degree parabolic target crown, while an adjustable trigger rounds out this high performance varmint rig. Complete specifications on page 27.

MARK V ULTRA LIGHTWEIGH

{MSRP \$1703* non-magnum/MSRP \$1787* magnum

MARK V® ULTRA LIG	HTWEIGHT
.243 Winchester	UTS243NR40
.240 Wby. Mag.	UTS240WR40
.25-06 Rem.	UTS256RR40
.270 Winchester	UTS270NR40
7mm-08 Rem.	UTS7M8RR40
.280 Rem.	UTS280RR40
.308 Winchester	UTS308NR40
.30-06 Springfield	UTS306SR40
.257 Wby. Mag.	UTM257WR60
.270 Wby. Mag.	UTM270WR60
7mm Rem. Mag.	UTM7MMRR40
7mm Wby. Mag.	UTM7MMWR60
.300 Win. Mag.	UTM300NR40
.300 Wby. Mag.	UTM300WR60
LEFT HAND	
.257 Wby. Mag.	UTM257WL60
.300 Wby. Mag.	UTM300WL60
MARK V® ACCUMAR	K®
.257 Wby. Mag.	AMM257WR60
.270 Wby. Mag.	AMM270WR60
7mm Rem, Mag.	AMM7MMRR60



MARK V® SVM	
.223 Rem.	VRS223RR60
.22-250 Rem.	VRS222RR60
.243 Winchester	VRS243NR60

MARK V® ULTRA LIGHTWEIGHT – LEFT HANDED (MSRP \$1855* magnum) Ultra Linhtweinht left-hand models feature a composite gray stock with black spiderweb accents

> MARK V ACCUMARK (MSRP \$1761*/MSRP \$2013* w/Accubrake^{**}) MARK V ACCUMARK ALSO AVAILABLE IN LEFT-HAND MODELS. (MSRP \$1829*)

> > MARK V SVM SUPER VARMINTMASTER {MSRP \$1772*}

ULTRA LIGHTWEIGHT, SVM AND ACCUMARK[®] rifles feature a specially-designed, hand-laminated raised comb Monte Carlo stock by Bell & Carlson. Constructed of Aramid, graphite unidirectional fibers and fiberglass.

A CNC-MACHINED bedding plate is constructed of aircraft-grade 6061 T-6 aluminum that stiffens the receiver area, providing a stable and rigid platform for securing the barreled action to the stock. Precisely-inletted, the bedding plate ensures repeatable accuracy.

*Price may vary by model and deale



"When big game hunting I always carry a Weatherby." My Mark V[®] .300 Weatherby Mag. shoots flat, is very accurate and delivers a lot of energy downrange."

VINCE SCAVONE {PENNSYLVANIA}





NO OTHER ACTION matches the functional design and structural integrity of the Mark V ...renowned as the strongest in the world. Three rings of steel surround the cartridge case head. Forged and machined receiver. One-piece bolt with nine locking lugs (six lugs on standard action Delivers a 54-degree bolt lift—the shortest in the industry—for fast follow-up shots and fewer battered knuckles.



MARK V[®] SYNTHETIC

Superior performance and uncompromised quality comes together in an affordable package that puts a Weatherby Mark V[®] within reach of virtually any hunter. Hard-working. No nonsense. The Mark V Synthetic features a lightweight, injection-molded raised comb Monte Carlo stock. All metalwork is bead blasted and matte blued with Krieger[™] Criterion[™] button-rifled barrel in 24" or 26". See page 28 for complete specifications.

MARK V[®] FIBERMARK[®] COMPOSITE

The Fibermark takes production composites to an all-new level...offering a full host of performance-enhancing features not found on other production rifles. The platform for the barreled action starts with a special hand-laminated composite stock (a combination of Aramid, fiberglass and graphite unidirectional fibers). The raised comb, Monte Carlo pillar-bedded stock reduces torque on the action to maintain repeatable accuracy, shot after shot. The stock is finished with the added touch of a Pachmayr® Decelerator® recoil pad.

The barreled Mark V action features a button-rifled, Krieger Criterion barrel with accuracy-enhancing field crown, secured to the stock at three predetermined bedding points. Krieger Criterion barrels are recognized among the finest in the world for their quality and ability to maintain accuracy potential. An adjustable trigger lets you fine-tune the rifle for creep and let-off weight. Dependable, consistent accuracy and knockdown power. Exceptional value. Available in Magnum calibers only. For complete specifications, see page 28.

MARK V[®] SYNTHE .22-250 Rem. SNS222RR40 243 Winchester SNS243NR40 .240 Wbv. Mag. SNS240WR40 .25-06 Rem. SNS256RR40 .270 Winchester SNS270NR40 7mm-08 Rem. SNS7M8RR40 .280 Rem. SNS280RR40 .308 Winchester SNS308NR40 .30-06 Springfield SNS306SR40 .257 Wby. Mag. SNM257WR60 .270 Wby. Mag. SNM270WR6 7mm Rem. Mag. SNM7MMRR4 7mm Wby. Mag. SNM7MMWR60 .300 Win. Mag. SNM300NR40 .300 Wby. Mag. SNM300WR60 .30-378 Wby. Mag. SNM303WR8B .338-378 Wby. Mag. SNM333WR8B .340 Wby. Mag. SNM340WR60

MARK V® FIBERMAR	FBM257WR60
.257 Wby. Mag.	
.270 Wby. Mag.	FBM270WR60
7mm Rem. Mag.	FBM7MMRR40
7mm Wby. Mag.	FBM7MMWR60
.300 Win. Mag.	FBM300NR40
.300 Wby. Mag.	FBM300WR60
.30-378 Wby. Mag.	FBM303WR8B
.340 Wby. Mag.	FBM340WR60
.375 H&H Mag.	FBM375HR40

.375 H&H Mag.

SNM375HR40

MARK V SYNTHETIC {MSRP \$1099* non-magnum/MSRP \$1160* magnum MSRP \$1370* w/Accubrake™}

> MARK V FIBERMARK COMPOSITE {MSRP \$1311*/MSRP \$1573* w/Accubrake[™]}



OUR TALLEY-DESIGNED, Picatinney-style mounting system gives you the ease and convenience of easy on, easy off mounting. The unique base and ring system lets you slide the scope forward or backward to accommodate today's larger lens optics.

*Price may vary by model and dealer.

THE FIBERMARK COMPOSITE features a special pillar-bedded, hand-laminated composite stock (a combination of Aramid, fiberglass and unidirectional graphite fibers), Strategically placed bedding points assure consistent, repeatable accuracy. Also features a Pachmayr® Decelerator® recoil pad. "I have no doubt the confidence I have in my Weatherby allowed me to harvest this great buck. Keep up the good work."

DAN SCOTT {MAINE}

TRADITIONAL WOOD

WEATHERBY CRAFTSMEN take great care to bed, fit and finish each of the walnut stocks Rosewood forends and pistol grip caps with inlays and maplewood spacers are carefully selected to match color and grain, then shaped and sanded to feel like a single piece of wood.



NEW! MARK V[®] ULTRAMARK[™]

The Ultramark is the bridge between the legendary Mark V^{\otimes} Deluxe and a custom-built rifle – a beautiful representative of the gunmaking craft. We begin with a hand-selected blank of highly figured, exhibition grade walnut. The high gloss, raised comb Monte Carlo stock receives elaborate 20 LPI checkering and double maplewood spacers on the buttstock, forend and pistol grip cap. All metalwork is polished to a high lustre finish. Elegant. Distinctive. A Weatherby[®] through and through. See page 28.

MARK V[®] DELUXE

The quintessential Weatherby® and perhaps the most widely-recognized and copied rifle in the world. From the beautiful walnut stock to the critically-acclaimed Mark V® action, form and function come together to deliver superior performance. The Monte Carlo stock is accented with a rosewood forend tip and pistol grip cap with maplewood spacers and diamond inlay. Fineline checkering provides an additional custom touch. For complete specifications, see page 28.

MARK V[®] LAZERMARK[®]

This distinctive rifle features the same walnut stock as the Mark V Deluxe, with a laser-carved oak leaf pattern in lieu of point checkering. All metalwork is polished to a high gloss finish. The Lazermark combines modern technology and the legendary performance of the Mark V action with a look that is unique yet fully functional for all types of hunting. See page 28 for complete specifications.

MARK V[®] SPORTER

Quality and performance in an affordable wood stock design. Metalwork is bead blasted and matte blued to a low lustre finish, while the walnut stock sports a satin urethane finish, fineline diamond point checkering and contrasting rosewood forend tip. The Sporter evokes an element of pride, both in the rack and in the field. For complete specifications, see page 28.



IN TYPICAL Weatherby fashion, the recoil pad is precisely fit and finished to match the contour of the wood stock for a custom look.

MARK V [®] ULTRAMA	ARK - NEW
.257 Wby. Mag.	UMM257WR60
300 Wby. Mag.	UMM300WR60
ooo mby. May.	OFFICEOUTICO
MARK V [®] DELUXE	
.257 Wby. Mag.	DXM257WR60
.270 Wby. Mag.	DXM270WR60
7mm Wby. Mag.	DXM7MMWR60
.300 Wby. Mag.	DXM300WR60
.340 Wby. Mag.	DXM340WR60
.378 Wby. Mag.	DXM378WR8B
.416 Wby. Mag.	DXM416WR8B
.460 Wby. Mag.	DXM460WR8B
MARK V [®] LAZERMA	IRK
.257 Wby. Mag.	LMM257WR60
.270 Wby. Mag.	LMM270WR60
7mm Wby. Mag.	LMM7MMWR60
.300 Wby. Mag.	LMM300WR60
.340 Wby. Mag.	I MM340WR60
	Liniotomico
MARK V [®] SPORTER	
.257 Wby. Mag.	SPM257WR60
.270 Wby. Mag.	SPM270WR60
7mm Rem. Mag	SPM7MMRR40
7mm Wby. Mag.	SPM7MMWR60
.300 Win. Mag.	SPM300NR40
.300 Wby. Mag.	SPM300WR60
.340 Wby. Mag.	SPM340WR60
1.1	
	CONT -
WEATHERBY® w	and stack
	UUU SIUCK

WEATHERBY⁵⁰ wood stock rifles feature steel rods epoxied strategically in the action mortice to aid in strengthening the stock in the action area.

*Price may vary by model and dealer.



-

"The new Weatherby[®] CFP is awesome. My dad and I had one of the most fun days of shooting ever. The prairie dogs didn't."

MAX MAGUIRE WITH FATHER, MIKE {NEBRASKA}





WITH THE LEGENDARY MARK V[®] action for standard calibers, the CFP one-piece bolt features


NEW! MARK V[®] COMPACT FIRING PLATFORM (CFP)

It's been said that beautiful things come in small packages. Truer words were never spoken when it comes to our new Mark V® CFP. This exciting firearm offers all the legendary features and performance advantages of the Mark V action in a compact, 27 1/2" package that tips the scales at just 5 1/4 lbs. The CFP is pillar-bedded in a Fibermark® composite stock

(a combination of Aramid, graphite and unidirectional fibers). Black spiderwebbing provides both a sure, positive grip and a distinctive look. A button-rifled, #2 contour 16" chrome moly (4140) barrel features a custom target crown for consistent, repeatable accuracy. All metalwork is bead blasted to a matte blue to reduce game spooking glare. And, as with all Mark V rifles the CFP is guaranteed to shoot a 1 1/2" 3-shot group from a cold barrel at

100 yards (when used with premium ammunition). Available in .223 Remington, .22-250 Remington, .243 Winchester and 7mm-08 Remington, offering proven popular chamberings for a diverse range of game from varmints to whitetails. For complete specifications, see page 27.

MARK V[®] COMPACT FIRING PLATFORM .223 Rem. CFPI223RR10 .22-250 Rem. CFPI222RR10 .243 Winchester CFPI243NR10 7mm-08 Rem. CFPI7M8RR10



THE MARK V[®] CFP FEATURES an ambidextrous grip design for right- or left-hand shooters (bolt setup is on right hand side). The grip area is pre-formed to match the natural shape of the hand for a sure, comfortable feel.

*Price may vary by model and deale





A SPECIALLY-DESIGNED, FIBERMARK[®] composite stock (a combination of Aramid, graphite and unidirectional fibers) is the foundation for the 16" barreled action. An integral recoil lug provides superior strength and structural integrity. Predetermined bedding points add to the consistent, repeatable accuracy of the CFP.


MARK V®CUSTOM



FOR THOSE who prefer the lighter weight and durability of a composite, we offer a specially-designed, hand-laminated, raised comb, Monte Carlo stock. Available in distinctive Dark Timber (top). Desert Camo (middle) and Snow Camo (bottom). Custom length of pull is available on all our custom and production rifles.



CUSTOM FLOORPLATE ENGRAVING is available in three different grades (6/3/1), as well as options for rosewood or ebony pistol grip caps with inlaid diamonds in maple (wood stock rifles).



TO ADD TO THE PERSONALIZATION of your Weatherby, choose from three different grades (6/3/1) of intricate engraving patterns (including gold overlays) for the receiver area of the barreled action.



THE BOLT SLEEVE AND RECEIVER of your rifle can also be engraved, choosing from three different engraving patterns (6/3/1).

OUR CUSTOM SHOP offers you the options of multi-point. Fleur-de-lis with ribbon checkering or hand carving on wood stock rifles. All checkering and carving is crafted by hand by our skilled custom stockmakers.

TO GIVE YOUR CUSTOM rifle or shotgun the ultimate protection and a beautiful presentation, we offer three grades for Custom Gun Cases. Choose from canvas/leather, solid leather or distinctive leather with oak trim. Each case is handmade to order and will accommodate full length rifles, take-down and multi-barrel shotguns. An optional Cordura[™] slipcover is available to provide an extra measure of protection for the exterior of the gun case.





OUR DROP BOX FLOORPLATE (above) expands the capacity of Mark V[®] magnum rifles (.257 Wby. Mag. through .460 Wby. Mag.). This easy to install accessory kit allows you to hunt with 3 cartridges (or 4 depending on caliber) in the magazine +1in the chamber. This is an important advantage for hunting dangerous game.

MARK V[®] OUTFITTER

Specially-designed, hand-laminated raised comb. Monte Carlo composite stock (a combination of Aramid, graphite unidirectional fibers and fiberglass) with custom Desert Camo and Pachmavr® Decelerator[®] recoil pad. Features a Krieger[™] Criterion[™] fluted stainless steel barrel and recessed target crown. CNC-machined aluminum bedding block provides a solid, stable platform for the hand-honed barreled action. Teflon® coating aids in corrosion resistance and creates super smooth operation. For available calibers and features. contact the Custom Shop.

MARK V[®] **CROWN CUSTOM**

Hand-carved walnut stock with inlays, damascened bolt and follower with checkered knob, engraved barrel, receiver and triggerguard. Floorplate engraving (multiple animal patterns available) in beautiful gold overlay. Engraved initials on solid gold monogram plate on forearm. For available calibers and features, contact the Custom Shop,

MARK V[®] ROYAL

Lazer-checkered, hand selected exhibition Satin oil-finished, French walnut modified grade walnut stock, damascened bolt and follower with checkered knob, engraved receiver and bolt sleeve. Floorplate with scroll pattern (with choice of animal). enhanced with selective 24K gold and nickel plating. For calibers and features, contact the Custom Shop.

MARK V[®] ULTRAMARK CUSTOM SAFARI CUSTOM

Monte Carlo stock with Fleur-de-lis checkering. Ebony forend and pistol grip cap. Damascened bolt and follower with checkered bolt knob. Adjustable ramp. gold-filled "V" and a hooded barrel band front sight. Floorplate is engraved with "Safari Custom." For available calibers and features, contact the Custom Shop,



MARK V[®] DANGEROUS GAME RIFLE (DGR)

Designed for the hunter who is serious about their pursuit of dangerous game. It features a hand-laminated, raised comb. Monte Carlo composite stock, with a CNC-machined aluminum bedding block. Our cast off stock design allows for quick eye-to-sight alignment, a feature even more important on a rifle used for dangerous game. Black oxide matte finish on all metalwork reduces reflection and glare. An adjustable ramp, shallow gold-filled "V" rear and hooded barrel band front sight with large gold bead provide for immediate sight alignment and target acquisition.



AS A CUSTOM OPTION on select calibers of Accumark® and Super VarmintMaster® (SVM) rifles. Weatherby will guarantee a SUB-MOA (.99 in. or less) 3-shot group from a cold barrel at 100 vards (with specific calibers only) We will select the rifle and provide a factory-shot test target along with the specific ammunition load information. The floorplate will feature a distinctive engraved "SUB-MOA." For more information. contact the Custom Shop.



WEATHERBY® CUSTOM RINGS and bases are available in Grade ((top), Grade 3 (middle), and Grade 1 (bottom). Each offers options of different engraving patterns and gold overlays.

*Price may vary by model and dealer

GIVE YOUR WEATHERBY rifle a real personal touch by engraving your name on the bolt. Bolts can also be damascened and checkered to add a distinctive and elegant look to the rifle



THE WEATHERBY CUSTOM SHOP CAN DESIGN a Weatherby rifle that is uniquely your own, built to your specifications. For more information, contact the Weatherby Custom Shop or visit www.weatherby.com.

	١	/ANGUAR	D® RI	FLE SPI	ECIFIC	ATION	S									VANGUAR	ND® RI	FLE SP	ECIFIC	ATION	S					
Caliber	Product Code	MSRP (may vary by model & dealer)	Barreled Action	Weight ¹	Overall Length	Magazine Capacity	Barrel Length/ Contour	Rifling (twist)	Length of Pull	Drop at Comb	Monte Carlo	Drop at Heel		Caliber	Product Code	MSRP (may vary by model & dealer	Barreled Action	Weight ¹	Overall Length	Magazine Capacity	Barrel Length/ Contour	Rifling (twist)	Length of Pull	Drop at Comb	Monte Carlo	Drop at Heel
.223 Rem.	VGW223RR40	\$509	RH 24"	7 1/2 lbs.	44"	5+1	24" #2	1-12"	13 1/2	7/8"	1/2"	1 1/4"		.223 Rem.	VSP223RR40	\$772	RH 24"	8 3/4 lbs.	44"	5+1	24" #2	1-12"	13 1/2	7/8"		1 1/4"
.22-250 Rem.	VGW222RR40	\$509	RH 24"	7 1/2 lbs.	44"	5+1	24" #2	1-14"	13 1/2	7/8"	1/2"	1 1/4"		.22-250 Rem.	VSP222RR40	\$772	RH 24"	8 3/4 lbs.	44"	5+1	24" #2	1-14"	13 1/2	7/8"	1/2"	1 1/4"
.243 Winchester	VGW243NR40	\$509	RH 24"	7 1/2 lbs.	44"	5+1	24" #2	1-10"	13 1/2	7/8"	1/2"	1 1/4"		.243 Winchester	VSP243NR40	\$772	RH 24"	8 3/4 lbs.	44"	5+1	24" #2	1-10"	13 1/2	7/8"	1/2"	1 1/4"
.270 Winchester	VGW270NR40	\$509	RH 24"	7 1/2 lbs.	44 1/2"	5+1	24" #2	1-10"	13 1/2	7/8"		1 1/4"	8	.270 Winchester	VSP270NR40	\$772	RH 24"	8 3/4 lbs.	44 1/2"	5+1	24" #2	1-10"	13 1/2	7/8"	1/2"	1 1/4"
.308 Winchester	VGW308NR40	\$509	RH 24"	7 1/2 lbs.	44"	5+1	24" #2	1-12"	13 1/2	7/8"	1/2"	1 1/4"	PACKAGE	.308 Winchester	VSP308NR40	\$772	RH 24"	8 3/4 lbs.	44"	5+1	24" #2	1-12"	13 1/2	7/8"	1/2"	1 1/4"
.30-06 Springfield	VGW306SR40	\$509	RH 24"	7 1/2 lbs.	44 1/2"	5+1	24" #2	1-10"	13 1/2	7/8"		1 1/4"	PAI	.30-06 Springfield	VSP306SR40	\$772	RH 24"	8 3/4 lbs.	44 1/2"	5+1	24" #2	1-10"	13 1/2	7/8"	1/2"	1 1/4"
.257 Wby. Mag.	VGW257WR40	\$509	RH 24"	7 1/2 lbs.	44 1/2"	3+1	24" #2	1-10"	13 1/2	7/8"		1 1/4"	SS	.257 Wby. Mag.	VSP257WR40	\$772	RH 24"	8 3/4 lbs.	44 1/2"	3+1	24" #2	1-10"	13 1/2	7/8"		1 1/4"
.270 WSM	VGW270NSR40	\$509	RH 24"	7 1/2 lbs.	44"	3+1	24" #2	1-10"	13 1/2	7/8"		1 1/4"	STAINLES	.270 WSM	VSP270NSR40	\$772	RH 24"	8 3/4 lbs.	44"	3+1	24" #2	1-10"	13 1/2	7/8"	1/2"	1 1/4"
7mm Rem. Mag.	VGW7MMRR40	\$509	RH 24"	7 1/2 lbs.	44 1/2"	3+1		1-9 1/2"	13 1/2	7/8"		1 1/4"	AIN	7mm Rem. Mag.	VSP7MMRR40	\$772	RH 24"	8 3/4 lbs.	44 1/2"	3+1		1-9 1/2"	13 1/2	7/8"	1/2"	1 1/4"
.300 Win. Mag.	VGW300NR40	\$509	RH 24"	7 1/2 lbs.	44 1/2"	3+1	24" #2	1-10"	13 1/2	7/8"		1 1/4"	S	.300 Winchester	VSP300NR40	\$772	RH 24"	8 3/4 lbs.	44 1/2"	3+1	24" #2	1-10"	13 1/2	7/8"		1 1/4"
.300 WM. Mag.	VGW300NSR40	\$509	RH 24"	7 1/2 lbs.	44"	3+1	24" #2	1-10"	13 1/2	7/8"		1 1/4"		.300 WSM	VSP300NSR40	\$772	RH 24"	8 3/4 lbs.	44"	3+1	24" #2	1-10"	13 1/2	7/8"	1/2"	1 1/4"
.300 Wby. Mag.	VGW300WR40	\$509	RH 24"	7 1/2 lbs.	44 1/2"	3+1	24 #2	1-10"	13 1/2	7/8"		1 1/4"		.300 Wby. Mag. .338 Winchester	VSP300WR40 VSP338NR40	\$772 \$772	RH 24" RH 24"	8 3/4 lbs. 8 3/4 lbs.	44 1/2"	3+1	24" #2 24" #2	1-10" 1-10"	13 1/2	7/8" 7/8"	1/2" 1/2"	1 1/4" 1 1/4"
.338 Win. Mag.	VGW338NR40	\$509	RH 24"	7 1/2 lbs.	44 1/2"	3+1	24" #2	1-10"	13 1/2	7/8"		1 1/4"	N	.270 Winchester	VGX270NR40	\$865	RH 24"	7 3/4 lbs.	44 1/2"		24" #2	1-10"	13 1/2	5/8"		1 1/4
.223 Rem.	VGS223RR40	\$637	RH 24"	7 1/2 lbs.	44 1/2	5+1	24 #2	1-12"	13 1/2	7/8"		1 1/4"	- NEW							5+1						
.22-250 Rem.	VGS222RR40	\$637	RH 24"	7 1/2 lbs.	44"	5+1	24" #2	1-14"	13 1/2	7/8"		1 1/4"	ц	.30-06 Springfield	VGX306SR40	\$865	RH 24"	7 3/4 lbs.	44 1/2"	5+1	24" #2	1-10"	13 1/2	5/8"	3/8"	1 1/8"
.243 Winchester	VGS243NR40	\$637	RH 24"	7 1/2 lbs.	44"	5+1	24" #2	1-10"	13 1/2	7/8"		1 1/4"	ELUXE	.257 Wby. Mag.	VGX257WR40	\$865	RH 24"	7 3/4 lbs.	44 1/2"	3+1	24" #2	1-10"	13 1/2	5/8"	3/8"	1 1/8"
.270 Winchester	VGS270NR40	\$637	RH 24"	7 1/2 lbs.	44 1/2"	5+1	24" #2	1-10"	13 1/2	7/8"		1 1/4"		.300 Wby. Mag.	VGX300WR40	\$865	RH 24"	7 3/4 lbs.	44 1/2"	3+1	24" #2	1-10"	13 1/2	5/8"	3/8"	1 1/8"
.308 Winchester	VGS308NR40	\$637	RH 24"	7 1/2 lbs.	44"	5+1	24" #2	1-12"	13 1/2	7/8"		1 1/4"		.223 Rem.	VDM223RR40	\$652	RH 24"	7 3/4 lbs.	44"	5+1	24" #2	1-12"	13 1/2	5/8"	3/8"	1 1/8"
.30-06 Springfield	VGS306SR40	\$637	RH 24"	7 1/2 lbs.	44 1/2"	5+1	24" #2	1-10"	13 1/2	7/8"	1/2"	1 1/4"		.22-250 Rem.	VDM222RR40	\$652	RH 24"	7 3/4 lbs.	44"	5+1	24" #2	1-14"	13 1/2	5/8"	3/8"	1 1/8"
.257 Wby. Mag.	VGS257WR40	\$637	RH 24"	7 1/2 lbs.	44 1/2"	3+1	24" #2	1-10"	13 1/2	7/8"		1 1/4"		.243 Winchester	VDM243NR40	\$652	RH 24"	7 3/4 lbs.	44"	5+1	24" #2	1-10"	13 1/2	5/8"	3/8"	1 1/8"
.237 Wby. Mag.	VGS270NSR40	\$637	RH 24"	7 1/2 lbs.	44 1/2	3+1	24 #2	1-10"	13 1/2	7/8"		1 1/4"		.270 Winchester	VDM270NR40	\$652	RH 24"	7 3/4 lbs.	44 1/2"	5+1	24" #2	1-10"	13 1/2	5/8"	3/8"	1 1/8"
7mm Rem. Mag.	VGS270NSN40 VGS7MMRR40	\$637	RH 24"	7 1/2 lbs.	44 1/2"	3+1		1-9 1/2"	13 1/2	7/8"		1 1/4"	~	.308 Winchester	VDM308NR40	\$652	RH 24"	7 3/4 lbs.	44"	5+1	24" #2	1-12"	13 1/2	5/8"	3/8"	1 1/8"
.300 Win. Mag.	VGS300NR40	\$637	RH 24"	7 1/2 lbs.	44 1/2"	3+1	24" #2	1-10"	13 1/2	7/8"		1 1/4"	RTER	.30-06 Springfield	VDM306SR40	\$652	RH 24"	7 3/4 lbs.	44 1/2"	5+1	24" #2	1-10"	13 1/2	5/8"	3/8"	1 1/8"
.300 WM: Mag.	VGS300NSR40	\$637	RH 24"	7 1/2 lbs.	44 1/2	3+1	24 #2	1-10"	13 1/2	7/8"		1 1/4"	Po	.257 Wby. Mag.	VDM257WR40	\$652	RH 24"	7 3/4 lbs.	44 1/2"	3+1	24" #2 24" #2	1-10" 1-10"	13 1/2	5/8" 5/8"	3/8" 3/8"	1 1/8" 1 1/8"
.300 Wby. Mag.	VGS300WR40	\$637	RH 24"	7 1/2 lbs.	44 1/2"	3+1	24 #2	1-10"	13 1/2	7/8"		1 1/4"	S	.270 WSM 7mm Rem. Mag.	VDM270NSR40 VDM7MMRR40	\$652 \$652	RH 24"	7 3/4 lbs. 7 3/4 lbs.	44 1/2"	5+1 3+1	24" #2 24" #2	1-9 1/2"	13 1/2	5/8"	3/8"	1 1/8"
.338 Win. Mag.	VGS338NR40	\$637	RH 24"	7 1/2 lbs.	44 1/2"	3+1	24 #2	1-10"	13 1/2	7/8"		1 1/4"		.300 Winchester	VDM300NR40	\$652	RH 24"	7 3/4 lbs.	44 1/2"	3+1	24" #2	1-10"	13 1/2	5/8"		1 1/8"
.223 Rem.	VWP223RR40	\$650	RH 24"	8 3/4 lbs.	44 1/2	5+1	24" #2	1-12"	13 1/2	7/8"	1/2"	1 1/4"		.300 WSM	VDM300NSR40	\$652	RH 24"	7 3/4 lbs.	44"	3+1	24" #2	1-10"	13 1/2	5/8"	3/8"	1 1/8"
.22-250 Rem.			RH 24		44		24 #2			7/8"	1/2"	1 1/4"		.300 Wby. Mag.	VDM300WR40	\$652	RH 24"	7 3/4 lbs.	44 1/2"	3+1	24" #2	1-10"	13 1/2	5/8"	3/8"	1 1/8"
.22-250 Reffi.	VWP222RR40 VWP243NR40	\$650 \$650	RH 24	8 3/4 lbs. 8 3/4 lbs.	44	5+1 5+1	24 #2	1-14" 1-10"	13 1/2 13 1/2	7/8"	1/2	1 1/4"		.338 Winchester	VDM338NR40	\$652	RH 24"	7 3/4 lbs.	44 1/2"	3+1	24" #2	1-10"	13 1/2	5/8"	3/8"	1 1/8"
.243 Winchester	VWP243NR40 VWP270NR40	\$650	RH 24	8 3/4 lbs.	44 44 1/2"	5+1	24 #2	1-10"	13 1/2	7/8"	1/2"	1 1/4"		.223 Rem.	VWS223RR40	\$785	RH 24"	7 3/4 lbs.	44"	5+1	24" #2	1-12"	13 1/2	5/8"	3/8"	1 1/8"
.308 Winchester	VWP270NR40 VWP308NR40	\$650	RH 24	8 3/4 lbs.	44 1/2	5+1	24 #2	1-10	13 1/2	7/8"		1 1/4"		.22-250 Rem.	VWS222RR40	\$785	RH 24"	7 3/4 lbs.	44"	5+1	24" #2	1-14"	13 1/2	5/8"	3/8"	1 1/8"
		\$650	RH 24"		44 1/2"		24" #2	1-12"	13 1/2	7/8"		1 1/4"		.243 Winchester	VWS243NR40	\$785	RH 24"	7 3/4 lbs.	44"	5+1	24" #2	1-10"	13 1/2	5/8"	3/8"	1 1/8"
.30-06 Springfield	VWP306SR40	\$650	RH 24"	8 3/4 lbs.		5+1 3+1	24" #2			7/8"		1 1/4"		.270 Winchester	VWS270NR40	\$785	RH 24"	7 3/4 lbs.	44 1/2"	5+1	24" #2	1-10"	13 1/2	5/8"	3/8"	1 1/8"
.257 Wby. Mag	VWP257WR40			8 3/4 lbs.				1-10"	13 1/2				SS	.308 Winchester	VWS308NR40	\$785	RH 24"	7 3/4 lbs.	44"	5+1	24" #2	1-12"			3/8"	
.270 WSM	VWP270NSR40	\$650		8 3/4 lbs.	44"	3+1	24" #2		13 1/2		1/2"		ШШ	.30-06 Springfield	VWS306SR40	\$785	RH 24"	7 3/4 lbs.		5+1	24" #2	1-10"	13 1/2		3/8"	
7mm Rem. Mag.	VWP7MMRR40	\$650	RH 24"	8 3/4 lbs.		3+1	24" #2		13 1/2			1 1/4"	SPORTER	.257 Wby. Mag.	VWS257WR40	\$785	RH 24"	7 3/4 lbs.		3+1	24" #2	1-10"	13 1/2		3/8"	
.300 Winchester	VWP300NR40	\$650	RH 24"	8 3/4 lbs.		3+1	24" #2		13 1/2			1 1/4"	SPC	.270 WSM	VWS270NSR40 VWS7MMRR40	\$785 \$785	RH 24" RH 24"	7 3/4 lbs.		5+1	24" #2	1-10"	13 1/2		3/8" 3/8"	1 1/8" 1 1/8"
.300 WSM	VWP300NSR40	\$650	RH 24"	8 3/4 lbs.	44"	3+1	24" #2		13 1/2			1 1/4"		7mm Rem. Mag. .300 Winchester	VWS7MMRR40 VWS300NR40	\$785 \$785	RH 24" RH 24"	7 3/4 lbs. 7 3/4 lbs.	1	3+1 3+1	24" #2 24" #2	1-9 1/2"	13 1/2 13 1/2			1 1/8"
.300 Wby. Mag.	VWP300WR40	\$650	RH 24"	8 3/4 lbs.		3+1	24" #2		13 1/2		1/2"			.300 WINCHESTER	VWS300NR40 VWS300NSR40	\$785	RH 24"	7 3/4 lbs.	44 1/2	3+1	24 #2	1-10"	13 1/2		3/8"	
.338 Winchester	VWP338NR40	\$650	KH 24"	8 3/4 lbs.	44 1/2"	3+1	24" #2	1-10"	13 1/2	7/8"	1/2"	1 1/4"		.300 Wby. Mag.	VWS300WS140	\$785	RH 24"	7 3/4 lbs.		3+1	24" #2	1-10"	13 1/2		3/8"	
m rifles are also avai	ilable. Concult your	r Woathorby®	dealer or	the Weather	hy Custon	n Shon fo	r specifica	ations All	rifles are	drilled	and tar	ned		.338 Winchester	VWS338NR40	\$785			1	1			13 1/2			, 🦉

ior scope mounts. **Specifications subject to change without notice.** ⁽¹⁾Weight approximate. Varies due to stock density and bore ⁽²⁾Magazine capacity plus one round in chamber. ⁽³⁾Available with Weatherby Accubrake[™] only. ⁽⁴⁾Measurement includes Accubrake.

Caliber .223 Rem. .22-250 Rem. .308 Winchester .223 Rem.

.22-250 Rem. .308 Winchester

.270 Winchester MATTE .308 Winchester .30-06 Springfield .257 Wby. Mag.

Caliber .22-250 Rem. .243 Winchester .308 Winchester 7mm-08 Rem. .223 Rem. .22-250 Rem. .243 Winchester

-MOA .270 WSM SuB-7mm Rem. Mag.

.300 Winchester .300 WSM

.300 Wby. Mag. .338 Winchester

> .223 Rem. .22-250 Rem. .243 Winchester .270 Winchester .308 Winchester .30-06 Springfield .257 Wby. Mag. .270 WSM 7mm Rem. Mag. .300 Winchester .300 WSM .300 Wby. Mag. .338 Winchester

۷	ANGUAR	D® RII	FLE SPE	CIFIC	ATION	S					
Product Code	MSRP (may vary by model & dealer)	Barreled Action	Weight ¹	Overall Length	Magazine Capacity	Barrel Length/ Contour	Rifling (twist)	Length of Pull	Drop at Comb	Monte Carlo	Drop at Heel
VGC222RR00	\$587	RH 20"	6 3/4 lbs.	38 7/8"	5+1	20" #1	1-14"	12 1/2"	3/4"	3/8"	1 1/8"
VGC243NR00	\$587	RH 20"	6 3/4 lbs.	38 7/8"	5+1	20" #1	1-10"	12 1/2"	3/4"	3/8"	1 1/8"
VGC308NR00	\$587	RH 20"	6 3/4 lbs.	38 7/8"	5+1	20" #1	1-12"	12 1/2"	3/4"	3/8"	1 1/8"
VGC7M08RR00	\$587	RH 20"	6 3/4 lbs.	38 7/8"	5+1	20" #1	1-14"	12 1/2"	3/4"	3/8"	1 1/8"
VMM223RR40	\$815	RH 24"	7 3/4 lbs.	44"	5+1	24" #2	1-12"	13 1/2	3/4"	5/8"	1 1/2"
VMM222RR40	\$815	RH 24"	7 3/4 lbs.	44"	5+1	24" #2	1-14"	13 1/2	3/4"	5/8"	1 1/2"
VMM243NR40	\$815	RH 24"	7 3/4 lbs.	44"	5+1	24" #2	1-10"	13 1/2	3/4"	5/8"	1 1/2"
VMM270NR40	\$815	RH 24"	7 3/4 lbs.	44 1/2"	5+1	24" #2	1-10"	13 1/2	3/4"	5/8"	1 1/2"
VMM308NR40	\$815	RH 24"	7 3/4 lbs.	44"	5+1	24" #2	1-12"	13 1/2	3/4"	5/8"	1 1/2"
VMM306SR40	\$815	RH 24"	7 3/4 lbs.	44 1/2"	5+1	24" #2	1-10"	13 1/2	3/4"	5/8"	1 1/2"
VMM257WR40	\$815	RH 24"	7 3/4 lbs.	44 1/2"	3+1	24" #2	1-10"	13 1/2	3/4"	5/8"	1 1/2"
VMM270NSR40	\$815	RH 24"	7 3/4 lbs.	44"	3+1	24" #2	1-10"	13 1/2	3/4"	5/8"	1 1/2"
VMM7MMRR40	\$815	RH 24"	7 3/4 lbs.	44 1/2"	3+1	24" #2	1-9 1/2"	13 1/2	3/4"	5/8"	1 1/2"
VMM300NR40	\$815	RH 24"	7 3/4 lbs.	44 1/2"	3+1	24" #2	1-10"	13 1/2	3/4"	5/8"	1 1/2"
VMM300NSR40	\$815	RH 24"	7 3/4 lbs.	44"	3+1	24" #2	1-10"	13 1/2	3/4"	5/8"	1 1/2"
VMM300WR40	\$815	RH 24"	7 3/4 lbs.	44 1/2"	3+1	24" #2	1-10"	13 1/2	3/4"	5/8"	1 1/2"
VMM338NR40	\$815	RH 24"	7 3/4 lbs.	44 1/2"	3+1	24" #2	1-10"	13 1/2	3/4"	5/8"	1 1/2"
VSM223RR40	\$947	RH 24"	7 3/4 lbs.	44"	5+1	24" #2	1-12"	13 1/2	3/4"	5/8"	1 1/2"
VSM222RR40	\$947	RH 24"	7 3/4 lbs.	44"	5+1	24" #2	1-14"	13 1/2	3/4"	5/8"	1 1/2"
VSM243NR40	\$947	RH 24"	7 3/4 lbs.	44"	5+1	24" #2	1-10"	13 1/2	3/4"	5/8"	1 1/2"
VSM270NR40	\$947	RH 24"	7 3/4 lbs.	44 1/2"	5+1	24" #2	1-10"	13 1/2	3/4"	5/8"	1 1/2"
VSM308NR40	\$947	RH 24"	7 3/4 lbs.	44"	5+1	24" #2	1-12"	13 1/2	3/4"	5/8"	1 1/2"
VSM306SR40	\$947	RH 24"	7 3/4 lbs.	44 1/2"	5+1	24" #2	1-10"	13 1/2	3/4"	5/8"	1 1/2"
VSM257WR40	\$947	RH 24"	7 3/4 lbs.	44 1/2"	3+1	24" #2	1-10"	13 1/2	3/4"	5/8"	1 1/2"
VSM270NSR40	\$947	RH 24"	7 3/4 lbs.	44"	3+1	24" #2	1-10"	13 1/2	3/4"	5/8"	1 1/2"
VSM7MMRR40	\$947	RH 24"	7 3/4 lbs.	44 1/2"	3+1	24" #2	1-9 1/2"	13 1/2	3/4"	5/8"	1 1/2"
VSM300NR40	\$947	RH 24"	7 3/4 lbs.	44 1/2"	3+1	24" #2	1-10"	13 1/2	3/4"	5/8"	1 1/2"
VSM300NSR40	\$947	RH 24"	7 3/4 lbs.	44"	3+1	24" #2	1-10"	13 1/2	3/4"	5/8"	1 1/2"
VSM300WR40	\$947	RH 24"	7 3/4 lbs.	44 1/2"	3+1	24" #2	1-10"	13 1/2	3/4"	5/8"	1 1/2"
VSM338NR40	\$947	RH 24"	7 3/4 lbs.	44 1/2"	3+1	24" #2	1-10"	13 1/2	3/4"	5/8"	1 1/2"

V	VANGUARD® RIFLE SPECIFICATIONS														
Product Code	MSRP (may vary by model & dealer)	Barreled Action	Weight ¹	Overall Length	Magazine Capacity	Barrel Length/ Contour	Rifling (twist)	Length of Pull	Drop at Comb	Monte Carlo	Drop at Heel				
VBR223RR20	\$587	RH 22"	8 1/4 lbs.	41 1/2"	5+1	22" #3		13 5/8"	3/4"	1/2"	1 1/8"				
VBR222RR20	\$587	RH 22"	8 1/4 lbs.	41 1/2"	5+1	22" #3		13 5/8"	3/4"	1/2"	1 1/8"				
VBR308NR20	\$587	RH 22"	8 1/4 lbs.	41 1/2"	5+1	22" #3		13 5/8"	3/4"	1/2"	1 1/8"				
VSR223RR20	\$885	RH 22"	8 1/4 lbs.	41 1/2"	5+1	22" #3		13 5/8"	3/4"	3/8"	1 1/8"				
VSR222RR20	\$885	RH 22"	8 1/4 lbs.	41 1/2"	5+1	22" #3		13 5/8"	3/4"	3/8"	1 1/8"				
VSR308NR20	\$885	RH 22"	8 1/4 lbs.	41 1/2"	5+1	22" #3		13 5/8"	3/4"	3/8"	1 1/8"				

MARK V[®] Compact Firing Platform specifications

	Caliber	Product Code	MSRP (may vary by model & dealer)	Barreled Action	Weight ¹	Overall Length	Magazine Capacity	Barrel Length/ Contour	Rifling (twist)	Length of Pull	Drop at Comb	Monte Carlo	Drop at Heel	
>	.223 Rem.	CFPI223RR10	\$1,499	RH 16"	5 1/4 lbs.	27 1/2"	5+1	16" #2	1-12"	NA	NA	NA	NA	
E N	.22-250 Rem.	CFPI222RR10	\$1,499	RH 16"	5 1/4 lbs.	27 1/2"	5+1	16" #2	1-14"	NA	NA	NA	NA	
4	.243 Winchester	CFPI243NR10	\$1,499	RH 16"	5 1/4 lbs.	27 1/2"	5+1	16" #2	1-10"	NA	NA	NA	NA	
Ъ	7mm-08 Rem.	CFPI7M8RR10	\$1,499	RH 16"	5 1/4 lbs.	27 1/2"	5+1	16" #2	1-9 1/2"	NA	NA	NA	NA	

			MARK V	® RIFL	E SPEC	IFICAT	IONS						
	Caliber	Product Code	MSRP (may vary by model & dealer)	Barreled Action	Weight ¹	Overall Length	Magazine Capacity	Barrel Length/ Contour	Rifling (twist)	Length of Pull	Drop at Comb	Monte Carlo	Drop at Heel
	.223 Rem.	VRS223RR60	\$1,772	RH 26"	8 1/2 lbs.	46"	5+1	26" #4	1-12"	13 5/8"	3/4"	3/8"	1 1/8"
SVM	.22-250 Rem.	VRS222RR60	\$1,772	RH 26"	8 1/2 lbs.	46"	4+1	26" #4	1-14"	13 5/8"	3/4"	3/8"	1 1/8"
^{os}	.243 Winchester	VRS243NR60	\$1,772	RH 26"	8 1/2 lbs.	46"	5+1	26" #4	1-10"	13 5/8"	3/4"	3/8"	1 1/8"
	.243 Winchester	UTS243NR40	\$1,703	RH 24"	5 3/4 lbs.	44"	5+1	24" #1	1-10"	13 5/8"	3/4"	3/8"	1 1/8"
	.240 Wby. Mag.	UTS240WR40	\$1,703	RH 24"	5 3/4 lbs.	44"	5+1	24" #1	1-10"	13 5/8"	3/4"	3/8"	1 1/8"
	.25-06 Rem.	UTS256RR40	\$1,703	RH 24"	5 3/4 lbs.	44"	5+1	24" #1	1-10"	13 5/8"	3/4"	3/8"	1 1/8"
	.270 Winchester	UTS270NR40	\$1,703	RH 24"	5 3/4 lbs.	44"	5+1	24" #1	1-10"	13 5/8"	3/4"	3/8"	1 1/8"
눞	7mm-08 Rem.	UTS7M8RR40	\$1,703	RH 24"	5 3/4 lbs.	44"	5+1	24" #1	1-9 1/2"	13 5/8"	3/4"	3/8"	1 1/8"
EIG	.280 Rem.	UTS280RR40	\$1,703	RH 24"	5 3/4 lbs.	44"	5+1	24" #1	1-10"	13 5/8"	3/4"	3/8"	1 1/8"
Ē	.308 Winchester	UTS308NR40	\$1,703	RH 24"	5 3/4 lbs.	44"	5+1	24" #1	1-12"	13 5/8"	3/4"	3/8"	1 1/8"
JLTRA LIGHTWEIGHT	.30-06 Springfield	UTS306SR40	\$1,703	RH 24"	5 3/4 lbs.	44"	5+1	24" #1	1-10"	13 5/8"	3/4"	3/8"	1 1/8"
IRA	.257 Wby. Mag.	UTM257WR60	\$1,787	RH 26"	6 3/4 lbs.	46 5/8"	3+1	26" #1	1-10"	13 5/8"	1"	3/8"	1 1/2"
3	.270 Wby. Mag.	UTM270WR60	\$1,787	RH 26"	6 3/4 lbs.	46 5/8"	3+1	26" #1	1-10"	13 5/8"	1"	3/8"	1 1/2"
	7mm Rem. Mag.	UTM7MMRR40	\$1,787	RH 24"	6 3/4 lbs.	44 5/8"	3+1	24" #1	1-9 1/2"	13 5/8"	1"	3/8"	1 1/2"
	7mm Wby. Mag.	UTM7MMWR60	\$1,787	RH 26"	6 3/4 lbs.	46 5/8"	3+1	26" #1	1-10"	13 5/8"	1"	3/8"	1 1/2"
	.300 Winchester	UTM300NR40	\$1,787	RH 24"	5 3/4 lbs.	44 5/8"	3+1	24" #1	1-10"	13 5/8"	1"	3/8"	1 1/2"
	.300 Wby. Mag.	UTM300WR60	\$1,787	RH 26"	6 3/4 lbs.	46 5/8"	3+1	26" #1	1-10"	13 5/8"	1"	3/8"	1 1/2"
ULTRA LIGHTWEIGHT Left hand	.257 Wby. Mag.	UTM257WL60	\$1,855	LH 26"	6 3/4 lbs.	46 5/8"	3+1	26" #1	1-10"	13 5/8"	1"	3/8"	1 1/2"
LIGHTU	.300 Wby. Mag.	UTM300WL60	\$1,855	LH 26"	6 3/4 lbs.	46 5/8"	3+1	26" #1	1-10"	13 5/8"	1"	3/8"	1 1/2"
	.257 Wby. Mag.	AMM257WR60	\$1,761	RH 26"	8 3/4 lbs.	46 5/8"	3+1	26" #3	1-10"	13 5/8"	3/4"	5/8"	1 3/4"
	.270 Wby. Mag.	AMM270WR60	\$1,761	RH 26"	8 3/4 lbs.	46 5/8"	3+1	26" #3	1-10"	13 5/8"	3/4"	5/8"	1 3/4"
®.	7mm Rem. Mag.	AMM7MMRR60	\$1,761	RH 26"	8 3/4 lbs.	46 5/8"	3+1	26" #3	1-9 1/2"	13 5/8"	3/4"	5/8"	1 3/4"
ACCUMARK®	7mm Wby. Mag.	AMM7MMWR60	\$1,761	RH 26"	8 3/4 lbs.	46 5/8"	3+1	26" #3	1-10"	13 5/8"	3/4"	5/8"	1 3/4"
X	.300 Winchester	AMM300NR60	\$1,761	RH 26"	8 3/4 lbs.	46 5/8"	3+1	26" #3	1-10"	13 5/8"	3/4"	5/8"	1 3/4"
12	.300 Wby. Mag.	AMM300WR60	\$1,761	RH 26"	8 3/4 lbs.	46 5/8"	3+1	26" #3	1-10"	13 5/8"	3/4"	5/8"	1 3/4"
A	³ .30-378 Wby. Mag.	AMM303WR8B	\$2,013	4RH 28"	9 lbs.	⁴ 48 5/8"	2+1	⁴ 28" #3	1-10"	13 5/8"	3/4"	5/8"	1 3/4"
	³ .338-378 Wby. Mag.	AMM333WR8B	\$2,013	4RH 28"	9 lbs.	448 5/8"	2+1	428" #3	1-10"	13 5/8"	3/4"	5/8"	1 3/4"
	.340 Wby. Mag.	AMM340WR60	\$1,761	RH 26"	8 3/4 lbs.	46 5/8"	3+1	26" #3	1-10"	13 5/8"	3/4"	5/8"	1 3/4"
AARK® Hand	.257 Wby. Mag.	AMM257WL60	\$1,829	LH 26"	8 3/4 lbs.	46 5/8"	3+1	26" #3	1-10"	13 5/8"	3/4"	5/8"	1 3/4"
ACCUMARK® Left hand	.300 Wby. Mag.	AMM300WL60	\$1,829	LH 26"	8 3/4 lbs.	46 5/8"	3+1	26" #3	1-10"	13 5/8"	3/4"	5/8"	1 3/4"

27

-										_	_		_		_	
			MARK V	[®] RIFL	E SPEC	IFICA	TIONS									
	Caliber	Product Code	MSRP (may vary by model & dealer)	Barreled Action	Weight ¹	Overall Length	Magazine Capacity	Barrel Length/ Contour	Rifling (twist)	Length of Pull	Drop at Comb	Monte Carlo	Drop at Heel			
	.22-250 Rem.	SNS222RR40	\$1,099	RH 24"	6 3/4 lbs.	44"	4+1	24" #1	1-14"	13 5/8"	3/4"	3/8"	1 1/8"			.25
	.243 Winchester	SNS243NR40	\$1,099	RH 24"	6 1/2 lbs.	44"	5+1	24" #1	1-10"	13 5/8"	3/4"	3/8"	1 1/8"			.27
	.240 Wby. Mag.	SNS240WR40	\$1,099	RH 24"	6 3/4 lbs.	44"	5+1	24" #1	1-10"	13 5/8"	3/4"	3/8"	1 1/8"		¥	7m .30
	.25-06 Rem.	SNS256RR40	\$1,099	RH 24"	6 3/4 lbs.	44"	5+1	24" #1	1-10"	13 5/8"	3/4"	3/8"	1 1/8"		DELUXE	.34
	.270 Winchester	SNS270NR40	\$1,099	RH 24"	6 1/2 lbs.	44"	5+1	24" #1	1-10"	13 5/8"	3/4"	3/8"	1 1/8"			³.30-
	7mm-08 Rem.	SNS7M8RR40	\$1,099	RH 24"	6 1/2 lbs.	44"	5+1	24" #1	1-9 1/2"	13 5/8"	3/4"	3/8"	1 1/8"			³ .4
	.280 Rem.	SNS280RR40	\$1,099	RH 24"	6 3/4 lbs.	44"	5+1	24" #1	1-10"	13 5/8"	3/4"	3/8"	1 1/8"			³ .4
	.308 Winchester	SNS308NR40	\$1,099	RH 24"	6 1/2 lbs.	44"	5+1	24" #1	1-12"	13 5/8"	3/4"	3/8"	1 1/8"		К®	.25
≌	.30-06 Springfield	SNS306SR40	\$1,099	RH 24"	6 1/2 lbs.	44"	5+1	24" #1	1-10"	13 5/8"	3/4"	3/8"	1 1/8"		MAR	.2. 7m
SYNTHETIC	.257 Wby. Mag.	SNM257WR60	\$1,160	RH 26"	8 lbs.	46 5/8"	3+1	26" #2	1-10"	13 5/8"	7/8"	1/2"	1 1/8"		LAZERMARK®	.30
SYN	.270 Wby. Mag.	SNM270WR60	\$1,160	RH 26"	8 lbs.	46 5/8"	3+1	26" #2	1-10"	13 5/8"	7/8"	1/2"	1 1/8"			.34
	7mm Rem. Mag.	SNM7MMRR40	\$1,160	RH 24"	8 lbs.	44 5/8"	3+1	24" #2	1-9 1/2"	13 5/8"	7/8"	1/2"	1 1/8"			.25
	7mm Wby. Mag.	SNM7MMWR60	\$1,160	RH 26"	8 lbs.	46 5/8"	3+1	26" #2	1-10"	13 5/8"	7/8"	1/2"	1 1/8"		~	.27
	.300 Win. Mag.	SNM300NR40	\$1,160	RH 24"	8 lbs.	44 5/8"	3+1	24" #2	1-10"	13 5/8"	7/8"	1/2"	1 1/8"		SPORTER	7m 7m
	.300 Wby. Mag.	SNM300WR60	\$1,160	RH 26"	8 lbs.	46 5/8"	3+1	26" #2	1-10"	13 5/8"	7/8"	1/2"	1 1/8"		SPOI	.3
	³ .30-378 Wby. Mag.	SNM303WR8B	\$1,370	4RH 28"	8 1/2 lbs.	448 5/8"	2+1	428" #3	1-10"	13 5/8"	7/8"	1/2"	1 1/8"			.30
	³ .338-378 Wby. Mag.	SNM333WR8B	\$1,370	4RH 28"	8 1/2 lbs.	448 5/8"	2+1	428" #3	1-10"	13 5/8"	7/8"	1/2"	1 1/8"			.34
	.340 Wby. Mag.	SNM340WR60	\$1,160	RH 26"	8 lbs.	46 5/8"	3+1	26" #2	1-10"	13 5/8"	7/8"	1/2"	1 1/8"			
	.375 H&H Mag.	SNM375HR40	\$1,160	RH 24"	8 1/4 lbs.	44 5/8"	3+1	24" #3	1-12"	13 5/8"	7/8"	1/2"	1 1/8"			
	.257 Wby. Mag.	FBM257WR60	\$1,311	RH 26"	8 lbs.	46 5/8"	3+1	26" #3	1-10"	13 5/8"	3/4"	5/8"	1 3/4"			
ш	.270 Wby. Mag.	FBM270WR60	\$1,311	RH 26"	8 lbs.	46 5/8"	3+1	26" #3	1-10"	13 5/8"	3/4"	5/8"	1 3/4"			
.ISO	7mm Rem. Mag.	FBM7MMRR60	\$1,311	RH 26"	8 lbs.	46 5/8"	3+1	26" #3	1-9 1/2"	13 5/8"	3/4"	5/8"	1 3/4"			Ro
UMP M	7mm Wby. Mag.	FBM7MMWR60	\$1,311	RH 26"	8 lbs.	46 5/8"	3+1	26" #3	1-10"	13 5/8"	3/4"	5/8"	1 3/4"		Σ	
S ©	.300 Winchester	FBM300NR60	\$1,311	RH 26"	8 lbs.	46 5/8"	3+1	26" #3	1-10"	13 5/8"	3/4"	5/8"	1 3/4"		CUSTOM	
ERMARK® COMPOSITE	.300 Wby. Mag.	FBM300WR60	\$1,311	RH 26"	8 lbs.	46 5/8"	3+1	26" #3	1-10"	13 5/8"	3/4"	5/8"	1 3/4"		3	
	³ .30-378 Wby. Mag.	FBM303WR8B	\$1,573	4RH 28"	8 1/2 lbs.	448 5/8"	2+1	428" #3	1-10"	13 5/8"	3/4"	5/8"	1 3/4"			TR
E	.340 Wby. Mag.	FBM340WR60	\$1,311	RH 26"	8 lbs.	46 5/8"	3+1	26" #3	1-10"	13 5/8"	3/4"	5/8"	1 3/4"		(1)Mar	k V Cu
	.375 H&H Mag.	FBM375HR40	\$1,311	RH 26"	8 1/4 lbs.	44 5/8"	3+1	24" #3	1-12"	13 5/8"	3/4"	5/8"	1 3/4"	_		
Kamakk NEW	.257 Wby. Mag.	UMM257WR60	\$2,599	RH 26"	8 1/2 lbs.	46 5/8"	3+1	26" #2	1-10"	13 5/8"	7/8"	3/8"	1 3/8"		Veatherby nade to av	
ULIKAN	.300 Wby. Mag.	UMM300WR60	\$2,599	RH 26"	8 1/2 lbs.	46 5/8"	3+1	26" #2	1-10"	13 5/8"	7/8"	3/8"	1 3/8"	Li	azermark a registi orporatio	®, Atherer and tra

		MARK V	NIFL		IFICA							
Caliber	Product Code	MSRP (may vary by model & dealer)	Barreled Action	Weight ¹	Overall Length	Magazine Capacity	Barrel Length/ Contour	Rifling (twist)	Length of Pull	Drop at Comb	Monte Carlo	Drop at Heel
.257 Wby. Mag.	DXM257WR60	\$2,063	RH 26"	8 1/2 lbs.	46 5/8"	3+1	26" #2	1-10"	13 5/8"	7/8"	3/8"	1 3/8"
.270 Wby. Mag.	DXM270WR60	\$2,063	RH 26"	8 1/2 lbs.	46 5/8"	3+1	26" #2	1-10"	13 5/8"	7/8"	3/8"	1 3/8"
7mm Wby. Mag.	DXM7MMWR60	\$2,063	RH 26"	8 1/2 lbs.	46 5/8"	3+1	26" #2	1-10"	13 5/8"	7/8"	3/8"	1 3/8"
.300 Wby. Mag.	DXM300WR60	\$2,063	RH 26"	8 1/2 lbs.	46 5/8"	3+1	26" #2	1-10"	13 5/8"	7/8"	3/8"	1 3/8"
.340 Wby. Mag.	DXM340WR60	\$2,063	RH 26"	8 1/2 lbs.	46 5/8"	3+1	26" #2	1-10"	13 5/8"	7/8"	3/8"	1 3/8"
³ .30-378 Wby. Mag.	DXM378WR8B	\$2,428	4RH 28"	9 lbs.	448 5/8"	2+1	428" #3	1-12"	13 7/8"	7/8"	3/8"	1 3/8"
³ .416 Wby. Mag.	DXM416WR8B	\$2,428	4RH 28"	9 lbs.	448 5/8"	2+1	428" #3	1-14"	13 7/8"	7/8"	3/8"	1 3/8"
³ .460 Wby. Mag.	DXM460WR8B	\$2,853	4RH 28"	10 lbs.	⁴ 48 3/4"	2+1	428" #4	1-16"	14"	7/8"	3/8"	1 3/8"
.257 Wby. Mag.	LMM257WR60	\$2,246	RH 26"	8 1/2 lbs.	46 5/8"	3+1	26" #2	1-10"	13 5/8"	7/8"	3/8"	1 3/8"
.270 Wby. Mag.	LMM270WR60	\$2,246	RH 26"	8 1/2 lbs.	46 5/8"	3+1	26" #2	1-10"	13 5/8"	7/8"	3/8"	1 3/8"
7mm Wby. Mag.	LMM7MMWR60	\$2,246	RH 26"	8 1/2 lbs.	46 5/8"	3+1	26" #2	1-10"	13 5/8"	7/8"	3/8"	1 3/8"
.300 Wby. Mag.	LMM300WR60	\$2,246	RH 26"	8 1/2 lbs.	46 5/8"	3+1	26" #2	1-10"	13 5/8"	7/8"	3/8"	1 3/8"
.340 Wby. Mag.	LMM340WR60	\$2,246	RH 26"	8 1/2 lbs.	46 5/8"	3+1	26" #2	1-10"	13 5/8"	7/8"	3/8"	1 3/8"
.257 Wby. Mag.	SPM257WR60	\$1,361	RH 26"	8 lbs.	46 5/8"	3+1	26" #2	1-10"	13 5/8"	1"	1/2"	1 5/8"
.270 Wby. Mag.	SPM270WR60	\$1,361	RH 26"	8 lbs.	46 5/8"	3+1	26" #2	1-10"	13 5/8"	1"	1/2"	1 5/8"
7mm Rem. Mag.	SPM7MMRR40	\$1,361	RH 24"	8 lbs.	44 5/8"	3+1	24" #2	1-9 1/2"	13 5/8"	1"	1/2"	1 5/8"
7mm Wby. Mag.	SPM7MMWR60	\$1,361	RH 26"	8 lbs.	46 5/8"	3+1	26" #2	1-10"	13 5/8"	1"	1/2"	1 5/8"
.300 Win. Mag.	SPM300NR40	\$1,361	RH 24"	8 lbs.	44 5/8"	3+1	24" #2	1-10"	13 5/8"	1"	1/2"	1 5/8"
.300 Wby. Mag.	SPM300WR60	\$1,361	RH 26"	8 lbs.	46 5/8"	3+1	26" #2	1-10"	13 5/8"	1"	1/2"	1 5/8"
.340 Wby. Mag.	SPM340WR60	\$1,361	RH 26"	8 lbs.	46 5/8"	3+1	26" #2	1-10"	13 5/8"	1"	1/2"	1 5/8"
												_

		MAR	K V® C	USTOM	RIFLE	SPEC	FICAT	IONS				
	Model	Product Code	Barreled Action	Weight ¹	Overall Length	Magazine Capacity	Barrel Length/ Contour	Rifling (twist)	Length of Pull	Drop at Comb	Monte Carlo	Drop at Heel
	Royal Ultramark Custom ⁽¹⁾	RUM300WR60(2)	RH 26"	8 1/2 lbs.	46 5/8"	3+1	26" #2	1-10"	13 5/8"	7/8"	3/8"	1 3/8"
Σ	Crown ⁽¹⁾	CRM257WR60 ⁽²⁾	RH 26"	8 1/2 lbs.	46 5/8"	3+1	26" #2	1-10"	13 5/8"	7/8"	3/8"	1 3/8"
STO	Safari ⁽¹⁾	SFM416WR8B ⁽²⁾	RH 28"(3)	8 3/4 lbs.	48"(3)	2+1	26" #3	1-14"	13 5/8"	3/4"	5/8"	1 3/4"
E.	DGR ⁽¹⁾	DGM375WR60(2)	RH 26"	8 3/4 lbs.	46 5/8"	3+1	26" #3	1-10"	13 5/8"	3/4"	5/8"	1 3/4"
	Outfitter ⁽¹⁾	OWS270NR40(2)	RH 24"	5 3/4 lbs.	44"	5+1	24" #1	1-10"	13 5/8"	3/4"	3/8"	1 1/8"
	TRR Magnum ⁽¹⁾	TCM333WR8B ⁽²⁾	RH 28"(3)	9 1/4 lbs.	48"(3)	2+1	26" #3	1-10"	13 1/4"-14 3/4"	Adjustable	NA	Adjustable

Custom Rifles specifications vary based on caliber. ⁽²⁾Not the only calibers available in this model. ⁽³⁾Available with Weatherby Accubrake™ only.

reserves the right to make changes in design, materials, specifications and prices or to make product changes as deemed necessary without prior notice. Every effort has been rinting errors in this catalog. However, if there are any specification or application errors, we must disclaim responsibility. Weatherby®, Mark V®, Accumark®, Fibermark®, thena[®], Orion[®] and VarmintMaster[®] are registered trademarks of Weatherby, Inc. Eurosport[™], Euromark[™] and Accubrake[™] are trademarks of Weatherby, Inc. Cordura[®] rademark of E.I. Dupont de Nemours & Company. Krieger™ and Criterion™ are trademarks of Krieger Barrels, Inc. Pachmayr® is a registered trademark of Pachmayr Ltd. Corporation. Decelerator® is a registered trademark of Lyman Productions Corporation. Nosler®, Partition® and Ballistic Tip® are registered trademarks of Nosler, Inc. Barnes[™] and Barnes-X[™] are trademarks of Barnes Bullets, Inc. Hornady⁷⁴ and Interlock⁷⁴ are trademarks of Hornady Manufacturing Company. A-Square⁷⁴ and Monolithic Solid⁷⁴ are trademarks of Arthur B. Alphin, dba A-Square. Norma® is a registered trademark of Norma Precision AB. Federal® is a registered trademark of Federal Cartridge Company. Briley® is a registered trademark of Jess Briley Manufacturing Company. Mossy Oak[®], Shadow Grass[®] and Break-Up[®] are registered trademarks of Haas Outdoors, Inc. YKK[®] is a registered trademark of Yoshida Kogyo K.K. Corporation. Uretek™ is a trademark of Yoshida Kogyo K.K. Corporation. Velcro® is a registered trademark of Velcro Industries B.V.

GGESTED JSAGE	CARTRIDGE	BU	llet	PRODUCT CODE	MSRP	B/C			VELC in Feet pe	ICITY er Second					ENE in Foot-						(Above or be s mounted 1.		
		Weight Grains	Bullet Type		(may vary by model & dealer)		Muzzle	100 Yards	200 Yards	300 Yards	400 Yards	500 Yards	Muzzle	100 Yards	200 Yards	300 Yards	400 Yards	500 Yards	100 Yards	200 Yards	300 Yards	400 Yards	500 Yards
V V	.224 Wby.	55	SP	H22455SP	\$41	.235	3650	3192	2780	2403	2056	1741	1627	1244	944	705	516	370	2.8	3.7	0.0	-9.8	-27.9
	.240 Wby.	87	SP Domes V	H24087SP	\$41	.327	3523	3199	2898	2617	2352	2103	2397	1977	1622	1323	1069	855	2.7	3.4	0.0	-8.4	-23.3
		90 95	Barnes-X BST	B24090XS N24095BST	\$59 \$47	.382 .379	3500 3420	3222 3146	2962 2888	2717 2645	2484 2414	2264 2195	2448 2467	2075 2087	1753 1759	1475 1475	1233 1229	1024 1017	2.6 2.7	3.3 3.5	0.0 0.0	-8.0 -8.4	-21.6 -22.9
		100	SP	H240100SP	\$41	.381	3406	3134	2878	2637	2408	2190	2576	2180	1839	1544	1223	1065	2.8	3.5	0.0	-8.4	-23.0
		100	Partition®	N240100PT	\$53	.384	3406	3136	2882	2642	2415	2199	2576	2183	1844	1550	1294	1073	2.8	3.5	0.0	-8.4	-22.9
	.257 Wby.	87	SP	H25787SP	\$41	.322	3825	3472	3147	2845	2563	2297	2826	2328	1913	1563	1269	1019	2.1	2.8	0.0	-7.1	-19.5
		100	SP	H257100SP	\$41	.357	3602	3298	3016	2750	2500	2264	2881	2416	2019	1680	1388	1138	2.4	3.1	0.0	-7.7	-21.0
		115 115	BST Barnes-X	N257115BST B257115XS	\$47 \$59	.453 .429	3400 3400	3170 3158	2952 2929	2745 2711	2547 2504	2357 2306	2952 2952	2566 2546	2226 2190	1924 1877	1656 1601	1419 1358	3.0	3.5 3.4	0.0 0.0	-7.9 -8.1	-21.5 -21.7
		117	Rn-Ex	H257117RN	\$35	.425	3400	2984	2525	2240	1921	1639	3007	2340	1742	1302	956	690	3.4	4.3	0.0	-11.1	-31.9
		120	Partition	N257120PT	\$59	.391	3305	3046	2801	2570	2350	2141	2910	2472	2091	1760	1471	1221	3.0	3.7	0.0	-8.9	-24.3
	.270 Wby.	100	SP	H270100SP	\$41	.307	3760	3396	3061	2751	2462	2190	3139	2560	2081	1681	1346	1065	2.3	3.0	0.0	-7.6	-21.0
		130	SP	H270130SP	\$41	.409	3375	3123	2885	2659	2444	2240	3288	2815	2402	2041	1724	1448	2.8	3.5	0.0	-8.4	-22.6
		130 140	Partition BST	N270130PT N270140BST	\$59 \$47	.416 .456	3375 3300	3127 3077	2892 2865	2670 2663	2458 2470	2256 2285	3288 3385	2822 2943	2415 2551	2058 2204	1744 1896	1470 1622	2.8 2.9	3.5 3.6	0.0 0.0	-8.3 -8.4	-22.4 -22.6
		140	Barnes-X	B270140D31	\$59	.462	3250	3032	2825	2628	2470	2205	3283	2858	2481	2204	1848	1583	3.0	3.7	0.0	-8.7	-23.2
		150	SP	H270150SP	\$41	.462	3245	3028	2821	2623	2434	2253	3507	3053	2650	2292	1973	1690	3.0	3.7	0.0	-8.7	-23.3
		150	Partition	N270150PT	\$59	.465	3245	3029	2823	2627	2439	2259	3507	3055	2655	2298	1981	1699	3.0	3.7	0.0	-8.7	-23.2
	7MM Wby.	139	SP	H7MM139SP	\$41	.392	3340	3079	2834	2601	2380	2170	3443	2926	2478	2088	1748	1453	2.9	3.6	0.0	-8.7	-23.7
		140	Partition	N7MM140PT	\$59	.434	3303	3069	2847	2636	2434	2241	3391	2927	2519	2159	1841	1562	2.9	3.6	0.0	-8.5	-23.1
		150 150	BST Barnes-X	N7MM150BST B7MM150XS	\$47 \$59	.493 .488	3300 3100	3093 2901	2896 2710	2708 2527	2527 2352	2353 2183	3627 3200	3187 2802	2793 2446	2442 2127	2127 1842	1844 1588	2.8	3.5 4.0	0.0 0.0	-8.2 -9.4	-21.8 -25.3
		150	SP	H7MM154SP	\$35	.400	3260	3028	2807	2597	2397	2206	3634	3134	2694	2307	1964	1663	3.0	3.7	0.0	-8.8	-23.8
		160	Partition	N7MM160PT	\$59	.475	3200	2991	2791	2600	2417	2241	3638	3177	2767	2401	2075	1784	3.1	3.8	0.0	-8.9	-23.8
		175	SP	H7MM175SP	\$41	.462	3070	2861	2662	2471	2288	2113	3662	3181	2753	2373	2034	1735	3.5	4.2	0.0	-9.9	-26.5
1	.338-06 A-Square	210	Partition	N386210PT	\$53	.400	2750	2526	2312	2109	1916	1735	3527	2975	2493	2074	1712	1404	4.8	5.7	0.0	-13.5	-36.5
	.300 Wby.	150 150	SP Partition	H300150SP N300150PT	\$41 \$59	.338 .387	3540 3540	3225 3263	2932 3004	2657 2759	2399 2528	2155 2307	4173 4173	3462 3547	2862 3005	2351 2536	1916 2128	1547 1773	2.6 2.5	3.3 3.2	0.0 0.0	-8.2 -7.7	-22.6 -20.9
		165	SP	H300165SP	\$39	.387	3390	3123	2872	2634	2328	2307	4173	3573	3005	2530	2126	1765	2.5	3.2	0.0	-8.5	-20.9
		165	BST	N300165BST	\$47	.475	3350	3133	2927	2730	2542	2361	4111	3596	3138	2730	2367	2042	2.7	3.4	0.0	-8.1	-21.4
		180	SP	H300180SP	\$41	.425	3240	3004	2781	2569	2366	2173	4195	3607	3091	2637	2237	1886	3.1	3.8	0.0	-9.0	-24.4
		180	BST	N300180BST	\$47	.507	3250	3051	2806	2676	2503	2334	4223	3721	3271	2867	2504	2178	2.8	3.6	0.0	-8.4	-22.4
		180	Barnes-X	B300180XS	\$59	.511	3190	2995	2809	2631	2459	2294	4067	3586	3154	2766	2417	2103	3.1	3.8	0.0	-8.7	-23.2
		180 200	Partition Partition	N300180PT N300200PT	\$59 \$59	.474 .481	3240 3060	3028 2860	2826 2668	2634 2485	2449 2308	2271 2139	4195 4158	3665 3631	3193 3161	2772 2741	2396 2366	2062 2032	3.0 3.5	3.7 4.2	0.0 0.0	-8.6 -9.8	-23.1 -26.2
		200	Rn-Ex	H300200PT	\$59 \$41	.461	2845	2860 2543	2008 2260	2465 1996	2308 1751	1530	3954	3031	2495	1946	2300 1497	2032 1143	4.9	4.2	0.0	-9.8 -14.6	-20.2 -40.8
3	.340 Wby.	200	SP	H340200SP	\$47	.361	3221	2946	2688	2444	2213	1995	4607	3854	3208	2652	2174	1767	3.3	4.0	0.0	-9.9	-27.0
	ŕ	200	BST	N340200BST	\$59	.414	3221	2980	2753	2536	2329	2133	4607	3944	3364	2856	2409	2020	3.1	3.9	0.0	-9.2	-25.0
		210	Partition	N340210PT	\$70	.400	3211	2963	2728	2505	2293	2092	4807	4093	3470	2927	2452	2040	3.2	3.9	0.0	-9.5	-25.7
		225	SP Domes V	H340225SP	\$47	.397	3066	2824	2595	2377	2170	1973	4696	3984	3364	2822	2352	1944	3.6	4.4	0.0	-10.7	-28.6
		225 250	Barnes-X SP	B340225XS H340250SP	\$70 \$47	.482 .431	3001 2963	2804 2745	2615 2537	2434 2338	2260 2149	2093 1968	4499 4873	3927 4182	3416 3572	2959 3035	2551 2563	2189 2150	3.6 3.9	4.3 4.6	0.0 0.0	-10.3 -11.1	-27.4 -29.6
		250	Partition	N340250PT	\$70	.473	2941	2743	2553	2371	2197	2029	4801	4176	3618	3120	2678	2286	3.9	4.6	0.0	-10.9	-28.9
	.30-378 Wby.	165	BST	N303165BST	\$94	.475	3500	3275	3062	2859	2665	2480	4488	3930	3435	2995	2603	2253	2.4	3.0	0.0	-7.4	-19.5
	-	180	BST	N303180BST	\$94	.507	3420	3213	3015	2826	2645	2471	4676	4126	3634	3193	2797	2441	2.5	3.1	0.0	-7.5	-20.0
3		180	Barnes-X	B303180XS	\$99	.511	3450	3243	3046	2858	2678	2504	4757	4204	3709	3264	2865	2506	2.4	3.1	0.0	-7.4	-19.6
	220, 270 Why	200	Partition	N303200PT	\$99	.481	3160	2955	2759	2572	2392	2220	4434	3877	3381	2938	2541	2188	3.2	3.9	0.0	-9.1	-24.3
1 B	.338-378 Wby.	200 225	BST Barnes-X	N333200BST B333225XS	\$94 \$99	.414 .482	3350 3180	3102 2974	2868 2778	2646 2591	2434 2410	2232 2238	4983 5052	4273 4420	3652 3856	3109 3353	2631 2902	2213 2501	2.8	3.5 3.8	0.0 0.0	-8.4 -8.9	-22.9 -24.0
B		250	Partition	N333250PT	\$99	.473	3060	2856	2662	2475	2297	2125	5197	4528	3933	3401	2927	2507	3.5	4.2	0.0	-9.8	-26.4
A	.375 Wby.	300	Partition	N375300PT	\$82	.398	2800	2572	2366	2140	1963	1760	5224	4408	3696	3076	2541	2084	1.9	0.0	-8.2	-23.9	-48.7
4	.378 Wby.	270	SP	H378270SP	\$88	.380	3180	2921	2677	2445	2225	2017	6062	5115	4295	3583	2968	2438	1.3	0.0	-6.1	-18.1	-37.1
A		270	Barnes-X	B378270XS	\$111	.503	3150	2954	2767	2587	2415	2249	5948	5232	4589	4013	3495	3031	1.2	0.0	-5.8	-16.7	-33.7
A A		300 300	Rn-Ex FMJ	H378300RN H378300FJ	\$88 \$88	.250 275	2925 2925	2558 2591	2220 2280	1908 1991	1627 1725	1383 1489	5699 5699	4360 4470	3283 3461	2424 2640	1764 1983	1274 1476	1.9	0.0	-9.0 -8.6	-27.8 -26.1	-60.0 -55.4
A I	.416 Wby.	300	Barnes-X	B416350XS	\$00	.275 .521	2925	2673	2503	2340	1725 2182	2031	6312	4470 5553	3461 4870	4253	3700	1476 3204	1.0	0.0	-0.0	-20.1	-55.4 -41.8
		400	Rn-Ex	H416400RN	\$105	.311	2700	2417	2152	1903	1676	1470	6474	5189	4113	3216	2493	1918	2.3	0.0	-9.7	-29.3	-61.2
		400	¹ Mono	A416400SD	\$117	.304	2700	2411	2140	1887	1656	1448	6474	5162	4068	3161	2435	1861	2.3	0.0	-9.8	-29.7	-62.1
	.460 Wby.	450	Barnes-X	B460450XS	\$123	.488	2700	2518	2343	2175	2013	1859	7284	6333	5482	4725	4050	3452	2.0	0.0	-8.4	-24.1	-48.2
		500	Rn-Ex	H460500RN	\$105	.287	2600	2301	2022	1764	1533	1333	7504	5877	4539	3456	2608	1972	2.6	0.0	-11.1	-33.5	-71.1
A		500	FMJ	H460500FJ	\$105	.295	2600	2309	2037	1784	1557	1357	7504	5917	4605	3534	2690	2046	2.5	0.0	-10.9	-33.0	-69.6

Custom rifles are also available. Consult your Weatherby® dealer or the Weatherby Custom Shop for specifications. All rifles are drilled and tapped for scope mounts. Specifications subject to change without notice. "Weight approximate. Varies due to stock density and bore diameter. ⁽²⁾Magazine capacity plus one round in chamber. ⁽³⁾Available with Weatherby Accubrake[™] only. ⁽⁴⁾Measurement includes Accubrake.



WEATHERBY® FACTORY AMMUNITION PROVIDES THE ULTIMATE IN PENETRATION. LARGE WOUND CHANNELS AND MORE ONE-SHOT KILLS

LEGEND:

SP = Spire Point Rn-Ex = Round Nose-Expanding FMJ = Full Metal Jacket Barnes-X = Barnes "X" Flat Base Partition = Nosler® Partition® Flat Base BST = Nosler[®] Ballistic Tip[®]

NOTE:

These tables were calculated by computer using a standard modern scientific technique to predict trajectories and recoil energies from the best available data for each cartridge. The figures shown are expected to be reasonably accurate of ammunition behavior under standard conditions. However, the shooter is cautioned that performance will vary because of variations in rifles, ammunition, atmospheric conditions and altitude.

 B.C.: Ballistic Coefficients used for these tables were supplied by the bullet's manufacturers. Listed velocities were determined using 26-inch barrels. Velocities from shorter barrels will be reduced by 30 to 65 feet per second per inch of barrel removed.

• Trajectories were computed with the line-of-sight 1.5 inches above the bore centerline.

 Ballistic Tip[®] and Partition[®] are registered trademarks of Nosler, Inc.

 Barnes X-Bullet[™] is a trademark of Barnes Bullets, Inc.

⁽¹⁾Monolithic Solid[™] is a trademark of Arthur B. Alphin, dba A-Square

"These buffalo don't like the .460 Weatherby[®] Magnum one bit."

ROBERT NIOA WITH WIFE, ELIZA {AUSTRALIA}

AMMUNITION

WEATHERBY[®] AMMUNITION offers a variety of premium and super premium grade bullets that are carefully selected for specific → hunting applications. To meet varying needs, we proudly load Hornady[®] InterLock[®] bullets, the renowned Barnes-X[™] bullet, the popular Nosler® Partition® bullet and the Nosler Ballistic Tip® bullet, featuring a unique plastic nose for explosive expansion. Whichever bullet you prefer, it has been ideally matched to maximize the performance potential of Weatherby ammunition.

A UNIQUE DOUBLE RADIUS Venturi shoulder design increases the velocity of escaping gases without increasing the pressure within the cartridge. This results in higher velocity within standard pressure ranges.

NORMA® HIGH-GRADE PREMIUM POWDER is used in all Weatherby ammunition to deliver maximum attainable velocity and energy. Each lot of powder is tested to assure consistency and to achieve the lowest standard velocity deviation from shot to shot. Gives the non-handloader handloaded performance and accuracy.

WE USE NORMA norm

precision brass, offering

CNC-machined primer pockets produced to match-grade specifications...the finest that money can buy.

SPECIALLY-DESIGNED PRIMERS provide positive ignition of the large powder charges found within Weatherby Magnum ammunition.





BARNES

OVER HALF A CENTURY AGO, ROY WEATHERBY began his career in the firearms industry as a cartridge "wildcatter," developing his revolutionary ideas about rifle cartridge performance and design. At the time, many industry "experts" were promoting the idea that optimum performance was a result of pushing big bullets at relatively slow speeds. Roy, however, believed just the opposite. It was his opinion that the faster a bullet traveled, the better-the flatter it would shoot, the less it would drop, the harder it would hit-the better its terminal performance. It was a concept that would spawn

many an argument among ballistics experts, gun writers and in many a deer camp. But as people began to hear about and experience Roy's notion firsthand, those questions, concerns and doubts were quickly laid to rest. Soon, the entire hunting world would know what Roy had always believed-generate enough speed to create hydrostatic shock in the animal and the result will be more one-shot kills.

Today, our ammunition remains true to the concept Roy developed in the 1940s. At the same time, our ammunition also takes advantage of the latest in controlled expansion bullets which are capable of harnessing the higher velocities to create cartridges that provide the ultimate in penetration, large wound channels and more one-shot kills.





WEATHERBY HAS LONG INCLUDED the legendary - and very effective - performance of Nosler® Partition® and Ballistic Tip® bullets in our Weatherby® Magnum ammunition. The Nosler Partition is a benchmark premium bullet engineered for maximum in-flight and terminal performance on big game - controlled expansion, penetration and weight retention. (Available in the following Weatherby Magnum calibers: 240, 257, 270, 7mm. .300, .340, .30-378, .338-378 and .375). The Nosler Ballistic Tip features a polycarbonate tip that initiates maximum expansion at impact. A heavy jacket base acts as a platform for large diameter mushrooms. Nosler Ballistic Tip bullets are color-coded for each caliber (available in the following Weatherby Magnum calibers: .240, .257, .270, 7mm, .300. .30-378. .338-378 and .340).

POLYCARBONATE TIP resists deformation in the magazine and initiates expansion on impact.

FULLY TAPERED JACKET ruptures instantly at the thin jacket ... mouth. Gradual thickening along axis controls expansion and curls uniformly outward.

retains the rear lead alloy core.

BALLISTIC TIP

INTEGRAL PARTITION supports the expanded mushroom and ••



SECANT OGIVE DESIGN offers a high . ballistic coefficient with maximum bearing surface for greater stability.

CANNELURE provides accurate and consistent crimping, and also works with InterLock ring to ensure the core and ••• iacket remain locked during expansion.

THE RAISED INTERLOCK RING is embedded in the bullet's core. ensuring the core and jacket is locked • in one piece during expansion. Upon impact, the Interlock retains more mass and energy for deep penetration and large, consistent wound channels.

WEATHERBY[®] AND BARNES-X[™]...a terminal combination! Generally regarded as a quantum leap in bullet design, we believe the Barnes-X in Weatherby ammunition will deliver all the terminal performance you could hope for in a factory load. Due to

WEATHERBY MAGNUM AMMUNITION is also available with the proven ballistic

performance of the Hornady InterLock® bullet. Another tried and true hunting bullet,

locked during expansion. The result is more mass, energy and momentum at impact

ballistic coefficient with maximum bearing surface for greater stability. The InterLock

is available in the following Weatherby Magnum calibers: .224, .240, .257, .270, 7mm,

the InterLock features an exclusive ring that ensures the core and jacket remain

for greater penetration. Hornady's pioneering secant ogive design offers a high

its unique design, a Barnes-X will retain virtually all of its weight upon impact, so you can shoot a lighter weight bullet that will deliver extremely flat trajectory while performing like a heavier weight bullet of conventional design and construction. For each of our cartridges, we have selected the ideal weight and style of bullet to maximize the benefits of high velocity with the controlled expansion and aerodynamic design of the Barnes-X.

.300, .340, .378, .416 and .460.





Weatherby Magnum ammunition is available with the Barnes-X flat base bullet

ALL WEATHERBY® RIFLES

are guaranteed to shoot a 1 1/2" 3-shot group at 100 yards from a cold barrel when used with premium (non-Weatherby calibers) or Weatherby factory ammunition Together, the Weatherby system (premium ammunition and rifle) forms the flattest shooting, hardest hitting, most accurate combination in the industry today.

We start with Norma® Precision brass the finest that money can buy (handloaders also tell us it's the finest for reloading). Then we add premium grade primers and bullets from the top names in the business - Hornady,® Nosler® and Barnes. The result is that each Weatherby Magnum cartridge is produced with the precision of handloading...with the blistering speed and downrange power to deliver the opportunity for more one-shot kills. In virtually every case, no other commerciallyproduced ammunition provides the Maximum Point Blank Range of Weatherby, Nothing shoots flatter, hits harder or is more accurate out of the box than a Weatherby.

"The D'Italia has quickly become the 'go-to favorite' in my gun safe."

STEVE RUSSELL {NEBRASKA}

PERHAPS NO OTHER GUN

elicits the devotion and emotional bond as the traditional English side-by-side shotgun. Refined over centuries of use, the double gun is the field standard among wingshooting loyalists.



THE NEW ATHENA® D'ITALIA DELUXE features the beauty of intricate engraving with cut-outs on the top lever.



Weatherby offers an Italian-made side-by-side that is certain to stir a response from the most discriminating enthusiasts, bringing together classic styling and craftsmanship with modern production techniques in a truly stunning way.

First introduced in 2005, we have now expanded our side-by-side lineup to include three models. The beautiful Athena® D'Italia returns featuring a highly figured, oil-finished walnut stock with traditional straight grip. Joining the D'Italia ranks in 2006 is a new model with a rounded pistol grip for those who prefer a more defined grip in hand. And for those who desire a more custom touch, we proudly offer the new Athena D'Italia Deluxe, a head-turning work of art that is at the pinnacle of the gunmaking craft.



ALL ATHENA D'ITALIA shotguns feature a stainless steel Integral Multi-Choke (IMC) system to tailor choke patterns to shooting needs and field situations. Certified for steel shot through modified choke constrictions.



THE ATHENA® D'ITALIA FEATURES laser cut checkering in "New Scottish" pattern. 20 LPI adds a distinctive look and a sure grip in the field.

	Model	Gauge	
	NEW	12	2
	NEW D'Italia Deluxe	20	2
	D Italia Deluxe	28	
		12	2
Ň	NEW D'Italia PG	20	2
ATHENA®	Ditalia ru	28	
		12	2
	D'Italia	20	2
		28	
	Weight varies by m	odel.	

SIDE-BY-SIDE ATHENA D'ITALIA DELUXE (BELOW)

BEAUTIFUL ENGRAVING ~... adds elegance and non-slip functionality.

THE ATHENA D'ITALIA ° DELUXE features a single inertia trigger. Right barrel fires first.

FANCY ENGRAVED triggerguard features rolled-formed border to eliminate sharp edges.

MONOBLOC BARRELS (26" or 28") feature automatic ejectors to discharge only spent shells when receiver is opened. Unfired shells are raised slightly for easy extraction.

SLENDER DESIGN of integrated slide safety is unobtrusive yet easy to operate in the field. A TIME-TESTED Anson and Deeley action with Purdey double locking system provides perfect interlocking alignment of barrels to action.

> CHROME-LINED BARRELS are built to withstand the wear and tear of heavy use. Lengthened forcing cones and backboring improve patterns while reducing felt recoil.

> > SIDEPLATES with intricate engraving leave no detail untouched. Screws are meticulously timed for perfect alignment.

DOUBLE TRIGGERS are a signature touch to the classic English design.

TRIGGERGUARD features a special rolled-formed border to eliminate sharp edges. - Bottom of action continues the intricate engraving pattern from the sideplates.

SIDE-BY-SIDE ATHENA D'ITALIA (ABOVE)

				SI	DE-BY-SIDE SHOTO	SUN SPECIFICATIONS					
Chamber		Barrel Length ar	nd Produ	ct Code	IMC Chokes	Overall Length	Length of Pull	Drop at Heel	Drop at Comb	Bead Sight	Approx. Weight (lbs.)
3/4" or 3"	26"	ACX1226SGM	28"	ACX1228SGM	Fixed (IC,M)	42 1/2" or 44 1/2"	14"	2 1/4"	1 1/2"	Brass front	6 3/4 - 7 1/4
3/4" or 3"	26"	ACX2026SGM	28"	ACX2028SGM	Fixed (IC,M)	42 1/2" or 44 1/2"	14"	2 1/4"	1 1/2"	Brass front	6 3/4 - 7 1/4
2 3/4"	26"	ACX2826SGM	28"	ACX2828SGM	Fixed (IC,M)	42 1/2" or 44 1/2"	14"	2 1/4"	1 1/2"	Brass front	6 3/4 - 7 1/4
3/4" or 3"	-	-	28"	ADX1228PGM	IC,M,F	44 1/2"	14"	2 1/4"	1 1/2"	Brass front	6 3/4 - 7 1/4
3/4" or 3"	26"	ADX2026PGM	28"	ADX2028PGM	IC,M,F	42 1/2" or 44 1/2"	14"	2 1/4"	1 1/2"	Brass front	6 3/4 - 7 1/4
2 3/4"	26"	ADX2826PGM	-	-	Fixed (IC,M)	42 1/2"	14"	2 1/4"	1 1/2"	Brass front	6 3/4 - 7 1/4
3/4" or 3"	-	-	28"	ADX1228SGM	IC,M,F	44 1/2"	13 5/8" and 14"	2 1/4"	1 1/2"	Brass front	6 3/4 - 7 1/4
3/4" or 3"	26"	ADX2026SGM	28"	ADX2028SGM	IC,M,F	42 1/2" or 44 1/2"	13 5/8" and 14"	2 1/4"	1 1/2"	Brass front	6 3/4 - 7 1/4
2 3/4"	26"	ADX2826SGM	-	-	Fixed (IC,M)	42 1/2"	13 5/8" and 14"	2 1/4"	1 1/2"	Brass front	6 3/4 - 7 1/4



THE ATHENA D'ITALIA DELUXE (above) houses a single inertia trigger and can be personalized with your initials.

THE DISTINCTIVE WEATHERBY Flying "W" in gold adorns the Athena D'Italia straight grip (below) and pistol grip models with double triggers.





ALL ATHENA D'ITALIA shotguns feature walnut stocks with deep oil finish for a classic look. Each stock is hand selected for figuring, density and weight. You also get exceptional wood-to-metal fit where the wood forend marries with stylish metal inserts with titanium nitride finish.



"My daughter, Lauren, uses my Weatherby" on everything from opening-day doves to late season ducks. At the age of 14, she's become my favorite hunting partner."

STAN RUDDELL WITH LAUREN AND PETEY {CALIFORNIA}

ATHENA® D'ITALIA





THE ENGLISH SCROLL with ribbons engraving carries the signature of the world-famous

esare Giovannelli Studio

NEW! SIDE-BY-SIDE ATHENA® D'ITALIA DELUXE

In a word: stunning. Our new side-by-side Deluxe is a beautiful testament to the gunmaking craft. The action features sculpted frameheads and is adorned with Bolino-style game scene with renaissance floral engraving, hand-signed by A. Posilini. The stock is AAA Fancy Turkish walnut with classic straight grip buttstock, 24 LPI hand checkering and hand-rubbed oil finish. For the most discriminating double gun enthusiast, the D'Italia Deluxe is a true work of art. See page 33 for specifications.

NEW! SIDE-BY-SIDE ATHENA® D'ITALIA PG

Identical in action and frame to the Athena D'Italia, it features a rounded pistol grip and semi-beavertail forearm for exceptional between-the-hands balance. The hand-selected, oil-finished walnut stock carries laser cut "New Scottish" checkering at 20 LPI. Comes with foam-lined take-down case for the ultimate in portable protection. For complete specifications, see page 33.

SIDE-BY-SIDE ATHENA® D'ITALIA

The quality and craftsmanship of Italy's finest gunmakers deliver a classic side-by-side that rivals guns costing thousands more. Action is cut from a solid block of alloy steel, hardened and chromed with "Silver Slade" finishing. Unmatched wood-to-metal fit and every appointment worthy of a classic field double gun. Available in 12, 20 and 28 gauge models. For complete specifications, see page 33.



1	2 Gauge 26"	Barrel	ACX1226SGM
1	2 Gauge 28"	Barrel	ACX1228SGM
2	0 Gauge 26"	Barrel	ACX2026SGM
2	O Gauge 28"	Barrel	ACX2028SGM
	8 Gauge 26"		ACX2826SGM
	8 Gauge 28"		ACX2828SGM

12 Gauge 28" Barrel	ADX1228PGM
20 Gauge 26" Barrel	ADX2026PGM
20 Gauge 28" Barrel	ADX2028PGM
28 Gauge 26" Barrel	ADX2826PGM

ATHENA® D'ITALIA	
12 Gauge 28" Barrel	ADX1228SGM
20 Gauge 26" Barrel	ADX2026SGM
20 Gauge 28" Barrel	ADX2028SGM
28 Gauge 26" Barrel	ADX2826SGM



THE ATHENA D'ITALIA comes with a handsome foam-lined take-down case. Features individual areas for choke tubes and wrenches, forend, barrels and buttstock. Comes with velour sleeves for extra protection and combination locks for extra security. Case is embossed on top with Weatherby logo in distinctive gold.

the field.

*Price may vary by model and dealer

"Setting up with the right equipment counts. I haven't found a better combination when calling coyotes than a Weatherby[®] SAS and box of #4 buckshot...fast and effective."

TIM O'CONNOR {OREGON }

SAS

ITALIAN-MADE SEMI-AUTOMATICS

are renowned for their quality, craftsmanship and smooth operation in the field. With the Weatherby SAS, you get every performance feature and advantage at a cost that is hundreds less than other name imports. Our self-compensating gas system significantly reduces felt recoil and delivers dependable, high volume performance. A magazine cut-off with smart follower allows for easy loading and quick changeovers in the field (2 3/4" or 3" shells), while the vent-ribbed barrel provides for cooler performance when the shooting heats up. The SAS also shines when it comes time to clean up. The modern gas system disassembles quickly and easily, and a special drop-out trigger is removed by simply punching out two side-mounted pins. Superior performance. Exceptional fit and finish. Common sense design. That's the SAS.



CUSTOM FIT the stock of your SAS to your bod size and shape with our special shim/spacer system. Spacers can be quickly added, remove or reversed to alter cast on/cast off or drop for improved target acquisition and more "hi

DROP-OUT TRIGGER SYSTEM Contributing to the exceptional functionality of the SAS is our specially-designed drop-out trigger system. Simply pushing two pins on the right side of the receiver allows you to remove

THE SAS features chrome-lined barrels to withstand the wear and tear of high-volume shooting. Lengthened forcing cones work to reduce felt recoil. curbing shooter fatigue while improving patterns.

the trigger assembly for easy cleaning. Snaps back into place in just seconds for fast reassembly.



RECEIVER CONSTRUCTED of CNC-machined, aircraft-grade 7075 T-6 alloy to reduce overall weight, improving handling characteristics.

INTERNAL DAMPENING SYSTEM significantly reduces felt recoil when bolt contacts rear of receiver during the ejection/reload cycle.



									SAS	SHOTGUN SPECI	FICAT	ONS							
Model	Gauge	Chamber			Barrel Length and Product Code									Overall Length	Length of Pull	Drop at Heel	Drop at Comb	Sight	Approx. Weight (lbs.)
Slug Shotgun (Monte Carlo 1")	12	3"		SVL1222PGM	-	-	-	-	-	-	-	-	(rifled barrel) 1-18" twist	42"	13 3/4"	2 1/4"	1 1/8"	Cantilever scope mount	7-7 3/4
SAS (Semi-Automatic Shotgun) Field	12	3"		-	-	-	26"	SVF1226PGM	28"	SVF1228PGM	-	-	IC, M, F	46" or 48"	14 1/4"	2 1/4"	1 1/2"	Brass front beads	7-7 3/4
SAS (Semi-Automatic Shotgun) Synthetic	12	3"	-	-	-	-	26"	SVS1226PGM	28"	SVS1228PGM	-	-	IC, M, F	46" or 48"	14 1/4"	2 1/4"	1 1/2"	Brass front beads	7-7 3/4
SAS (Semi-Automatic Shotgun) Break-Up®	12	3"	-	-	24"	SVB1224PGM	26"	SVB1226PGM	-	-	-	-	M, F, XF	44" or 46"	14 1/4"	2 1/4"	1 1/2"	High-vis front, brass mid bead	7-7 3/4
SAS (Semi-Automatic Shotgun) Shadow Grass®	12	3"		-	-	-	26"	SVG1226PGM	28"	SVG1228PGM	-	-	S, IC, M	46" or 48"	14 1/4"	2 1/4"	1 1/2"	High-vis front, brass mid bead	7-7 3/4
Weight varies by model.																			

Clays Clays
 Sporting
 Clays
 Imp.
 Clays
 Imp.

 Cylinder
 Skeet
 Clays #1
 #1 (Ported)
 Cyl.
 #2 (Ported)
 Mod.
 Mod.
 000 004 007 007 016

IMC CHOKE SYSTEM — All Weatherby SAS shotguns feature an interchangeable, screw-in Integral Multi-Choke system (IMC) to allow you to tailor your shot pattern for specific needs. Weatherby chokes are crafted from steel and are certified for steel shot (for modified and larger chokes). Available in Extra Full through Cylinder and interchangeable with Briley® choke tubes. SCI and SCII ported choke tubes (right) are available for the sporting clays enthusiast.





SAS SHOTGUNS feature our screw in Integral Multi-Choke system (IMC). Each shotgun comes with three steel choke tubes and an easy-to-use choke wrench. Tube constrictions are based upon barrel length and anticipated usage. Shadow Grass® and Break-Up® models come with extended choke tubes.

ALL WEATHERBY CHOKES feature an easy-to-use identification system to allow you to quickly identify the proper choke for your shooting situation. The top of each choke has been notched to correspond with the specific choke pattern. The choke pattern is also stamped on the side of each choke.

IMC CHOK	E INFORMATION
Тор	Stamped on Side
0	Extra Full
1	Full
11	Improved Modified
III	Modified
1111	Improved Cylinder
11111	Skeet
11111	Cylinder
1-1	SC I
-	SC II



WEATHERBY® SAS SHOTGUNS are backbored to .735 to improve shot patterns, reduce recoil and curb shooter fatigue.

UNIQUE DROP-OUT TRIGGER SYSTEM can be removed by simply punching out two pins. Allows for quick, easy cleaning and reassembly.

MAGAZINE CUT-OFF feature provides versatility, allowing for quick load changes and an additional margin of safety when clearing the chamber without completely unloading the shotgun.

AMBIDEXTROUS OVERSIZED "DELTA" safety button is located on rear of triggerguard for easy access and fast disengagement in the field. Ideal for use with gloved hands.

SELF-COMPENSATING GAS SYSTEM - Form and function come together in a simple, but highly effective selfcompensating gas system (shown at right) for reduced recoil and increased load versatility. The modern, in-line system significantly reduces the size of the forend, improving balance and pointability. The SAS easily handles light, 1 oz. 2 3/4" shells to the heaviest 3" duck and goose loads. A special internal dampening system reduces felt recoil to provide greater shooter comfort. The two-piece system is easy to assemble and disassemble for fast, convenient cleaning.

"I've shot Weatherby" Over/Under shotguns and have always been impressed. This SAS looks like a winner to me."

DENNIS WARREN - GUIDE AT HIGHLAND HILLS RANCH {OREGON}

SEMI-AUTOMATIC

our new slug barrel optio



SAS FIELD

The SAS Field features a traditional walnut stock for a classic look against the matte blued receiver and metalwork. The modern, self-compensating gas system makes volume shooting easy and comfortable, reducing felt recoil and affording fast and convenient cleaning. To aid in shooter accuracy and pointability, a special shim system lets you adjust the cast on/off or drop for a near custom fit. Built for long days and fast shooting, the SAS comes with adjust cast. Sling swivel studs included. three IMC chokes and wrench for quick changeovers. Available in 12 gauge. For complete specifications, see page 37.

SAS SLUG GUN

The quality, performance and value of our SAS is now available for slug gun hunters. The SAS Slug Gun features the same Italian-made, self-compensating gas system for reliable duty and easy maintenance, matched with a 22" rifled barrel (accommodates 2 3/4" and 3" shells) with cantilever base. The SAS Slug Gun also features a walnut Monte Carlo stock with Weatherby's special shim system to For complete specifications, see page 37.

OPTIONAL SAS RIFLED BARREL

Increase the versatility of any SAS shotgun with our slug barrel. The 22" rifled barrel with open sights offers exceptional performance and durability in the field.

12 Gauge 26" Barrel SVF1226PGM 12 Gauge 28" Barrel SVF1228PGM

SAS SLUG GUN 12 Gauge 22" Barrel SVL1222PGM

OPTIONAL SAS RIFLED BARREL 12 Gauge 22" Barrel SVL1222RBO



*Price may vary by model and de

"Thanks Weatherby". I used your SAS to harvest my first Rio last spring. This fine shotgun made a tough shot seem easy."

BRETT NELSON {OREGON}

SEMI-AUTOMATIC









SAS SYNTHETIC

The SAS Synthetic delivers all the design and performance advantages of the SAS Field in a synthetic stock option. The black, injection-molded stock features our special shim system that allows rightor left-handed shooters the ability to adjust cast on/cast off or drop to fit individual preferences. Modern, self-compensating gas system is reliable under heavy use, reduces felt recoil and is easy to disassemble and clean. Comes with sling swivels and IMC choke system with three chokes. Available in 12 gauge. See page 37 for complete specifications.

SAS BREAK-UP®

When concealment is the key, this semiautomatic shotgun is the clear choice. It features Mossy Oak's popular Break-Up® camouflage pattern, ideal when sitting in a deer stand or against a tree trunk calling in a spring tom. The mid-point bead and high visibility front sight provides fast target acquisition for that pressure-filled shot of a lifetime. Features our special shim system that lets you custom fit for cast on/cast off and drop. Comes with sling swivel studs and IMC choke system with three extended choke tubes. Available in 12 gauge. For complete specifications, see page 37.

SAS SHADOW GRASS

With Mossy Oak[®] Shadow Grass[®] camo, this autoloader is ideally suited to the heavy-duty action of the duck or goose blind. Reliable, self-compensating gas system is built for long days of shooting. Quickly disassembles for fast, easy cleaning. Barrels, available in 26" or 28" length, feature mid-point bead and high visibility front sight to get on target quickly. Stock can be custom fit for cast on/cast off and drop. Comes with sling swivel studs and IMC choke system with three extended choke tubes. Available in 12 gauge. See page 37 for complete specifications.

SAS SYNTHETIC

12 Gauge 26" Barrel SVS1226PGM 12 Gauge 28" Barrel SVS1228PGM

SAS BRE	AK-UP®	
12 Gauge	24" Barrel	SVB1224PGM
12 Gauge	26" Barrel	SVB1226PGM

AS SHADOW GRASS 12 Gauge 26" Barrel SVG1226PGM 12 Gauge 28" Barrel SVG1228PGM



NOTHING can ruin a hunt faster than a shotgun that fails to function To assure that your SAS will stand up when it counts, Weatherby institutes stringent endurance and function testing that far exceeds industry standards, both at the lal and in the field. Tens of thousands of rounds have been put through our test shotguns, pushing them well beyond normal limits, to give you the confidence of knowing your Weatherby will pass the most rigorous test of all.

*Price may vary by model and deale

"I was so impressed with the Weatherby[®] Over/Under that I bought one for myself. It's a great shotgun!"

MARK SHEARMAN - GUIDE AT HIGHLAND HILLS RANCH {OREGON}

FLUSHING PHEASANTS. Decoying greenheads. Breaking bobwhites. When your pointing skills are put to the test, that's when you'll appreciate your Weatherby® Over/Under shotgun. The difference starts with a design that has proven itself time and time again since we first introduced it in 1982. The monobloc barrel is narrower and lower in profile to deliver lighter weight, better balance and a livelier feel. Our modified Greener crossbolt action actually "shoots in" with use to retain its rigidity and tight fit – recognized as one of the strongest and most reliably made. And, you get the distinctive beauty of a richly finished, Claro walnut stock, intricately engraved receivers and wood-to-metal fit that is the hallmark of the Weatherby name. From the elegant Athena® to the field-proven Orion,® a Weatherby Over/Under will elicit a true sense of pride, both in the gunrack and in the field.



WEATHERBY® OVER/UNDER stocks are precisely crafted for a seamless wood-to-metal fit...an extra measure of attention to detail found only on the finest custom shotguns.

OVER/UNDER



AUTOMATIC EJECTORS – discharge spent shells when receiver is opened. Unfired shells are raised - slightly for easy extraction.

SPECIAL BREECHING SYSTEM - provides seven points of engagement for a stronger, safer action.

SINGLE, SELECTIVE INERTIA TRIGGER – works independently of the safety. This allows the shooter to select a barrel regardless of safety setting. The barrel selector is stamped with "0" and "U" to readily indicate the barrel choices. Gold-plated for corrosion protection. Does not apply to Orion® Super Sporting Clays (SSC) which does not have this feature.

PATENTED SEAR BLOCK SAFETY DESIGN – prevents accidental discharge when loaded shotgun is closed with trigger depressed... even when the safety is in the "off" position. Does not apply to Orion Super Sporting Clays (SSC) which does not have this feature.

SLIDING TOP SAFETY – prevents firing unless top barrel release lever is fully closed. Does not apply to Orion Super Sporting Clays (SSC) which does not have this feature.

> HAMMER REGAIN – prevents accidental discharge if trigger is pulled to near "let-off" and then released. Sear to hammer engagement is fully reset for a consistently crisp trigger pull.

MONOBLOC BARREL CONSTRUCTION – narrower and lower in profile. Delivers lightweight performance, superior balance and a livelier feel.

LENGTHENED FORCING CONES – work to reduce recoil...curbing shooter fatigue and improving patterns.

									OVER/UN	DER S	HOTGUN SPECIFI	CATIONS					
	Model	Gauge	Chamber				Barrel Length a	nd Pro	duct Code			Overall Length	Length of Pull	Drop at Heel	Drop at Comb	Bead Sight	Approx. Weight (lbs.)
	Grade V	12	3"	26"	A51226RGM	28"	A51228RGM	-	-	-	-	43" or 45"	14 1/4"	2 1/4"	1 1/2"	Brilliant front	7 1/4 - 8
	Classic Field	20	3"	26"	A52026RGM	28"	A52028RGM	-	-	-	-	43" or 45"	14 1/4"	2 1/4"	1 1/2"	Brilliant front	6 1/2 - 7 1/4
ATHEN	Oranda III	12	3"	26"	A31226RGM	28"	A31228RGM	-	-	-	-	43" or 45"	14 1/4"	2 1/4"	1 1/2"	Brilliant front	7 1/4 - 8
AT	Grade III Classic Field	20	3"	26"	A32026RGM	28"	A32028RGM	-	-	-	-	43" or 45"	14 1/4"	2 1/4"	1 1/2"	Brilliant front	6 1/2 - 7 1/4
	CIASSIC FIEIU	28	2 3/4"	26"	A32826RGM	28"	A32828RGM	-	-	-	-	43" or 45"	14 1/4"	2 1/4"	1 1/2"	Brilliant front	6 1/2 - 7 1/4
	Grade III	12	3"	26"	031226RGG	28"	031228RGG	-	-	-	-	43" or 45"	14 1/4"	2 1/4"	1 1/2"	Brilliant front	7 1/4 - 8
	Classic Field	20	3"	26"	032026RGG	28"	032028RGG	-	-	-	-	43" or 45"	14 1/4"	2 1/4"	1 1/2"	Brilliant front	6 1/2 - 7 1/4
	Oranda II	12	3"	26"	021226RGG	28"	021228RGG	30"	021230RGG	-	-	43", 45" or 47"	14 1/4"	2 1/4"	1 1/2"	Brilliant front	7 1/4 - 8
0	Grade II Classic Field	20	3"	26"	022026RGG	28"	022028RGG	-	-	-	-	43" or 45"	14 1/4"	2 1/4"	1 1/2"	Brilliant front	6 1/2 - 7 1/4
ORION®	Classic Tielu	28	2 3/4"	26"	022826RGG							43"	14 1/4"	2 1/4"	1 1/2"	Brilliant front	6 1/2 - 7 1/4
5	Unland	12	3"	26"	0U1226RGG	28"	0U1228RGG	-	-	-	-	43" or 45"	14 1/4"	2 1/4"	1 1/2"	Brilliant front	7 1/4 - 8
	Upland	20	3"	26"	0U2026RGG	28"	0U2028RGG	-	-	-	-	43" or 45"	14 1/4"	2 1/4"	1 1/2"	Brilliant front	6 1/2 - 7 1/4
	Super Sporting	12	3"	-	-	28"	SS1228PGM	30"	SS1230PGM	32"	SS1232PGM	45", 47" or 49"	14 3/4"	2 1/4"	1 1/2"	Mid point with	8
	Clays (SSC)			-				-								white front	
	Weight varies due to	o wood de	insity.														

MODIFIED GREENER CROSSBOLT ACTION – one of the strongest and most reliable made. The crossbolt lockup actually "shoots in" with use to retain its rigidity and tight fit. Shallower in depth and thinner in profile, our 12-gauge receivers are proportionate to most other 20-gauge guns, generating that sought-after "between the hands" balance for quicker pointing and target acquisition.



MATTE VENTILATED top rib reduces glare and works with side vents to dissipate heat buildup in the barrels. Improves shooting accuracy.

> BACKBORING TO .735 – on all Weatherby 12-gauge models helps to improve shot patterns, reduce recoil and shooter fatigue.

Gauge	Cylinder	Skeet	Sporting Clays #1	Sporting Clays #1 (Ported)	lmp. Cyl.	Sporting Clays #2 (Ported)	Mod.	lmp. Mod.	Full	Extra Full
12 Ga.	.000	.004	.007	.007	.013	.016	.022	.031	.040	.046
20 Ga.	.000	.004	.007		.013		.022	.031	.040	
28 Ga.	.000	.004			.013		.016	.024	.032	

ALL WEATHERBY[®] O/U SHOTGUNS feature an interchangeable, screw-in Multi-Choke System by Briley to allow you to tailor your shot pattern for specific needs. Briley chokes are crafted from stainless steel. Certified for steel shot through modified choke constrictions. In addition, SCI and SCII ported choke (right) tubes are available for the sporting clays enthusiast.

WEATHERBY ATHENA AND ORION field shotguns feature our popular classic field stock designs (right), with a rounded pistol grip and slender forearm for better balance and a livelier feel. Our SSC model (below and right) features a target-style pistol grip and Schnaubel forend for better fit and feel on the sporting clays course.

> THE WEATHERBY CUSTOM SHOP can build you a shotgun with multi-barrel sets (in any combination of 20 gauge, 28 gauge, and .410) which allow you to quickly change barrel gauges and lengths. Tailor your shotgun to the particular shooting situation at the drop of a hat. For more information, contact the Weatherby Custom Shop at (805) 466-1767, or see your Weatherby dealer.



ALL WEATHERBY® CHOKES

feature an easy-to-use identification system to allow you to quickly identify the proper choke for your shooting situation. The top of each choke has been notched to correspond with the specific choke pattern. The choke pattern is also stamped on the side of each choke.



B R I L E Y A Legacy of Shooting Innovation.

IMC CHOKE INFORMATION						
Barrel Length	Field/ Classic/ Upland	SSC				
30"	F/M/F	Skeet/SC I/ IC/SC II/M				
28"	F/M/IC	Skeet/SC I/ IC/SC II/M				
26"	M/IC/Skeet	N/A				

IMC CHOKE INFORMATION				
Тор	Stamped on Side			
0	Extra Full			
1				
Ш	Improved Modified			
III	Modified			
1111	Improved Cylinder			
11111	Skeet			
11111	Cylinder			
I-I SCI				
-	SC II			



"When you factor in excellent quality and outstanding design, I bought a Weatherby[®]shotgun because it's the best value on the market today."

GUY DANELLA {NEW YORK}





ATHENA® GRADE V CLASSIC FIELD

When you set out to build the world's finest field guns, there's simply no room for compromise. And, the Athena V is more than a worthy result. The beautiful oil-finished stock is "AAA" grade fancy American Claro walnut with 20 LPI diamond point checkering, set against a silver/gray nitride sideplate receiver with delicate and intricate rose and scroll engraving. A rounded pistol grip and slender forearm position the shooter's hands for better control, a livelier feel, quicker pointing and target acquisition. An Old English recoil pad, matte ventilated top rib, side vents and top lever with gold Weatherby flying "W" round out this distinctive shotgun. For complete specifications, see page 43.

ATHENA® GRADE III CLASSIC FIELD

From the moment you put this shotgun to your shoulder, you'll recognize and feel a difference as form and function come together in a truly distinctive way. The Athena Grade III features an oil-finished Claro walnut stock ("AA" grade fancy) with intricate checkering, a rounded pistol grip and slender forearm. Gives new meaning to "between-the-hands" balance. Silver/gray nitride sideplates feature rose and scroll engraving with gold inlaid pheasant and quail hunting scenes, while the smoothopening top lever carries the famous Weatherby flying "W." Also features heat dissipating top and side vents (no side vents on 28 gauge models) and Old English recoil pad. See page 43.




A51226RGM
A51228RGM
A52026RGM
A52028RGM

ATHENA® GRADE III CLASSIC FIELD

12 Gauge 26" Barrel	A31226RGM
12 Gauge 28" Barrel	A31228RGM
20 Gauge 26" Barrel	A32026RGM
20 Gauge 28" Barrel	A32028RGM
28 Gauge 26" Barrel	A32826RGM
28 Gauge 28" Barrel	A32828RGM





cases (far left) can be ordered separately for all Weatherby® shotguns. Cases protect shotguns with individual compartments for barrels, buttstocks, choke tubes and accessories. For more information on Weatherby custom cases, see page 24 or contact your Weatherby dealer.

THE WEATHERBY Custom Shop can build you a shotgun (left) with multi-barrel sets (in any combination of 20 gauge, 28 gauge, and .410) which allow you to quickly change barrel gauges and lengths. As an option, multi-barrel sets can be ordered with a beautiful custom-fitted Weatherby shotgun case for the ultimate in convenience and protection.

*Price may vary by model and dealer.

CUSTOM CANVAS CASE



"As a guide, I see a lot of different shotguns come through the ranch. The Weatherby Over/Under is one of the best I've seen."

WAYNE YAMASHITA - GUIDE, HIGHLAND HILLS RANCH {OREGON}



ALL ORION[®] GRADE III Over/Unde ALL ORIGN® GRADE III Overnomeer shotguns carry the added beauty of an intricately-engraved receiver with waterfov upland scene in 24K gold plate overlay. Another example of Weatherby's unmatche commitment to form, function and value.



ORION[®] GRADE III CLASSIC FIELD

A stunning combination of aesthetic beauty and field-proven design. The hand-selected "A" grade fancy Claro walnut stock with fineline checkering sports a rich oil finish that complements the silver/gray nitride receiver. Intricate engraving and gold plate waterfowl/upland overlay add a near custom touch. The rounded pistol grip and slender forearm afford "between-the-hands" balance for fast shouldering and pointing. Heat dissipating top vent rib and an Old English recoil pad. For complete specifications, see page 43.

ORION® GRADE II CLASSIC FIELD

The Orion Grade II shines in every way possible. We start with a rounded pistol grip, Claro walnut fancy grade stock with high lustre finish and Old English recoil pad. You get exceptional balance, a lively feel and fast target acquisition. Receivers carry a distinctive silver/gray nitride finish with engraved waterfowl/upland game scene. The blued barrels are finished with a brilliant front bead sight and matte ventilated top rib to dissipate heat when the action starts. See page 43 for complete specifications.

ORION[®] UPLAND

Our entry level Over/Under is far from ordinary. The high lustre Claro walnut stock (standard grade fancy) features a rounded pistol grip and slender forearm design for exceptional balance, feel and swing-through. The blued receiver and barrels are meticulously fit to the stock, while the triggerguard features the famous Weatherby flying "W" in gold Adding to the performance of this value-packed shotgun are a brilliant front bead and matte ventilated top rib. See page 43.

ORION® SUPER SPORTING CLAYS

The SSC features a satin, oil-finished, standard grade stock with a target-style pistol grip and a Schnaubel forearm. A longer buttstock allows the stock to be cut to fit your exact length of pull requirements The shallow receiver helps align hands for improved balance and pointability, aided by a 12mm competition grooved rib with mid-bead and side vents. The sliding top safety also includes an integrated barrel selector switch. Ported barrels reduce muzzle jump. See page 43 for specifications.

12 Gauge 28" Barrel	031228RGG
20 Gauge 26" Barrel	032026RGG
20 Gauge 28" Barrel	032028RGG
ORION® GRADE II CL	ASSIC FIELD
12 Gauge 26" Barrel	021226RGG
12 Gauge 28" Barrel	021228RGG
12 Gauge 30" Barrel	021230RGG
20 Gauge 26" Barrel	022026RGG
20 Gauge 28" Barrel	022028RGG

ORION® GRADE III CLASSIC FIELD

12 Gauge 26" Barrel 031226RG

28 Gauge 26" Barrel	U22826RGG
ORION [®] UPLAND	
12 Gauge 26" Barrel	OU1226RGG
12 Gauge 28" Barrel	OU1228RGG
20 Gauge 26" Barrel	OU2026RGG
20 Gauge 28" Barrel	OU2028RGG

TING CLAYS
SS1228PGM
SS1230PGM
SS1232PGM



SSC TRIGGER is fully adjustable for length of pull to accommodate different finger lengths.



top to bottom (3 mm to 6 mm) to provide a better fit against the shoulder and improved balance and feel Decelerator® sporting clays reduces felt recoil, as well as drag during

*Price may vary by model and dealer



"There was plenty of snow and cold on my trip to Alberta. I'm here to say your Performance Wool really did the job. It was money well spent!"

WYNDELL WROTEN {LOUISIANA}

WEATHERBY[®] PERFORMANCE WOOL

takes all the inherent benefits of wool and makes it even better. Our hydrophobic synthetic micro-weave lining (itchproof mini-fleece) moves moisture away from your skin into the wool layer for faster evaporation and drying. Should you get soaked in subzero weather, this lining will help get the water away from your skin, maintaining a higher degree of warmth and insulation. In the toughest conditions, Weatherby Performance Wool will be your best friend. (Comfort zones will vary with activity level and layering combinations.) Weatherby Performance Wool is available in 28 oz. Heavyweight High Desert Brown and 14 oz. Early Season Midweight High Desert Brown. Choose the option that best fits your needs and hunting patterns.



FUNCTIONAL DESIGN EXTRAS. The Heavyweight Classic Cruiser Jacket features a large back pocket with button and flap closure. Provides convenient access to extra gloves, hats, maps and small take-alongs.

WEATHERBY 28 07, HEAVYWEIGHT HIGH DESERT BROWN - The perfect choice for true cold weather conditions, rated for temperatures from 0 to 40 degrees F. The complex variation of the natural color tones, combined with the darker contrasting color creates the ability to vanish into the background of any terrain. This pattern is best used when your background is visually noisy and ample cover provides shadowing and shading.



WEATHERBY 14 OZ. MIDWEIGHT HIGH **DESERT BROWN** - The same quality and benefits of our 28 oz. Heavyweight High Desert Brown. Machine washable and line drv. Midweight High Desert Brown is ideally suited for temperature ranges from 30 to 70 degrees F.



PERFORMANCE WOOL



MACHINE WASHABLE, WEATHERBY® PERFORMANCE WOOL is engineered for durability. Blending synthetic fibers not only reduces shrinkage but adds strength to the woolen fabric. Easy cleaning and care, wash gentle cycle and line dry.

HIGH QUALITY YKK® zippers ensure extra long life and durability. Main zipper is massive #8 for convenience and quick pulls. #5 zippers are used on pockets for easy access in the field

> ARTICULATED, SCULPTED ELBOWS AND KNEES provide extra comfort and ease of movement. We've designed and sewn-in additional panels so your sleeves won't ride up or bind when you bend your arms to shoulder your rifle or shotgun. Articulated knees make it easy to crouch, crawl or step over fallen timber.

HYDROPHOBIC ITCHPROOF, MINI-FLEECE LINING moves moisture away from body and into the wool fabric. Promotes faster evanoration of moisture for better warmth and comfort in cold.

UNLIKE IMPRINTED patterns that sit on top of fabric, Weatherby's camouflage pattern is deep woven into the material with UV neutral pigments. Reduces fading.



COMFORT ZONE --- 70° 14 OZ. MIDWEIGHT CARGO PANTS (WITH HITCHES) -Double layer knees and seat incorporated in a flexible, comfortable jean cut . Micro-weave lining stops wind dead, and offers maximum breathability • Articulated knee and generous crotch gusset for maximum range of movement • Full size cargo pockets with directional pleats eliminate hang-ups in the brush • 2" belt loops, ankle adjustments, jean pockets, and #5 YKK® fly zipper are standard • Hitches feature adjustable pack style webbing and elastic to deliver a custom fit

0° - COMFORT ZONE - 70° 14 07. MIDWEIGHT DOUBLE YOKE SHIRT-Generous cut for maximum movement, but light enough to use by itself or for layering. Micro-weave lining stops wind dead, while offering maximum breathability when on the move • Double layer, quilted elbow and forearms • Double front and back yokes for extra rain and snow protection





28 OZ. HEAVYWEIGHT WOOL GLOVES – Breathable waterproof laminate • Inside lining is tricot fleece with Thinsulate[™] for extra

cold-fighting performance



° 🗕 COMFORT ZONE —> 40

28 OZ. HEAVYWEIGHT BIBS -Double seat and knees for extra durability . Crotch gusset, articulated knees and relaxed fit for comfort and flexibility when climbing through fallen timber • Two slash front pockets, two rear covered pockets and a cargo chest pocket • 34" inseam and lower leg zipper • Adjustable elastic suspenders with quick release buckles



28 OZ. HEAVYWEIGHT WOOL CHAPS - One size fits all • 15" leg zipper with snap closure at ankle 2" wide web belt with adjustable straps• Intended for added warmth not for dense brush or barb wire





COMFORT ZONE - 40° 28 OZ. HEAVYWEIGHT CLASSIC CRUISER JACKET (right) -

Double front and back voke protects against cold, bad weather • Two covered upper pockets to store small items • Proven vintage lower pocket design incorporates handwarmer pockets as closure system for lower cargo pockets. Provides more pocket space • Button and flap closure on large back pocket to store extra gloves, hat, maps • Main button closure is deep set for maximum protection, while buttons can be field serviced

Double elbows provide extra protection

D° - COMFORT ZONE - 40° 28 OZ. HEAVYWEIGHT PARKA

(left) - Fully lined with moisture moving, itchproof mini-fleece Cut long in the body for extra protection
 Three-piece, fully adjustable hood provides ample adjustment for peripheral vision, bill length and face closure • Upper handwarmer pockets keep hands and arms up and close to mid-chest for extra warmth • Generous cargo pockets are big, deep and offer plenty of cargo space • Articulated and double wool layer elbows f maximum arm movement and durability • Adjustable wrist closure features buttons for silent movement - field serviceable in the bush

0° - COMFORT ZONE - 40° 28 OZ. HEAVYWEIGHT CARGO PANTS

(WITH HITCHES) (right) - Double laver knees and seat incorporated in a flexible comfortable jean cut. These pants are made for crawling, climbing and comfort • Fully lined with moisture moving, itchproof mini-fleece • Articulated knee and generous crotch gusset for maximum range of movement for climbing hills and scratching through fallen

timber • Full size cargo pockets with directional pleats eliminate hang-ups from branches and brush • 2" inside belt loops, ankle adjustments, jean pockets, and #5 YKK fly zipper are standard • hitches (included) feature adjustable pack style webbing and elastic to deliver a custom fit

0° ← COMFORT ZONE → 40° 28 07. HEAVYWEIGHT CLASSIC

CRUISER VEST (left) - Perfect as a stand alone or lavering vest • Button-down front, ample arm room for maximum freedom of movement • Handwarmer pockets behind generous cargo pockets

° <--- COMFORT ZONE →> 40° 28 OZ. HEAVYWEIGHT

OUTFITTER HAT (right) – Fully adjustable external "belt" Pull down ear flaps lined with mini-fleece



LEATHER SLING - Leather-lined with brushed suede. Embossed logo. Adjustable. | \$64*

LIGHTWEIGHT MOUNTAIN SLING - 1 1/4" black nylon web with non-slip lining. Adjustable. | \$25*



WEATHERBY[®] CARTRIDGE CARRIER – Fits over buttstock. Velcro® closure. Adjustable. | \$2



SPECIALLY-DESIGNED LIGHTWEIGHT Vanguard® mounts by Talley (above) featuring a unique one-piece design of 7000 Series billet alloy, are available for Weatherby Vanguard rifles.



FOUR POINT ADJUSTER—Weatherby Bino-System features a four-point adjuster system (above) to provide a custom fit for your body size and shape. Leather patch is embossed with Weatherby log

ACCESSORIES



1 bestert

Brotherk

WEATHERBY SOFT IDE GUN CA

Features heavy 18 oz. canvas with 40 oz. soft batting and flannel liner. Brass zippers, leather tips and slings and embroidered Weatherby® logo. Choose from three styles.

TAKE-DOWN SHOTGUN CASE - Fits up to 32" barrels.

SCOPED RIFLE CASE WITH ACCESSORY POCKET - Ample room for scoped rifles up to 48" long (including Accubrake™).

SHOTGUN CASE WITH ACCESSORY POCKET - Will hold Over/Under or repeating shotguns up to 50" in length.

SCOPED RIFLE CASE | \$9

SHOTGUN CASE WITH POCKET | \$ SACK-UP | \$1

Protect your investment. Silicone-treated cotton blend provides the maximum in rust protection. Ribbed fabric wicks moisture away from your firearm and allows gun to breathe. Provides extra protection from marring and scratches during transport or storage.



WEATHERBY MOUNTING SYSTYEMS

Custom gunmakers have long sought the guality and durability of Talley mounts. Available for magnum or standard calibers (please specify when ordering), the Talley system features CNC-machined rings and bases of 2024-T4 aircraft-quality aluminum or cold-rolled carbon steel. Precision tolerances ensure a perfect fit where the ring and base contact. The double recoil shoulder base is rock solid and will withstand the repeated pounding of our largest magnum cartridges. All screws are heat-treated to prevent breakage.

For ease of use, the unique system is available in fixed or quick-detach (OD) models with a lever-lock or screw-lock release. With the OD system, a pre-sighted backup scope and ring system can be quickly installed in the event of a scope failure. Available in matte blue or high gloss in low, medium or high. 1" or 30mm. All rings and bases have been carefully finished to complement the finish of all Weatherby rifles.

OUR TALLEY-DESIGNED. Picatinnev-style mounting system (right) gives you the ease and convenience of easy on, easy off mounting. The unique base and ring system lets you slide the scope forward or backward to allow for optimal eve relief.



NEW! WEATHERBY BINO SYSTEM

Our new Bino-System uses your shoulders to support the weight of your binoculars, reducing neck fatigue over a long day in the field. Elastic straps allow binoculars to slide up and flex out when in use. Keeps binoculars secure and eliminates bouncing around when walking or on horseback. A guick release hook allows for fast, easy removal of optics. Fits all sizes and is fully adjustable. | \$24*

WEATHERBY® ACCUBRAKE

All Weatherby Mark V[®] and Vanguard[®] rifles are available with our special Accubrake option (standard on .30-378. .338-378, .378, .416 and .460 models). By adding an Accubrake, you can significantly reduce felt recoil up to 53 percent...nearly 10 percent more effective than competitive options (see chart at right).

Accubrakes are available for four different barrel diameters, with checkered thread protector, for a near perfect brake-to-barrel contour match. Because the crown is located at the end of the barrel (not the brake), the lands are protected, with no adverse effect on accuracy. Bullets exit the barrel without contact with brake, preserving accuracy while reducing recoil and muzzle jump.

ACCUBRAKE [™] PERFORMANCE						
Cartridge	Bullet Weight (Grains)	Bullet Type	Rifle Weight: Scope & Mount Average lbs.	Recoil Energy Ft. lbs.	Recoil Energy w/Accubrake™ Ft. lbs.	Estimated Felt Recoil Comparison
.240 Wby.	100	SP	8	17.9	8.4	.22-250 Rem.
.257 Wby.	100	SP	9.25	22.5	10.6	.243 Win.
.270 Wby.	130	SP	9.25	25.2	11.8	7mm-08 Rem.
7MM Wby.	154	SP	9.25	27.6	13	.25-06 Rem.
.300 Wby.	180	SP	9.25	39.2	18.4	.30-06 Springfield
.340 Wby.	250	SP	10	44.2	20.8	7mm Rem.
.30-378 Wby.	180	¹ BX	9.75	55.1	25.9	.270 Wby.
.338-378 Wby.	225	¹ BX	11.75	46.3	21.8	.300 Win.
.375 Wby.	300	² NP	10	46.1	21.7	7mm Rem.
.378 Wby.	270	SP	10.25	71.1	33.4	.300 Wby.
.416 Wby.	400	Rn-Ex	10.25	83.5	39.2	.375 H&H
.460 Wby.	500	RNSP	11.25	99.6	46.8	.375 Wby.

¹Barnes-X ²Nosler Partition

RECOIL REDUCTION EFFECTIVENESS				
Cartridge	Brake Type	Reduction		
.416 Wby. Mag.	None	0%		
.416 Wby. Mag.	Recoil Reducer	39%		
.416 Wby. Mag.	KDF Slimline	40.6%		
.416 Wby. Mag.	KDF Regular	49%		
.416 Wby. Mag.	WBY Accubrake	53%		



LL WEATHERBY ACCUBRAKES are nstructed of stress-proof steel allov r 420 Series stainless steel and are vailable in high polish or matte blue finish or matte stainless steel.

HARD-SIDE LUGGAGE CASES - Fitted cases hold your shotgun (take-down) or rifle and all accessories. Interior features felt-lined, foam padding with blocks and tie-downs for extra protection during transport. Extra compartments for scope, bolt, wrenches, choke tubes and accessories, 1000 Denier DuPont® Cordura® exterior with simulated leather ends, combination locking latches and circular belts. Inside features Weatherby logo embossed on simulated leather patch.

Take-down shotgun case accommodate all Weatherby O/U and side-by-side shotauns to 28", | \$179* Rifle case fits all Weatherby Mark V and Vanguard rifles. | \$249*





NEW! MAGNUM ALUMINUM GUN CASES - Produced by Kalispel Case Line, these aluminum gun cases offer the ultimate in heavy-duty protection for your rifle(s) or shotgun. Each case is constructed of .080 natural finish aluminum. Extra strong latches, locks and handles provide for years of dependable use, while high-density foam padded interiors keep firearms from shifting inside. Available to fit single or double rifles with scopes and takedown shotauns. Sinale Rifle: 52" x 10" x 4 1/2" | \$340" Double Rifle: 52" x 14" x 4 1/2" | \$365" Take-down Shotaun: 38" x 12" x 4 1/2" | \$340"



Weatherby supports or is a member of organizations dedicated to the conservation and management of our wildlife and habitat resources, including Ducks Unlimited, Foundation for North American Wild Sheep, Mule Deer Foundation, National Rifle Association, National Shooting Soorts Foundation. National Wild Turkey Federation. Quail Unlimited. Rocky Mountain Elk Foundation. Safari Club International and Wildlife Forever. Weatherby proudly sponsors the Resistol Relief Fund of the Professional Bull Riders. Inc. and the National High School Rodeo Associatio



Formerly known as the Roy E. Weatherby Foundation. The mission of the non-profi tax-exempt Foundation is to educate the non-hunting public on the beneficial role of ethical sport hunting and its contributions to wildlife conservation Active in its mission, the Foundation currently leads a national initiative to foster the development of educational outdoor expositions, and annually sponsors the prestigious Weatherby Hunting and Conservation Award, Write P.O. Box 1027, Turlock, CA 95381-1027; (209) 634-4400; fax (209) 634-5454; www.weatherby-foundation.org.

WEATHERBY COLLECTORS ASSOCIATION

The Association was formed with the purpose of "creating an association where many Weatherby® admirers could pool their knowledge and experience for the benefit of all..." Members receive a periodic newsletter with buy-sell-swap opportunities and bid opportunities on limited-edition, commemorative firearms For information. write P.O. Box 478, Pacific, MO 63069: (636) 271-3336: E-mail: wcasecretary@aol.com.

THE HISTORY OF YOUR FIREARM

Learn the history and lineage of your Weatherby firearm, researched and authenticated through our company records. Each certificate is personally signed by Roy E. Weatherby, Jr. and Dean Rumbaugh, Company Historian \$50 per serial number, (\$75 for Custom Rifles, \$100 for Special Edition or Commemorative rifles) For information, write Company Historian, 3100 El Camino Real, Atascadero, CA 93422 or visit www.weatherby.com.

AUTHORIZED SERVICE CENTERS

Weatherby Authorized Service Centers have been carefully screened and selected for their ability to perform the highest quality of service to exacting standards. Service work includes both metal and wood work and all internal components. For the center nearest you call us at 1-800-334-4423 or (805) 466-1767, or by FAX at (805) 466-2527. By mail, 3100 El Camino Real, Atascadero, CA 93422 or visit www.weatherby.com.

COLLECTIBLES & ACCESSORIES

Proudly show off your Weatherby colors by choosing from a full line of high-quality clothing, headwear and shooting accessories.



FIELD LENS CLOTH - Static-free, scratch-resistant lens cloth in self-contained carry pouch with belt clip. | \$6*



CARTRIDGE BOARD – Weatherby Magnum cartridges displayed in solid oak frame. | \$199*



WEATHERBY LUCITE BLOCK DISPLAY - Magnum ammunition in decorative Lucite block. | \$229*



NEW! FIELD KNIFE - Single, 3" drop point 420 Series stainless steel blade can be opened with one hand. Locks open (overall length 7"). Distinctive "grained" handle made of laminate Mycarta™ High tension clip for secure carrying in jeans or hunting pants. | \$19*



60TH ANNIVERSARY TIN SIGN - Embossed sign with historical image of Roy Weatherby on safari in Eastern Kenya - circa 1953 (14 1/2" x 10 1/2"). \$21*



CLEANING KITS FOR RIFLES OR SHOTGUNS - Rods, attachments and oil in laser-engraved walnut case. Rifle kit for all calibers | \$109* Shotgun kit for all gauges | \$105*

Wood case. | \$32*

LASER-ENGRAVED WRITING SET - Wood pen and

HOODED SWEATSHIRT -90/10 cotton/poly

blend in black with

drawcord hood.

L-XXL. | \$45*

Weatherby "Delta" logo on back.

mechanical pencil engraved with logo.



NEW! LOGO DECAL -6" x 2 1/2" die-cut vinyl logo with adhesive back. | \$5*





DELTA DECAL AND PATCH -4" self-adhesive decal (top) or embroidered 3" iron-on patch. | \$3*



SILVER BELT BUCKLE -Gold Weatherby logo on 99.9% pure silver electroplate buckle. | \$85*



WEATHERBY DELTA COFFEE MUG Stoneware mug with Weatherby logo and Performance Delta. | \$9*



3100 El Camino Real Atascadero, CA 93422 (805) 466-1767 www.weatherby.com




LONG SLEEVE DELTA T-SHIRT - 100% heavy cotton. Silkscreened front and back in either ash or black. L-XXL, | \$28*



SHORT SLEEVE DELTA T-SHIRT - 100% heavy cotton. Silk-screened front and back in ash or black. L-XXL. | \$20*










Veather





WEATHERBY SHIRT - 100% cotton twill. Long sleeve with embroidered logo (M-XXL). Tan | \$65* Blue Denim | \$59*

