



 ČESKÁ ZBROJOVKA
1936 - 2006

HUNTING AND SPORTING
FIREARMS

Česká zbrojovka a.s., Uherský Brod

1936 - 2006



CZ 550 Lux Anniversary - Limited Edition

To commemorate this years jubilee our company has prepared for its customers a limited edition of the CZ 550 rifle. Unique wood-carving on the stock and engraving embellishing barrelled action and limited number of pieces being made makes this rifle attractive especially for discerning firearms collectors.

Česká zbrojovka a.s. – 70th Anniversary

Česká zbrojovka a.s. celebrates this year the 70th anniversary of its establishment. The company was founded in 1936 starting with production of a combined assortment of military and civilian firearms. The first products were anti-aircraft machine guns, military pistols and smallbore rifles. The current line of Česká zbrojovka products includes sporting and hunting firearms as well as duty weapons for armed forces, police and other armed units. Common features of all firearms manufactured by Česká zbrojovka are their high quality standard, long-term reliability and accuracy.

Česká zbrojovka is today rated as one of the world's biggest producers of firearms. More than 80 per cent of its production is exported to over one hundred countries worldwide. The first-rate properties and performance of its firearms give Česká zbrojovka its excellent reputation, in both domestic and international markets. Significant successes reached by CZ-team sport shooters, which traditionally achieve the highest awards at the highest level of competition only enhance our world renowned brand name.

The purchase of state-of-the-art technologies together with more than seventy years of industrial production experience, outstanding workmanship and the skill of its employees enables this company to expand its activities to other branches of engineering, predominantly in the production of components designed for automobile and aircraft industry.



RIMFIRE RIFLES

<i>senior</i>	4
<i>junior</i>	9

CENTERFIRE RIFLES

<i>lite</i>	12
<i>medium</i>	16
<i>magnum</i>	22

PISTOLS

<i>subcompact</i>	26
<i>compact</i>	27
<i>standard</i>	30
<i>competition</i>	34
<i>Dan Wesson</i>	35

AIR GUNS

<i>spring - piston</i>	37
<i>PCP</i>	38

ACCESSORIES

<i>accessories</i>	41
--------------------	----



Rimfire rifles

CZ 452/453, CZ 513, CZ 511

The rimfire rifles produced by Česká zbrojovka Uherský Brod due to their classical construction and unfailing reliability are ranked among the most sought-after long guns of their kind on the world market. Quality, long service life, accuracy and safe handling are the main virtues of these firearms intended for hunters and sports shooters.

Unparalleled accuracy is attained in all CZ rimfires models, besides other things, through the use of hammer forged barrels. This is not the cheapest or fastest way to build a barrel, but it is part of our “take the time to do it right” attitude. The barrel can be provided with the muzzle threaded for a Still or Parker-Hale sound suppressor attachment.

The receiver is made from a one billet of high-quality steel and is provided with milled dovetail to accommodate scope mount. The trigger of the CZ 452 rimfires line is adjustable by the user.

Quality and attention to details has made the CZ rimfire rifles a growing favourite among small game hunters and sport shooters. Available in both wide array of models and a wide range of prices we have a rimfire to meet any application. From the semi-automatic CZ 511, and the basic CZ 513 Farmer to any of the many variations of the CZ 452/453 line we certainly have a model to fit your needs.

Model	Calibre	Stock	Magazine type	Magazine capacity	Trigger	Sights	Overall length (mm)	Barrel length (mm)	Height (mm)	Width (mm)	Weight (g)	Barrel
CZ 452-2E ZKM LUX	.22 LR, .22 WMR	W	DM	5	ADJ	F	1083	630	190	65	3000	HF
CZ 452-2E ZKM LH LUX	.22 LR	W	DM	5	ADJ	F	1083	630	190	65	3000	HF
CZ 453 LUX	.22 LR	W	DM	5	SST	F	1083	630	195	65	3000	HF
CZ 452-2E ZKM STANDARD	.22 LR, .22 WMR	B	DM	5	ADJ	F	1083	630	190	65	3000	HF
CZ 452-2E ZKM AMERICAN	.17 HMR, .22 LR, .22 WMR, .17 HM2	W	DM	5	ADJ	-	1020	572	168	66	2770	HF
CZ 453 AMERICAN	.17 HM2, .17 HMR	W	DM	10	SST	-	1020	572	186	65	2800	HF
CZ 453 AMERICAN	.22 LR	W	DM	5	SST	-	1020	572	186	65	2800	HF
CZ 452-2E ZKM LH AMERICAN	.22 LR, .17 HMR	W	DM	5	ADJ	-	1020	572	168	66	2770	HF
CZ 452-2E ZKM VARMINT	.17 HMR, .22 LR, .22 WMR, .17 HM2	W	DM	5	ADJ	-	995	532	193	65	3170	HF
CZ 453 VARMINT	.22 LR, .17 HMR	W	DM	5	SST	-	995	532	193	65	3170	HF
CZ 452-2E ZKM FS	.22 LR	W	DM	5	ADJ	F	995	527	210	68	2900	HF
CZ 452-2E ZKM SILHOUETTE	.22 LR	P	DM	5	ADJ	-	1035	572	178	66	2700	HF
CZ 452-2E ZKM STYLE	.22 LR	P	DM	5	ADJ	-	1035	572	178	66	2700	HF
CZ 452-2E ZKM SCOUT	.22 LR	B	DM	5	ADJ	F	817	412	175	64	1800	HF
CZ 511	.22 LR	W	DM	8	NON ADJ	F	980	564	185	41	2450	HF
CZ 513 FARMER	.22 LR	B	DM	5	NON ADJ	F	990	530	180	67	2800	HF

W - walnut, **B** - beech, **P** - plastic, **L** - laminated wood, **K** - Kevlar

DM - detachable magazine, **FM** - fixed magazine

ADJ - adjustable, **SST** - single set trigger, **NON ADJ** - non-adjustable

F - fixed, **ADJ** - adjustable

HF - hammer forged, **BR** - broached



The barrels provided with threaded muzzle can have different dimensions than those shown at this table



CZ 452 • Repeating rimfire rifles made by Česká zbrojovka, Uherský Brod are ranked among the most sought-after firearms in the world.



CZ 452-2E ZKM Lux • The Lux version of the CZ 452-2E ZKM rimfire rifle has a lacquered stock made from Turkish walnut featuring checkering located on the pistol grip. The tangent rear sight is adjustable for elevation and windage in the wide range of distances. The receiver has factory milled dovetail 11 mm (0.43 in.) wide for the rifle scope mount. This model comes with a 5 round magazine.

 .22 LR, .22 WMR  Walnut stock

CZ 452-2E ZKM LUX

CZ 452, CZ 453

- Receiver made from a single billet of high-quality steel
- Hammer forged barrel
- Adjustable trigger pull
- Cocking indicator indicates cocking of striking mechanism
- Detachable magazine
- Easy mounting of riflescope
- Threaded muzzle for a Still or Parker-Hale sound moderator attachment (optional)
- Feeding provided with a 5 or 10 round magazines, or single-shot adapters
- Receiver dovetail is 11mm wide



 .22 LR  Walnut stock

CZ 452-2E ZKM LH Lux • The CZ 452-2E ZKM Lux version designed and made in the full configuration intended for the left-hand users.

CZ 452-2E ZKM LH LUX




 .22 LR  Walnut stock

CZ 453 Lux • This is the version of time-proven rimfire rifle designed and made with completely new trigger mechanism featuring a set-trigger thus securing even more of shooting comfort.

CZ 453 LUX



 .22 LR, .22 WMR  Beechwood stock

CZ 452-2E ZKM Standard • The CZ 452-2E ZKM Standard rimfire rifle, corresponds in its construction to the CZ 452-2E ZKM Lux model, differentiating from it by its beech wood stock without checkering. The beech wood stock is offered on this model in order to bring to our customers a high-quality rimfire rifle for the more favourable price. The CZ 452-2E ZKM Standard comes with a 5 round magazine.

CZ 452-2E ZKM STANDARD

Model	Calibre	Stock	Magazine type	Magazine capacity	Trigger	Sights	Overall length (mm)	Barrel length (mm)	Height (mm)	Width (mm)	Weight (g)	Barrel
CZ 452-2E ZKM LUX	.22 LR, .22 WMR	W	DM	5	ADJ	F	1083	630	190	65	3000	HF
CZ 452-2E ZKM LH LUX	.22 LR	W	DM	5	ADJ	F	1083	630	190	65	3000	HF
CZ 453 LUX	.22 LR	W	DM	5	SST	F	1083	630	195	65	3000	HF
CZ 452-2E ZKM STANDARD	.22 LR, .22 WMR	B	DM	5	ADJ	F	1083	630	190	65	3000	HF

W - walnut, B - beech, P - plastic, L - laminated wood, K - Kevlar / DM - detachable magazine, FM - fixed magazine / ADJ - adjustable, SST - single set trigger, NON ADJ - non-adjustable / F - fixed, ADJ - adjustable / HF - hammer forged, BR - broached

CZ 452-2E ZKM American •

The CZ 452 American is a high quality rimfire rifle designed for the U.S. market. The American model is true to the lines of the classic American sporter style rifle. Made without sights, the top of the receiver is machined with a 3/8" wide dovetail groove for mounting standard rimfire dovetail mounts. The CZ 452 American comes with a 5 round magazine. The safety is located above the rear of the bolt and provides a positive firing pin block.

▲ .17 HMR, .22 LR,
 .22 WMR, .17 HM2

▣ Walnut stock

CZ 452-2E ZKM AMERICAN



CZ 453 AMERICAN

▲ .17 HM2, .17HMR, .22 LR

▣ Walnut stock

CZ 453 American • The CZ 452-2E ZKM American model version with a completely new trigger mechanism featuring a set trigger guarantees very comfortable and accurate shooting.

▲ .22 LR, .17 HMR

▣ Walnut stock

CZ 452-2E ZKM LH American • The CZ 452-2E ZKM American version designed and made in the full configuration intended for left-hand users.



CZ 452-2E ZKM LH AMERICAN



▲ .17 HMR, .22 LR, .22 WMR, .17 HM2
 ■ Walnut stock

CZ 452-2E ZKM VARMINT

CZ 452-2E ZKM Varmint • The CZ 452-2E ZKM Varmint is based on the same time proven action as our other rimfire rifles of the CZ 452-2E ZKM line. It features 532 mm (21") long heavy free floating barrel to provide higher accuracy while shooting small moving targets at medium and longer distances. The receiver is machined having an 11 mm (0.43") dovetail groove for the scope mount attachment. The models rendered in .22 WMR and .17 HMR calibres feature 3/8" wide dovetail. The stock is made from Turkish walnut. These rimfire rifles come with a 5 round magazine.



▲ .22 LR, .17 HMR
 ■ Walnut stock

CZ 453 VARMINT

CZ 453 Varmint • The CZ 452-2E ZKM Varmint model version with completely new trigger mechanism featuring a set trigger guarantees very comfortable and accurate shooting.

Model	Calibre	Stock	Magazine type	Magazine capacity	Trigger	Sights	Overall length (mm)	Barrel length (mm)	Height (mm)	Width (mm)	Weight (g)	Barrel
CZ 452-2E ZKM AMERICAN	.17 HMR, .22 LR, .22 WMR, .17 HM2	W	DM	5	ADJ	-	1020	572	168	66	2770	HF
CZ 453 AMERICAN	.17 HM2, .17HMR	W	DM	10	SST	-	1020	572	186	65	2800	HF
CZ 453 AMERICAN	.22 LR	W	DM	5	SST	-	1020	572	186	65	2800	HF
CZ 452-2E ZKM LH AMERICAN	.22 LR, .17 HMR	W	DM	5	ADJ	-	1020	572	168	66	2770	HF
CZ 452-2E ZKM VARMINT	.17 HMR, .22 LR, .22 WMR, .17 HM2	W	DM	5	ADJ	-	995	532	193	65	3170	HF
CZ 453 VARMINT	.22 LR, .17 HMR	W	DM	5	SST	-	995	532	193	65	3170	HF

W - walnut, B - beech, P - plastic, L - laminated wood, K - Kevlar / DM - detachable magazine, FM - fixed magazine / ADJ - adjustable, SST - single set trigger, NON ADJ - non-adjustable / F - fixed, ADJ - adjustable / HF - hammer forged, BR - broached





 .22 LR  Walnut stock

CZ 452-2E ZKM FS

CZ 452-2E ZKM FS • The CZ 452-2E ZKM FS is based on the CZ 452-2E ZKM Lux model but of course having a stock of the full length made of Turkish walnut provided with checkering at grip parts. The CZ 452-2E ZKM FS comes with a 5 round magazine.



CZ 452-2E ZKM Silhouette • The Silhouette model was designed to meet the requirements for smallbore silhouette shooting competitions. This rimfire rifle features a sturdy synthetic stock and all metal surfaces are blued. It is made without open sights. The top of the receiver is fitted with an 11 mm dovetail groove for mounting a scope. The CZ 452-2E ZKM Silhouette comes with a 5 round magazine.



 .22 LR
 Synthetic stock

CZ 452-2E ZKM SILHOUETTE



 .22 LR
 Synthetic stock

CZ 452-2E ZKM STYLE

CZ 452-2E ZKM Style • The Style model features a sturdy synthetic stock and matte nickel finish on all metal surfaces. Made without open sights, the top of the receiver is machined with an 11 mm dovetail groove for mounting a scope. These rimfire rifles come with a 5 round magazine. With the exception of the surface treatment, the Style model is identical to the Silhouette model.



Luxurious engraving illustration



.22 LR Beechwood stock

CZ 452-2E ZKM Scout • The Scout model is a compact rimfire rifle with a 12" length of pull (LOP) thus making it suitable for young shooters. Its shortened dimensions, reduced weight and single cartridge loading device make it a perfect first rifle for every boy or girl. The single cartridge loading device helps teach ammunition conservation and basic shooting skills. This rimfire rifle is fitted with open sights and an 11 mm wide dovetail groove for mounting optics. The Scout model can be used with any magazine available for the CZ 452-2E ZKM rimfire rifles line including a 5 round and 10 round version. These magazines are available as a separate accessory.

CZ 452-2E ZKM SCOUT

CZ 511 • The CZ 511 is a recoil-operated semi-automatic rimfire rifle. This model is fitted with open sights and detachable magazine holding 8 cartridges.

Note: The CZ 452-2E ZKM model line magazines will not fit the CZ 511.



.22 LR
 Walnut stock

CZ 511



.22 LR Beechwood stock

CZ 513 Farmer • The CZ 513 Farmer is a simplified version of the CZ 452-2E ZKM model. The stock made of beech wood is not provided with checkering. The barrel is hammer forged and fitted with iron sights. The CZ 513 Farmer features simplified and non-adjustable trigger. This rimfire rifle delivers legendary CZ accuracy and quality at a price everyone can afford. The new CZ 513 Farmer is an ideal choice for someone needing a high quality low cost .22 rifle.

CZ 513 FARMER

Model	Calibre	Stock	Magazine type	Magazine capacity	Trigger	Sights	Overall length (mm)	Barrel length (mm)	Height (mm)	Width (mm)	Weight (g)	Barrel
CZ 452-2E ZKM FS	.22 LR	W	DM	5	ADJ	F	995	527	210	68	2900	HF
CZ 452-2E ZKM SILHOUETTE	.22 LR	P	DM	5	ADJ	-	1035	572	178	66	2700	HF
CZ 452-2E ZKM STYLE	.22 LR	P	DM	5	ADJ	-	1035	572	178	66	2700	HF
CZ 452-2E ZKM SCOUT	.22 LR	B	DM	5	ADJ	F	817	412	175	64	1800	HF
CZ 511	.22 LR	W	DM	8	NON ADJ	F	980	564	185	41	2450	HF
CZ 513 FARMER	.22 LR	B	DM	5	NON ADJ	F	990	530	180	67	2800	HF

W - walnut, B - beech, P - plastic, L - laminated wood, K - Kevlar / DM - detachable magazine, FM - fixed magazine / ADJ - adjustable, SST - single set trigger, NON ADJ - non-adjustable / F - fixed, ADJ - adjustable / HF - hammer forged, BR - broached

senior/junior

senior/junior



Centrefire Rifles

CZ 527, CZ 550

Rifles belong to Česká zbrojovka, Uherský Brod's traditional products range. In the endeavour to meet the current requirements made in modern hunting and sporting firearms Česká zbrojovka's designers have developed a diversified range of models fulfilling even the most exacting standards. The combination of time proven characteristics of the Mauser 98 type bolt action combined with modern manufacturing technologies and a professional approach by all the staff help to create reliable weapons with a long service life and excellent accuracy.

Professional Hunter Proficiency Exam in Zimbabwe tests the skills of the soon to be professional hunters (PH). According to Don Heath, Editor of African Hunter Magazine, the CZ is by far the most common make seen at the exam. The primary reason that these professionals rely on the CZ 550 rifles are because of this models reliability and accuracy and because the properties of these firearms are the one onto which the hunter's life often depends.

Model	Calibre	Stock	Magazine type	Magazine capacity	Trigger	Sights	Overall length (mm)	Barrel length (mm)	Height (mm)	Width (mm)	Weight (g)	Barrel
CZ 527 LUX	.22 Hornet, .222 Rem., .223 Rem.	W	DM	5	SST	F	1077	600	198	75	2800	HF
CZ 527 FS	.22 Hornet, .222 Rem., .223 Rem.	W	DM	5	SST	F	977	520	198	75	2700	HF
CZ 527 CARBINE	.223 Rem., 7.62x39	W	DM	5	SST	F	950	470	202	77	2700	HF
CZ 527 HUNTER	.223 Rem.	W	DM	5	SST	-	1025	555	200	80	3100	HF
CZ 527 AMERICAN	.22 Hornet, .222 Rem., .223 Rem., .221 Rem. Fireball, .17 Rem.	W	DM	5	SST	-	1025	555	175	77	2700	HF
CZ 527 VARMINT	.222 Rem., .223 Rem., .17 Rem.	W	DM	5	SST	-	1120	650	175	77	3300	HF
CZ 527 VARMINT LAMINATED	.223 Rem.	L	DM	5	SST	-	1062	610	154	80	3620	HF
CZ 527 VARMINT KEVLAR	.223 Rem.	K	DM	5	SST	-	1062	610	154	80	3650	HF
CZ 550 LUX	.243 Win., .308 Win., 22-250 Rem.	W	DM	4	SST	F	1135	600	210	80	3300	HF
CZ 550 LUX	.243 Win., .270 Win., .308 Win., 7x57, 7x64, 6.5x55 SE, .30-06 Sprg., 9.3x62	W	FM	5	SST	F	1135	600	210	80	3300	HF
CZ 550 STANDARD	.243 Win., .308 Win.	W	DM	4	SST	F	1135	600	180	65	3300	HF
CZ 550 STANDARD	7x64	W	DM	3	SST	F	1135	600	180	65	3300	HF
CZ 550 STANDARD	.308 Win., .270 Win., 7x64, .30-06 Sprg.	W	FM	5	SST	F	1135	600	180	65	3300	HF
CZ 550 MEDIUM LUX	.300 Win. Mag., 7 mm Rem. Mag.	W	DM, FM	3	SST	F	1135	600	210	80	3300	HF
CZ 555	.30-06 Sprg., .308 Win., 7x64	W	DM	3	SST	F	1135	600	190	70	3300	HF
CZ 550 SCANDINAVIA	.243 Win., .270 Win., .308 Win., 6.5x55 SE, .30-06 Sprg.	W	FM	5	SST	F	1135	600	215	85	3700	HF
CZ 550 FS	.243 Win., .308 Win.	W	DM	4	SST	F	1055	520	210	80	3300	HF
CZ 550 FS	.270 Win., 7x64, 6.5x55 SE, .30-06 Sprg., 9.3x62	W	FM	5	SST	F	1055	520	210	80	3300	HF
CZ 550 MC	.270 Win., 7x57, 7x64, 6.5x55 SE, .30-06 Sprg.	W	FM	5	SST	F	1135	600	215	85	3300	HF
CZ 550 BATTUE LUX	7x64, .30-06 Sprg.	W	FM	5	SST	F	1055	520	210	80	3500	HF
CZ 550 BATTUE FS	7x64	W	FM	5	SST	F	1055	520	210	80	3400	HF
CZ 550 AMERICAN	.243 Win., .308 Win., 22-250	W	DM	4	SST	-	1135	600	195	80	3400	HF
CZ 550 AMERICAN	.270 Win., .30-06 Sprg., 9.3x62	W	FM	5	SST	-	1135	600	195	80	3400	HF
CZ 550 VARMINT	.243 Win., .308 Win., 22-250	W	DM	4	SST	-	1185	650	195	70	4200	HF
CZ 550 VARMINT - LAMINATED	.308 Win., 22-250	L	DM	4	SST	-	1185	650	195	70	4300	HF
CZ 750 S1 M1 SPORT	.308 Win.	P	DM	10	SST	-	1220	660	175	77	5800	HF
CZ 750 S2 M1 SPORT	.308 Win.	L	DM	4	SST	-	1184	660	188	90	5200	HF
CZ 550 MAGNUM LUX	.416 Rigby, .300 Win. Mag.	W	FM	3/5	SST	F	1180	635	210	85	4200	HF
CZ 550 MAGNUM LUX	.375 H&H Mag., .458 Win. Mag.	W	FM	5/4	SST	F	1180	635	210	85	4200	HF
CZ 550 MAGNUM LUX	7 mm Rem. Mag.	W	FM	5	SST	F	1180	635	210	85	4200	HF
CZ 550 MAGNUM STANDARD	.416 Rigby, .300 Win. Mag.	W	FM	3/5	SST	F	1180	635	210	85	4200	HF
CZ 550 MAGNUM STANDARD	.375 H&H Mag., .458 Win. Mag.	W	FM	5/4	SST	F	1180	635	210	85	4200	HF
CZ 550 SAFARI MAGNUM	.300 Win. Mag., .375 H&H Mag.	W	FM	5/5	SST	F	1180	635	210	85	4200	HF
CZ 550 SAFARI MAGNUM	.416 Rigby	W	FM	3	SST	F	1180	635	210	85	4200	HF
CZ 550 AMERICAN SAFARI MAG.	.300 WSM	W	FM	3	SST	-	1145	611	195	80	4700	HF
CZ 550 LUX ANNIVERSARY	7x64, .30-06 Sprg.	W	FM	5	SST	F	1135	601	210	80	3300	HF

W - walnut, **B** - beech, **P** - plastic, **L** - laminated wood, **K** - Kevlar
DM - detachable magazine, **FM** - fixed magazine
ADJ - adjustable, **SST** - single set trigger, **NON ADJ** - non-adjustable
F - fixed, **ADJ** - adjustable
HF - hammer forged, **BR** - broached



CZ 527 • The CZ 527 rifle line are precision repeating rifles designed for sporting and hunting shooting. This line of rifles has won more awards in the “light rifle” category in Europe than any other rifle... ever. Designed to fit the small base calibres perfectly, the CZ 527 is a true micro length Mauser style action, featuring controlled feeding of the cartridge, a detachable magazine and a hammer forged barrel. The trigger mechanism is of a single set design with an adjustable set trigger, on special order a single stage trigger can be supplied. The trigger itself is adjustable for pull weight and trigger travel. The two-position safety positively secures the rifle against unintentional discharge while simultaneously blocking the bolt in a closed position. The top of the receiver has milled dovetail grooves 16 mm wide to accommodate scope mounts.



CZ 527 LUX

CZ 527 Lux • The CZ 527 Lux is a traditional European style model featuring open sights and a Turkish walnut stock in the famous Bavarian pattern.

CZ 527

- True micro length action
- Controlled feeding of cartridge
- Hammer forged barrel
- Single set trigger
- High degree of accuracy, reliability and long service life





CZ 527 FS

▲ .22 Hornet, .222 Rem, .223 Rem

■ Walnut stock



CZ 527 FS • The CZ 527 FS is a stylish full stock version made in walnut wood with cheekpiece.

-  .22 Hornet, .222 Rem., .223 Rem.
-  Walnut stock





CZ 527 Carbine • The CZ 527 Carbine is with its weight and size predisposed for constrained hunting conditions and for ever-ready shooting at short and medium distances. This handy rifle features open sights and Turkish walnut stock and weighs less than 6 pounds!



-  .223 Rem., 7.62x39
-  Walnut stock

CZ 527 CARBINE



-  .223 Rem.
-  Walnut stock

CZ 527 HUNTER

CZ 527 Hunter • Model with an ergonomic stock and improved end-use properties. The stock was specially developed according to the requirements of professional hunters with emphasis on pleasant and intuitive shooting.

Model	Calibre	Stock	Magazine type	Magazine capacity	Trigger	Sights	Overall length (mm)	Barrel length (mm)	Height (mm)	Width (mm)	Weight (g)	Barrel
CZ 527 LUX	.22 Hornet, .222 Rem., .223 Rem.	W	DM	5	SST	F	1077	600	198	75	2800	HF
CZ 527 FS	.22 Hornet, .222 Rem., .223 Rem	W	DM	5	SST	F	977	520	198	75	2700	HF
CZ 527 CARBINE	.223 Rem., 7.62x39	W	DM	5	SST	F	950	470	202	77	2700	HF
CZ 527 HUNTER	.223 Rem.	W	DM	5	SST	-	1025	555	200	80	3100	HF

W - walnut, B - beech, P - plastic, L - laminated wood, K - Kevlar / DM - detachable magazine, FM - fixed magazine / ADJ - adjustable, SST - single set trigger, NON ADJ - non-adjustable / F - fixed, ADJ - adjustable / HF - hammer forged, BR - broached

lite


lite

▲ .22 Hornet, .222 Rem, .223 Rem,
.221 Rem. Fireball, .17 Rem.

▮ Walnut stock

CZ 527 American • The CZ 527 American model features a classic American pattern stock, sporter-weight hammer forged barrel and a single set trigger. The barrel crowning is made with a special recess as applied to firearms used for target shooting. The CZ 527 American is supplied with 1" steel scope rings.

CZ 527 AMERICAN



▲ .222 Rem, .223 Rem, .17 Rem.

▮ Walnut stock

CZ 527 VARMINT

CZ 527 Varmint • The CZ 527 Varmint is designed for shooting at medium and longer distances. Good both for hunting and sport. This model is fitted with a 24" hammer forged barrel and a Turkish walnut stock.



Luxurious engraving illustration




Optics and mount are not part of the product.

CZ 527 Varmint Laminated •

The CZ 527 Varmint Laminated is a rifle made with highly resistant laminated wood stock. This model comes with a 24" hammer forged barrel.



 .223 Rem

 Laminated wood

CZ 527 VARMINT LAMINATED



CZ 527 Varmint Kevlar • The CZ 527 Varmint Kevlar features a 24" hammer forged barrel and an H-S Precision Kevlar composite stock with an aluminium bedding block to resist the elements, and provide the ultimate in accuracy. The stock is matte black with dark green webbing. The CZ 527 Kevlar Varmint rifle is a perfect firearm for extreme conditions.

 .223 Rem  Kevlar stock

CZ 527 VARMINT KEVLAR

Model	Calibre	Stock	Magazine type	Magazine capacity	Trigger	Sights	Overall length (mm)	Barrel length (mm)	Height (mm)	Width (mm)	Weight (g)	Barrel
CZ 527 AMERICAN	.22 Hornet, .222 Rem, .223 Rem, .221 Rem. Fireball, .17 Rem.	W	DM	5	SST	-	1025	555	175	77	2700	HF
CZ 527 VARMINT	.222 Rem, .223 Rem, .17 Rem.	W	DM	5	SST	-	1120	650	175	77	3300	HF
CZ 527 VARMINT LAMINATED	.223 Rem	L	DM	5	SST	-	1062	610	154	80	3620	HF
CZ 527 VARMINT KEVLAR	.223 Rem	K	DM	5	SST	-	1062	610	154	80	3650	HF

W - walnut, B - beech, P - plastic, L - laminated wood, K - Kevlar / DM - detachable magazine, FM - fixed magazine / ADJ - adjustable, SST - single set trigger, NON ADJ - non-adjustable / F - fixed, ADJ - adjustable / HF - hammer forged, BR - broached

lite

lite



CZ 550 •

The CZ 550 series rifles represent a new line of elegant, aesthetic and ergonomically designed firearms. For the sake of enhancing their accuracy and attaining a long service life these rifles are fitted with hammer forged barrels.

The diversified range of CZ 550 models with their characteristics and elegant design solutions meet contemporary requirements as laid upon sporting and hunting weapons.

▲ .243 Win., .270 Win., .308 Win., 7x57, 7x64, 6.5x55 SE, .30-06 Sprg., 9.3x62, 22-250 Rem.

▣ Walnut stock

CZ 550 LUX



CZ 550 Lux • This model is fitted with a stock made of walnut wood with Bavarian style cheekpiece and ventilated rubber buttplate.



▲ .243 Win., .308 Win., .270 Win., 7x64, .30-06 Sprg.

▣ Walnut stock

CZ 550 STANDARD

CZ 550 Standard • The CZ 550 Standard is a primary version of the CZ 550 model line fitted with a walnut wood stock without cheekpiece.

CZ 550

- *Diversified range of calibres*
- *Easy mounting of riflescope*
- *Controls simple in operation and easy to reach*
- *Completely adjustable trigger mechanism (be it with set trigger or without a set trigger)*
- *Cocking indicator indicates cocking of striking mechanism*
- *Easy disassembly for cleaning and routine maintenance*
- *Long Mauser style claw extractor*
- *Square bridge receiver*
- *Hammer forged barrel*
- *High accuracy, reliability and long service life*



CZ 550 •

The rifles are provided with a compact trigger mechanism featuring a single-set trigger. The trigger can be adjusted for pull weight and travel. The set trigger can be easily dismantled without impairing its functional properties or adjustment of single stage trigger mechanism. The CZ 550 rifles are provided with a two or three position safety, which is disengaged in forward direction as standard. Stocks are fitted with sling swivels on a regular basis. The CZ 550 rifles are supplied with open adjustable sights or without sights accommodated to receive scope mounts. The CZ 550 rifles with open sights have the sights arranged in such a way so as not to interfere even with the riflescopes having the biggest tube diameter. All CZ 550's feature a classic square bridge receiver with a 19 mm dovetail milled right into the receiver for the mounting of optics.



CZ 550 Medium Lux • The perfect choice for hunters who consider the weight to be an important parameter. With the weight less than 3,3 kg (7.28 pounds) this rifle is fitted with adjustable sights, single-set trigger and fixed or detachable magazine holding 3 cartridges.





-  .300 Win. Mag., 7 mm Rem. Mag.
-  Walnut stock

CZ 550 MEDIUM LUX

CZ 555 • The CZ 555 represents a new elegant rifle as a continuance to the CZ 550 line. This rifle is provided with a short extractor and side magazine release. The stock made of high-grade walnut wood bears a new shape. The rifle is equipped with a two-position safety with a push-button unblocking of the bolt at the safe position and reinforced receiver with the bolt guide located in the groove for the right locking lug. The hammer forged barrel is free floating.



-  .30-06 Sprg., .308 Win.
-  Walnut stock

CZ 555

Model	Calibre	Stock	Magazine type	Magazine capacity	Trigger	Sights	Overall length (mm)	Barrel length (mm)	Height (mm)	Width (mm)	Weight (g)	Barrel
CZ 550 LUX	.243 Win., .308 Win., 22-250 Rem.	W	DM	4	SST	F	1135	600	210	80	3300	HF
CZ 550 LUX	.243 Win., .270 Win., .308 Win., 7x57, 7x64, 6.5x55 SE, .30-06 Sprg., 9.3x62	W	FM	5	SST	F	1135	600	210	80	3300	HF
CZ 550 STANDARD	.243 Win., .308 Win.	W	DM	4	SST	F	1135	600	180	65	3300	HF
CZ 550 STANDARD	7x64	W	DM	3	SST	F	1135	600	180	65	3300	HF
CZ 550 STANDARD	.308 Win., .270 Win., 7x64, .30-06 Sprg.	W	FM	5	SST	F	1135	600	180	65	3300	HF
CZ 550 MEDIUM LUX	.300 Win. Mag., 7 mm Rem. Mag.	W	DM, FM	3	SST	F	1135	600	210	80	3300	HF
CZ 555	.30-06 Sprg., .308 Win., 7x64	W	DM	3	SST	F	1135	600	190	70	3300	HF

medium

W - walnut, B - beech, P - plastic, L - laminated wood, K - Kevlar / DM - detachable magazine, FM - fixed magazine / ADJ - adjustable, SST - single set trigger, NON ADJ - non-adjustable / F - fixed, ADJ - adjustable / HF - hammer forged, BR - broached

medium



▲ .243 Win., .270 Win.,
.308 Win., 6.5x55 SE, .30-06 Sprg.
▮ Walnut stock

CZ 550 SCANDINAVIA

CZ 550 Scandinavia • Walnut wood stock of Monte Carlo type with enhanced comb provided with checkerings and ventilated rubber buttplate.



CZ 550 FS • Classical full stock made of walnut wood having steel muzzle cap and Bavarian style cheekpiece, furnished with checkerings and ventilated rubber buttplate. The barrel length is slightly reduced measuring 520 mm (20.47 in.).

▲ .243 Win., .308 Win., .270 Win., 7x64,
6.5x55 SE, .30-06 Sprg., 9.3x62
▮ Walnut stock

CZ 550 FS



▲ .270 Win., 7x57, 7x64,
6.5x55 SE, .30-06 Sprg.
▮ Walnut stock

CZ 550 MC

CZ 550 MC • Walnut wood stock of Monte Carlo type with raised comb provided with checkerings and rubber buttplate.



Luxurious engraving illustration



CZ 550 Battue Lux • Barrel with a battue sight predisposes this firearm for hunting of moving game at shorter distances.



▲ 7x64, .30-06 Sprg.

■ Walnut stock

CZ 550 BATTUE LUX



▲ 7x64 ■ Walnut stock

CZ 550 BATTUE FS

CZ 550 Battue FS • This model is a modification of the CZ 550 Battue Lux in a full stock version. The CZ 550 Battue FS barrel length is slightly reduced measuring 520 mm (20.47 in.).

Model	Calibre	Stock	Magazine type	Magazine capacity	Trigger	Sights	Overall length (mm)	Barrel length (mm)	Height (mm)	Width (mm)	Weight (g)	Barrel
CZ 550 SCANDINAVIA	.243 Win., .270 Win., .308 Win., 6.5x55 SE, .30-06 Sprg.	W	FM	5	SST	F	1135	600	215	85	3700	HF
CZ 550 FS	.243 Win., .308 Win.	W	DM	4	SST	F	1055	520	210	80	3300	HF
CZ 550 FS	.270 Win., 7x64, 6.5x55 SE, .30-06 Sprg., 9.3x62	W	FM	5	SST	F	1055	520	210	80	3300	HF
CZ 550 MC	.270 Win., 7x57, 7x64, 6.5x55 SE, .30-06 Sprg.	W	FM	5	SST	F	1135	600	215	85	3300	HF
CZ 550 BATTUE LUX	7x64, .30-06 Sprg.	W	FM	5	SST	F	1055	520	210	80	3500	HF
CZ 550 BATTUE FS	7x64	W	FM	5	SST	F	1055	520	210	80	3400	HF

W - walnut, B - beech, P - plastic, L - laminated wood, K - Kevlar / DM - detachable magazine, FM - fixed magazine / ADJ - adjustable, SST - single set trigger, NON ADJ - non-adjustable / F - fixed, ADJ - adjustable / HF - hammer forged, BR - broached



Optics and mount are not part of the product.

▲ .243 Win., .308 Win., 22-250
▲ .270 Win., .30-06 Sprg., 9.3x62

▣ Walnut stock

CZ 550 AMERICAN

CZ 550 American • This rifle features a classic American pattern stock with reduced drop at heel, 18 LPI checkering, sporter weight hammer forged barrel and a single-set trigger. This rifle is designed for aiming with optical sights only. The CZ 550 American is supplied with 1" steel scope rings.



▲ .243 Win., .308 Win., 22-250

▣ Walnut stock

CZ 550 Varmint • Walnut wood stock without cheekpiece, with reduced drop at heel, furnished with checkerings and ventilated rubber buttplate. Heavy hammer forged barrel together with the shape of stock predisposes this rifle for shooting with an optical aiming device only.

CZ 550 VARMINT



▲ .308 Win., 22-250

▣ Laminated wood

CZ 550 VARMINT - LAMINATED



CZ 550 Varmint - laminated • The CZ 550 Varmint model with highly resistant laminated wood stock with reduced drop at heel, cheekpiece and with strengthened forend.



Luxurious engraving illustration



Optics and mount are not part of the product.



-  .308 Win.
-  Synthetic stock

CZ 750 S1 M1 Sport • The CZ 750 S1 M1 Sport rifle represents the primary version of our repeating rifles range with Mauser-type bolt and heavy barrel designed for precise target shooting up to 800 m (875 yd.) distances. Single-set trigger mechanism is equipped with an adjustable set trigger as standard; a single stage trigger is supplied on special order. The trigger itself is adjustable for pull weight and trigger travel. The safety secures the rifle against unintentional discharge and at the same time blocks the bolt in closed position. For the scope mount attachment the milled grooves located at the top of the receiver can be used or alternatively the Weaver rib made according MIL-STD 1913 Standard specifically designed for the scope mount attachment. The CZ 750 S1 M1 rifle is equipped with an adjustable and very sturdy synthetic stock to be used under the most severe conditions. Rifles of the CZ 750 line are built for the bipod attachment.

CZ 750 S1 M1 SPORT



Optics and mount are not part of the product.

-  .308 Win.
-  Laminated stock

CZ 750 S2 M1 Sport • The CZ 750 S2 M1 Sport is a lightweight version of the CZ 750 S1 M1 Sport rifle is equipped with a heavy barrel specifically designed for precise target shooting. This model is fitted with a fixed stock made from laminated wood and has an enhanced forend.

CZ 750 S2 M1 SPORT

medium

Model	Calibre	Stock	Magazine type	Magazine capacity	Trigger	Sights	Overall length (mm)	Barrel length (mm)	Height (mm)	Width (mm)	Weight (g)	Barrel
CZ 550 AMERICAN	.243 Win., .308 Win., 22-250	W	DM	4	SST	-	1135	600	195	80	3400	HF
CZ 550 AMERICAN	.270 Win., .30-06 Sprg., 9.3x62	W	FM	5	SST	-	1135	600	195	80	3400	HF
CZ 550 VARMINT	.243 Win., .308 Win., 22-250	W	DM	4	SST	-	1185	650	195	70	4200	HF
CZ 550 VARMINT - LAMINATED	.308 Win., 22-250	L	DM	4	SST	-	1185	650	195	70	4300	HF
CZ 750 S1 M1 SPORT	.308 Win.	P	DM	10	SST	-	1220	660	175	77	5800	HF
CZ 750 S2 M1 SPORT	.308 Win.	L	DM	4	SST	-	1184	660	188	90	5200	HF

W - walnut, B - beech, P - plastic, L - laminated wood, K - Kevlar / DM - detachable magazine, FM - fixed magazine / ADJ - adjustable, SST - single set trigger, NON ADJ - non-adjustable / F - fixed, ADJ - adjustable / HF - hammer forged, BR - broached



medium



Magnum Line Rifles

The rifles of our Magnum Line are designed to be used with the heaviest callbres available. Their very conception and construction is adapted for the use in extreme climatic conditions and demanding situations.





-  .416 Rigby, .300 Win. Mag., .375 H&H Mag., .458 Win. Mag., 7 mm Rem. Mag.
-  Walnut stock

CZ 550 MAGNUM LUX

CZ 550 Magnum Lux • Walnut wood stock of selective quality with Bavarian style cheekpiece. The CZ 550 Magnum Lux rifle is a really luxurious version of Magnum line rifles primarily designed for heavy and dangerous game hunting. This model is made in a wide choice of calibres.





-  .416 Rigby, .300 Win. Mag., .375 H&H Mag., .458 Win. Mag.
-  Walnut stock

CZ 550 MAGNUM STANDARD

CZ 550 Magnum Standard • This rifle is fitted with walnut wood stock without cheekpiece, furnished with checkering and ventilated rubber buttplate. The stock type allows aiming both with open sights and riflescope.





CZ 550 Safari Magnum • The CZ 550 Safari Magnum is a true rifle of Magnum league. Special features include express sights (1 standing, 2 folding), hammer forged barrel and single set trigger. The stock is made from select walnut wood and has a classic safari shape. This model is specifically designed for heavy and dangerous game hunting.

-  .300 Win. Mag., .375 H&H Mag., .416 Rigby
-  Walnut stock

CZ 550 SAFARI MAGNUM



Optics and mount are not part of the product.

-  .300 WSM
-  Walnut stock

CZ 550 American Safari Magnum • The CZ 550 Safari Magnum is now offered with an American pattern stock. The new model called the CZ 550 American Safari Magnum is made in fancy grade American black walnut. The “American” models retain the quality and reliability of the original CZ 550 Safari Magnum, as well as all of the features that make it the perfect choice for your next dangerous game hunt.

CZ 550 AMERICAN SAFARI MAGNUM

Model	Calibre	Stock	Magazine type	Magazine capacity	Trigger	Sights	Overall length (mm)	Barrel length (mm)	Height (mm)	Width (mm)	Weight (g)	Barrel
CZ 550 MAGNUM LUX	.416 Rigby, .300 Win. Mag.	W	FM	3/5	SST	F	1180	635	210	85	4200	HF
CZ 550 MAGNUM LUX	.375 H&H Mag., .458 Win. Mag.	W	FM	5/4	SST	F	1180	635	210	85	4200	HF
CZ 550 MAGNUM LUX	7 mm Rem. Mag.	W	FM	5	SST	F	1180	635	210	85	4200	HF
CZ 550 MAGNUM STANDARD	.416 Rigby, .300 Win. Mag.	W	FM	3/5	SST	F	1180	635	210	85	4200	HF
CZ 550 MAGNUM STANDARD	.375 H&H Mag., .458 Win. Mag.	W	FM	5/4	SST	F	1180	635	210	85	4200	HF
CZ 550 SAFARI MAGNUM	.300 Win. Mag., .375 H&H Mag.	W	FM	5/5	SST	F	1180	635	210	85	4200	HF
CZ 550 SAFARI MAGNUM	.416 Rigby	W	FM	3	SST	F	1180	635	210	85	4200	HF
CZ 550 AMERICAN SAFARI MAG.	.300 WSM	W	FM	3	SST	-	1145	611	195	80	4700	HF

W - walnut, B - beech, P - plastic, L - laminated wood, K - Kevlar / DM - detachable magazine, FM - fixed magazine / ADJ - adjustable, SST - single set trigger, NON ADJ - non-adjustable / F - fixed, ADJ - adjustable / HF - hammer forged, BR - broached

magnum

magnum



Pistols

Česká zbrojovka Uherský Brod was founded back in 1936 and its 70 years of experience with small arms design and manufacture has led to many innovative pistol designs. The most recent being the CZ 75 D COMPACT (P-01), CZ 2075 RAMI and the brand new model the CZ 75 SP-01 – the handgun currently used by of the World Champion in shooting according to the rules of IPSC competitions. State-of-the-art technology, CNC machining centres and skilled personnel together with unparalleled know-how and the right attitude ensure that these designs leave the factory at the highest standards of quality, so typical for all the handguns of the CZ line.

Model	Calibre	Magazine capacity	Frame	Grip panels	Overall length (mm)	Barrel length (mm)	Height (mm)	Width (mm)	Weight (g)	Trigger mechanism operation	Sights	Safety features
CZ 2075 RAMI	9 mm Luger / .40 S&W	10 (14)/8 (10)	AL	R, PL	168	76	120	32	695	SA/DA	FSF	Manuální pojistka, bezpečnostní ozub, blokování zápalníku
CZ 2075 RAMI P	9 mm Luger / .40 S&W 9 mm P.A. Rubber	10 (14)/8 (10) 10	POLY	-	168	77	120	33	665	SA/DA	FSF	Manuální pojistka, bezpečnostní ozub, blokování zápalníku
CZ 92	6.35 mm Browning	8	AL	PL	126	64	94.5	24	310	DAO	-	Zásobníková pojistka
CZ 75 D COMPACT (P-01)	9 mm Luger	14 (16)	AL	R	184	98.5	128	35	800	SA/DA	F	Vypouštění kohoutku, bezpečnostní ozub, blokování zápalníku
CZ 75 BD COMPACT P	9 mm Luger	14 (16)	POLY	-	184	98.5	137	37	770	SA/DA	F	Vypouštění kohoutku, bezpečnostní ozub, blokování zápalníku
CZ 75 COMPACT	9 mm Luger 9x21	14 (16) 14 (16)	ST	PL	184	98.5	128	35	920	SA/DA	F	Manuální pojistka, bezpečnostní ozub, blokování zápalníku
CZ 75 B COMPACT	.40 S&W	10	ST	R, PL	184	98.5	128	35	1080	SA/DA	F	Manuální pojistka, bezpečnostní ozub, blokování zápalníku
CZ 85 D COMPACT	9 mm Luger	14 (16)	AL	R	184	98.5	128	35	800	SA/DA	F	Vypouštění kohoutku, bezpečnostní ozub, blokování zápalníku
CZ 75 D COMPACT	9 mm Luger	14 (16)	AL	R, PL	184	98.5	128	35	800	SA/DA	FSF	Vypouštění kohoutku, bezpečnostní ozub, blokování zápalníku
CZ 83	7.65 mm Browning / 9 mm Browning 9 mm Makarov / 9mm P.A. Rubber	15 / 12 12 / 12	ST	PL	172	97	127	36	750 800	SA/DA	F	Manuální pojistka, odskok kohoutku
CZ 100	9 mm Luger / 9 x 21 / .40 S&W	13 / 13 / 10	POLY	-	177	98	130	31	665	DAO	F	Blokování zápalníku
CZ 110	9 mm Luger / 9 x 21	13 / 13	POLY	-	180	98	130	31	665	SA/DA	F	Vypouštění zápalníku, blokování zápalníku
CZ 75 B	9 mm Luger / 9 x 21 / .40 S&W	16 / 16 / 10	ST	PL	206	120	138	35	1000	SA/DA	F	Manuální pojistka, bezpečnostní ozub, blokování zápalníku
CZ 75 BD	9 mm Luger / 9 x 21	16 / 16	ST	PL	206	120	138	35	1000	SA/DA	F	Vypouštění kohoutku, bezpečnostní ozub, blokování zápalníku
CZ 75 BD POLICE	9 mm Luger / 9 x 21	16 / 16	ST	PL	206	120	138	35	1000	SA/DA	F	Vypouštění kohoutku, bezpečnostní ozub, blokování zápalníku
CZ 85 B	9 mm Luger / 9 x 21	16 / 16	ST	PL	206	120	138	38	1000	SA/DA	F	Manuální pojistka, bezpečnostní ozub, blokování zápalníku
CZ 75 B STAINLESS	9 mm Luger	16	SS	R	206	120	138	35	1050	SA/DA	F	Manuální pojistka, bezpečnostní ozub, blokování zápalníku
CZ 75 SP-01	9 mm Luger	18	ST	R	207	120	147	37	1180	SA/DA	F	Manuální pojistka, bezpečnostní ozub, blokování zápalníku
CZ 75 SP-01 TACTICAL	9 mm Luger	18	ST	R	207	120	147	37	1180	SA/DA	F	Vypouštění kohoutku, bezpečnostní ozub, blokování zápalníku
CZ 75 SP-01 SHADOW	9 mm Luger	18	ST	R	207	120	147	37	1180	SA/DA	F	Manuální pojistka, bezpečnostní ozub
CZ 97 B	.45 Auto	10	ST	W	212	123	150	35	1150	SA/DA	F	Manuální pojistka, bezpečnostní ozub, blokování zápalníku
CZ 75 KADET	.22 LR	10	ST	PL	206	124	139	37	1080	SA/DA	ADJ	Manuální pojistka, bezpečnostní ozub
CZ 75 ADAPTER KADET	.22 LR	10	-	-	187	124	41	24	475	-	ADJ	-
SIMMUNITION	9 mm FX & CQT, Securi Blank	14	-	-	165	104	41	25	382	-	ADJ	-
CZ 75 TACTICAL SPORT	9 mm Luger / .40 S&W	20 / 17	ST	W	225	134.5	150	45	1270	SA	F	Manuální pojistka, bezpečnostní ozub
CZ 85 COMBAT	9 mm Luger	16	ST	PL	206	120	138	35	1000	SA/DA	ADJ	Manuální pojistka, bezpečnostní ozub
CZ 75 B SA	9 mm Luger	16	ST	PL	206	120	138	35	1000	SA	F	Manuální pojistka, bezpečnostní ozub, blokování zápalníku
CZ 75 CHAMPION	9 mm Luger / .40 S&W	16 / 12	ST	R	235/ 245	114	142	38	1130	SA	ADJ	Manuální pojistka, bezpečnostní ozub

AL - light alloy, **ST** - steel, **POLY** - polymer, **SS** - stainless steel

PL - plastic, **R** - rubber, **W** - wood

SA - single action, **DA** - double action, **DAO** - double action only

ADJ - adjustable, **F** - fixed, **FSF** - fixed, snag free

Safety Stop on the Hammer - A half-cock safety notch on the hammer so as to prevent it from striking the firing pin when the hammer is manually cocked and a thumb could slip.

Firing Pin Safety - The firing pin safety keeps the firing pin blocked until the trigger is pulled. This safety device minimises the risk of accidental discharge through mishandling such as when a loaded pistol is dropped.

Decocking - Serves for the lowering of the hammer from the cocked position to the hammer safety notch. There is no necessity to manipulate the trigger and hammer manually. When the hammer is decocked, the pistol is safe for all normal handling and yet is ready for immediate use.

Manual safety - Manual safety is applied by the user when putting the firearm on safe.

Magazine safety - Blocks the trigger mechanism unless the magazine is inserted into pistol frame.



CZ 2075 RAMI •

The CZ 2075 RAMI is a handgun from our „Subcompact“ category based on the proven CZ 75 pistol model design. The trigger mechanism operates in SA/DA mode of fire. The pistol utilizes several safety features including a firing pin block and a manual safety.

Incorporating the CZ staggered column magazine design, the little CZ 2075 RAMI accommodates 10 cartridges of 9 mm Luger or 8 cartridges of .40 S&W cal. plus one in the chamber. With a 3 barrel weighs less than 700 g when unloaded.

This handgun was a nominee in the prestigious Guns & Ammo magazine for the Gun of the Year 2004.



▲ 9 mm Luger / .40 S&W

F Black polycoat

CZ 2075 RAMI

CZ 2075 RAMI P • Thanks to the frame being made from high-impact polymer the CZ 2075 RAMI P is lighter 30 g lighter than the same handgun model with the frame made of light aluminium alloy. The CZ 2075 RAMI P is additionally outfitted with an ambidextrous manual safety for better handling. Handgun cocking is made more easy due to the augmented grip portion of the slide. The CZ 2075 RAMI P is also available in the version adapted for less-lethal cartridge cal. 9 mm P.A.Rubber.

The grip is continuously enhanced for the use of magazine with extended capacity (14 cartridges in cal. 9mm, 10 cartridges in cal. .40S&W).



▲ 9 mm Luger / .40 S&W / 9mm P.A. Rubber

F Black polycoat (slide)

CZ 2075 RAMI P



CZ 2075 RAMI

- Quality and reliability of the CZ 75 pistols line
- Length 168 mm, height 120 mm, width 32 mm
- Hammer forged barrels
- Barrel length 3"
- Weighs less than 700 g
- SA/DA mode of operation
- Manual safety
- Firing pin block
- Low profile, snag-free sights
- Magazine capacity 10+1 in 9mm cal., 8+1 in .40 S&W cal.
- Ideal handgun for concealed carry



CZ 92

▲ 6.35 mm Browning

F Black or silver polycoat, Dual tone

CZ 92 • The CZ 92 is designed for personal defence at short distances. The whole technical concept and safety features were especially adapted with this in mind. The CZ 92 pistol incorporates the blowback breech principle and the double action only (DAO) mode of fire.

For enhancing safety this pistol is additionally outfitted with magazine safety so that removal of the magazine automatically blocks the trigger. The pistol comes now in new design with side magazine release.

CZ 75 D COMPACT (P-01) •

The CZ 75 D COMPACT (P-01) based on the CZ 75 design, was after 3 years of some of the most aggressive and demanding tests enlisted as duty handgun of the Czech National Police. Rugged, extremely reliable and precisely balanced all-round the CZ 75 D COMPACT (P-01) pistol is designed in such a way so as to meet conditions and situations required by modern and up to date law enforcement and as such meets all current requirements of police and military forces in the whole world. Low weight and dimensions predispose the CZ 75 D COMPACT (P-01) pistol for personal defence and long term carry. According to evaluations from a number

of police and military tenders the CZ 75 D COMPACT ranks among the best pistols of the world. The CZ 75 D COMPACT (P-01) pistol being offered here is a handgun in compliance with strict demands and requirements according to NATO specifications.

Reliability:

The U.S. Army "Mean Rounds Between Failure" (MRBF) requirement is 495 round for 9mm pistol. During testing of the CZ D COMPACT (P-01), the average number of stoppages was only 7 per 15 000 rounds fired, this is 0,05 % failure rate representing excellent MRBF rate of 2142 rounds!



A 9 mm Luger

F Black polycoat

CZ 75 D COMPACT (P-01)

CZ 75 D COMPACT (P-01)

- Pistol codified in accordance with NATO SPEC, NSN 1005-16-000-8619
- Lightweight attained by the use of forged aircraft grade aluminium alloy
- High reliability with various types of cartridges including ammunition made according to "STANAG" standards
- Safety features such as decocking lever, hammer safety notch and firing pin block safety ensure safe handling in all situations
- Excellent ergonomics
- Re-contoured trigger for smoother, consistent and low weight trigger pulls
- Generous squared trigger guard for gloved hands shooting
- Checkered rubber grips, serrated front and back strap for superior handling
- Lanyard loop on butt
- Sights outfitted with a three-dot illuminating system for better aiming in poor visibility conditions
- Good results at instinctive shooting (without aiming)
- MIL-STD-1913 accessory rails to accept tactical lights and lasers
- Easy disassembly for cleaning
- Hammer forged barrel
- Long service life



A 9 mm Luger

F Black polycoat (slide)

CZ 75 BD COMPACT P

CZ 75 BD COMPACT P •

Model with lightweight frame made from high impact polymer.

subcompact

compact

Model	Calibre	Magazine capacity	Frame	Grip panels	Overall length (mm)	Barrel length (mm)	Height (mm)	Width (mm)	Weight (g)	Trigger mechanism operation	Sights	Safety features
CZ 2075 RAMI	9 mm Luger / .40 S&W	10 (14)/8 (10)	AL	R, PL	168	76	120	32	695	SA/DA	FSF	Manual safety, Hammer safety notch, Firing pin block
CZ 2075 RAMI P	9 mm Luger / .40 S&W 9 mm P.A. Rubber	10 (14)/8 (10) 10	POLY	-	168	77	120	33	665	SA/DA	FSF	Manual safety, Hammer safety notch, Firing pin block
CZ 92	6.35mm Browning	8	AL	PL	126	64	94.5	24	310	DAO	-	Magazine safety
Model	Calibre	Magazine capacity	Frame	Grip panels	Overall length (mm)	Barrel length (mm)	Height (mm)	Width (mm)	Weight (g)	Trigger mechanism operation	Sights	Safety features
CZ 75 D COMPACT (P-01)	9mm Luger	14 (16)	AL	R	184	98.5	128	35	800	SA/DA	F	Trigger decocking, Hammer safety notch, Firing pin block
CZ 75 BD COMPACT P	9mm Luger	14 (16)	POLY	-	184	98.5	137	37	770	SA/DA	F	Trigger decocking, Hammer safety notch, Firing pin block

AL - light alloy, ST - steel, POLY - polymer, SS - stainless steel / PL - plastic, R - rubber, W - wood / SA - single action, DA - double action, DAO - double action only / ADJ - adjustable, F - fixed, FSF - fixed, snag free

compact



CZ 75 COMPACT • Shortened version of the basic all-steel CZ 75 B with 3.9 in. long barrel.

CZ 75 COMPACT



- ▲ 9 mm Luger / 9x21
- Black polycoat



- ▲ .40 S&W
- Black polycoat

CZ 75 B COMPACT

CZ 75 B COMPACT • New compact model has a steel frame and is equipped with an ambidextrous manual safety. The dust cover on the frame features the MIL-STD-1913 rails to accept tactical lights and lasers. With 10 + 1 cartridges magazine capacity is the CZ 75 B COMPACT pistol in cal. .40 S&W an excellent choice for concealed carry or duty weapon.



- ▲ 9 mm Luger
- Black polycoat

CZ 75 D COMPACT



- ▲ 9 mm Luger
- Black polycoat

CZ 85 D COMPACT

CZ 85 D COMPACT •

The CZ 75 D COMPACT modified and complemented with ambidextrous decocking lever and slide stop.

CZ 75 D COMPACT • This is a pistol with a light alloy frame having a decocking lever, featuring extended magazine release, snag-free sights, loaded chamber indicator, serrated front and back strap for improved handling, rubber grip panels and lanyard loop in the butt.

CZ 83 • The CZ 83 is a compact all-steel semi-automatic handgun designed on the blowback breech principle. The pistol is produced with barrel having classic rifling in calibres 7,65 mm Browning (.32 Auto) and 9 mm Browning Short (.380 ACP) and with polygonal barrel bore for the 9 mm

Makarov cal. The CZ 83 pistol is also available in less-lethal 9 mm P.A. Rubber cartridge. The trigger mechanism is a SA/DA type. This model features an ambidextrous manual safety and magazine catch. The CZ 83 is an ideal concealed carry pistol.



CZ 83

A 7,65 mm Browning / 9 mm Browning
9 mm Makarov / 9mm P.A. Rubber

F Black polycoat, Glossy blue,
Satin nickel / Glossy nickel



CZ 100

A 9 mm Luger / 9 x 21 / .40 S&W

F Black polycoat (slide)

CZ 100 • The CZ 100 belongs to a range of high capacity semi-automatic pistols incorporating a locked breech. The combination of the polymer frame and steel slide reduces weight significantly, enhancing comfort of day-to-day carry. The trigger mechanism is a DAO

type, incorporating a firing pin block safety. Its elegant shape and design facilitates shooting in gloved hands. Its operational and safety features justify ranking this handgun among the "load and forget" category.

CZ 110 • The CZ 110 pistol is the CZ 100 complemented with additional functional and safety features. The thing that is for this model especially different is a trigger mechanism operation enabling shooting in SA/DA mode of fire. The cocking indicator protruding from the rear of the slide indicates when the striker is cocked. The striker can be released to its

rest position by decocking button located at the rear of the frame beneath the slide, the handgun can be thus carried with a cartridge in the chamber with the striker spring relaxed, but at the same time safe and ready for immediate use in DA mode of fire.



CZ 110

A 9 mm Luger / 9 x 21

F Black polycoat (slide)
Mat blue (slide)

compact

Model	Calibre	Magazine capacity	Frame	Grip panels	Overall length (mm)	Barrel length (mm)	Height (mm)	Width (mm)	Weight (g)	Trigger mechanism operation	Sights	Safety features
CZ 75 COMPACT	9 mm Luger 9x21	14 (16) 14 (16)	ST	PL	184	98.5	128	35	920	SA/DA	F	Manuální pojistka, bezpečnostní ozub, blokování zápalníku
CZ 75 B COMPACT	.40 S&W	10	ST	R, PL	184	98.5	128	35	1080	SA/DA	F	Manuální pojistka, bezpečnostní ozub, blokování zápalníku
CZ 85 D COMPACT	9mm Luger	14 (16)	AL	R	184	98.5	128	35	800	SA/DA	F	Vypouštění kohoutku, bezpečnostní ozub, blokování zápalníku
CZ 75 D COMPACT	9 mm Luger	14 (16)	AL	R, PL	184	98.5	128	35	800	SA/DA	FSF	Vypouštění kohoutku, bezpečnostní ozub, blokování zápalníku
CZ 83	7,65 mm Browning / 9 mm Browning 9 mm Makarov / 9mm P.A. Rubber	15 / 12 12 / 12	ST	PL	172	97	127	36	750 800	SA/DA	F	Manuální pojistka, odskok kohoutku
CZ 100	9 mm Luger / 9 x 21 / .40 S&W	13 / 13 / 10	POLY	-	177	98	130	31	665	DAO	F	Blokování zápalníku
CZ 110	9 mm Luger / 9 x 21	13 / 13	POLY	-	180	98	130	31	665	SA/DA	F	Vypouštění zápalníku, blokování zápalníku

AL – light alloy, ST – steel, POLY – polymer, SS – stainless steel / PL – plastic, R – rubber, W – wood / SA – single action, DA – double action, DAO – double action only / ADJ – adjustable, F – fixed, FSF – fixed, snag free

compact



CZ 75 • Česká zbrojovka Uherský Brod offers a great line of pistols stemming from the CZ 75 basic design. Individual versions differ in their calibre, size, weight, magazine capacity, trigger mechanism operation, safety elements, surface finish, frame material, grip panel types and other specific modifications and features.

“CZ 75 represents a significant step forward in autopistol design. In the thirty years since it first appeared, the CZ 75 has exerted an enormous influence on service pistol design, and it remains one of the best of the genre despite its age”. Gene Gangarosa, Jr., *Combat Handguns*®, 2004.

CZ 75

- All-steel construction (except for compacts with a frame made from light aircraft grade alloy or high - impact plastic)
- High capacity double-column magazine
- Hammer forged barrels
- Ergonomic shape of grip and controls
- Unparalleled accuracy
- 3 dot sighting system (Tritium sights available)
- Easy operation of controls
- Extended service life due to advanced design and superior materials
- High safety standard resulting from intrinsic safety features:
 - manual safety, or decocking
 - safety stop on hammer
 - firing pin block safety
 - out of battery disconnect



- ▲ 9 mm Luger / 9 x 21
- Black or silver polycoat, Glossy blue, Mat blue, Nickel, Dual tone

CZ 75 B • CZ 75 B is a traditional handgun issued by government, military and security agencies in all parts of the world.

CZ 75 B



- ▲ .40 S&W
- Black or silver polycoat, Glossy blue, Dual tone

CZ 75 B •
In .40 S&W cal. the CZ 75B features an ambidextrous manual safety.

CZ 75 B .40S&W

A 9 mm Luger / 9 x 21

F Black polycoat



CZ 75 BD • The CZ 75 BD is based on the design of the CZ 75 B model. Standard manual safety is replaced with decocking lever, which serves for the easy and safe release of the hammer from the cocked position to the hammer safety notch. The pistol safety is further enhanced by the firing pin block safety enabling to carry this model with cartridge in the chamber and at the same time ready for immediate use.

CZ 75 BD

A 9 mm Luger / 9 x 21

F Black polycoat



CZ 75 BD POLICE •

The CZ 75 BD POLICE is equipped with decocking lever, loaded chamber indicator, reversible magazine catch, lanyard ring, checkered front and back strap of the grip and serrated trigger as standard.

CZ 75 BD POLICE

A 9 mm Luger / 9 x 21

F Black or silver polycoat, Glossy blue, Mat blue, Dual tone



CZ 85 B • The CZ 85 B is ambidextrous version of the CZ 75 featuring ambidextrous manual safety and slide release.

CZ 85 B

A 9 mm Luger

F Stainless steel



CZ 75 B STAINLESS •

The CZ 75 B STAINLESS is based on the classical CZ 75 B made in high-grade stainless steel thus enhancing its resistance against corrosion. This model comes burnished to glossy finish or sand blasted surface treatment.

CZ 75 B STAINLESS

standard

Model	Calibre	Magazine capacity	Frame	Grip panels	Overall length (mm)	Barrel length (mm)	Height (mm)	Width (mm)	Weight (g)	Trigger mechanism operation	Sights	Safety features
CZ 75 B	9 mm Luger / 9 x 21 / .40 S&W	16 / 16 / 10	ST	PL	206	120	138	35	1000	SA/DA	F	Manuální pojistka, bezpečnostní ozub, blokování zápalníku
CZ 75 BD	9 mm Luger / 9 x 21	16 / 16	ST	PL	206	120	138	35	1000	SA/DA	F	Vypouštění kohoutku, bezpečnostní ozub, blokování zápalníku
CZ 75 BD POLICE	9 mm Luger / 9 x 21	16 / 16	ST	PL	206	120	138	35	1000	SA/DA	F	Vypouštění kohoutku, bezpečnostní ozub, blokování zápalníku
CZ 85 B	9 mm Luger / 9 x 21	16 / 16	ST	PL	206	120	138	38	1000	SA/DA	F	Manuální pojistka, bezpečnostní ozub, blokování zápalníku
CZ 75 B STAINLESS	9 mm Luger	16	SS	R	206	120	138	35	1050	SA/DA	F	Manuální pojistka, bezpečnostní ozub, blokování zápalníku

AL - light alloy, ST - steel, POLY - polymer, SS - stainless steel / PL - plastic, R - rubber, W - wood / SA - single action, DA - double action, DAO - double action only / ADJ - adjustable, F - fixed, FSF - fixed, snag free

standard



CZ 75 SP-01


- Design based on the proven CZ 75 line of pistols
- Handgun intended for special units, suitable also for target shooting, hobby or self defence
- Long service life, accuracy and reliability even when used under adverse conditions
- Tritium sights for shooting in poor visibility
- MIL-STD-1913 accessory rails to accept tactical lights and lasers
- High stability and steadiness while shooting quick shots
- Front of trigger guard provided with serrations
- Front strap serrated for better grip
- Checkered rubber grip panels
- Enhanced magazine capacity holding 18 cartridges, CZ 75 standard magazines can be also used


CZ 75 SP-01 •

The CZ SP-01 is designed and manufactured to be used by special units of the armed forces. Thanks to its unparalleled accuracy, unfailing reliability and high stability while shooting quick shots this handgun is getting more and more popular even among IPSC sport shooters.

At the XIV World Championship in shooting according to the rules of IPSC the contract shooters of CZ reached with this weapon an excellent placement; Adam Tyc won in the “Production Division” the World Champion title and Angus Hobdell (CZ-USA shooter) was placed third.

CZ 75 SP-01 • The safety of the handgun is provided by firing pin block and ambidextrous manual safety.

 9 mm Luger

 Black polycoat




CZ 75 SP-01




CZ 75 SP-01 TACTICAL

CZ 75 SP-01 TACTICAL •

The safety of the handgun is provided by firing pin block and ambidextrous decocking lever.


 9 mm Luger


 Black polycoat

CZ 75 SP-01 SHADOW •


This model is specially adapted according to suggestions proposed by Angus Hobdell and Adam Tyc, CZ sport shooting team premier shooters. The CZ 75 SP-01 SHADOW features no firing pin block, which consequently reduces trigger pull weight and improves trigger travel properties. This pistol frame incorporates sport-oriented alterations such as recess beneath the trigger guard and beavertail enable higher grip of this handgun. Slightly “weaker” recoil spring facilitates loading of this handgun and enhances the shooting comfort. Gaping magazine well substantially improves reloading.



 9 mm Luger

 Black polycoat

CZ 75 SP-01 SHADOW



- A .45 Auto
- F Black polycoat , Glossy blue, Mat blue

CZ 97 B • CZ 97 B is the first .45 cal. pistol made by CZ. It is operationally identical to the CZ 75 B (trigger mechanism operating in SA/DA mode, firing pin block, manual safety, hammer safety notch). The CZ 97 B has a staggered column magazine holding 10 cartridges and loaded chamber indicator.

- Calibre .45 ACP
- SA/DA mode of fire
- All steel construction
- Dual slide serrations
- Wood grip panels
- Extended beavertail
- Loaded chamber indicator
- Screw-in barrel bushing

CZ 97 B



- A .22 LR
- F Black polycoat

CZ 75 KADET

CZ 75 KADET • The CZ 75 Kadet in cal .22 LR is an excellent handgun for training or plinking, retaining all the characteristic features of the CZ 75/85 line of pistols.



- A .22 LR
- F Black polycoat

CZ 75 ADAPTER KADET

The CZ 75 KADET CONVERSION KIT is a separate accessory for the CZ 75/85 pistol series allowing shooting with .22 LR cal. cartridges. The CZ 75 KADET CONVERSION KIT features its own sights adjustable for elevation and windage, so the sighting-in of the pistol is not affected. Likewise other typical features of the CZ 75/85 pistol line are retained.

* 75 KADET CONVERSION KIT will fit all versions of the CZ 75/85 pistol line listed in this catalogue, except for the CZ 75 TACTICAL SPORTS pistol model.



SIMMUNITION

Special conversion kit for the CZ 75/85 D COMPACT intended for elite units close quarter combat training conducted at indoors environment.

Model	Calibre	Magazine capacity	Frame	Grip panels	Overall length (mm)	Barrel length (mm)	Height (mm)	Width (mm)	Weight (g)	Trigger mechanism operation	Sights	Safety features
CZ 75 SP-01	9mm Luger	18	ST	R	207	120	147	37	1180	SA/DA	F	Manual safety, Hammer safety notch, Firing pin block
CZ 75 SP-01 TACTICAL	9mm Luger	18	ST	R	207	120	147	37	1180	SA/DA	F	Trigger decocking, Hammer safety notch, Firing pin block
CZ 75 SP-01 SHADOW	9mm Luger	18	ST	R	207	120	147	37	1180	SA/DA	F	Manual safety, Hammer safety notch
CZ 97 B	.45 Auto	10	ST	W	212	123	150	35	1150	SA/DA	F	Manual safety, Hammer safety notch, Firing pin block
CZ 75 KADET	.22 LR	10	ST	PL	206	124	139	37	1080	SA/DA	ADJ	Manual safety, Hammer safety notch
CZ 75 ADAPTER KADET	.22 LR	10	-	-	187	124	41	24	475	-	ADJ	-
SIMMUNITION	9mm FX & CQT, Securi Blank	14	-	-	165	104	41	25	382	-	ADJ	-

AL – light alloy, ST – steel, POLY – polymer, SS – stainless steel / PL – plastic, R – rubber, W – wood / SA – single action, DA – double action, DAO – double action only / ADJ – adjustable, F – fixed, FSF – fixed, snag free

standard

standard



Martin Kameníček
Team CZ



- A** 9 mm Luger / .40 S&W
- F** Dual tone (glossy blue slide/silver polycoat frame)

CZ 75 TACTICAL SPORTS •

The CZ 75 TS is built on the basis of requirements as proposed by members of the CZ Shooting Team, and for that reason it meets the highest demands for safety, accuracy, reliability and easy operation. This pistol model incorporates features, which form priorities for each action shooter. The CZ 75 TS is factory tuned in such a way that immediately after taking out of the box this handgun is ready for competition shooting at the highest level.

CZ 75 TACTICAL SPORTS




CZ 85 COMBAT

CZ 85 COMBAT •

The CZ 85 COMBAT pistol is revamped version of the CZ 75 model equipped with ambidextrous controls. This handgun is outfitted with adjustable sights as standard. The CZ 85 COMBAT is designed to be used at shooting competitions organized by armed forces, police units or law enforcement agencies.

- A** 9 mm Luger
- F** Black polycoat, Silver polycoat, Mat blue, Glossy blue, Dual tone



CZ 75 SA • The CZ 75 SA stems from the classical CZ 75 B model differentiating from it by a single action trigger mechanism, which offers the sport oriented shooter together with reduced trigger pull weight also shortened trigger travel which makes it possible achieving the best shooting results ever.

- A** 9 mm Luger
- F** Black polycoat

CZ 75 SA



CZ 75 CHAMPION • The CZ 75 CHAMPION is a top pistol model for sport self-realization, which is equipped with muzzle compensator, single action trigger mechanism, adjustable sights and extended magazine catch. This handgun is outfitted with grip panels made by Hogue as standard. This model is a really superior quality pistol, hand fitted with the most exacting precision so that the resulting product will meet demands of the most discerning shooters.

- A** 9 mm Luger / .40 S&W
- F** Dual tone (glossy blue slide/silver polycoat frame)

CZ 75 CHAMPION

A .45 ACP, 10mm

F Stainless Steel



DW POINTMAN SEVEN

DW POINTMAN SEVEN • The Dan Wesson PM-7 is a true rock solid, 70 series 1911 match pistol, developed with the competitive and casual target shooter in mind. Hand crafted by Master Gunsmiths in the USA, this pistol is built to outperform customer's expectations. The model 7 incorporates many name brand custom grade parts from manufactures such as Ed Brown & STI, making the value packed Model 7 one of the best match pistols in its class. Available in .45 ACP & 10mm.



A .45 ACP, 10mm

F Stainless Steel

DW COMMANDER CLASSIC BOBTAIL

DW COMMANDER CLASSIC - BOBTAIL

The Dan Wesson Firearms 1911 Commander Bobtail is built around the innovative Ed Brown Bobtail carry feature. The abbreviated, curved mainspring housing makes the Commander 1911 size pistol a more discrete and comfortable carry companion with great control and fast pointing features. This pistol is fitted, hand polished and Master gunsmith built in the USA for decades of reliable service as a primary or back-up firearm. Available in .45 ACP & 10mm.

Dan Wesson

Dan Wesson Firearms has always been a trusted name in the Firearms Industry and today it is no different. The Dan Wesson name and logo are synonymous with quality, finish, and accuracy. Our new state of the art manufacturing facility located in Norwich, New York is today producing some of the finest, most reliable revolvers and semi-automatic pistols offered by any firearms manufacture - anywhere.

Our new facility incorporates CNC machining with all new tooling, fixtures, and new polishing process, and laser engraving. The accolades have been unanimous, these are indeed the finest Dan Wesson revolvers and semi-automatic pistols made to date.

- Fitted 70 Series frame & slide
- Match grade 425 trigger group, adjustable trigger
- 416R Forged one piece stainless steel Match barrel
- Extended thumb safety
- Tuned Extractor
- Beveled magazine well
- Lowered & relieved ejection port
- Rear cocking serrations
- Extended magazine release
- Master gunsmith built

competition	Model	Calibre	Magazine capacity	Frame	Grip panels	Overall length (mm)	Barrel length (mm)	Height (mm)	Width (mm)	Weight (g)	Trigger mechanism operation	Sights	Safety features
	CZ 75 TACTICAL SPORT	9mm Luger / .40 S&W	20 / 17	ST	W	225	134.5	150	45	1270	SA	F	Manuální pojistka, bezpečnostní ozub
	CZ 85 COMBAT	9mm Luger	16	ST	PL	206	120	138	35	1000	SA/DA	ADJ	Manuální pojistka, bezpečnostní ozub
	CZ 75 B SA	9mm Luger	16	ST	PL	206	120	138	35	1000	SA	F	Manuální pojistka, bezpečnostní ozub, blokování zápalníku
	CZ 75 CHAMPION	9mm Luger / .40 S&W	16 / 12	ST	R	235/245	114	142	38	1130	SA	ADJ	Manuální pojistka, bezpečnostní ozub
Dan Wesson	Model	Calibre	Magazine capacity	Frame	Grip panels	Overall length (mm)	Barrel length (mm)	Height (mm)	Width (mm)	Weight (g)	Trigger mechanism operation	Sights	Safety features
	Pointman Seven	.45 ACP / 10 mm	7	SS	W	218	127	135	36	1077	SA	ADJ	Manual safety, Grip safety
	Commander Classic Bobtail	.45 ACP / 10 mm	7	SS	W	201	108	120	36	992	SA	FSF	Manual safety, Grip safety

AL - light alloy, ST - steel, POLY - polymer, SS - stainless steel / PL - plastic, R - rubber, W - wood / SA - single action, DA - double action, DAO - double action only / ADJ - adjustable, F - fixed, FSF - fixed, snag free





Air Guns

Characteristic features of air rifles:

- *all-steel sights adjustable for elevation and windage, tunnel front sight*
- *automatic safety preventing unintentional discharge*
- *barrel in the closed position is pull bar latched*
- *adjustable trigger pull*
- *receiver tube provided with dovetail grooves for mounting a scope*
- *dual cocking lever*
- *quality beech wood stock fitted with a low rubber buttplate*

Slavia 634 • The Slavia 634 spring-piston air rifle with break-barrel cocking is designed for leisure time activities or basic sport shooting, or as the case may be pest control (where allowed). Incorporated push button safety prevents an unintentional discharge and enables cautious decocking of the air-rifle striking mechanism.



-  4,5 mm, 5,5 mm
-  Beechwood stock

Slavia 634





-  4,5 mm
-  Beechwood stock

Slavia 630 STANDARD

Slavia 630 Standard • The Slavia 630 break-barrel air rifle is intended for leisure time activities and basic training in sport shooting. The air rifle features a rear sight adjustable for elevation and windage and the trigger is provided with an adjustable trigger pull. The automatic safety secures the air rifle against any accidental discharge during cocking. The stock is made of beech wood and is designed in ambidextrous configuration.

Slavia 631 Lux • The Slavia 631 break-barrel is intended for general sport shooting and to this purpose its design has been adjusted. The stock is made either from beech wood with a polyamide buttplate or plastic with an adjustable buttplate. The barrel is fixed in its idle position, the receiver is factory milled for a receiver sight or scope mount. The rear sight is adjustable for elevation and windage and the trigger pull weight is adjustable as well. Also this version is equipped with an automatic safety.



-  4,5 mm
-  Beechwood stock

Slavia 631 LUX

spring - piston

Model	Calibre	Stock	Trigger	Sights	Overall length (mm)	Barrel length (mm)	Height (mm)	Width (mm)	Weight (g)	v ₁ (m/s)
Slavia 634	4,5 mm	B	ADJ	ADJ	1080	450	204	40	3000	220
Slavia 634	5,5 mm	B	ADJ	ADJ	1080	450	204	40	3000	175
Slavia 630 STANDARD	4,5 mm	B	ADJ	ADJ	1160	530	195	40	3000	170
Slavia 631 LUX	4,5 mm	B	ADJ	ADJ	1160	530	204	42	3100	170

W - walnut, B - beech, P - plastic, L - laminated wood, K - Kevlar / ADJ - adjustable, SST - single set trigger, NON ADJ - non-adjustable / F - fixed, ADJ - adjustable


spring - piston


Pre-charged Pneumatic Air Guns

• The CZ 200 PCP (pre-charged pneumatic) line of airguns is the result of close co-operation between Česká zbrojovka and a renowned English manufacturer of air guns. These guns involving a compact action/breech with a detachable compressed air reservoir are characterized with an excellent accuracy, consistence of projectile velocities, and minimum of felt recoil. Especially young and starting shooters appreciate these properties.



Optics and mount are not part of the product.

 4.5 mm, 5.5 mm

 Beechwood stock


CZ 200 S

CZ 200 S • The primary version of the CZ 200 S model is made in calibre .177/4,5 mm or .22/5,5 mm and can be used beside sport purposes also for pest control (if allowed) as the muzzle energy can be set up to 16Joule.



Optics and mount are not part of the product.

 4.5 mm

 Beechwood stock

CZ 200 T • The target style CZ 200T version having muzzle energy of 7,5 Joule is made in calibre .177/4,5 mm and is intended for very precise training and competition shooting. Design of this air rifle complies with ISSF rules.

CZ 200 T



 4.5 mm

 Beechwood stock

CZ 260 PCPA • The primary version of the PCPA CZ 260 air pistol made in calibre .177/4,5 mm solely for target shooting purposes shooting events, the muzzle energy is reaching the value of 7,5 Joule. A pressure regulator ensures consistent velocity of each shot. The rear sight is adjustable for elevation and windage and features an exchangeable blade; the front sight is of triangular profile and can be pivoted around its axis. Design of this air pistol model complies with ISSF (International Shooting Sport Federation) standards.

CZ 260 PCPA

PCP

Model	Calibre	Stock	Trigger	Sights	Overall length (mm)	Barrel length (mm)	Height (mm)	Width (mm)	Weight (g)	v ₁ (m/s)
CZ 200 S	4.5 mm	B	ADJ	-	907	485	165	53	2800	240
CZ 200 S	5.5 mm	B	ADJ	-	907	485	165	53	2800	175
CZ 200 T	4.5 mm	B	ADJ	-	872-928	485	180	53	2800-3000	165
CZ 260 PCPA	4.5 mm	B	ADJ	ADJ	440	262	155	48	1200	120-150

W - walnut, B - beech, P - plastic, L - laminated wood, K - Kevlar / ADJ - adjustable, SST - single set trigger, NON ADJ - non-adjustable / F - fixed, ADJ - adjustable



1093-0010
Pump



1093-0001
Air gun pressure bottle



3190-0002
Diopter + Front sight (for air guns)



1022-9010-01
Filling adapter for pressure bottle
1020-0630-4401
Filling adapter for pump



1022-0670-4401
Discharge unit



1022-1000-4404
Pressure container
with pressure gauge



1022-4040-4205
Feeding mechanism cal. 5.5mm/4.5mm



321102131440 4mm / 321102131441 8mm
Buttplate and cheekpiece extension spacer



1093-0002
Pressure bottle shut-off valve

- 2150-0010
Diabolo Standard 500 pcs cal. 4.5 mm
- 2150-0024
Diabolo Exact 500 pcs cal. 4.5 mm
- 2150-0016
Diabolo Lux 500 pcs cal. 4.5 mm
- 2150-0023
Diabolo Exact 250 pcs cal. 5.5 mm





Accessories

- 5125-0188
Inside-the-pants holster CZ 92
- 5125-0187
Inside-the-pants holster CZ 2075 RAMI CZ 82/83
- 5125-0196
Inside-the-pants holster CZ 75 D Compact
- 5125-0186
Inside-the-pants holster CZ 75 (CZ 75 SP-01)
- 5125-0183
Moulded belt holster CZ 75 D Compact
- 5125-0182
Moulded belt holster CZ 75 (CZ 75 SP-01)
(CZ 2075 RAMI, CZ 82/83)
- 5125-0198
Moulded belt holster CZ 75
CZ 75 SP-01
- 5125-0184
Belt holster CZ 92
- 5125-0185
Ambidextrous belt holster CZ 75 D Compact
(CZ 2075 RAMI, CZ 82/83)
- 5125-0195
Ambidextrous belt holster CZ 75 (CZ 75 SP-01)



- 5125-0192
Ankle holster CZ 2075 RAMI
- 5125-0193
Ankle holster CZ 92
- 5125-0204
Magazine pouch
(14, 16, 18 r.)
- 5125-0197
Holster for Tactical block - CZ 75 P-01,
CZ 75 D Compact



- 5125-0205
Duty belt holster CZ 75 D Compact
- 5125-0181
Duty belt holster CZ 75 (CZ 75 SP-01)



- Duty holster for CZ 75/85, CZ 75 D
Compact, CZ 75 SP-01, CZ 97 B
secured in trigger guard



- 5125-0305
Thigh rig holster CZ 75, Kadet 22
- 5125-0312
Thigh rig rotating holster CZ 75D
Compact



- 5125-0300
Paddle holster CZ 75, Kadet 22
- 5125-0307
Paddle holster CZ 75D Compact
- 5125-0306
Paddle rotating holster CZ 75,
Kadet 22
- 5125-0313
Paddle rotating holster CZ 75D
Compact
- 5125-0314
Belt rotating holster
CZ 75 D Compact - Thumb-break



- 5125-0199
Vertical shoulder holster - ambidextrous CZ 75 D Compact
(CZ 2075 RAMI)
- 5125-0189
Vertical shoulder holster - ambidextrous CZ 75 (CZ 75 SP-01)
- 5125-0191
Horizontal shoulder holster - ambidextrous CZ 75 D Compact
(CZ 2075 RAMI)
- 5125-0190
Horizontal shoulder holster - ambidextrous CZ 75
(CZ 75 SP-01)
- 5125-0180
Tactical holster CZ 75 (CZ 75 SP-01)
- 5125-0194
Tactical holster CZ 75 D Compact



- 5125-0301
Belt holster (5 cm) CZ 75,
Kadet 22
- 5125-0302
Belt rotating holster (5 cm)
CZ 75, Kadet 22
- 5125-0303
Police belt holster (6 cm)
CZ 75, Kadet 22
- 5125-0304
Police belt rotating holster
(6 cm) CZ 75, Kadet 22
- 5125-0308
Belt holster (5 cm) CZ 75D
Compact
- 5125-0309
Belt rotating holster
(5 cm) CZ 75D Compact
- 5125-0310
Police belt holster
(6 cm) CZ 75D Compact
- 5125-0311
Police belt rotating holster
(6 cm) CZ 75D Compact



1070-1284



1070-1110(1)



1070-1120(1)



1070-1130(1)



1070-1230(1)



1070-1240(1)



1070-1250(1)



1070-3110(1)



1070-4210(1)



1070-5110(1)



1070-4220(1)



1070-1220(1)



1070-4110(1)



1070-1210(1)



1070-3210(1)



6593-3000-01
6593-7000-01
6593-2000-01
6593-6000-01
6593-1000-01
6593-5000-01



ARTEMIS 2000



ARTEMIS 2100




ARTEMIS 3000



ARTEMIS 3100

Ø 25,4 mm	Ø 30 mm	single piece	two-piece	see-thru	pivot	enlarged
1070-1110	1070-1111	•				CZ 550
1070-1120	1070-1121	•		•		CZ 550
1070-1130	1070-1131	•			•	CZ 550
1070-1210	1070-1211		•			CZ 550
1070-1220	1070-1221		•	•		CZ 550
1070-1230	1070-1231		•		•	CZ 550
1070-1240	1070-1241		•			• CZ 550
1070-1250	1070-1251		•	•		• CZ 550
1070-3110	1070-3111	•				CZ 527
1070-3210	1070-3211		•			CZ 527
1070-4110	1070-4111	•				CZ 452
1070-4210	1070-4211		•			CZ 452
1070-4220	1070-4221		•	•		CZ 452
1070-5110	1070-5111	•				CZ 511
1070-1280			•			CZ 537, CZ 550, ZKK
6593-3000-01	6593-7000-01		•			ZKM 452
6593-2000-01	6593-6000-01		•			CZ 527
6593-1000-01	6593-5000-01		•			CZ 550

riflescope		red dot
ARTEMIS 2000 4 x 32	3166-0002	1, 4, 4A, Z - plex
ARTEMIS 2000 6 x 42	3168-0015	1, 4, 4A, Z - plex
ARTEMIS 2000 7 x 50	3172-0040	1, 4, 4A, Z - plex
ARTEMIS 2100 7 x 50	3172-0300	• 4C
ARTEMIS 2000 1,5 - 6 x 42	3184-0050	1, 4, 4A, Z - plex
ARTEMIS 2000 2 - 8 x 42	3172-0050	1, 4, 4A, Z - plex
ARTEMIS 2000 3 - 9 x 42	3184-0051	1, 4, 4A, Z - plex
ARTEMIS 2000 3 - 12 x 50	3184-0052	1, 4, 4A, Z - plex
ARTEMIS 2100 3 - 12 x 50	3184-0301	• 4C
ARTEMIS 3000 1 - 4 x 22	3185-0101	1, 4, Z - plex
ARTEMIS 3100 1 - 4 x 22	3186-0001	• K - Dot
ARTEMIS 3000 1,5 - 5 x 20	3185-0102	1, 4, Z - plex
ARTEMIS 3000 3 - 9 x 42	3185-0100	1, 4, Z - plex
ARTEMIS 3100 3 - 12 x 50	3184-0306	• 4C
ARTEMIS 3100 7 x 56	3172-0200	• 4C



- 5120-0030
Nylon bag for rifle (120x28)
- 5120-0013
Nylon bag for long gun (122x22)
- 5117-0023
Aluminium case for CZ 750 (133x37)
- 5117-0024
Aluminium case for CZ 550 (130x30)
- 5117-0025
Aluminium case for CZ 527 (120x30)
- 5117-0011
Rifle case (black - imitation leather)



- 8178-0011
Pistol bag with logo
- 5120-0036
Pistol bag with pockets (35x17)



- 5117-0012
Explorer 90 plastic case for CZ 750 - olive
- 5117-0013
Explorer 90 plastic case for CZ 750 - black

- 5125-0505
Tactical bag for CZ 750 sniper TPO-05 - olive
- 5125-0506
Tactical bag for CZ 750 sniper TPO-05 - camouflage
- 5125-0507
Tactical bag for CZ 750 sniper TPO-05 - black



- 7190-0505
Key holder CZ 75



- 8160-0019
Kenny - Glass cup, white frosted



- 8160-0031
Pocket knife with lock



8150-0012
Blue sports shirt with CZ logotype
8161-0045
Blue T-shirt with CZ logo
8162-0010
Shirt with CZ logo




5165-0006
Shooting glasses - plastic

1091-1141
Grips in various colours CZ 75
1091-1142
Grips in various colours CZ 75 D Compact
1091-1142
Grips in various colours CZ 75 D Compact (narrower)
1091-1144
Grips in various colours CZ 2075 RAMI
273199000311
HOGUE rubber grip CZ 75/85
273199000110
Rubber grip CZ 75/85, right-hand
273199000210
Rubber grip CZ 75/85, left-hand
273199000400
Rubber grip CZ 75 Compact, right-hand
273199000500
Rubber grip CZ 75 Compact, left-hand



1091-1111
Wooden grip CZ 75/85
1091-2153
Wooden grip CZ 75 COMPACT
1091-2151
Wooden grip CZ 75/85

273199000860
Rubber magazine bottom



5165-0054
Electronically controlled ear protection
5165-0055
PELTOR H7F ear protectors
5165-0052
PELTOR F6000 ear protectors




8178-0013/0014
IPSC set - blue/black
(1 x holster, 1 x belt, 3 x magazine pouch)



3194-0025
Red dot sight CZ SP 501




1081-0009
TARGET rear sight
545900000001
LPA rear sight



8160-0001
Rado - Baseball cap, dark blue
8160-0002
Rado - Baseball cap, green
8160-0003
Heavy - Baseball cap, black
8171-0005
Peaked cap with CZ logotype





About our website

Feel free to browse through our website at www.czub.cz and take a virtual look at our catalogue. This is where you can find existing and new products, luxuriously engraved firearms, accessories, representatives responsible for individual regions, shooting competition events and presentations where you can see CZ products in action. This website offers also download of instruction manuals and many other useful information.



Česká Zbrojovka

www.czub.cz

CZ-USA

www.cz-usa.com

The Company, reserves the right to make any changes it thinks necessary to improve its models or to meet any requirements of manufacturing or commercial nature.



Česká zbrojovka a.s.
688 27 Uherský Brod
Czech Republic
tel.: +420 572 651 111
fax: +420 572 655 012
e-mail: info@czub.cz
www.czub.cz

