



# Wild Prestige

The Tikka T3 range expands at both ends



Tikka T3 Camo Stainless **NEW**



Tikka T3 Deluxe **NEW**

The Tikka T3 Camo Stainless is designed for a serious shooter who is ready to "rough it" for best results. The barrel is non-reflective stainless steel and the camouflage (Realtree® Hardwoods®) patterned fiberclass reinforced copolymer stock completely blends in with the surroundings.

The Tikka T3 Deluxe represents the opposite end compared with the Camo Stainless. With a high-grade walnut stock, rosewood fore-end tip, classic checkering, metallic pistol grip cap and rosewood decoration, the Deluxe brings a high level of classic sophistication to the Tikka T3 range.

Both models are available in new .338 Federal caliber.



The Tikka T3 rifle concept is a spectacular success story. It won the Golden Bullseye Award and was nominated as Rifle of the Year by American Hunter, the world's leading hunting magazine.

We are delighted that tens of thousands of shooters in the US and around world have chosen Tikka T3 as their favourite new rifle. The news of the Tikka T3's stunning accuracy has spread like wildfire, making it a highly-sought-out rifle. Each rifle is thoroughly tested for accuracy, giving you the performance of 1 MOA or less. Once you have tried a Tikka T3 on the range

you simply don't want to give it back – and when you hear the unbelievable value, there's no real excuse for not having one.

#### High accuracy hits top value

The idea behind Tikka T3 is actually very simple. A rifle consists of only two components - one made of steel and one made of wood or composite. In terms of performance the steel is the more important part.

The stock must be good to hold, pleasant to handle and provide a steady and reliable platform for the steel that

delivers the load. What the Sako gunsmiths did, was to go back to basics and totally rethink the stock.

#### Increasing stock value

In Tikka T3, the entire stock concept is considered and designed from the ground up to make it the most economical and efficient stock to manufacture. This is exactly what brings value to the shooter. The new stock was designed in conjunction with the world-famous Giugiaro design house, and the results have been spectacular.

#### TrueHeart meets TrueBody

The T3 barreled action has a solid platform from which to perform. The T3 stock has a rugged, sleek and balanced hunter-style core design. The barreled action is hand-fitted to the stock.

#### So, how good is it?

Regardless of the price or brand preferences shooters may have, we welcome rifle owners to come out and benchmark the Tikka T3 rifle against their own. There's nothing quite like its performance. Only a custom shop provides a competitor, and even then...

#### Federal's Big Bang with Sako

Federal recently introduced its first centerfire cartridge to bear the respected Federal name. The cartridge is a unique combination of two time-tested designs – the .338 bullet atop the versatile .308 Win cartridge case. The .338 Federal was developed in collaboration with Sako, and is initially only available for Sako 85 and Tikka T3 rifles. It gives big game hunters a larger diameter bullet for more weight and overall energy on target – without magnum recoil. The round delivers devastating performance on game, including deer, bear and elk.



# Truth Beauty



Tikka T3 Hunter



Tikka T3 Laminated Stainless


The Tikka T3 Hunter is for the shooter looking to achieve top performance through innovation, while at the same time preferring classic styling and feel. The high-grain walnut stock is selected and shaped by Sako master gunsmiths. The T3 Hunter offers an extensive caliber selection for hunting and sport shooting. It's an "old world" platform based on modern innovation, and takes you to a new level in accuracy, reliability, and shooting enjoyment.

Tikka T3 Laminated Stainless combines all-weather durability and stability with pinpoint accuracy. The free-floating, high-grade stainless steel barrel is cold-hammer forged. Also the receiver, bolt and bolt handle are stainless steel. The stock is made of grey matte-lacquered laminated hardwood, providing stability and extreme durability. Add stainless Tikka Optilock™ scope mounts and a silvery gray scope – you'll have a stylish and faithful companion for years ahead.

Both models are available in new .338 Federal caliber.

*The unique out-of-the-box performance guarantee means that the T3 rifle is built by professionals from the best materials available. Is there any other way?*

1. The T3 bolt has a counter-bored bolt head and twin locking lugs. Reliable spring-steel extractor and strong spring and plunger ejector. 2. T3 cold-hammer forged precision barrels are free-floating in models with wooden stock. Thus you get the best game-getting accuracy. 3. Straight, true-feeding 3/4 and 5/6 shot single-column detachable magazines for fast and sure repeating. Made of strong glass-fiber reinforced composite, ensuring durability. 4. A good and even muzzle crown is essential for the finest accuracy. T3 barrels are hand crowned for a perfect finish. 5. The magazine release latch in front of the magazine is flush-fitted, to protect you from unintentional release. The latch is horizontally grooved for improved contact.



# Science Design



Tikka T3 Lite



Tikka T3 Lite Stainless

The Tikka T3 Lite has an all-black stock and a blued cold-hammer forged barrel. The light but sturdy T3 TrueBody glass fiber reinforced polymer stock is pure Sako innovation. The straight stock combines high performance and light weight. Positive checkering provides for comfort and firm grip in all weather conditions. Improve your marksmanship with this stealthy T3 challenger.

Shooters who are ready to face the most extreme conditions require that their tools share the same characteristics. T3 will be your trusted, hard-wearing companion, offering flawless long-term performance. The T3 metal parts are made of Sako's high-grade stainless steel and the stock is glass fiber reinforced copolymer, giving you the double advantage of easy maintenance and great looks. Whatever the weather, with a Tikka T3 Lite Stainless in your hands, you will always shine.

Both models are available in new .338 Federal caliber.



1. The trigger group is meticulously manufactured. The housing is machined from the most durable aluminum alloy available, while all other parts are of special steel. The trigger and sear are hand-honed to perfection. Trigger pull can be adjusted from 1 to 2 kgs (2 to 4 lbs). The steel trigger has vertical grooves for added feel and grip, even with gloves on. 2. The T3 action features a large, flat bedding surface and large recoil lug against an accurately inlaid stock – vital for out-of-the-box accuracy. The ejection port is optimized, making the receiver more rigid and inherently accurate. 3. A good grip pattern for a firm grip. The durable stock is made of glass fiber reinforced copolymer polypropylene, and features a palm swell.

*After final assembly, every Tikka is shot with two over-pressure cartridges for that extra degree of safety. Every rifle is shot for accuracy before final inspection and packing.*

# Necessity Convenience



Tikka T3 Battue



Tikka T3 Battue Lite

These lightning-fast rifles are built for driven hunts where most shots are taken at running game over relatively short distances. These remarkably handy rifles are also the top choice for a hunter who trek and hunt in heavy cover.

The short barreled Tikka T3 Battue is specially designed for fast target acquisition. Perfect balance and highly visible battue sights with TruGlo® optic fibers enable fast and easy aiming. Topped with a rifle scope and Optilock™ scope mounts, the T3 Battue has the accuracy to reach game even at longer distances.

The Tikka T3 Battue Lite shares the same special features with the Battue. The glass fiber reinforced polymer stock makes the rifle lighter in weight and adds weather resistance.



1. The two-position safety catch is easy and precise to operate. The two red dots seen in the picture indicate that the rifle is ready to fire. 2. The T3 Battue sight with TruGlo® optic fibers are highly visible and provide fast aiming.

## Tikka T3 general features

**Barrel:** Sako precision barrel of high-grade stainless steel or Cr-Mo alloy. Cold-hammer forged and free-floating in models with wooden stock. Thread-fastened rigidly to the receiver for safety and accuracy. Hand crowned.

**Stock:** Light but solid T3 TrueBody design of high grade walnut or glass fiber reinforced copolymer polypropylene featuring palm swell. Butt plate system with spacers provide adjustability in length of pull. Carefully designed checkered patterns on grip areas for added comfort and firm grip. Sling swivels as standard.

**Action:** Designed for accuracy, reliability and easy service. Extremely rigid action with a two locking lug T3 bolt. The bolt features a spring-loaded plunger ejector and a removable handle, with 70° opening angle leaving ample room between optics and hand. Probably the smoothest action on the market.

**Trigger:** Single-stage pull with positive trigger feel. Easily adjustable through the magazine well from 1 to 2 kg (2 to 4 lbs). All models are available with a single-set trigger as option.

**Safety:** Two-stage, blocking the trigger and bolt handle.

**Magazine:** The single column detachable clip magazine is made of strong glass fiber reinforced composite. The magazine holds 3, 5 or 6 rounds depending on model and caliber. Flush release on front of the magazine in order to avoid accidental releases.

**Sights:** Rifles are supplied without open sights. Open sights are optional. Integral rails for the unique Tikka Optilock scope mounts on the top of the receiver. Receiver is also tapped for Weaver-type scope mount bases.

# Ambition Advantage



Tikka T3 Varmint



Tikka T3 Super Varmint

with optional Picatinny rail, scope mounts, scope and extra large bolt handle.





Tikka T3 Varmint Stainless

When it comes to consistent accuracy, be it at the range or on the plains, the Tikka T3 Varmint is hard to out-shoot. The heavy, free-floating precision barrel effectively eliminates vibration and will not overheat even in fast-paced varmint shooting. The receiver and barrel are made of high grade blued Cr-Mo steel. The synthetic stock has an extra-wide fore-end for bench resting and the swivel stud accommodates both a bipod or a sling. The ergonomic Varmint cheek piece provides comfortable head positioning with a large scope. The T3 Varmint Stainless has barrel and action made of heat-treated special stainless steel, bead-blasted to non-glare finish.

The newest member of the T3 Varmint family is the full-bodied stainless rifle Tikka T3 Super Varmint. Adjustable cheek piece and integral scope mount rails for Optilock scope mounts. Receiver is also drilled and tapped for optional Picatinny rail.

Varmint models come with 5- or 6-round magazines as standard.



1. The bolt lift is only 70°, leaving plenty of room for handling the bolt. Above the receiver, integral mount rails provide easy, precise scope mounting. The receiver is also drilled and tapped for Weaver-type bases. 2. Bolt throw varies according to case length. This is achieved by using different bolt release/stop parts. 3. Extra safety: both bolt handle and trigger are blocked when safety is on. The stop bolt is located inside the receiver.

# Engine Chassis



*The Tikka T3 Tactical is a special development for heavy duty use by law enforcement agencies and serious tactical competition shooters. It is also a superb varmint rifle for long range vermin control.*

When it comes to accuracy, the Tikka T3 Tactical is in a class of its own. The free-floating barrel is made of match-grade Cr-Mo steel, and manufactured by a precision cold-hammer forging process by Sako craftsmen. The action and the barrel surfaces are manganese phosphatized for lasting protection against the elements and wear. The barrel features protected muzzle threading, providing attachment for optional Sako muzzle brake or suppressor assembly.

The modern bolt has two front locking lugs and a spring-loaded plunger ejector with 70-degree opening angle for fast and reliable operation. The Teflon coating on the bolt ensures non-reflecting surface and smooth bolt throw. The 2-way safety behind the bolt handle locks both the bolt and the trigger. The trigger unit is adjustable with a hand-honed sear/trigger - without creep. A single set trigger is optional.

The Picatinny rail on top of the action takes any Weaver or U.S.Mil.Std 1913 compatible mounts. New phosphatized Tikka Optilock bases and rings are recommended for maximum accuracy and ease of use.

The detachable straight-feeding single column magazine is silent, durable and non-rusting. The standard 5-round magazines are tailored to each caliber for ultimate reliability and performance.

The stock is made of fiberglass reinforced copolymer polypropylene and features an ambidextrous palm swell. The wide fore-end has a swivel stud to take a bipod. The three sides of the stock is fitted with inserts which allow the use of heavy duty hook-type sling swivels. The recoil pad is of black rubber and the length of pull may be adjusted with spacers. The cheek piece is adjustable at 5 mm interval up to 25 mm (1").

Scope, scope mounts, bipod, muzzle brake and extra large bolt handle are optional, as well as adjustable open sights and fore- and rear-stock fastened military type heavy duty sling studs for hook-type swivels.

Color coded 5/6 cartridge magazines for all T3 models make the use of different loads easy to separate. Available as accessory.




The cheek piece adjusting wheel can be fitted on either side of the stock. Heavy duty sling swivel studs as well as sling with hook-type swivels available as accessories.



## Tikka T3 Tactical technical data

|                           |  |                    |
|---------------------------|--|--------------------|
| <b>Overall length</b>     | Magnum calibers  | 1110 mm (43 3/4")  |
|                           | Other calibers   | 1020 mm (40 5/32") |
| <b>Barrel length</b>      | Magnum calibers  | 600 mm (23 3/8")   |
|                           | Other calibers   | 510 mm (20")       |
| <b>Weight</b>             | Magnum calibers  | 3.8 kg (8 3/8 lbs) |
|                           | Other calibers   | 3.6 kg (8 lbs)     |
| <b>Cartridge capacity</b> | 223 Rem 7 rounds (1 in chamber, 6 in clip magazine)        |                    |
|                           | Other calibers 6 rounds (1 in chamber, 5 in clip magazine) |                    |
| <b>Calibers</b>           | 223 Rem  | rate of twist 8"   |
|                           | 308 Win  | 11"                |
|                           | 300 Win Mag  | 11"                |



An extra large bolt handle knob. Available for all T3 rifles.

# Sight Vision

Let's say you've invested in a Tikka T3 rifle, and added our superb optics to your outfit. Now it's worth considering these Tikka Optilock technologies, to provide you with optimum shooting experiences. You have two options, the ultra-practical Optilock base mount or the Optilock ring mount.

## The Optilock idea

Tikka Optilock mounts keep the scope centered in all conditions. The scope rests in a tight but gentle grip of the revolutionary ball-bearing type ring. Unlike in conventional mounts, the Optilock's polymer rings distribute the clamping force evenly along the scope shaft, ensuring that your valuable optics will not be twisted or scratched. With Optilock mounts, the

scope and mounts are very easily mounted and removed as one unit, without affecting the point of impact. The limiter pin in the mount base and the limiter pin slot on the receiver enable fast and accurate remounting of the scope/mount unit and guarantee stability of mounting. Optilock bases and rings are machined from a solid block of Cr-Mo alloy or stainless steel. The base design's clamping device connects to the Tikka T3's rifle's integral dovetail rail on the receiver.

Tikka Optilock base mounts are available in 1"/26 mm and 30 mm diameters and four heights, blued or stainless steel to fit any scope. Ring mounts are available for 1" and 30 mm scopes in blued or stainless steel.

Tikka T3 rifles have an integral rail for Optilock scope mounts. Receiver is also tapped for Weaver-type scope mount bases.



*Optilock Weaver base* makes the use of Optilock rings possible in all rifles with Weaver or Picatinny rails.

*Optilock Weaver Base Mount* fits all US.MIL. Std 1913 Picatinny as well as Weaver rails. Available in blued, phosphatized and stainless steel.

*Extra Low Base Mount* is the lowest possible base-style Optilock mount providing a compact package for great performance and looks.



*Optilock Ring Mounts* in blued and stainless steel for low and light weight scope mounting on Tikka rifles.

Optilock mount bases and rings are available in their individual blister packages. This makes it easy to find the proper base, ring height and diameter combination for your rifle and scope model.

## Tikka Optilock Ring Mounts


| Ring type    | Tube diameter (d) mm | Mount height (H) mm | Scope outer max. dia. (D) mm |
|--------------|----------------------|---------------------|------------------------------|
| 1" LO        | 25.4 / 26            | Low 27              | 48...56                      |
| 1" LO S/S    | 25.4 / 26            | Low 27              | 48...56                      |
| 30 mm LO     | 30                   | Low 29              | 52...60                      |
| 30 mm LO S/S | 30                   | Low 29              | 52...60                      |

## Tikka Optilock Mount Rings for mount bases

| Ring type         | Tube diameter (d) mm | Mount height (H) mm | Scope outer max. dia. (D) mm |
|-------------------|----------------------|---------------------|------------------------------|
| 1" XTRA LO        | 25.4 / 26            | Extra Low 28.5      | 51...59                      |
| 1" XTRA LO S/S    | 25.4 / 26            | Extra Low 28.5      | 51...59                      |
| 1" LO             | 25.4 / 26            | Low 30.5            | 55...63                      |
| 1" LO PHO         | 25.4 / 26            | Low 30.5            | 55...63                      |
| 1" LO S/S         | 25.4 / 26            | Low 30.5            | 55...63                      |
| 1" ME             | 25.4 / 26            | Medium 35.5         | 65...73                      |
| 1" ME PHO         | 25.4 / 26            | Medium 35.5         | 65...73                      |
| 1" ME S/S         | 25.4 / 26            | Medium 35.5         | 65...73                      |
| 1" HI             | 25.4 / 26            | High 40.5           | 75...83                      |
| 30 mm XTRA LO     | 30                   | Extra Low 30.5      | 55...63                      |
| 30 mm XTRA LO S/S | 30                   | Extra Low 30.5      | 55...63                      |
| 30 mm LO          | 30                   | Low 32.5            | 59...67                      |
| 30 mm LO PHO      | 30                   | Low 32.5            | 59...67                      |
| 30 mm LO S/S      | 30                   | Low 32.5            | 59...67                      |
| 30 mm ME          | 30                   | Medium 36.5         | 67...75                      |
| 30 mm ME PHO      | 30                   | Medium 36.5         | 67...75                      |
| 30 mm ME S/S      | 30                   | Medium 36.5         | 67...75                      |
| 30 mm HI          | 30                   | High 40.5           | 75...83                      |

## Tikka Optilock Mount Bases for mount rings

Tikka for Tikka models M55/65, M558/658, M590/690, M595/695 and Tikka T3  
Weaver for Picatinny and Weaver rails



Optilock scope mount rings and bases are specially designed to mount scopes on Tikka T3 and Sako rifles' scope mount rails on the receiver. Ring height can be selected with the help of the table above. Larger values in scope outer max. diameter column represent rifles with standard barrel and the smaller values are for rifles with heavy barrel.

